

ARTICLES		
A Meta-Analysis of Risk Factors of Length of Exposure, Smoking Habits, Use of Personal Protection Equipment (PPE), and Exposure to Welding Fumes in Welding Workers with	(Dia	All of the second secon
Abnormal Pulmonary Function (A Perspective of Sustainable Public Health)	1-10	
doi 10.20473/jkl.v14i1.2022.1-10		
🔥 Nanda Inas Fauziyah, R Azizah, Lailia Ayu Rachmawati, Ahmad Zaharin Aris, Arif Sumantri, Siti N. A.		JOURNAL CONTENT
Jauharoh, Datu Buyung Agusdinata		Search
Tropical Climate Less Affects Covid19 Transmission than Population Density: Perspective of	TEL	Search Scope
		All 🗸
	11-20	Search
10.20473/jkl.v14i1.2022.11-20		
🤧 Anwar Rovik, Anggi Pratama, Ayu Rahayu		Browse
		By Issue
Urinary Cadmium Level Causing Impaired Kidney Function in Farmers in Gintungan Village, Bandungan District	E C	By Author By Title
Bandungan District	21-26	Other Journals
	2007/06/12/06/00	
10.20473/jkl.v14i1.2022.21-26		INFORMATION
🤔 Poppi Nastasia Yunita Dewi, Nurjazuli Nurjazuli, Budiyono Budiyono		
The Differences in Blood Lond Londa in Manage with Contational Managers	per-	For Readers For Authors
The Differences in Blood Lead Levels in Women with Gestational Hypertension or Pre- Eclampsia and Women with Normal Pregnancy (A Study in the North Coast of Java, Brebes	(III)	For Librarians
District)	27-36	
		KEYWORDS
dol 10.20473/jkl.v14i1.2022.27-36		3M Awareness, Covid19 Prevention
🥕 Suhartono Suhartono, Apoina Kartini, Budiyono Budiyono, Yusniar Hanani Darundiati		Rural and Urban Air Lead Level, Blo Lead Levels, Land Transport Manufacturing, Blood Pressure,
Determinant Factors of Stunting in West Pasaman District, West Sumatera Indonesia	ERE	Painters Air quality Basic sanitation
	and the second	Diarrhea, Toddlers CBTS Carbon monoxide, Risk assessment,
doi 10.20473/jkl.v14i1.2022.37-44	37-44	Manufacturing Coal-fired, Power
Sari Arlinda, Muchsin Riviwanto, Burhan Muslim, Awalia Gusti, Defriani Dwi Yanti		plant, Respiratory, Pulmonary functi status Coronavirus, Particulate size
		(PM2.5 and PM10), Air quality Covid19 Diarrhea Environment
Effectiveness of Wastewater Treatment Installation and Liquid Waste Quality in Dr.	EUS	factors, air germs, patient rooms,
Soetomo General Hospital, Surabaya	Concerne V	management strategy Hepatitis A, Personal Hygiene, Outbreak
	45-54	Hospital Indonesia, Feasibilit
doi 10.20473/jkl.v14i1.2022.45-54		Waste-toEnergy Plant, Sustainable Development Goals, Final Disposal
J'anatul Ulya Dewi, R Azizah, Zida Husnina, Arif Sumantri, Nurul Qomariah, Suhariono Suhariono, Siti N. A Jankarah, Mahd Lakif	ι.	Sites, NO2 level,
Jauharoh, Mohd Latif		Environmental Health Risk Assessment (EHRA), health
Ousliby of Handwashing in Informal Workows in Indonesia	(TT)	complaints, Toll collectors
Quality of Handwashing in Informal Workers in Indonesia	EII-	officer OD ODF ODF Village, non ODF Village, Behavior, Driving
	55-62	Factors Public baths, Water quality,
10.20473/jkl.v14i1.2022.55-62     Result Packmat Antonius Yudi Kristanto, Totih Patna Sondari		Health problems Sanitation, clean water, latrine, garbage, sewerage
🤔 Basuki Rachmat, Antonius Yudi Kristanto, Totih Ratna Sondari		Toddlers
Spread of Covid19: A Literature Review	<b>ETE</b>	CURRENT ISSUE
Spread of Covid15. A Elicidatie Review	63-70	ATOM 1.0
doi 10.20473/jkl.v14j1.2022.63-70		RSS 2.0 RSS 1.0
Devi Anggraini, Kusuma Secorpia Lestari		
Pevi Anggraini, Kusuma secorpia Lestan		
		28
Follow Our Social Media		
in 🔽 👩 F You Tube		





JKESLING by UNAIR is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Fakultas Kesehatan Masyarakat Universitas Airlangga

Kampus C Universitas Airlangga

Jl. Mulyorejo Kampus C Unair, Surabaya 60115, Indonesia.

E-mail: jurnal.keslingua@gmail.com / jkesling@fkm.unair.ac.id

Phone: +62 8967 5816 284

#### **INDEX BY :**



View More Indexing and Abstracting

### 00354475

View My Stats

54,888	369
2,107	296
968	200
<b>9</b> 547	193
441	184



Pusat Pengembangan Jurnal dan Publikasi Ilmiah Universitas Airlangga copyright@2017 Template PPJP1



UNIVERS AIRLANG


UNIVERSI AIRLANG

UNEVERS! AIRLANG

UNIVERSI AIRLANG

UNEVERS! AIRLANG

UNIVERS, AIRLANG





e-ISSN: 2540-881x JURNAL Kesehatan Lingkungo Journal of Environmental Health	in	Published by Faculty of Public Health Universitas Airlangga	
HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCE	EMENTS I	NDEXING & ABSTRACTING	Descat
Home > Archives > Vol 13, No 1 (2021)			
			LIAS LY
VOL 13, NO 1 (2021)		National Accreditation	HAA SAN SAN SAN SAN SAN SAN SAN SAN SAN S
JURNAL KESEHATAN LINGKUNGAN		Jumat Kesehatan Lingkungan	
	(0, 0, 0, 0, 0)	S2 H-INDEX:21	C RE
TABLE OF CONTENTS			
ARTICLES		0 2017 2018 2019 2020 last update: 2021-08-13 powered by unta2 indexiditingoid	
Preventive Behavior Towards Maya Index at DHF Endemic Area	2018	(view certificate here)	
	1-8		NAS -
10.20473/jkl.v13i1.2021.1-8 10.20473/jkl.v13i1.2021.1-8 10.20473/jkl.v13i1.2021.1-8		People	So the
		Editorial Team	
Environmental Management Strategy to Control Air Germs in Tjitrowardojo District Hospital		List of Reviewers	R 647
doi 10.20473/jkl.v13i1.2021.9-16	9-16		
🤧 Juni Praptiwi, Setyo Sri Rahardjo, Sunarto Sunarto		Instrution for Author	
The Role of Sanitarian and Social-Cultural Factors in Promoting the Open Defecation-Free	2012	Contact	D.L.C.
(ODF) Village	17-23	Guide for Author Online Submission	NGA
doi 10.20473/jkl.v13i1.2021.17-23	ಚಿತ್ರ ಮತ್ತು	Supporting File	00 Q277
Anisa Haq Elhanur, Putri Nabilah Ramadhani, R Azizah		Supporting Software	<u>a 87</u>
Analysis of Potential Waste-to-Energy Plant in Final Waste Disposal Sites in Indonesia	(T)-		
Towards SDGs 2030 (A Literature Review)	24-34	Journal Policy	
doi 10.20473/jkl.v13i1.2021.24-34	24-24	Focus & Scope	
Yuliana Sarasati, R. Azizah, Zia Azuro Zuhairoh, Lilis Sulistyorini, Corie Indria Prasasti, Mohd Talib Latif		Publications Frequency	LIAS CO.
	100	Section Policy	MAA
The Outbreak of Hepatitis A: Evidence in Pacitan District		Peer Review Process Plagiarism Screening	80 99.20
doi 10.20473/jkl.v13i1.2021.35-40	35-40	Open Access Policy	624
🤧 Ratih Lukmitarani, Mufiadzatul Ardiyah, R Azizah		Archiving	(*) (125523
Poor Basic Sanitation Impact on Diarrhea Cases in Toddlers	202	Ethical Clearance	
	41-47	Publication Ethics	5.00/
doi 10.20473/jkl.v13i1.2021.41-47 A Dian Prasasti Kurniawati, Shintia Yunita Arini, Isas Awwalina, Nala Astari Pramesti		Article Processing Charge	HIAS ST.
Dian Prasasu Kurniawau, Shinua Tunika Anni, 1585 Awwalina, Nala Astali Plamesti		Copyright Notice	
Utilization of Clean Water, Personal Hygiene of Toddler Caregivers, and Smoking Behavior of Family Members as Risk Factors for Cases of Stunting Toddlers		Web Database	
Virtuinity Plenoers us Risk ructors for cuses of stunting roudiers	48-56		
dei 10.00470/04.01001.0001.40.56		Visitor Statistics	





SUAS L

Contraction of the second seco

1

## JOURNAL CONTENT

UNIVER

AIRLANG

UNIVERSI

AIRLANG

UNIVERS

AIRLANG

UNIVERSI

AIRLANG

UNIVERS

AIRLANG

## Search

Search Scope All ×



#### Browse By Issue By Author By Title Other Journals

#### INFORMATION

For Readers For Authors For Librarians

### KEYWORDS

3M Awareness, Covid19 Prevention, Rural and Urban Air Lead Level, Blood Lead Levels, Land Transport Manufacturing, Blood Pressure, Painters Air quality Basic sanitation, Diarrhea, Toddlers CBTS Carbon monoxide, Risk assessment, Manufacturing Coal-fired, Power plant, Respiratory, Pulmonary function status Coronavirus, Particulate size (PM2.5 and PM10), Air quality Covid19 Diarrhea Environmental factors, air germs, patient rooms, management strategy Hepatitis A, Personal Hygiene, Outbreak

Hospital Indonesia, Feasibility, Waste-toEnergy Plant, Sustainable Development Goals, Final Disposal Sites. NO2 level,

Environmental Health Risk Assessment (EHRA), health complaints, Toll collectors officer OD ODF ODF Village, non ODF Village, Behavior, Driving Factors Public baths, Water quality, Health problems Sanitation, clean water, latrine, garbage, sewerage Toddlers







Pusat Pengembangan Jurnal dan Publikasi Ilmiah Universitas Airlangga copyright@2017 Template PPJPI



Save

A8.

Ministry of Health of Republic Indonesia. Community Based Total Sanitation. Jakarta: Ministry of Health of Republic Indonesia; 2019. http://monev.stbm. kemkes.go.id/monev/

Desmawati, Ari Pristiana OH. Hubungan Personal Hygiene dan Sanitasi Lingkungan dengan Kejadian Skabies DI Pondok Pesantren Al Kautsar Pekanbaru. J Online Mahasiswa. 2015;2(1):628- 637. https://jom.unri.ac.id /index.php/JOMPSIK/ article/view/8336

Sidhi A, Raharjo M, Dewanti N. Hubungan Kualitas Sanitasi Lingkungan dan Bakteriologis Air Bersih terhadap Kejadian Diare pada Balita di Wilayah Kerja Puskesmas Adiwerna Kabupaten Tegal. J Kesehatan Masyarakat. 2016;4(3):665-676. https://ejournal3.undip.ac.id/index.php/jkm/article/ viewFile/13480/13036

Nugraha MF. Dampak Program Sanitasi Total Berbasis Masyarakat (STBM) Pilar Pertama Di Desa Gucialit Kecamatan Gucialit Kabupaten Lumajang. J Kebijakan dan Manajemen Publik. 2015;3(2):44–53. http://journal.unair.ac.id/filerPDF/ kmp62b069aeb2full.pdf

Rahmadani RD, Ridlo IA. Perilaku Masyarakat dalam Pembuangan Tinja Ke Sungai Di Kelurahan Rangkah , Surabaya, Indonesian J Health Promotion and Health Education, 2020;8(1):87-98. http://dx.doi.org/10.20473 /jpk.V8.I1.2020.87-98

Sukma H, Mursid, Nurjazuli. Hubungan Pengetahuan, Sikap Bab, Dan Kepemilikan Septic Tank Dengan Status ODF (Open Defecation Free) di Kecamatan Candisari Kota Semarang. J Kesehatan Masyarakat. 2018;6(6):143-149. https://ejournal3. undip.ac.id/index.php/jkm/article/view/22169

Ganing A, Hairuddin MC. Perilaku Masyarakat Terhadap Sanitasi Total Berbasis Masyarakat di Kabupaten Majene. J Kesehatan Manarang. 2016;2(2):66–71. https://doi.org/10.33490/jkm. v2i2.17

Glanz K, Rimer BK, Viswanath K. Health Behavior and Health Education 5th Edition Theory, Research, and Practice. San Francisco: Jossey-Bass Books;2008.

Qudsiyah WA, Pujiati RS, Ningrum PT. FaktorFaktor yang Berhubungan dengan Tingginya Angka Open Defecation (OD) di Kabupaten Jember (Studi di Desa Sumber Kalong Kecamatan Kalisat). J Pustaka Kesehatan. 2015;3(2):362-369. https:// jurnal.unej.ac.id/index.php/JPK/article/view/2679

Apriyanti L, Widjanarko B, Laksono B. Faktor-faktor yang Mempengaruhi Pemanfaatan Jamban Keluarga di Kecamatan Jatibarang Kabupaten Brebes. J Promosi Kesehatan Indonesia. 2018;14(1):1-14. https://doi.org /10.14710/jpki.14.1.1-14

Wijayanti AK, Widagdo L, Shaluhiyah Z. FaktorFaktor yang Berhubungan dengan Buang Air Besar di Jamban di Desa Gunungsari Kecamatan Pulosari Kabupaten Pemalang. J Kesehatan Masyarakat. 2016;4(1):450-460. https://ejournal3.undip.ac.id/index.php/jkm/article/view/11855

Dwiana A, Herawaty L. Determinan Perilaku Buang Air Besar Pada Masyarakat Pesisir Di Kabupaten Buton Selatan. Berita Kedokteran Masyarakat. 2017;33(6):273–276. https://doi.org/10.22146/ bkm.23539

Samosir K, Ramdhan FS. Peranan Perilaku Dan Dukungan Tokoh Masyarakat terhadap Kepemilikan Jamban Sehat di Tanjungpinang. J Kesehatan. 2019;12(1):168–174. https://doi.org/10.32763/juke. v12i1.115

Kurniawati LD, Windraswara R. Faktor-Faktor Yang Berpengaruh terhadap Perilaku Kepala Keluarga dalam Pemanfaatan Jamban di Pemukiman Kampung Nelayan Tambaklorok Semarang. Public Healt Perspective J. 2017;2(1):72–79. https://journal.unnes.ac.id/nju/index.php/phpj/article/ view/10997

Meriantini NK. Hubungan Karakteristik Kepala Keluarga dengan Perilaku Buang Air Besar Sembarangan (BABS) di Wilayah Kerja Puskesma Sawan II Kabupaten Buleleng Tahun 2020. Skripsi. Denpasar: POLTEKKES Denpasar; 2020.

Kistanto NH. Transformasi Sosial-Budaya Masyarakat Indonesia. J Kajian Kebudayaan. 2018;13(2):169–178. https://doi.org/10.14710/ sabda.13.2.169-178

Wihadanto A, Barus B, Achsani NA, Bratakusumah DS. Analisis Karakteristik dan Penilaian Tingkat Kekumuhan Kawasan Permukiman 'Kampung Braga' - Kota Bandung, J Region Rural Development Planning. 2017;1(2):132-144. https://doi.org/10.29244/jp2wd.2017.1.2.132-144

Central Statistic Agency. Social and Population. Jakarta: Central Statistic Agency of Indonesia;2019. https://www.bps.go.id/istilah/index

Ruhimat M. Tekanan Penduduk Terhadap Lahan di Kecamatan Sukaraja Kabupaten Sukabumi. J Pendidikan Geografi . 2016;15(2):59-65. https:// doi.org/10.17509/gea.v15i2.3548

Putra GS, Selviana. Faktor-Faktor Yang Berhubungan Dengan Kepemilikan Jamban Sehat di Desa Empakan Kecamatan Kayan Hulu. J Kesehatan Masyarakat Khatulistiwa. 2017;4(3):238–243. http://dx.doi.org /10.29406/ jkmk.v4i3.866

Febriani W, Samino, Sari N. Faktor yang Mempengaruhi Perubahan Perilaku Stop Buang Air Besar Sembarangan (BABS): Studi Pada Program STBM di Desa Sumbersari. Metro Selatan 2016. J Dunia Kesmas. 2016;5(3):121-130. http://ejurnalmalahayati.ac.id/index.php/duniakesmas/ article/view/467

Dewi CH, Mahara JA. Analisis Faktor Lingkungan terhadap Perilaku Buang Air Besar Sembarangan Masyarakat Desa Lermatang Kabupaten Maluku Tenggara Barat. J Info Kesehatan. 2019;9(2):139-150. https://stikessurabaya.e-journal.id/infokes/ article/download/98/49

Rochaida E. Dampak Pertumbuhan Penduduk terhadap Pertumbuhan Ekonomi dan Keluarga Sejahtera di Provinsi Kalimantan Timur. Forum Ekonomi. 2016;18(1):14–24. http://journal.feb. unmul.ac.id/index.php /FORUMEKONOMI/article/ view/42

Back Issue 2005-2014	Desi to Base (
Publisher	
	uniAS UNIVERS
UNIVERSITAS AIRLANGGA	
FAKULTAS KESEHATAN MASYARAKAT	
REHMUNAN SARINA & ROFELOVAL	
Citadaaaa	LIAS UNIVERS
Citedness	AIRLANG
Scopus	
Contact	
<b>0</b> M	
	UNIVERSI ISA UNIVERSI AIRLANGO
USER	O CAL
Username Password	8 2 m
Remember me	2210 Carlo
Login	Das Universi
NOTIFICATIONS	ISA AIRLANG
Subscribe	
DOWNLOAD HERE	
T	
L	
Guide For Author Version III	BOZAL C
Valid start from 17 APRIL 2020	
	Desio Engli
Tutorial Processing Manuscript	univers, ssa Airtango
JURNAL RESOLUTION FLOW	
A series of the	
The Back A Participant A Parti	
JOURNAL CONTENT	BOZAL C
Search Scope	
All V Search	
Browse	
By Issue By Author By Title	INAS UNIVERS
Other Journals	
INFORMATION For Readers	2 ea 1111
For Authors For Librarians	
ABOUT THE AUTHORS	UNIVERS
Anisa Haq Elhanur Departement of	CO CAL
Environmental Health, Public Health Faculty, Universitas Airlangga, Surabaya 60115, Indonesia	8 2° m
Indonesia	240Emi
Putri Nabilah Ramadhani Departement of Environmental Health, Public	Das Universi
Health Faculty, Universitas Airlangga, Surabaya 60115, Indonesia	AIRLANG
Indonesia	
R Azizah Departement of Environmental Health, Public	
Health Faculty, Universitas Airlangga, Surabaya 60115, Indonesia	
Indonesia	UNIVERS
ARTICLE TOOLS	CO CAL C
Print this article Indexing metadata	The same
How to cite item	Chiom,
Finding References	D.J. Contraction
Review policy Email the author (Login	ISA AIRLANG
required)  Save To Mendeley	



Mardotillah M, Gunawan B, Soemarwoto RS, Raksanagara AS. Peran Faktor Pemungkin dan Penguat pada Akses Jamban Sehat Perkotaan. J Antropologi. 2019;20(2):165–178. https://doi.org/10.25077 /jantro.v20.n2.p165-178.2018

Yulda A, Fajar NA, Utama F. The Effect of Internal and External Factors to Behavior to do Defecation on Latrine After the Triggering in Working Area of Tanjung Batu Primary Health Care. J Ilmu Kesehatan Masayarakat. 2017;8(2):109-116. https://doi.org/10.26553/jikm.2016.8.2.109-116

Mayor of Surabaya of East Java Province. Regulation of the Mayor of Surabaya No. 48 year 2016 about Position, Organizational Structure, Function and Job Descriptions, also Working Procedures of District Health Office os Surabaya. Local Government Secretary of Surabaya; 2016

Ministry of Health of Republic Indonesia. Regulation of Ministry of Health of Republic Indonesia No.3/ MENKES/2014 about Community Based Total Sanitation, Jakarta: Ministry of Health of Republic Indonesia; 2014. http://stbm.kemkes.go.id/app/ news/7558/permenkes-nomor-3-tahun-2014- tentang-stbm

Kurniawati RD, Saleha AM. Analisis Pengetahuan, Sikap dan Peran Petugas Kesehatan dengan Keikutsertaan dalam Pemicuan Stop BABS. J Ilmu Kesehatan Masyarakat. 2020;9(2):99-108. https://doi.org/10.33221 /jikm.v9i02.527

Heranita L, Lubis NL, Moriza T. Faktor yang Mempengaruhi Perilaku Keluarga dalam Pemanfaatan Jamban di Pemukiman Desa Air Pinang, Kecamatan Simeulue Timur, Kabupaten Simeulue Tahun 2018. J Kesehatan Cehadum. 2019;1(3):15–27. http://www.jkc.puskadokesa.com/ jkc/article/download/27/11

## REFBACKS

There are currently no refbacks.

## 🖸 SHARE 🔡 🛃 🔛 🛄

Copyright (c) 2021 JURNAL KESEHATAN LINGKUNGAN



This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

## Follow Our Social Media





JKESLING by UNAIR is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.

Fakultas Kesehatan Masyarakat Universitas Airlangga

Kampus C Universitas Airlangga

Jl. Mulyorejo Kampus C Unair, Surabaya 60115, Indonesia.

E-mail: jurnal.keslingua@gmail.com / jkesling@fkm.unair.ac.id

Phone: +62 8967 5816 284

**INDEX BY :** 







#### View More Indexing and Abstracting

### 00354490

View My Stats

54,892	369
2,107	296
968	200
547	193
441	184

KEYWORDS

3M Awareness, Covid19 Prevention, Rural and Urban Air Lead Level, Blood Lead Levels, Land Transport Manufacturing, Blood Pressure, Painters Air quality Basic sanitation, Diarrhea, Toddlers CBTS Carbon monoxide, Risk assessment, Manufacturing Coal-fired, Power plant, Respiratory, Pulmonary function status Coronavirus, Particulate size (PM2.5 and PM10), Air quality Covid19 Diarrhea Environmental factors, air germs, patient rooms, management strategy Hepatitis A, Personal Hygiene, Outbreak Hospital Indonesia, Feasibility, Waste-toEnergy Plant, Sustainable Development Goals, Final Disposal Sites. NO2 level, Environmental Health Risk Assessment (EHRA), health complaints, Toll collectors officer OD ODF ODF Village, non

ODF Village, Behavior, Driving Factors Public baths, Water quality, Health problems Sanitation, clean water, latrine, garbage, sewerage

Toddlers





## Jurnal Kesehatan Lingkungan

Vol. 13 No. 1 DOI: 10.20473/jkl.v13i1.2021.17-23 ISSN: 1829 - 7285 E-ISSN: 2040 - 881X

**ORIGINAL RESEARCH** 

**Open Access** 

#### THE ROLE OF SANITARIAN AND SOCIAL-CULTURAL FACTORS IN PROMOTING THE OPEN DEFECATION-FREE (ODF) VILLAGE

Abstract

#### Anisa Haq Elhanur<sup>1\*</sup>, Putri Nabilah Ramadhani<sup>1</sup>, R Azizah<sup>1</sup>

<sup>1</sup>Departement of Environmental Health, Public Health Faculty, Universitas Airlangga, Surabaya 60115, Indonesia

#### Corresponding Author\*:

anisa.haq.elhanur-2016@fkm.unair.ac.id

#### Article Info

Submitted	: 13 August 2020
In reviewed	: 21 September 2020
Accepted	: 04 January 2021
Available Online	: 31 January 2021

**Keywords :** ODF Village, non ODF Village, Behavior, Driving Factors

**Published by** Fakultas Kesehatan Masyarakat Universitas Airlangga

Introduction: Open defecation behavior can be a means of spreading disease. A person's defecation behavior can be influenced by supporting factors provided by health workers, the socio-cultural environment and access to healthy latrine facilities. The aim of this study was to analyze the role of families, community leaders, health workers and the socio-cultural environment on defecating behavior in ODF and non-ODF villages. Methods: This study used quantitative and qualitative observational analytic. The study design was cross sectional design. All people who live on the banks of railway in non ODF and ODF villages were the population in this study. A total of 68 peoples were sampled who determined by themethod proportional random sampling. The independent variables were family support, sanitarian support, community leaders support, the health department team support, socio-culture and population density. The dependent variable was defecation activity. Data were collected by field observation and questionnaires. The collected data were analyzed using the Mann Whitney Test. Results and Discussion: There was no difference in family support (p = 0.661), community leaders support (p = 0.122), the health department team support (p = 0.555). However, there were differences in sanitarian officers support (p = 0.000), the socio-cultural environment (p = 0.000) and the population density in non ODF villages is higher than in ODF villages. Conclusion: There were differences in sanitarian officers support, the socio-cultural environment and population density between non ODF and ODF villages

### INTRODUCTION

The behavior of defecating is still one of the sanitation problem that occur in various countries (1). Based on the data about progress reports on sanitation access of 8,953,719 households in Indonesia still doing Open Defecation behavior in 2019. The access to sanitation ownership in the East Java region was reaching up to 90.99%. However, the Open Defecation (OD) behavior is still found in 4,196 villages in East Java include Surabaya. Surabaya has not declared as an ODF city even though the access to sanitation has reached 98%. However, there are 17,291 households in Surabaya do OD behavior (2).

Environmental sanitation is a public health effort to maintain the degree of public health (3). Basic environmental sanitation efforts have to be created to achieve good environmental quality, one of them is the presence of latrines to dispose human feces. The availability of clean and healthy latrine for each family is very important in preventing pollution of the surrounding environment. Furthermore, it can be used as an indicator of society's non Open Defecation Free (ODF) behavior (4).

Ketintang Village in Gayungan Sub District already had 100% latrines access. Jagir Village in Wonokromo Sub District has the lowest precentage of latrine access (94,57%). Ketintang Village is an area traversed by railways and has settlements located along the railroad tracks. The residental areas along the railroad tracks are usually in a slum conditions, however it is different from Ketintang Village which able to overcome this by being verified as ODF villages. Most of the residences in Jagir Village are located along the railroad tracks, which are known as slum areas and neglected the health condition. This is proven by the 100% latrine access under 100%.

OD behavior can cause several problems including health and environmental pollution problems. This is due to the spread of viruses and bacteria caused by polluted environmental conditions (5). The act of disposing of feces directly into the environment can contaminate clean water sources in the local area (6). Changing people's habits regarding to open defecation behavior is not easy, it must be carried out continuously and assisted by the ODF program guidelines (7).

This assistance must be done until the people in the area could think and change behavior to not defecate in inappropriate place (8). There are three factors that are affecting human's behavior, one of them is reinforcing factor which strengthen person's behavior to behave according to social support, peer influence, and people who have influence (9).

This study aims to determine the differences in reinforcing factors (family support, community leaders support, health workers support, and socio-cultural environment support) on defecation activities between non-ODF and ODF villages. This research needs to find out how far the role of family, community leaders, health workers and the socio-cultural environment support on defecation behavior in ODF and non-ODF villages.

#### **METHODS**

This study was a quantitative and qualitative analytic observational study, because it did not provide treatment to respondents. The research used crosssctional design because the variables were one-time examined. The determination of ODF Villages and non ODF Villages was carried out by looking at the data taken from monitoring and evaluation of community-based total sanitation of the Ministry of Health of the Republic of Indonesia in 2019 (2). Therefore, the percentage of latrine access in ODF villages (Ketintang Village) has reached 100%, while for non ODF villages (Jagir Village) was 94.57%. The population were residents who live along the railroad tracks. Based on the data related to latrine ownership report from Jagir Primary Health Care in 2019, hamlet 10 of Jagir Village had the lowest access to latrines compared to other hamlet's, only 74.82%. The three neighborhood's had low latrine access, were neighborhood 5 (39.05%), neighborhood 6 (42.1%) and neighborhood 7 (42.65%) with total 215 families living in the area. In contrast to hamlet 3 of Jagir Village, Ketintang Village became role model related to cleanliness and the living environment. There were 147 families in neighborhood 6 and 7 live along the railroad tracks. People who lived along the railroad tracks were chosen because the areas tend to be densely populated and slum environment. samples taken for the non ODF were 68 respondents and 60 respondents for ODF village (38 respondents from neighborhood 6 and 22 from neighborhood 7). The inclusion criteria were father or mother in the family, living in the study area and willing to fill out the research questionnaire with a minimum age of 17 years. The number of samples in ODF and non-ODF villages was different because of different population on each neighborhood.

The variables tested included family support, sanitarian workers support, community leaders support, the health service team support, socio-culture and population density. Based on this support, it can be seen the influence of family support, sanitation officers support, community leaders support, and health department team support on defecation activities. The socio-cultural environment variable included habits related to the use of latrines. The variables were measured by interview method with a questionnaire guide.

The data collection process was done by observations, supported by secondary data from village, and interviews assisted by a questionnaire. The data analysis technique used univariate and bivariate technique. Univariate technique was used to describe each variable. The bivariate technique was used to compare two or more variables, namely the Mann-Whitney Utest test.

This research has passed an ethical review with registration number 109/HRECC.FODM/III/2020 at the Faculty of Dentistry, Universitas Airlangga in March 2020.

#### RESULTS

# The Results of Frequency Distribution of Respondents' Reinforcing Factors in ODF and Non-ODF Villages

Based on Table 1, there were 27 respondents (45.00%) with good reinforcing factor on family support, 40 respondents (66.66%) with sanitarian officers support, and 24 respondents (40.00%) with community leaders support. All respondents stated that the local socio-cultural support was good. Meanwhile, 66 respondents (97.06%) stated that there was lack of support from the public health officer team.

#### Table 1. Frequency Distribution of Reinforcing

Factors Between ODF Villages and Non-ODF Villages In 2020

	ODF						
Variable	6	Good Enough		h Less		Total	
	n	%	n	%	n	%	-
ODF Village							
Family Support	27	45.00	24	40.00	9	15.00	
Support from Sanitation Officers	40	66.66	19	31.66	1	1.68	
Support from Community Leaders	24	40.00	23	38.33	13	21.67	60
Support from The Health Department Team	1	1.67	2	3.33	57	95.00	
Social Culture	60	100.00	0	0.00	0	0.00	
Non-ODF Village							
Family Support	38	55.96	15	22.05	15	22.05	
Support from Sanitation Officers	29	42.4	11	14.19	28	41.17	
Support from Community Leaders	23	33.82	20	29.41	25	36.77	68
Support from The Health Department Team	1	1.47	1	1.47	66	97.06	
Social Culture	34	50.00	31	45.58	3	4.42	

The population density in Ketintang Village is 584.88 people/km<sup>2</sup>. Whereas in non ODF villages, there were 68 respondents with good reinforcing factor on family support variable as many as 38 respondents (55.96%),

29 respondents (42.4%) with sanitarian officers support and 34 respondents (50.00%) with good socio-culture. Meanwhile, the variable of community leaders as many as 25 respondents (36.77%) and the health department team support as many as 66 respondents (97.06%).

The Population Density Level in Jagir Village was 22,199.00 people/km<sup>2</sup>, with an administrative area of 101,175 Ha and a population of 22,421 people.

#### Cross Tabulation of Difference between Reinforcing Factors of Respondents in Non-ODF and ODF Villages

Based on the test results in Table 2, there was no difference in family support (p= 0.661), the health service team support (p= 0.555), community leaders support (p= 0.122) between ODF and non ODF. However, there were differences in support provided by sanitarian officers (p = 0.000) and socio-cultural support (p= 0.000) between ODF and non-ODF villages). Based on the data obtained from the village profile, it can be seen that the population density in the village is not yet ODF of 22,199.00 people/ km<sup>2</sup>. For ODF villages (having a population density of 584.88 people/km<sup>2</sup>. Based on this, it can be seen that there is a difference in population density between villages which are not yet ODF and ODF villages. In this case, ODF villages have a lower density than villages that are not yet ODF.

Table 2. Frequency Distribution Differences in Reinforcing
Factors between ODF Villages And Non-ODF Villages In
2020

¥7 • 11	0	DF	Nor	n-ODF	- P
Variable	Vi	Village V		lllage	Value
	n	%	n	%	-
Family Support					
Good	27	45.00	38	55.96	
Enough	24	40.00	15	22.05	0.661
Less	9	15.00	15	22.05	
Support from Sanitation Officers					
Good	40	66.66	29	42.64	
Enough	19	31.66	11	14.19	0.000
Less	1	1.68	28	41.17	
Support from Community Leaders					
Good	24	1.67	23	33.82	
Enough	23	3.33	20	29.41	0.122
Less	13	95.00	25	36.77	
Support from The Health Department Team					
Good	1	1.67	1	1.47	
Enough	2	3.33	1	1.47	0.555
Less	57	95.00	66	97.06	
Social Culture					
Good	60	100.00	34	50,00	
Enough	0	0	31	45.58	0.000
Less	0	0	3	4.42	
Total	60	100.00	68	100.00	

#### DISCUSSION

#### Analysis of the Difference Between Family Support and Community Leaders between ODF and Non-ODF Villages

The upport from family and community leaders is one of the important things in this research, because both of them are the smallest scope which is close to the community. Family support is very important, because someone will have good behavior if they get support from a good family too (10). If the family has implemented proper and healthy latrine usage behavior, it will be easy for other family members to apply the same thing (11). Support from local community leaders is also very important. A community figure is someone who becomes role model, respected and has influence on their surroundings. Formal community leaders are selected and appointed by state institutions such as the camat and lurah. The informal community figure is recognized by the community because deemed appropriate to lead a group of peoples (12). Community leader plays a role in providing appeal to not defecate in inappropriate place. This support is expected to change people's defecating behaviors (13).

The family support got value of p = 0.661, means that there was no difference in the support provided by the family between non ODF and ODF villages. These results were not in line with a research conducted in Jatibarang Subdistrict, Brebes Regency in 2019 whichp value of = 0.001, there was significant relationship between family support and the use of latrines (11). Another study conducted in Pulosari Subdistrict, Pemalang Regency in 2016 stated that there was relationship between defecation behavior and family support(12). Table 2 also explained that p value obtained from community leaders support was 0.122, there was no difference in community leaders support between non-ODF and ODF villages. It was in line with the research results in Bugis Village, Tanjungpinang City, which showed there was no relationship between the role of community leaders and latrines ownership (14). Research conducted in the fisherman village of Tamba chlorok, Semarang in 2017, which obtained p value = 0.654, the local villagers stated the support provided by community leaders was still low (15). In contrast to these results, a research conducted at the Sawan II Public Health Center in Buleleng Regency in 2020 found a significant relationship between defecation behavior and community leaders support (p= 0.000) (16).

Based on the results, most people living in non and ODF villages received equal support from their families regarding to stop open defecation behavior. Especially in non-ODF villages, the family has provided support in reminding and prohibiting defecation, providing information related to the importance of healthy latrines, so that open defecation can be eliminated. the habit of open defecation could not be changed by family support. In addition, in-depth interviews conducted with the Head of hamlet 10 and the Head of neighborhood 5, 6, and 7 Jagir village as community leaders. All hamlet's and neighborhood's heads stated that they had provided support to the community in providing related information such as the importance of defecating in healthy latrines, an appeal for healthy latrines, and the existence of healthy latrine savings program in the area. The local community leaders support has not yet realized, due to limited land and low levels of community income.

#### Analysis of Differences in Socio-Cultural Environment and Population Density Between ODF and Non-ODF Villages

The development of socio-cultural transformation in Indonesia continues to change every year, this is adjusted to the changes of times. One of them is the presence of energy and strong force for society to continue to work out in making changes for the better, it becomes strength in the socio-cultural environment (17). Not only cultural transformation, population growth in Indonesia also continues to increase. This condition can be seen from urban conditions that are increasingly populated with housing and settlements due to high population density (18). Population density is a term to address the number of people compared to the total land area. The total population in each km<sup>2</sup> or administrative area is called crude population density (CPD) (19). Therefore, population density can describe the average population at each km<sup>2</sup> (20).

Based on the results in Table 2, the value of p = 0.000, there were differences in the socio-cultural environment between non-ODF villages and ODF villages. The result was in line with 3 other studies which done in Empakan Village, Kayan Hulu District in 2017, p value= 0.000, there was relationship between culture and ownership of healthy latrines (21). Furthermore, research conducted in the Village of Sumbersari Metro Selatan in 2016, p value= 0.001 which mean that the socio-cultural environment had an influence on stopping defecation in Purwosari Village, Metro City (22). The third research carried out in Lermatang Village, West Southeast Maluku Regency in 2019 also stated that socio-cultural environmental factors played an important role in community defecation behaviors (23). the population density in non-ODF villages reached 22,199.00 people/km<sup>2</sup>, greater than the ODF village, which was 584.88 people/km<sup>2</sup>. Population density can lead to various demographic problems such as

the decreased of population quality, food sufficiency, decreased of productivity and other crucial issues related to employment (24).

Based on the results in non-ODF villages, the community prefered to build latrines without a septic tank, it became unhealthy habit. this area had a fairly high population density, with average 24 m<sup>2</sup> to 36 m<sup>2</sup> per house that tends to be narrow, so the opportunity to build healthy latrines is reduced. There was different with the ODF village where the entire community already had healthy latrines, so that no one opendefecated . In addition, in ODF villages, there was a sense of shame in the community to open defecate. There was still sufficient land so that possible to build healthy latrines in their own residence.

#### Analysis of the Differences in Health Officers Support Between Non-ODF and ODF Villages

In this study, health workers were divided into two, local health center sanitarian workers and health service officers. Sanitarians have very important role in carrying out sanitation inspections to monitor and assess the conditions of latrine, as well as monitoring the presence of pollution that possible to cause disease (25). In addition, sanitarian workers also have very important role in shaping the community mindset to have shame, fear of being sick, disgust and guilt when open defecated (26). Another health worker who has important role in shaping the people's behavior is the local health department team. Based on the Regulation of the Mayor of Surabaya Number 48 of 2016, service is an element of government implementation in the health sector. The health office has several fields, one of them is public health including public health development and environmental health. Some of the tasks include preparing implementation materials and technical instructions in terms of community development and health promotion, and preparing supervision and control in sports division, environmental health and occupational health (27). In addition, based on Regulation of Ministry of Health of Republic Indonesia No.3/MENKES/2014 about Community Based Total Sanitation, the health department team has a program, called the Community-Based Total Sanitation program to improve the degree of public health (28).

Based on the results in Table 2, the value of p= 0.000, there was difference in sanitarian officers support in non-ODF and ODF villages. The results were in line with the research conducted in Ciaro Village in 2020 stated that sanitarian workers have significant role in triggering to stop open defecation behavior in the community (29). The test results related to the role of

the health service team obtained p value= 0.555, there was no difference health service team support related to defecation activities both in non-ODF and ODF villages. The result was in line with the research conducted in Air Pinang Village, Simeulue Regency, which p= 0.007, health workers have significant role in using family latrines (30). However, it was different from the results of research conducted in Gunungsari Village (2016), p value of 0.232, there was no relationship between community behavior and defecation in latrines with health workers support (12).

Based on the results, 41.17% respondents in non-ODF village stated the lack of local health workers support. the support given by sanitarian officers was limited in reminding and prohibiting the defecation practice. In contrast to the ODF village, 66.66% of the respondents felt the sanitarian officers support was good. the local sanitarian workers support of giving advice to build healthy latrines and giving information about the importance of stoppingopen defecation. In addition, the role of sanitarian officers in ODF villages has received a lot of support from local village officials as well as the "Jamban Sehat" means healthy latrine program created by PT Pembangkit Jawa Bali related to Community Based Total Sanitation.

The community had lack of support from the health department team, because the health service team has never been involved directly in helping or providing support to the community. This study limited in taking the initial data collection at the relevant Puskesmas due to the pandemic. In addition, this study only involved one non-ODF village and one ODF village which still cannot describe the general conditions in Surabaya. Therefore, the next research should be conducted in several non-ODF and ODF villages in Surabaya to obtain more informations

#### CONCLUSION

The lack of sanitarian officers support and the local socio-cultural environment regarding to ownership and the use of healthy latrines in non-ODF village. The role of sanitarian officers needed by the community to provide education on the negative impact of disease when they did defecation activities. In addition, the support of the socio-cultural environment has important role in shaping a person's attitude in order to feel ashamed of doing open defecation to lead a healthy life. The population density which is higher than the available land area, causes open defecation practice in non-ODF. In ODF village, the community has received good support from sanitarian officials and the socio-cultural environment. In addition, ODF villages are supported by the assistance provided by third parties related to the construction of healthy latrines. To be able to achieve the target of the ODF village, it requires assistance and synergy between related parties and the community. The public health sanitarian officers should be able to provide additional support to the community, such as providing more intensive assistance.

#### REFERENCES

- 1. Agustiyaningsih T, Kurnia AD, Larasati RY. Hubungan Pengetahuan tentang Jamban Sehat dan Lingkungan Fisik dengan Perilaku Buang Air Besar Sembarangan. *Dunia Keperawatan Jurnal Keperawatan dan Kesehatan*. 2020;8(2):130-139. <u>http://dx.doi.org/10.20527/dk.v8i2.7960</u>
- 2. Ministry of Health of Republic Indonesia. Community Based Total Sanitation. Jakarta: Ministry of Health of Republic Indonesia;2019. <u>http://monev.stbm.</u> <u>kemkes.go.id/monev/</u>
- Desmawati, Ari Pristiana OH. Hubungan Personal Hygiene dan Sanitasi Lingkungan dengan Kejadian Skabies DI Pondok Pesantren Al Kautsar Pekanbaru. *J Online Mahasiswa*. 2015;2(1):628– 637. <u>https://jom.unri.ac.id/index.php/JOMPSIK/</u> <u>article/view/8336</u>
- Sidhi A, Raharjo M, Dewanti N. Hubungan Kualitas Sanitasi Lingkungan dan Bakteriologis Air Bersih terhadap Kejadian Diare pada Balita di Wilayah Kerja Puskesmas Adiwerna Kabupaten Tegal. *J Kesehatan Masyarakat*. 2016;4(3):665–676. <u>https://ejournal3.undip.ac.id/index.php/jkm/article/ viewFile/13480/13036</u>
- Nugraha MF. Dampak Program Sanitasi Total Berbasis Masyarakat (STBM) Pilar Pertama Di Desa Gucialit Kecamatan Gucialit Kabupaten Lumajang. J Kebijakan dan Manajemen Publik. 2015;3(2):44–53. <u>http://journal.unair.ac.id/filerPDF/ kmp62b069aeb2full.pdf</u>
- Rahmadani RD, Ridlo IA. Perilaku Masyarakat dalam Pembuangan Tinja Ke Sungai Di Kelurahan Rangkah , Surabaya. Indonesian *J Health Promotion and Health Education*. 2020;8(1):87–98. <u>http://dx.doi.org/10.20473/jpk.V8.I1.2020.87-98</u>
- Sukma H, Mursid, Nurjazuli. Hubungan Pengetahuan, Sikap Bab, Dan Kepemilikan Septic Tank Dengan Status ODF (Open Defecation Free) di Kecamatan Candisari Kota Semarang. *J Kesehatan Masyarakat*. 2018;6(6):143–149. <u>https://ejournal3.</u> <u>undip.ac.id/index.php/jkm/article/view/22169</u>
- Ganing A, Hairuddin MC. Perilaku Masyarakat Terhadap Sanitasi Total Berbasis Masyarakat di Kabupaten Majene. *J Kesehatan Manarang*. 2016;2(2):66–71. <u>https://doi.org/10.33490/jkm.</u> v2i2.17
- 9. Glanz K, Rimer BK, Viswanath K. Health Behavior and Health Education 5<sup>th</sup> Edition Theory, Research, and Practice. San Francisco: Jossey-Bass Books;2008.
- 10. Qudsiyah WA, Pujiati RS, Ningrum PT. Faktor-

Faktor yang Berhubungan dengan Tingginya Angka Open Defecation (OD) di Kabupaten Jember (Studi di Desa Sumber Kalong Kecamatan Kalisat). *J Pustaka Kesehatan*. 2015;3(2):362–369. <u>https://</u> jurnal.unej.ac.id/index.php/JPK/article/view/2679

- 11. Apriyanti L, Widjanarko B, Laksono B. Faktor-faktor yangMempengaruhiPemanfaatanJambanKeluarga di Kecamatan Jatibarang Kabupaten Brebes. *J Promosi Kesehatan Indonesia*. 2018;14(1):1-14. <u>https://doi.org/10.14710/jpki.14.1.1-14</u>
- 12. Wijayanti AK, Widagdo L, Shaluhiyah Z. Faktor-Faktor yang Berhubungan dengan Buang Air Besar di Jamban di Desa Gunungsari Kecamatan Pulosari Kabupaten Pemalang. *J Kesehatan Masyarakat.* 2016;4(1):450–460. <u>https://ejournal3.undip.ac.id/</u> index.php/jkm/article/view/11855
- Dwiana A, Herawaty L. Determinan Perilaku Buang Air Besar Pada Masyarakat Pesisir Di Kabupaten Buton Selatan. *Berita Kedokteran Masyarakat*. 2017;33(6):273–276. <u>https://doi.org/10.22146/ bkm.23539</u>
- Samosir K, Ramdhan FS. Peranan Perilaku Dan Dukungan Tokoh Masyarakat terhadap Kepemilikan Jamban Sehat di Tanjungpinang. *J Kesehatan*. 2019;12(1):168–174. <u>https://doi.org/10.32763/juke. v12i1.115</u>
- Kurniawati LD, Windraswara R. Faktor-Faktor Yang Berpengaruh terhadap Perilaku Kepala Keluarga dalam Pemanfaatan Jamban di Pemukiman Kampung Nelayan Tambaklorok Semarang. *Public Healt Perspective J.* 2017;2(1):72–79. <u>https://journal.unnes.ac.id/nju/index.php/phpj/article/ view/10997</u>
- Meriantini NK. Hubungan Karakteristik Kepala Keluarga dengan Perilaku Buang Air Besar Sembarangan (BABS) di Wilayah Kerja Puskesma Sawan II Kabupaten Buleleng Tahun 2020. Skripsi. Denpasar: POLTEKKES Denpasar; 2020.
- 17. Kistanto NH. Transformasi Sosial-Budaya Masyarakat Indonesia. *J Kajian Kebudayaan*. 2018;13(2):169–178. <u>https://doi.org/10.14710/</u> <u>sabda.13.2.169-178</u>
- Wihadanto A, Barus B, Achsani NA, Bratakusumah DS. Analisis Karakteristik dan Penilaian Tingkat Kekumuhan Kawasan Permukiman 'Kampung Braga' - Kota Bandung. J Region Rural Development Planning. 2017;1(2):132–144. https:// doi.org/10.29244/jp2wd.2017.1.2.132-144
- 19. Central Statistic Agency. Social and Population. Jakarta: Central Statistic Agency of Indonesia;2019. https://www.bps.go.id/istilah/index
- 20. Ruhimat M. Tekanan Penduduk Terhadap Lahan di Kecamatan Sukaraja Kabupaten Sukabumi. *J Pendidikan Geografi* . 2016;15(2):59–65. <u>https://</u> <u>doi.org/10.17509/gea.v15i2.3548</u>
- 21. Putra GS, Selviana. Faktor-Faktor Yang Berhubungan Dengan Kepemilikan Jamban Sehat di Desa Empakan Kecamatan Kayan Hulu. *J Kesehatan Masyarakat Khatulistiwa.* 2017;4(3):238–243. <u>http://dx.doi.org/10.29406/jkmk.v4i3.866</u>

- 22. Febriani W, Samino, Sari N. Faktor yang Mempengaruhi Perubahan Perilaku Stop Buang Air Besar Sembarangan (BABS): Studi Pada Program STBM di Desa Sumbersari. Metro Selatan 2016. *J Dunia Kesmas*. 2016;5(3):121–130. <u>http:// ejurnalmalahayati.ac.id/index.php/duniakesmas/ article/view/467</u>
- 23. Dewi CH, Mahara JA. Analisis Faktor Lingkungan terhadap Perilaku Buang Air Besar Sembarangan Masyarakat Desa Lermatang Kabupaten Maluku Tenggara Barat. *J Info Kesehatan*. 2019;9(2):139– 150. <u>https://stikes-surabaya.e-journal.id/infokes/</u> <u>article/download/98/49</u>
- 24. Rochaida E. Dampak Pertumbuhan Penduduk terhadap Pertumbuhan Ekonomi dan Keluarga Sejahtera di Provinsi Kalimantan Timur. *Forum Ekonomi*. 2016;18(1):14–24. <u>http://journal.feb.</u> <u>unmul.ac.id/index.php/FORUMEKONOMI/article/</u> <u>view/42</u>
- 25. Mardotillah M, Gunawan B, Soemarwoto RS, Raksanagara AS. Peran Faktor Pemungkin dan Penguat pada Akses Jamban Sehat Perkotaan. *J Antropologi*. 2019;20(2):165–178. <u>https://doi.org/10.25077/jantro.v20.n2.p165-178.2018</u>
- 26. Yulda A, Fajar NA, Utama F. The Effect of Internal and External Factors to Behavior to do Defecation on Latrine After the Triggering in Working Area

of Tanjung Batu Primary Health Care. J Ilmu Kesehatan Masayarakat. 2017;8(2):109–116. https://doi.org/10.26553/jikm.2016.8.2.109-116

- 27. Mayor of Surabaya of East Java Province. Regulation of the Mayor of Surabaya No. 48 year 2016 about Position, Organizational Structure, Function and Job Descriptions, also Working Procedures of District Health Office os Surabaya. Local Government Secretary of Surabaya; 2016
- 28. Ministry of Health of Republic Indonesia. Regulation of Ministry of Health of Republic Indonesia No.3/ MENKES/2014 about Community Based Total Sanitation. Jakarta: Ministry of Health of Republic Indonesia; 2014. <u>http://stbm.kemkes.go.id/app/ news/7558/permenkes-nomor-3-tahun-2014tentang-stbm</u>
- 29. Kurniawati RD, Saleha AM. Analisis Pengetahuan, Sikap dan Peran Petugas Kesehatan dengan Keikutsertaan dalam Pemicuan Stop BABS. *J Ilmu Kesehatan Masyarakat.* 2020;9(2):99–108. <u>https:// doi.org/10.33221/jikm.v9i02.527</u>
- Heranita L, Lubis NL, Moriza T. Faktor yang Mempengaruhi Perilaku Keluarga dalam Pemanfaatan Jamban di Pemukiman Desa Air Pinang, Kecamatan Simeulue Timur, Kabupaten Simeulue Tahun 2018. J Kesehatan Cehadum. 2019;1(3):15–27. <u>http://www.jkc.puskadokesa.com/jkc/article/download/27/11</u>