


# JOURNAL

## *of Parasite Science*

*J. Parasite Sci.*




---

## PUBLISHER COLLABORATION

### Journal of Parasite Science



Collaboration  
Division of Veterinary Parasitology  
Faculty of Veterinary Medicine, Universitas Airlangga  
and  
Indonesian Veterinary Parasitology Association



---

## EDITOR'S ADDRESS

### Editorial Office Journal of Parasite Science

Division of Veterinary Parasitology  
Faculty of Veterinary Medicine, Universitas Airlangga  
Kampus "C" Jl. Mulyorejo Surabaya 60115  
Phone: (031) 5992785; 5993016; Fax. (031) 5993015  
e-mail: [jparasitol@gmail.com](mailto:jparasitol@gmail.com) ; [jps@fkh.unair.ac.id](mailto:jps@fkh.unair.ac.id)  
Homepage : <https://e-journal.unair.ac.id/JoPS>

---

## EDITORIAL BOARD

### Chief Editor

**Dr. Kusnoto, DVM., M.Si.,** Universitas Airlangga, Indonesia

### Chief's Assistant Editor

**Prof. Muchammad Yunus, DVM., M.Kes., Ph.D.,** Universitas Airlangga, Indonesia

### Editorial Board Member

**Prof. Dr. Lucia Tri Suwanti, DVM., MP.** Universitas Airlangga, Indonesia

**Prof. Dr. Makoto Matsubayashi, DVM., Ph.D.,** Osaka Prefecture University, Japan

**Assoc. Prof. Dr. Mahmut Kabalak,** Hacettepe University, Turkey

**Dr. Attaur Rahman,** Abdul Wali Khan University Mardan, Pakistan

**Dr. Muhammad Hassan Mushtaq,** University of Veterinary and Animal Sciences Lahore, Pakistan

**Aondohemba Samuel Nege, B.Fish., M.Sc.,** National Taiwan University, Taiwan, Province of China

**Muhammad Thohawi Elziyad Purnama, DVM., M.Si.** PSDKU Universitas Airlangga, Banyuwangi

### Administration Staff

**Dyah Ayu Kurniawati, DVM., M.Sc,** Universitas Airlangga, Indonesia

**Moch Arifudin,** Universitas Airlangga, Indonesia

---

## REVIEWERS

Editors, Authors and Readers of Journal of Parasite Science give the highest appreciation and gratitude to the experts below, as reviewers who has reviewed all the articles, whether published or rejected, according to the recommendations submitted to the editor in Vol. 5 No. 1 March 2021

**April Hari Wardhana, DVM, M.Sc, Ph.D.,** Balai Besar Penelitian Veteriner Bogor, Bogor, Indonesia

**Prof. Dr. Sri Subekti, DVM., DEA.,** Perkumpulan Pemberantasan Penyakit Parasit Indonesia

**Prof. Dr. Upiek Kesumawati Hadi, DVM., MS.,** Institut Pertanian Bogor, Bogor, Indonesia

**Dr. Raden Wisnu Nurcahyo, DVM.,** Universitas Gadjah Mada, Yogyakarta, Indonesia

**Dr. Dwi Priowidodo, DVM., MP.,** Universitas Gadjah Mada, Yogyakarta, Indonesia

**Dr. Nyoman Adi Suratma, DVM., MP.,** Universitas Udayana, Bali, Indonesia

**Prof. Hiroshi Sato, DVM., Ph.D.,** Yamaguchi University, Jepang

**Prof. Graeme Martin, B.Sc(Agric)., Ph.D W.Aust.,** University of Western Australia School of Agriculture and Environment, Australia

**Prof. Dr. Muhammad Salisu Abubakar.,** Usmanu Danfodiyo University Sakoto, Nigeria

**Dr. Zainab Alwan Makawi.,** University of Baghdad, Iraq

---

## VISION DAN MISSION

**Journal of Parasite Science (JoPS)** with registered number [P-ISSN \(2599-0993\)](#) ; [E-ISSN \(2656-5331\)](#) published by the Division of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga.

**Journal of Parasite Science (JoPS)** presenting research articles, case reports, community development activities and literature studies of veterinary medicine. Published twice a year on March and September. Since 2002 the Faculty of Veterinary Medicine has had Veterinary Medicine Media, because considering that there is only one journal that must accommodate many articles written by lecturers and students, various journals have been developed according to the disciplines in each department, one of which is the JoPS. JoPS can publish articles from various faculties and institutions related to the parasitology. JoPS which has been published since 2017 is here for accommodate publication obligations for undergraduate and postgraduate students as well as other parties conducting research in the field of parasitology. Loading of articles in the JoPS through the Open Journal System (OJS). Complete information for article loading and article writing instructions are available on the website and every issue. Incoming articles will go through a selection process by editors and reviewers.

### VISION

To become a leading and reputable journal at the national and international level in veterinary parasitology science.

### MISSION

1. Provide scientific communication media of Parasitology to participate in advancing science and technology in related sector;
2. Organizing the publication of scientific journals of Parasitology with a high impact factor in the development of science and technology;
3. Making journals as terms for the advancement and intellectual development of the academic community in welcoming the Universitas Airlangga World Class University;
4. Organizing an accountable and quality journal management to increase the number of intellectual products in the form of scientific journals;
5. Become a leading reference for the academic community and researchers of veterinary parasitology and published as a scientific journal.

**Journal Scope:** Journal of Parasite Science (JoPS) publishes the results of original research in all aspects of basic and applied parasitology, and ranging from parasites biodiversity, parasites of all wildlife, invertebrate and vertebrate, as well as host-parasite relationships of intrinsic biological interest to those of social and economic importance predominately in veterinary, human medicine and agriculture aspect. Original research includes the development of novel and innovative concepts and ideas, as well as experimental and observational science that raises new theory.

### Language:

Main: English

**The articles** accepted by the Journal of Parasite Science (JoPS) are:

1. Research articles;
2. Case reports;
3. Community development articles;
4. Literature study articles.

---

## TABLE OF CONTENTS

	Page
1. The Potency of Anting Anting ( <i>Acalypha indica</i> L.) Leaf Extract as An Acaricide on <i>Boophilus microplus</i> in Larvae and Adult Stages <i>In Vitro</i> (Fitri Nurdiana, Rahmi Sugiharuti, Bambang Sektiari Lukiswanto).....	1 - 4
2. Prevalence and Scabies Severity Rate on a Goat at Mempawah Hilir, Mempawah District West Kalimantan Province (Arum Maula Hidayah, Wiwiek Tyasningsih, Soeharsono, Retno Wulansari).....	5 - 10
3. Gastrointestinal Parasite Infection on Stray Cat and Pet Cat at Blitar Regency, East Java Province (Egga Johar Praptanto, Bambang Purnomo Sunardi, Budiarto, Agus Wijaya).....	11 - 14
4. The Effectiveness of Bandotan ( <i>Ageratum conyzoides</i> L.) Leaf Extract on Mortality of <i>Boophilus microplus</i> <i>In Vitro</i> (Dwi Retno Widyawati, Iwan Sahrial Hamid, Moh. Sukmanadi, Sri Agus Sudjarwo, Muhammad Hambal).....	15 - 18
5. Identification of Ectoparasites and Endoparasites on Java Langurs ( <i>Trachypithecus</i> sp.) and Silvery Gibbons ( <i>Hylobates moloch</i> ) in The Aspinall Foundation Indonesia Program (Ghifari Lutfi Fauzi, Endang Suprihati, Poedji Hastutiek, Boedi Setiawan, Retno Wulansari).....	19 - 24
6. Repellent Effectiveness of Permot Leaf Ethanol Extract ( <i>Passiflora Foetida</i> Linn.) against <i>Aedes Aegypti</i> Adult Mosquitoes (David Mohamad Qadafi, Poedji Hastutiek, Lilik Maslachah, Endang Suprihati, Muhammad Hambal)	25 - 30
7. Gastrointestinal Endoparasite Infection on Red Foot ( <i>Chelonoidis carbonaria</i> ) in Surabaya City Based on Fecal Examination (Nurin Ardhiani, Endang Suprihati, Aditya Yudhana, Faisal Fikri).....	31 - 34

---

## AUTHOR INDEX

- Aditya Yudhana,..... 31  
Agus Wijaya,..... 11  
Ahmed,..... 33, 34  
Arum Maula Hidayah,..... 5  
Astuti,..... 2, 3, 4  
Bambang Purnomo Sunardi,..... 11  
Bambang Sektiari Lukiswanto,..... 1  
Boedi Setiawan,..... 19  
Budiarto,..... 11  
David Mohamad Qadafi,..... 25  
Dinata,..... 3, 4  
Dwi Retno Widyawati,..... 15  
Egga Johar Praptanto,..... 11  
Endang Suprihati,..... 19, 25, 31  
Estuningsih,..... 11, 13  
Faisal Fikri,..... 31  
Farjana,..... 32, 34  
Fitri Nurdiana,..... 1  
Ghifari Lutfi Fauzi,..... 19  
Gunandini,..... 15, 18  
Hanafiah,..... 19, 23  
Hartati,..... 8, 9  
Hastutiek P,..... 26, 28, 29  
Hidayat,..... 12, 13  
Husna,..... 1, 4  
Iwan Sahrial Hamid,..... 15  
Lastuti,..... 5, 9  
Lilik Maslachah,..... 25  
Manurug,..... 15, 19  
Melinda,..... 17, 19  
Moh. Sukmanadi,..... 15  
Mufasirin,..... 33, 36  
Muhammad Hambal,..... 15, 25  
Nurin Ardhiani,..... 31  
Padmasari,..... 26, 29  
Poedji Hastutiek,..... 19, 25  
Rahmi Sugihartuti,..... 1  
Retno Wulansari,..... 5, 19  
Samsudin,..... 16, 17, 19  
Sasmita,..... 5, 9  
Soeharsono,..... 5  
Sri Agus Sudjarwo,..... 15  
Suprihati E,..... 23, 36  
Susilowati,..... 26, 29  
Wardhana,..... 2, 4  
Werdiningsih,..... 28, 30  
Wiwiek Tyasningsih,..... 5

---

## SUBJECT INDEX

- Acalypha indica*,..... 1, 2, 4, 5  
acaricide,..... 1, 3  
Adult stage, ..... 1  
*Aedes aegypti*,..... 25, 27, 28, 29, 30  
*Ageratum conyzoides*,..... 15, 16, 18, 19  
Blitar regency,..... 11  
*Boophilus microplus*,..... 1, 2, 4, 5, 15, 16, 19  
*Chelonoidis carbonaria*,..... 31, 32, 34, 35  
Ectoparasite..... 19, 24  
Endoparasite..... 19, 31, 32, 34  
ethanol extract..... 25  
fecal examination..... 31, 32  
Gastrointestinal..... 11, 12, 31, 32, 34  
goats..... 5, 6, 7, 8, 9  
in vitro, 1, 2, 3  
Java Langur..... 19, 20, 23  
leaf extract..... 1, 2, 3, 15, 16, 17, 18  
Mempawah Hilir..... 5, 6, 8, 9  
mosquito..... 25, 26, 27, 28  
neguvon..... 15, 16  
*Passiflora foetida*,..... 25, 26, 29, 30  
Permot Leaf..... 25  
pet cat..... 11, 12, 13  
prevalence..... 5, 9, 11, 13, 19, 20, 23  
primate..... 19, 23  
probit analysis..... 15, 17  
Repellent..... 25, 26, 27, 28, 29, 30  
scabies..... 5, 6, 7, 8, 9  
severity..... 5, 6, 7, 8, 9  
Silvery Gibbon..... 19  
skin disease..... 5  
stray cat..... 11, 12, 13  
Surabaya city, 31  
tortoise..... 31, 32, 34, 35  
*Toxocara cati*,..... 11, 12, 13

---

### SUBSCRIBED FORM

AREA	Issue* (give sign √)		
	1 year	2 year	3 year
Surabaya	<input type="checkbox"/> Rp. 200.000,-	<input type="checkbox"/> Rp. 350.000,-	<input type="checkbox"/> Rp. 450.000,-
East Java	<input type="checkbox"/> Rp. 250.000,-	<input type="checkbox"/> Rp. 400.000,-	<input type="checkbox"/> Rp. 500.000,-
Other Java	<input type="checkbox"/> Rp. 300.000,-	<input type="checkbox"/> Rp. 450.000,-	<input type="checkbox"/> Rp. 550.000,-
Other Countries	<input type="checkbox"/> USD 50	<input type="checkbox"/> USD 75	<input type="checkbox"/> USD 100

\*(published 2 times a year)

I propose to subscribe to Journal of Parasite Science

Name: .....

Institution: .....

Office address and Phone No: .....

.....

.....

Home address and Phone No: .....

.....

.....

Country: .....

Fax: .....

Email: .....

Postal code: .....

Date: .....

Signature: .....

---

I pay for this journal subscription using (give sign √):

Western Union Cheque with MTCN No: .....

Bank transfer / online to:

**Bank Mandiri**

**Account no 142 00 1670625 0**

**Dr. Kusnoto, drh., M.Si**

Send proof of payment with the subscription form to email [jps@fkh.unair.ac.id](mailto:jps@fkh.unair.ac.id)

---



---

## AUTHOR GUIDELINES

**Journal of Parasite Science (JoPS)** with registered number [P-ISSN \(2599-0993\)](#) ; [E-ISSN \(2656-5331\)](#) published by the Division of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga.

**Journal of Parasite Science (JoPS)** presenting research articles, case reports, community development activities and literature studies of veterinary medicine. Published twice a year on March and September. Since 2002 the Faculty of Veterinary Medicine has had Veterinary Medicine Media, because considering that there is only one journal that must accommodate many articles written by lecturers and students, various journals have been developed according to the disciplines in each department, one of which is the JoPS. JoPS can publish articles from various faculties and institutions related to the parasitology. JoPS which has been published since 2017 is here for accommodate publication obligations for undergraduate and postgraduate students as well as other parties conducting research in the field of parasitology. Loading of articles in the JoPS through the Open Journal System (OJS). Complete information for article loading and article writing instructions are available on the website and every issue. Incoming articles will go through a selection process by editors and reviewers. Manuscripts should be typed in double spaced, except for titles, abstracts, titles of tables and tables, headings of figures, reference, and attachments, typed according to separate provisions. Paragraph formatting: new paragraph begins (first line) 0.3 inches. The standard font for writing is Times New Roman 12. Using A4 paper size (8.27 x 11.69)". Using English. Tables / Illustrations / Images must be of high contrast, also include separate scanning files (photos) with papers in JPG file format. Table captions, pictures or other explanations in the attachment should be typed 1 (one) space.

**Title** should be concise but informative, as far as possible in no more than 12 words.

**Abstract** written in English, do not exceed 250 words, containing elements of background, material and methods, results and conclusions.

**Keywords** maximum of 6 (six) words or phrases, written after the abstract in each languages, alphabetically ordered. As far as possible avoid using keywords from the title.

**Introduction** consists of the background, research objectives, problem formulation and benefits. The background includes four main ideas, namely: problem statement, problem scale, problem chronology and research approach. Contains a description of the facts and expectations for the completion of the research. Described based on concepts built from references in the literature. The research question and/or hypothesis (if any) in the introduction should not write in the form of points or should not be numbered.

**Method** in details so that other author could do the similar research with the written method in the article. Materials and methods are brief descriptions of the research design, how to conduct research and mention the materials/ objects and tools used.

**Results and Discussion** compared with other research that ever conducted or discuss based on the theoretical framework that is used in the research. Use up-to-date references such as books that published in the last ten years and journal articles that published in the last five years (except the reference that being recommended by the reviewer in this field).

**Tables** are made without vertical lines (use only lines at the top and bottom of the table as well as for separating heading from the main table), with table title placed before the table, numbered in Arabic numerals (Table X), and have to be referred in the text. The description of the table is placed after the table; it must be concise but clear enough so that the table separately can be understood without referring to the text. The table along with the title and description are placed after the References.

**Figures** presented are only those that support the findings of the study, and not restatement of data from tables in the form of figures. When resulted data in the form of figure is more informative, interesting or significant,

presentation of data in table form is not required. Figure title is placed after the figure, numbered in Arabic numerals (Figure Y), and have to be referred in the text. The description of the figure is placed under the title of the figure; it must be concise but clear enough so that the figure separately can be understood without referring to the text. Image (in JPEG format) is sent in separate file. The title and description of the figure are placed after the References.

**Conclusion** in one until two paragraphs without using the bullet points or number.

**Approval of Ethical Commission** have to be stated (number and institution) if the manuscript is constructed based on a research using live animals.

**Acknowledgements** are delivered to the research funders (state the name, number and recipient name of the grant, if applicable), and to those who have helped carry out the research.

**References** should be written according to the APA guidelines, that uses the family name of the author at the beginning of the sequence. Example: Family Name, Abbreviated the First Name and the Middle Name. Do not use commas or point for the abbreviated name. For the year of the references give bracket without points. The reference from a journal article, anthology books or book chapter must include the page. References from the internet not journals are not recommended.

**The example of the references as below:**

Online journal article

Johnson, K. D., Winkelman, C., Burant, C. J., Dolansky, M., & Totten, V. (2014). The factors that affect the frequency of vital sign monitoring in the emergency department. *JEN: Journal of Emergency Nursing*, 12(2), 27-35.  
<https://doi.org/10.1016/j.jen.2012.07.023>

Book (authored or entire book) \*

Judd, D. M., Sitzman, K., & Davis, M. (2010). *A history of American nursing: Trends and eras*. Jones and Bartlett Publishers.

Chapter in an edited book \*

Lynch, S. (2010). Pain management. In S. R. Hardin and R. Kaplow (Eds.), *Cardiac surgery essentials for critical care nursing* (3rd ed., pp. 287-309). Jones & Bartlett.

PowerPoint slides (from classroom website)

Nicholson, A. (n.d.). RN to BSN program orientation [PowerPoint slides]. Canvas @UIowa: <https://uiowa.instructure.com/>

Webpage

Nelson, L. (2019). Nurses say violent assaults against healthcare workers are a silent epidemic. <https://nurse.org/articles/-/workplace-violence-in-nursing-and-hospitals/>

Report

Institute of Medicine (2010). The future of nursing: Leading change, advancing health [report brief]. <https://www.nap.edu/resource/12956/Future-of-Nursing-2010-Report-Brief.pdf>

**Review Article**

Journal of Parasite Science received review articles on topics included in the scope of the journal which are of current interest. Reviews are invited by the editor. The review must be a comprehensive analysis and perspective on the state of the field and where it is heading. Reviews will be subject to the same peer review process as is applied for original papers. The manuscript is arranged in the same way as the original article with an unstructured abstract (maximum of 250 words). Manuscripts should be typed in double spaced, except for titles, abstracts, titles of tables and tables, headings of figures, reference, and attachments, typed according to separate provisions. Paragraph formatting: new paragraph begins (first line) 0.3 inches. The standard font for writing is Times New Roman 12. Using A4 paper size (8.27 x 11.69)". Using English. Tables / Illustrations / Images must be of high contrast, also include separate scanning files (photos) with papers in JPG file format. Table captions, pictures or other explanations in the attachment should be typed 1 (one) space.

**Case reports:**

Journal of Parasite Science receives quality and interesting case reports with topics included in the scope of this journal. All reports are peer reviewed as is applied for original articles. All instructions are the same as for the original articles.

## Indexing By :



## Plagiarism Checker



## Management Reference Tools



Division of Veterinary Parasitology  
Faculty of Veterinary Medicine, Universitas Airlangga  
Kampus "C" Jl. Mulyorejo Surabaya 60115  
Phone: (031) 5992785; 5993016; Fax. (031) 5993015  
e-mail: jparasitol@gmail.com ; jps@fkh.unair.ac.id  
Website : <https://e-journal.unair.ac.id/JoPS>





[Home](#) > [Archives](#) > **Vol 5, No 1 (2021)**

## VOL 5, NO 1 (2021)

### JOURNAL OF PARASITE SCIENCE

#### TABLE OF CONTENTS

##### FRONT MATTER

Front Matter Vol 5 No 1, 2021

PDF  
i-iv

##### BACK MATTER

Back Matter Vol 5 No 1, 2021

PDF  
v-ix

##### ORIGINAL RESEARCH

**The Potency of Anting Anting (*Acalypha indica* L.) Leaf Extract as An Acaricide on *Boophilus microplus* in Larvae and Adult Stages In Vitro**

PDF  
1-4

**doi** [10.20473/jops.v5i1.29955](https://doi.org/10.20473/jops.v5i1.29955)

*Fitri Nurdiana, Rahmi Sugihartuti, Bambang Sektiari Lukiswanto*

**Prevalence and Scabies Severity Rate on a Goat at Mempawah Hilir, Mempawah District West Kalimantan Province**

PDF  
5-10

**doi** [10.20473/jops.v5i1.29956](https://doi.org/10.20473/jops.v5i1.29956)

*Arum Maula Hidayah, Wiwiek Tyasningsih, Soeharsono Soeharsono, Retno Wulansari*

**Gastrointestinal Parasite Infection on Stray Cat and Pet Cat at Blitar Regency, East Java Province**

PDF  
11-14

**doi** [10.20473/jops.v5i1.29958](https://doi.org/10.20473/jops.v5i1.29958)

*Egga Johar Praptanto, Bambang Purnomo Sunardi, Budiarto Budiarto, Agus Wijaya*

**The Effectiveness of Bandotan (*Ageratum conyzoides* L.) Leaf Extract on Mortality of *Boophilus microplus* In Vitro**

PDF  
15-18

**doi** [10.20473/jops.v5i1.29959](https://doi.org/10.20473/jops.v5i1.29959)

*Dwi Retno Widyawati, Iwan Sahrial Hamid, Moh. Sukmanadi, Sri Agus Sudjarwo, Muhammad Hambal*

**Identification of Ectoparasites and Endoparasites on Java Langurs (*Trachypithecus* sp.) and Silvery Gibbons (*Hylobates moloch*) in The Aspinall Foundation Indonesia Program**

PDF  
19-24

**doi** [10.20473/jops.v5i1.29960](https://doi.org/10.20473/jops.v5i1.29960)

*Ghifari Lutfi Fauzi, Endang Suprihati, Poedji Hastutiek, Boedi Setiawan, Retno Wulansari*

**Repellent Effectiveness of Permot Leaf Ethanol Extract (*Passiflora Foetida* Linn.) against *Aedes Aegypti* Adult Mosquitoes**

PDF  
25-30

**doi** [10.20473/jops.v5i1.29962](https://doi.org/10.20473/jops.v5i1.29962)

*David Mohamad Qadafi, Poedji Hastutiek, Lilik Maslachah, Endang Suprihati, Muhammad Hambal*

**Gastrointestinal Endoparasite Infection on Red Foot (*Chelonoidis carbonaria*) in Surabaya City Based on Fecal Examination**

PDF  
31-34

**doi** [10.20473/jops.v5i1.29963](https://doi.org/10.20473/jops.v5i1.29963)

## Gastrointestinal Endoparasite Infection on Red Foot (*Chelonoidis carbonaria*) in Surabaya City Based on Fecal Examination

<sup>1</sup>Nurin Ardhiyani, <sup>2</sup>Endang Suprihati<sup>ORCID</sup>, <sup>2</sup>Aditya Yudhana, <sup>3</sup>Faisal Fikri

<sup>1</sup>Student, Faculty of Veterinary Medicine, Universitas Airlangga, nurinardhianisiregar@gmail.com

<sup>2</sup>Division of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga

<sup>3</sup>Division of Basic Medical Science, Faculty of Veterinary Medicine, Universitas Airlangga

**Corresponding author:** esuprihati@yahoo.co.id

### Abstract

Infectious disease which caused by parasite is the most serious problem in tortoise breeding. This study identifies gastrointestinal endoparasites infection on Red Foot (*Chelonoidis carbonaria*) during November 2020 to February 2021 in Surabaya City. Fecal samples from a tortoise, a total of 14 tortoises were collected and examined by native, sedimentation and floatation methods for parasitic eggs and oocyst. Fecal samples for this research were collected from breeding farm in Surabaya City. Data obtained from this study were presented descriptively and analyzed by Chi-Square test. Based on examination results, the occurrence of gastrointestinal endoparasite infection on Red foot was recorded at 100% from the total samples. The gastrointestinal parasites were identified as helminths and protozoa namely which is dominately by *Tachygonetria* spp. (14%), *Angusticaecum* spp. (3%), and *Balantidium coli* (2%) respectively. The provision of deworming medication as a curative measure by the owner is carried out regularly and continuously on tortoises that are positively infected with gastrointestinal endoparasites and prevention can be done by paying attention to the management and cleanliness of the cage to prevent potential transmission of endoparasites from the environment to the tortoise.

**Keywords:** *Chelonoidis carbonaria*, endoparasite, gastrointestinal, Surabaya city, tortoise, fecal examination.

### Introduction

Red foot (*Chelonoidis carbonaria*) is one of the tortoises that is widely kept because of its uniqueness, such as the presence of a shell pattern that protects the body from tortoises. The upper shell is called the carapace and the lower part is called the plastron (Kendrick and Ades, 2009; Broin *et al.*, 2006). Tortoises vary in size and weight depending on the species, from a few centimeters to 2 meters in length and weigh from 3 until 900 kg. Among the tortoise species, the Red foot has the widest distribution which found in South American countries and in almost all the Caribbean Islands, including Grenada. Red foot prefers habitats with temperatures between 20°C-30°C (Springer *et al.*, 2020).

Gastrointestinal endoparasites were commonly found in wild and domesticated tortoises, such as Nematodes, Cestodes, Trematodes and Protozoa (Rataj *et al.*, 2011). Several gastrointestinal endoparasites were reported with zoonotic potential and may have

serious effects on human health (Springe *et al.*, 2020). Gastrointestinal endoparasites have been reported in various chelonian species including *Geochelone elegans* and *Testudo Graeca* (Arabkhazaeli *et al.*, 2018), also *Chelonoidis* spp. in the Galapos Islands (Fournie *et al.*, 2015).

Gastrointestinal endoparasites have been reported in captive bred tortoises in Europe with a high prevalence rate at 43-82%. The examination of 1002 tortoises in Germany also showed parasite infection from Oxyuridae (43.18%) and also *Angusticaecum* spp., *Balantidium* spp., *Strongyloides* spp., and *Heterakis* spp. (Hallinger *et al.*, 2018). Moreover, the Greek tortoise was also found to be infected with Oxyuridae and Ascarididae (Yildirimhan *et al.*, 2018).

Gastrointestinal parasites are usually diagnosed by examining tortoise fecal sample (Hedley, 2013). Gastrointestinal endoparasitic infections can cause a lot of threat to tortoise owners. The negative impacts which caused by endoparasite infection are death, acute illness



and reduced productivity including decreased growth rate (Swai *et al.*, 2006). The prevalence of parasitic infection may be influenced by several factors such as distribution of the host, environment, general conditions of the host and climate (Farjana *et al.*, 2008). Common host factors such as age, sex, breed and feed can also be a factor for parasite distribution. Lack of routine inspections and management will lead to the worst condition in tortoises (Permin and Ranvig, 2001).

Surabaya City which located at East Java Province has been recorded with a large number of reptile lover communities including tortoises, in which proven by there are also many tortoise breeding farms. To our knowledge, there was no study regarding the incidence or prevalence rate of gastrointestinal endoparasite infection in tortoises in Surabaya City, East Java Province. Therefore, it is necessary to conduct present study in order to adding scientific data regarding the initial report of gastrointestinal endoparasite infection in tortoises.


### Materials and Methods

The study design was perform the identification and morphology of gastrointestinal endoparasites on Red foot tortoises located at Surabaya City for a period of 4 months, starting November 2020 until February 2021. The study was conducted by examining the fecal samples using direct native, sedimentation, and floating methods. The data was analyzed in order to identify gastrointestinal endoparasites which found in standard fecal examination. All results that has been found during examination was recorded and presented descriptively.

### Results and Discussion

The prevalence of gastrointestinal endoparasite infection on Red foot tortoises in Surabaya City was recorded at 100%. Those results were categorized as very high compared to other areas, such as the prevalence of endoparasite infection in Red foot from Grenada, which indicating gastrointestinal parasite infection with a total of 14.6% prevalence rate (Springer *et al.*, 2020). The results of present study were showed in Table 1.

The eggs of *Tachygonetria* spp. were found in a total of 14 samples. The case of infection from the Nematode parasite which frequently found are from *Tachygonetria* spp. and *Angusticaecum* spp. and has been reported in herbivorous reptiles with 43-62% prevalence rate (Hallinger *et al.*, 2019). The pathogenicity of *Tachygonetria* spp. in the colon is causing small erosions of the mucosa and in severe condition this can be widespread accompanied by an inflammatory response, and also perineal irritation which usually caused by the presence of adult female worms that lay eggs (Urquhart *et al.*, 2003). The egg of *Tachygonetria* spp. was symmetrical oval with a develop ova inside (Fig. 1).




**Figure 1.** The egg of *Tachygonetria* spp. (400x magnification; floatation method).

**Table 1.** The prevalence rate of gastrointestinal parasites on Red foot (*Chelonoidis carbonaria*) in Surabaya City during November 2020-February 2021.


	Sample (n)	Positive Result (%)	Negative Result (%)
<b>Red foot</b>	14	14 (100%)	0 (0%)
▪ <i>Tachygonetria</i> spp.		9 (64.2%)	
▪ <i>Tachygonetria</i> + <i>Balantidium coli</i>		2 (14.2%)	
▪ <i>Tachygonetria</i> + <i>Angusticaecum</i>		3 (21.4%)	
<b>Hatchling</b>	5	5 (100%)	0 (0%)
▪ <i>Tachygonetria</i>		1 (20%)	
▪ <i>Tachygonetria</i> + <i>Angusticaecum</i>		2 (40%)	
▪ <i>Tachygonetria</i> + <i>Balantidium coli</i>		2 (40%)	
<b>Yearling</b>	9	9 (100%)	0 (0%)
▪ <i>Tachygonetria</i>		8 (88.9%)	
▪ <i>Tachygonetria</i> + <i>Angusticaecum</i>		1 (11.1%)	

The eggs of *Angusticaecum* spp. were found in a total of 3 samples. *Angusticaecum* spp. is one of the parasite from Ascarididae which frequently found infecting tortoises. The infection rate of *Angusticaecum* spp. in Germany was reported at 0.1% (Hallinger *et al.*, 2018). *Angusticaecum* spp. also previously reported in the Russian tortoise (*Testudo horsfieldii*) and the tortoise marginata (*Testudo marginata*) (Bunkowska *et al.*, 2011). The egg of *Angusticaecum* spp. has a slightly rounded oval shape when compared to *Tachygonetria* spp. and has a thick outer layer (Fig. 2).



**Figure 2.** The egg of *Angusticaecum* spp. (400x magnification; sedimentation method).

The trophozoites of *B. coli* were found in a total of 2 samples. *Balantidium coli* also previously reported in Hermann's tortoise (*Testudo hermanni*) and *Centrochelys sulcata* in Germany, with prevalence rate recorded at of 0.007% (Hallinger *et al.*, 2018). Greek tortoises in Morocco also reported with a case of *B. coli* infection (Laghzaoui *et al.*, 2021). The trophozoites were found with an oval shape that tends to be rounded with ciliated walls (Fig. 3).



**Figure 3.** The trophozoite of *B. coli* (400x magnification; sedimentation method).

Based on the results of present study, it was found that there was 100% prevalence rate in all 14 samples with the age category of hatchling and yearling. Those results may be caused by improper management system in tortoise breeding farm. Several Red foot breeders still apply a conventional cage system with soil mats that tend to be moist, which is beneficial for the development of gastrointestinal endoparasites

in the environment and also direct feeding without being given a base or container so that it has the potential contaminated with infective larvae from the environment. Deworming schedule that routinely never given was also contributes as risk factor for the tortoise in being infected by gastrointestinal endoparasites.

In accordance with the report of Bunkowska *et al.*, 2011 in a study where located at Poland, Zoology Garden, Wroclaw City, state that tortoises which kept in an outdoor captivity cage were more susceptible to gastrointestinal parasite infection. Based on the results, there was zoonotic potential which caused by *B. coli*. The protozoan parasite *B. coli* play role in causing enteritis clinical sign which may lead to intestinal ulceration not only in animals but also humans (Mufasirin *et al.*, 2016). *Balantidium coli* is a ciliated protozoan that causes balantidiasis in various hosts such as pigs, ruminants, horses and humans. Balantidiasis has a cosmopolitan distribution with a high incidence in the tropics and sub-tropics. Infected hosts will show clinical symptoms of anorexia, dehydration, watery diarrhea and decreased growth rate. Fecal examination can be performed to identify cysts and trophozoites stage of *B. coli*. (Ahmed *et al.*, 2020). The recent case of balantidiasis was reported from China in a 68 years old man with clinical symptoms of abdominal pain, tenesmus, diarrhea, and dysentery which was suspected to be caused by *B. coli*. (Yu *et al.*, 2020).

## Conclusions

Based on the identification of gastrointestinal endoparasite infection in Red foot (*Chelonoidis carbonaria*) during November 2020 until February 2021, the prevalence rate of gastrointestinal endoparasite infection was recorded at 100% from the total of 14 samples. Gastrointestinal endoparasites identified were from helminth and protozoa which dominated by *Tachygonetria* spp. (14%), *Angusticaecum* spp. (3%), and *B. coli* (2%) respectively. *Balantidium coli* are categorized as zoonotic gastrointestinal endoparasites. Therefore, deworming program as a treatment measure and regular health examination in infected tortoise which carried out by the veterinarian should be strengthening. Moreover, prevention measure also should be carried out by the owners through paying attention to the proper tortoise management and proper sanitation procedure of the captivity in order to break the

potential transmission of endoparasites from the environment.

## References

- Ahmed, A., Ijaz, M., Ayyub, R. M., Ghaffar, A., Ghauri, H. N., Aziz, M. U., & Javed, M. U. 2020. *Balantidium coli* in domestic animals: An emerging protozoan pathogen of zoonotic significance. *Acta tropica*, 203: 105298.
- Broin, F.D.L.D., Bour, R., and Perälä, J. 2006. Morphological definition of Eurotestudo (Testudinidae, Chelonii): Second Part In *Annales de paléontologie* 92(4): 335-357.
- Farjana, T., K.R. Islam and M.H. Mondal. 2008. Population Density of Helminths in Ducks : Effects of Host Age, Sex, Breed. *Bangladesh Veterinary Journal*. 6: 45-51.
- Fournie, G., Goodman, S.J., Cruz, M., Cedeno, V., Veles, A., Patino, L., Millins, C., Gibbons, L.M., Fox, M.T., Cunningham, A.A. 2015. Biogeography of parasitic nematode Communities in the Galapagos giant tortoise: Implications for Conservation Management. *PloS One* 10 (9): e0135684.
- Hallinger, M. J., Taubert, A., Hermosilla, C., & Mutschmann, F. 2019. Captive Agamid lizards in Germany: Prevalence, pathogenicity and therapy of gastrointestinal protozoan and helminth infections. *Comparative immunology, microbiology and infectious diseases*, 63:74-80.
- Hallinger, M. J., Taubert, A., Hermosilla, C., and Mutschmann, F. 2018. Occurrence of health-compromising protozoan and helminth infections in tortoises kept as pet animals in Germany. *Parasites & vectors* 11(1): 352.
- Hedley, J., Eatwell, K., and Shaw, D.J. 2013. Gastrointestinal parasitic burdens in UK tortoises: a survey of tortoise owners and potential risk factors. *Veterinary Record*. 173:525.
- Kendrick, R. C., and Ades, G.W.J. 2009. Taxonomic and morphometric analysis of a trade confiscation of turtle shells from Java, Indonesia 4: 1-4.
- Mufasirin., Lastuti, N. D. R., Suprihati, E. dan Suwanti, L. T. 2016. Buku Ajar Ilmu Penyakit Protozoa. Fakultas Kedokteran Hewan Universitas Airlangga. Surabaya.
- Permin, A. and H. Ranviq. 2001. Genetic resistance to *Ascaridia galli* infections in chickens. *Veterinary Parasitology*. 11: 101-102.
- Rataj, A. V., Lindtner-Knific, R., Vlahovic, K., Mavri, U., and Dovc, A. 2011. Parasites in pet reptiles. *Acta Veterinaria Scandinavica*, 53: 33.
- Springer, C. C., Kinsella, M., Vasuki, V., & Sharma, R. N. 2020. Gastrointestinal parasitic nematodes in pet red-footed tortoises (*Chelonoidis carbonaria*) from Grenada, West Indies. *Heliyon*, 6(6): e04119.
- Swai, E.S, D.K Esrony, D.M Kambarage, W.E Moshy and A.N Mbise. 2007. A comparison of seroprevalence and risk factors for *Theileria parva* and *T.mutans* in smallholder dairy cattle in the Tanga and Iringa regions of Tanzania. *The Veterinary Journal*. 174 (2): 390-396.
- Urquhart, G. M., Armour, J., Duncan, J. L., Dunn, A. M., and Jennings, F. W. 2003. *Veterinary Parasitology* 2<sup>nd</sup> ed. University of Glasgow. Scotland.