

BUKTI KORESPONDING

Judul : Husband's Support and Wife's Decision to Children's Dental Visit: Is There Any Relationship?

Author : **Taufan Bramantoro**, Nuraini Indrastie, Ninuk Hariyani, Dini Setyowati

Corresponding author: **Taufan Bramantoro**, Faculty of Dental Medicine, Universitas Airlangga.

Jurnal : Clinical, Cosmetic and Investigational Dentistry, Publisher Dove Medical Press Ltd.

Manuscript Update Clinical, Cosmetic and Investigational Dentistry [Sub ID 224336]  Inbox x  



Dr O'Connell <jessicaconnell@dovepress.com>

Fri, Jul 26, 2019, 9:03 AM



to me ▾

Dear Dr Bramantoro

Your manuscript Husband's support and wife's decision to children's dental treatment : Is there any relationship? submitted to Clinical, Cosmetic and Investigational Dentistry has been sent for peer review.

Most of the submission process is automated and you can follow the progress of your manuscript by logging into your Dove account. For an explanation of the different status indicators please click on the following link:

https://www.dovepress.com/author_guidelines.php?content_id=2126

Our publication policy specifies that every manuscript must have a minimum of two sets of peer review comments in order that the editorial decision-maker can reach a conclusion on the manuscript. When we have the required number of peer review reports returned your manuscript will be sent for first editorial decision. Once we have been advised of the Editor-in-Chief's decision you will be notified by email and provided with the peer-reviewers comments.

A reminder, if you haven't completed your conflict of interest form please log in using the link that was sent to your individual email to access this form and complete.

If I can be of further assistance, please do not hesitate to contact me.

Kind regards

Dr O'Connell

Clinical, Cosmetic and Investigational Dentistry

Activate Windows

[Home](#) [Journals](#) [Why publish with us?](#) [Editorial Policies](#) [Author Information](#) [Peer Review Guidelines](#) [Open Outlook](#) [Hot topics](#) [Podcasts](#)

[Go to Dashboard](#)

Back to [Manuscript status](#) » ID: 224336

Submission Details

Sub ID:	224336
Editorial Team Contact:	Ms Boon Lee
Manuscript Title:	Husband's Support and Wife's Decision to Children's Dental Visit: Is There Any Relationship?
Journal:	Clinical, Cosmetic and Investigational Dentistry - Aims and Scope
Contact Person:	Miss Indrastie
Submitted On:	23 Jul 2019
Status:	7EY - XML CONVERSION PUBMED
Article type:	Original Research
Number of Authors:	4

My Dovepress

Logged in as Dr Bramantoro

Manuscript Status (7)

Author Resources

- [Manuscript Preparation](#)
- [Figures and tables](#)
- [Supplementary data](#)
- [Clinical trials registration](#)
- [Research ethics and consent](#)
- [Authorship](#)
- [Terms of Publication](#)

Important: Form for Disclosure of Potential Conflicts of Interest [ID 224336]



Dr Jessica O'Connell <jessicaconnell@dovepress.com>
to me ▾

Aug 7, 2019, 6:20 PM ☆ ↶ ⋮

Dear Dr Taufan Bramantoro

For your manuscript "Husband's support and wife's decision to children's dental treatment : Is there any relationship?" to proceed to the Editor for a final decision you now need to complete the disclosure form by clicking on the following link:

https://www.dovepress.com/icmje_coi.php?submission_id=224336&author_id=924316&f=6qAV7uARm4a0ZLIDT8jytMV7924316

The purpose of this form is to provide the Editor-in-Chief of Clinical, Cosmetic and Investigational Dentistry with important information about your possible conflicts of interests. The composition of this form follows that of the International Committee of Medical Journal Editors (ICMJE) standard and further demonstrates our commitment to the highest ethical and professional standards.

The form is designed to be completed and stored electronically. It will only be read by the Editor-in-Chief of Clinical, Cosmetic and Investigational Dentistry. Each author has received an individual email like this and should submit a separate form. Each author is responsible for the accuracy and completeness of the submitted information.

Please ensure this form is completed as a matter of urgency.

Regards

Dr Jessica O'Connell
Clinical, Cosmetic and Investigational Dentistry
Dove Medical Press

Activate Windows

Dove Medical Press: Submission accepted for publication



Mrs Fatin Zakeri <fatinzakeri@dovepress.com>
to me ▾

Nov 12, 2019, 2:49 AM ☆ ↶ ⋮

Dear Dr Bramantoro,

I am pleased to inform you that your manuscript "Husband's support and wife's decision to children's dental visit: Is there any relationship?" has been accepted for publication in "Clinical, Cosmetic and Investigational Dentistry".

The article publishing charge of USD 929 is now payable and an invoice for this amount has been sent to Miss Nuraini Indrastie.

If you have any questions about your paper please contact me at any time fatinzakeri@dovepress.com

Yours sincerely

Mrs Fatin Zakeri
Dove Medical Press
www.dovepress.com - open access to scientific and medical research
224336

ORIGINAL RESEARCH

Taufan Bramantoro et al

Husband's support and wife's decision to children's dental visit: Is there any relationship?

Taufan Bramantoro¹ (taufan-b@fkg.unair.ac.id, phone : +6282230991458)

Nuraini Indrastie² (drgnuraini@gmail.com, phone : +6282230882848)

Ninuk Hariyani¹ (ninuk_hariyani@yahoo.co.id, phone : +6281314343305)

Dini Setyowati¹ (dinisetowati2012@yahoo.com, phone : +628113161984)

¹Staff, Department of Dental Public Health, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia;

²Graduate Program Student, Graduate School of Dental Science, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia

Correspondence: Dr. Taufan Bramantoro. Department of Dental Public Health, Faculty of Dental Medicine Universitas Airlangga. Campus A UNAIR Jl. Prof. Dr. Moestopo No. 47 Surabaya [60132] East Java - Indonesia

Tel (+62 31) 5030255, 5020256

Fax (+62 31) 5020256

Email taufan-b@fkg.unair.ac.id

Background: Early Childhood Caries (ECC) is the most common dental caries in children. The 2013 Indonesian basic health survey showed that there were still many children in developmental age affected by dental caries. Parents' participation is very necessary in guiding, giving understanding, reminding, and providing facilities so that children can maintain their overall oral hygiene. Hence, parents can prevent plaque accumulation and the occurrence of caries in children. **Objective:** This study was aimed to determine the effect of the husbands' support on the decision of the mothers to take the children to the dentist. **Subjects and Methods:** This study used a cross sectional method. The samples from this study were 95 mothers from 3 kindergartens in Surabaya. Ninety-five mothers were randomly chosen as research respondents and filled out the research questionnaires. The data obtained were processed using statistical analysis to determine the correlation. **Results:** Research respondents with low husband support (subjective norms) who did not take their children to the dentist had a significant value ($p = 0.004$) compared to the study respondents with high husband support who did not bring their children to the dentist ($p = 0.093$). **Conclusion:** Mothers with low support from husbands tend to have the attitude not to take their children to do routine dental and oral examinations.

Keywords: children dental care, dental health, health behavior, social support, theory of planned behavior

Introduction

Oral health is an important part of general health and it can be considered as a reflection of general health. Poor oral health can have a detrimental effect on general health because several oral diseases are associated with chronic diseases. Based on the results of the 2013 Indonesian basic health survey, the prevalence of caries sufferers in Indonesia was 72.6%, with 31.1% residents received dental and oral treatment. In East Java province, the second largest province in Indonesia, 28.6% of the population had problems with dental and oral health. Among those

who had dental and oral problems, 30% of the population received treatment from dental medical personnel, while 70% did not.¹

The most common dental caries in children is Early Childhood Caries (ECC). The high prevalence of ECC is obtained in some developing countries and its severity increase with age. Whereas, healthy primary teeth is important for speech, mastication, prevention of poor oral habits, and helpful as a guide for permanent tooth eruptions. The 2013 Indonesian basic health survey showed as many as 28.9% children aged 5-9 years have oral problems, while children aged 1-4 year is at 10.4%. The damage caused by caries of primary teeth usually requires maintenance of restoration and lifelong maintenance.²

The secondary data obtained at one of the health centers in Surabaya showed pulpitis was the disease that ranked sixth out of the 15 most listed diseases in the Ketabang Health Center and caries in children was the main problem. Based on the primary data from the preliminary survey in 3 schools (kindergartens) in Surabaya, the occurrence of caries in children reached 80.4%. This percentage is considered high because more than three-quarters of the samples experienced dental caries. This is reinforced by the minimum number of dental visit to the health center. Based on the data from the dental polyclinic in one of the health centers in Surabaya, the number of patients aged 0-6 years who came for treatment due to dental pain in the period of 3 months was only 7.88% out of the total coverage of children visitors of the health center.

Children under the age of 5 generally spend most of their time with parents and caretakers, especially during preschool. These early years involve primary socialization that shapes children's habits, including the habit of maintaining dental health, and the behavior of the closest person is believed to be able to shape children's habits. Parents are considered as the biggest influence for children to do something and the positive influence of parents can determine the level of dental health of children. Families with good communication have better dental health than those with lower family relationships. Research also shows that mothers with higher education have better knowledge on the importance of primary teeth,³ and those with lower levels of education have poor levels of oral health knowledge.⁴

It can be said that mothers has an important role in the development of children's behavior, and it is not uncommon for a mother to ask for an opinion from her husband before deciding on an issue. Husbands' motivation sometimes affects the behavior of the mother in determining an action. Asking for husbands' advice is important in making health decisions, especially decisions involving costs. Mothers also often consider the husbands' advice as the primary decision maker in the family.⁵

In the preliminary survey, researchers interviewed several mothers and found that one of the factors that influenced the low behavior of mothers to visit dental and oral health centers was the lack of support from husbands to provide advice and decisions about oral and dental health. This is what the researchers wanted to explore further as one of the factors that might influence the realization of the 2030 Caries-Free Indonesia program. This study aimed to determine the relationship between husband's support and the mother's decision to make a dental visit for their children. The selection of schools is in accordance with the places of the preliminary survey conducted by the researchers.

Material and methods

Ethical approval for conducting this study has been obtained from The Research Ethic Committee of the Faculty of Dentistry Universitas Airlangga number 156/HRECC.FODM/VII/2018. This research was part of the main research titled "Perilaku Ibu dalam Membawa Anak ke Pelayanan Kesehatan Gigi".

This study used a *cross sectional* method with data on children's dental and oral health problems in 2018 from one of the health centers in Surabaya as the primary data. The respondents of this study were 95 mothers of children (aged 4-6 years old) randomly selected from 3 kindergartens in Surabaya.

Mothers as respondents were asked to fill out questionnaires in the form of questions that could provide an overview of the characteristics of parents, the frequency of visits to the dentist, and the reason for conducting or not conducting children's dental visit to dentist.

The data obtained were processed and cross tabulated using IBM SPSS 20 applications. Correlations were analyzed by cross tabulation using chi-square with husbands' support as independent variable and children's dentist visit as dependent variable.

Results

Table 1 shows that out of a total of 95 mothers, most of whom are less than 40 years of age (84.2%), with final education was primary to high school level (75%). Most respondents are housewives (67.4%), and 55.8% of the respondents have health insurance. 35% of respondents have never taken their children to dentists.

Of the total 95 respondents, 85.3% of them preferred to visit the health centers on holidays, and the remaining 14.7% preferred to come to visit the health centers on weekdays. Of the research respondents who chose holidays, 69.1% of them had taken their children to health services. Whereas, of those who chose weekdays, only 28.6% research respondents have brought their children to health centers. 57.9% of the respondents had never been to the dentist in the past 6 months.

Based on Table 2, the characteristics of respondents who have P value <0.05 are those who do not have health insurance (0.005), respondents with low intentions (0.038), respondents who have never visited health services (0.004), respondents who are unemployed, have low education, and have high intention but with low husbands' support (0.004).

As many as 54% of the research respondents who did not work, had low education but high intention to take the child to the dentist with a low influence of the husband (score below the median; 10.5) claimed that they never take their children to dentists. This percentage was higher

than the number of respondents with a tendency to take their children to the dentist even though with low husband support (44.9%).

Based on Table 3, respondents with low intentions (scores below the median; 7.5) claimed that they never taken their children to dental and oral health services (58.8%). Whereas, the respondents with high intention of study who never taken their children to dental and oral health services reached to 32.1%.

Discussion

Preschool children's behavior is strongly influenced by their primary environment, especially mother. Parents' behavior also has a great influence to their children's dental visit. A study revealed that besides education, intelligence, attention, and someone's interest towards something can influence someone's knowledge. In this study, it applies to mothers in getting information from health workers and the respondents' willingness to get dental and oral health information from various sources.⁶

Mothers who obtain a lot information on dental health tend to take their children to the dentist.⁷ Sometimes, mothers get support or advice from other related family members to take their children to health services. Husbands are the other family member who can influence and improve mothers' behavior towards childrens' dental visit.⁸

In this study, 58.8% research respondents with low intention have behavior that never taken their children to dental and oral health centers. Parents with low intentions chose not to go to the dentist because they considered that their children's oral problem as a minor problem, and believed that caries is basically a genetic problem and therefore beyond control. These parents preferred not to go to dentists and they take their children only when there is pain. An annual visits were considered sufficient.⁹

Husbands' role in the decision of the mothers to take their children to the dentist is part of the *theory of planned behavior's* subjective norm. Subjective norm refers to the perceptions of

social normative pressure to engage in a behavior. This norms is based on beliefs about the perceived judgment of significant others (for example, friends, family, dentists) regarding the behavior.¹⁰

According to the results of this study, subjects with low support from husbands tended not to take their children to dentists with 0.04 significance value (p). This number is consistent with other studies which showed that gender still plays role in family decision making¹¹. Other research that has been done about the behavior and subjective norms of couples and doctors in determining children's fever treatment decisions who showed that husbands play role in determining the decision.¹²

A research conducted in Nepal,¹³ showed the dominance of men in the fields of labor, economy, education and politics has long been recognized so that men are considered the main pillar in a household. Men are given with a key role in managing finance, health and other matters. The role of men also influences knowledge in a family, so men also play an important role in decisions, including health aspects.¹⁴

Over time, there have been various changes in perceptions and roles prevalent in the family, especially between a husband and a wife. Changes in perceptions and roles are influenced by the existence of social changes caused by industrialization. This leads to the opening of women's opportunities to get higher education and also broader employment opportunities. This condition creates a different perception for women about their role in the family. The new perception also has an impact on the husbands' role as the head of the family. The empowerment of women in a family will increase if they have a job outside the home. Social and economic developments also have an impact on changes in cultural values that apply in an environment that influence decision making in the family structure to determine the expenditure of goods or services that will be used.¹⁵ The result of this study matched reversely with the theory. Low husbands support on mothers who did not work, had low level of education, but high intention to go to the dentist, significantly affect their behavior not to take their children to the dentist. This result showed that mothers with narrow perspective and environment tend to do

what husbands said, instead of taking actions based on what they would do in case of providing healthcare for their children.

In another study, it was also found that in low social classes, husbands had a dominant role in the family. This theory suits to subjects who did not work, that husbands play an important role in determining the decision to go to health services. Husbands who are financially capable and have a role to fulfill family needs play a role as decision makers. Although wives are given space to argue, in the end, wives will usually follow the final decision made by husbands.^{15,16}

Conclusion

Based on this study, it can be concluded that low husband support affect mothers' behavior, tend not to take their children to the dentist. Therefore, husbands' support can be used as a supporting factor for the mother to make a decision about childrens' dental visit.

Acknowledgments

We would like to show our gratitude to Ketabang Public Health Center and Community Empowerment Program, Faculty of Dental Medicine, Universitas Airlangga, activists (Nadya Adina Zuhdi and friends), and also Department of Dental Public Health for supporting this research.

Disclosure

The author reports no conflicts of interest in this work.

References

1. (Indonesian Ministry of Health. Basic Health Survey of Republic of Indonesia. Jakarta: Indonesian Ministry of Health; 2013.
2. Wigen TI, Wang NJ. Parental influences on dental caries development in preschool children: An overview with emphasis on recent Norwegian research. *Norsk Epidemiologi*. 2012; 22(1): 13-9
3. Jain R, Oswal KC & Chitguppi R. Knowledge, attitude and practices of mothers toward their children's oral health: A questionnaire survey among subpopulation in Mumbai (India). *J Dent Res Sci Develop*. 2014;1:40-5
4. Szatko F, Wierzbicka M, Dybizbanska E, Struzycka I, Iwanicka-Frankowska E. Oral health of Polish three-year-olds and mother's oral health-related knowledge. *Community Dent Health*. 2004; 21: 175-80
5. Edwards D. *Ketika Anak Sulit Diatur: Panduan Bagi Para Orang Tua Untuk Mengubah Masalah Perilaku Anak*. Bandung: PT Mizan Pustaka; 2006.
6. Chacko V, Shenoy R, Prasy HE, Agarwal S. Self-reported Awareness of Oral Health and Infant Oral Health among Pregnant Women in Mangalore, India- A Prenatal Survey. *Int J Health Rehabil Sci*. 2013; 2(2): 109-15
7. Grembowski D, Spiekerman C, Milgrom P. Linking mother and child access to dental care. *Pediatrics*. 2008; 122(4) : e805-14. doi: 10.1542/peds.2008-0118.
8. Anderson CL, Reynolds TW, Gugerty MK. Husband and Wife Perspectives on Farm Household Decision-making Authority and Evidence on Intra- household Accord in Rural Tanzania. *World Dev*. 2016; 90: 169–83
9. Vermaire JH, Hoogstraten J, van Loveren C, Poorterman JH, van Exel NJ. Attitudes towards oral health among parents of 6-year-old children at risk of developing caries. *Community Dent Oral*. 2010; 38: 507–20.
10. den Branden SV, den Broucke SV, Leroy R, Declerck D, Hoppenbrouwers K. Predicting oral health-related behaviour in the parents of preschool children: An application of the

- Theory of Planned Behaviour. *Health Educ. J.* 2015; 74(2): 221–30.
11. Scanzoni J, Szinovacz M. *Family decision-making: A developmental sex role model.* Beverly Hills: Sage; 1980.
 12. Walsh A, Edwards H, Fraser J. Attitudes and subjective norms: determinants of parents' intentions to reduce childhood fever with medications. *Health Educ. Res.* 2009; 24(3): 531–45
 13. McPherson RA, Tamang J, Hodgins S, *et al.* Process evaluation of a community-based intervention promoting multiple maternal and neonatal care practices in rural Nepal. *BMC Pregnancy Childb.* 2010; 10(31). DOI: <https://doi.org/10.1186/1471-2393-10-31>
 14. Varkey LC, Mishra A, Das A, *et al.* *Involving Men in Maternity Care in India.* New Delhi: Population Council; 2004.
 15. Samsinar MS, Zawawi D, Teo BH. Factors affecting wives' role structure in urban family purchase decision making. *Pertanika J. Soc.* 2013; 21: 189-200.
 16. Tajuddin SKA, Shamsuddin K. Decision Making Behaviour Related to Wife's Reproductive Health in Bidayuh Men in Rural Part of East Malaysia. *IOSR-JNHS.* 2015; 4(1) : 56-63.

Table 1. Characteristics of respondents who can provide an outline description of social class as well as knowledge, attitudes, influence of subjective norms, beliefs about behavior, and intention to bring children to have their teeth checked by a dentist

Variables	Categories	n	%
Age	< 40 years old	80	84.2
	≥ 40 years old	15	15.8
Education level	Elementary school, junior high school, and senior high school level	72	75.8
	Diploma/bachelor	23	24.2
Working status	Not working*	64	67.4
	Working in non-medical field	29	30.5
	Working in medical field	2	2.1
Family income level (IDR)	< 1.5 million	20	21.1
	1.5-2.5 million	27	28.4
	2.5-3.5 million	20	21.1
	> 3.5 million	28	29.4
Insurance ownership	Not having insurance	42	44.2
	Having insurance	53	55.8
Decision makers in the family	Wife	32	33.7
	Husband	2	2.1
	Wife and husband	60	63.2
	Other	1	1.1
Experience of visiting health services	Never	8	8.4
	Ever	87	91.6
Time to visit health services	Morning	58	61.1
	Noon	5	5.3

	Afternoon	13	13.7
	Evening	19	20
Day to visit health services	Weekdays	81	85.3
	Holidays	14	14.7
Health care options	Health centers	64	67.4
	Hospitals	14	14.7
	Private doctors	13	13.7
	Other	4	4.2
Dentist visit	Never	35	36.8
	Ever	60	63.2
The most influential person	Wife	37	16.8
	Teacher	4	4.2
	Husband	23	24.2
	Dentist	15	15.8
	Other	16	16.8
Husband's influence	Low	49	51.6
	High	46	48.4
Frequency to the dentist in the last 6 months	Never	55	57.9
	>6 times	4	4.2
	4-6 times	3	3.2
	1-3 times	33	34.7

Table 2. Cross tabulation of characteristic with a visit to the dentist. The characteristics listed in the table are the categories of respondents who have a tendency not to take children to the dentist based on the prevalence ratio

	Pr	Pa
Mothers with low education levels	1.544	0.219
Not working	1.057	0.874
Working >6 hours	1.6	1.000
Family income <IDR 1,500,000	1.734	0.403
Not having health insurance	2.136	0.005*
Dental care costs <IDR 50,000	0.814	0.513
Number of children >1	1.000	0.970
Never been to health services	2.719	0.004*
Low mother's knowledge (score <13.5)	1.500	0.426
Low mother's intention (score <7.5)	1.835	0.038*
Low mother's attitude (score <12.5)	2.818	0.061
Mother as decision maker	1.313	0.163
Low husband support	1.589	0.093
Low husband support	4.909	0.004*
High caries severity	0.757	0.086

Note:

a: Correlation of cross tabulation.

*: Significant

Tabel 3. Cross tabulation of the frequency of subjective norms and intention to visit a dentist

Variables		Dentist visit		Total	P value	Prevalence ratio
		Never	Ever			
Subjective norm (husband's support)	<10.5	22 (44.9%)	27 (55.1%)	49 (100%)	0.093	1.589
	>10.5	13 (28.3%)	33 (71.7%)	46 (100%)		
Subjective norm (husband's support) ^b	<10.5	12 (54.5%)	10 (45.5%)	22 (100%)	0.004*	4.90
	>10.5	2 (11.1%)	16 (88.9%)	18 (100%)		
Intention	<7.5	10 (58.8%)	7 (41.2%)	17 (100%)	0.038*	1.835

Note:

b: Mothers do not work, have low education and high intention to take children to the dentist.

*: Significant