Husband's Support and Wife's Decision to Children's Dental Visit: Is There Any Relationship?

by Taufan Bramantoro

Submission date: 31-Jan-2022 01:03PM (UTC+0800)

Submission ID: 1751691277

File name: decision_to_childrens_dental_visit_ls_there_any_relationship.pdf (260.41K)

Word count: 3757

Character count: 19336



ORIGINAL RESEARCH

Husband's Support and Wife's Decision to Children's Dental Visit: Is There Any Relationship?

This article was published in the following Dove Press journal: Clinical, Cosmetic and Investigational Dentistry

Taufan Bramantoro¹ Nuraini Indrastie² Ninuk Hariyani ¹ Dini Setyowati ¹

¹Department of Dental Public Health, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia; ²Graduate School of Dental Science, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia Background: Early childhood caries (ECC) is the most common dental caries in children. The 2013 Indonesian basic health survey showed that there were still many children in developmental age affected by dental caries. Parents' participation is very necessary in guiding, giving understanding, reminding, and providing facilities so that children can maintain their overall oral hygiene. Hence, parents can prevent plaque accumulation and the occurrence of caries in children.

Objective: This study aimed to determine the effect of husbands' support on the decision of mothers to take their children to the dentist.

Subjects and methods: This study used a cross-sectional method. The samples from this study were 95 mothers from 3 kindergartens in Surabaya. Ninety-five mothers were randomly chosen as research respondents and filled out the research questionnaires. The data obtained were processed using statistical analysis to determine the correlation.

Results: Research respondents with low husband support (subjective norms) who did not take their children to the dentist had a significant value (p = 0.004) compared to the study respondents with high husband support who did not bring their children to the dentist (p = 0.093).

Conclusion: Mothers with low support from husbands tend to have the attitude not to take their children to do routine dental and oral examinations.

Keywords: children dental care, dental health, health behavior, social support, theory of planned behavior

3 Introduction

Oral health is an important part of general health and it can be considered as a reflection of general health. Poor oral health can have a detrimental effect on general health because several oral diseases are associated with chronic diseases. Based on the results of the 2013 Indonesian basic health survey, the prevalence of caries sufferers in Indonesia was 72.6%, with 31.1% of residents received dental and oral treatment. In East Java province, the second largest province in Indonesia, 28.6% of the population had problems with dental and oral health. Among those who had dental and oral problems, 30% of the population received treatment from dental medical personnel, while 70% did not.

The most common dental caries in children is early childhood caries (ECC). The high prevalence of ECC is found in some developing countries and its severity increase with age. Whereas healthy primary teeth is important for speech, mastication, prevention of poor oral habits, and helpful as a guide for permanent tooth eruptions. The 2013 Indonesian basic health survey showed as many as 28.9% children aged 5–9 years have oral problems, while children aged 1–4 year is at

Correspondence: Taufan Bramantoro Department of Dental Public Health, Faculty of Dental Medicine Universitas Airlangga, Campus A UNAIR JI. Prof. Dr. Moestopo No. 47, Surabaya 60132, East Java, Indonesia Tel +62 31 5030255 Email taufan-b@fkg.unair.ac.id

Bramantoro et al Dovepress

10.4%. The damage caused by caries of primary teeth usually requires maintenance of restoration and lifelong maintenance.²

The secondary data obtained at one of the health centers in Surabaya showed pulpitis was the disease that ranked sixth out of the 15 most listed diseases in the Ketabang Health Center and caries in children was the main problem. Based on the primary data from the preliminary survey in 3 schools (kindergartens) in Surabaya, the occurrence of caries in children reached 80.4%. This percentage is considered high because more than three-quarters of the samples experienced dental caries. This is reinforced by the minimum number of dental visit to the health center. Based on the data from the dental polyclinic in one of the health centers in Surabaya, the number of patients aged 0–6 years who came for treatment due to dental pain in the period of 3 months was only 7.88% out of the total coverage of children visitors of the health

Children under the age of 5 generally spend most of their time with parents and caretakers, especially during preschool. These early years involve primary socialization that shapes children's habits, including the habit of maintaining dental health, and the behavior of the closest person is believed to be able to shape children's habits. Parents are considered as the biggest influence for children to do something and the positive influence of parents can determine the level of dental health of children. Families with good communication have better dental health than those with poorer family relationships. Research also shows that mothers with higher education have better knowledge on the importance of primary teeth,³ and those with lower levels of education have poor levels of oral health knowledge.⁴

It can be said that mothers has an important role in the development of children's behavior, and it is not uncommon for a mother to ask for an opinion from her husband before deciding on an issue. Husbands' motivation sometimes affects the behavior of the mother in determining an action. Asking for husbands' advice is important in making health decisions, especially decisions involving costs. Mothers also often consider the husbands' advice as the primary decision maker in the family.⁵

In the preliminary survey, researchers interviewed several mothers and found that one of the factors that influenced the low behavior of mothers to visit dental and oral health centers was the lack of support from husbands to provide advice and decisions about oral and dental health.

This is what the researchers wanted to explore further as one of the factors that might influence the realization of the 2030 Caries-Free Indonesia program. This study aimed to determine the relationship between husband's support and the mother's decision to make a dental visit for their children. The selection of schools is in accordance with the places of the preliminary survey conducted by the researchers.

Materials and Methods

Ethical approval for conducting this study has been obtained from The Research Ethic Committee of the Faculty of Dentistry Universitas Airlangga number 156/HRECC.FODM/VII/2018. This study a cross-sectional method with data on children's dental and oral health problems in 2018 from one of the health centers in Surabaya as the primary data. The respondents of this study were 95 mothers of children (aged 4–6 years old) randomly selected from 3 kindergartens in Surabaya.

After signing the written informed consent as approved by the local Research Ethic Committee, mothers as respondents were asked to fill out questionnaires in the form of questions that could provide an overview of the characteristics of parents, the frequency of visits to the dentist, and the reason for conducting or not conducting children's dental visit to dentist.

The data obtained were processed and cross-tabulated using IBM SPSS 20 applications. Correlations were analyzed by cross-tabulation using chi-square with husbands' support as an independent variable and children's dental visit as dependent variable.

Results

Table 1 showed that out of a total of 95 mothers, most of whom are less than 40 years of age with final education was primary to high school level. Most respondents are housewives, and one third of respondents have never taken their children to dentists.

Of the total 95 respondents, 85.3% of them preferred to visit the health centers on holidays, and the remaining 14.7% preferred to come to visit the health centers on weekdays. Of the research respondents who chose holidays, 69.1% of them had taken their children to health services. Whereas of those who chose weekdays, only 28.6% of research respondents have brought their children to health centers. 57.9% of the respondents had never been to the dentist in the past 6 months.

Dovepress Bramantoro et al

Table I Characteristics of Respondents Who Can Provide an Outline Description of Social Class as Well as Knowledge, Attitudes, Influence of Subjective Norms, Beliefs About Behavior, and Intention to Bring Children to Have Their Teeth Checked by a Dentist

Variables	Categories	n	%
Age	< 40 years old	80	84.2
	≥ 40 years old	15	15.8
10 Education level	Elementary school, junior high school, and senior high school level Diploma/bachelor	72 23	75.8 24.2
Working status	Not working* Working in non-medical field Working in medical field	64 29 2	67.4 30.5 2.1
Family income level (IDR)	< 1.5 million	20	21.1
	1.5–2.5 million	27	28.4
	2.5–3.5 million	20	21.1
	>3.5 million	28	29.4
Insurance	Not having insurance	42	44.2
ownership	Having insurance	53	55.8
Decision makers in the family	Wife	32	33.7
	Husband	2	2.1
	Wife and husband	60	63.2
	Other	I	1.1
Experience of visiting health services	Never	8	8.4
	Ever	87	91.6
Time to visit health services	Morning	58	61.1
	Noon	5	5.3
	Afternoon	13	13.7
	Evening	19	20
Day to visit health services	Weekdays	81	85.3
	Holidays	14	14.7
Health care options	Health centers	64	67.4
	Hospitals	14	14.7
	Private doctors	13	13.7
	Other	4	4.2
Dentist visit	Never	35	36.8
	Ever	60	63.2
The most influential person	Wife	37	16.8
	Teacher	4	4.2
	Husband	23	24.2
	Dentist	15	15.8
	Other	16	16.8
Husband's	Low	49	51.6
influence	High	46	48.4

(Continued)

Table I (Continued).

Variables	Categories	n	%
Frequency to the	Never	55	57.9
dentist in the last 6	>6 times	4	4.2
months	4–6 times	3	3.2
	I-3 times	33	34.7

Note: *significant, p<0.05.

Based on Table 2, the characteristics of respondents who have P value <0.05 were those who do not have health insurance (0.005), respondents with low intentions (0.038), respondents who have never visited health services (0.004), respondents who are unemployed, have low education, and have high intention but with low husbands' support (0.004).

As many as 54% of the research respondents who did not work had low education but high intention to take the children to the dentist with a low influence of the husband (score below the median; 10.5) claimed that they never take their children to dentists. This percentage was higher than the number of respondents with a tendency to take their children to the dentist even though with low husband support (44.9%).

Based on Table 3, respondents with low intentions (scores below the median; 7.5) claimed that they never taken their children to dental and oral health services (58.8%). Whereas the respondents with high intention of study who never taken their children to dental and oral health services reached to 32.1%.

Discussion

Preschool children's behavior is strongly influenced by their primary environment, especially mothers. Parents' behavior also has a great influence to their children's dental visits. A study revealed that besides education, intelligence, attention, and someone's interest towards something can influence someone's knowledge. In this study, it applies to mothers in getting information from health workers and the respondents' willingness to get dental and oral health information from various sources. 6

Mothers who obtain a lot of information on dental health tend to take their children to the dentist. Sometimes, mothers get support or advice from other related family members to take their children to health services. Husbands are the other family member who can influence and improve mothers' behavior towards childrens' dental visit. 8

Bramantoro et al Dovepress

Table 2 Cross-Tabulation of Characteristic with a Visit to the Dentist. The Characteristics Listed in the Table are the Categories of Respondents Who Have a Tendency Not to Take Children to the Dentist Based on the Prevalence Ratio

	Pr	Pa
Mothers with low education levels	1.544	0.219
Not working	1.057	0.874
Working >6 hrs	1.6	1.000
Family income <idr 1,500,000<="" td=""><td>1.734</td><td>0.403</td></idr>	1.734	0.403
Not having health insurance	2.136	0.005*
Dental care costs <idr 50,000<="" td=""><td>0.814</td><td>0.513</td></idr>	0.814	0.513
Number of children >I	1.000	0.970
Never been to health services	2.719	0.004*
Low mother's knowledge (score < 13.5)	1.500	0.426
Low mother's intention (score <7.5)	1.835	0.038*
Low mother's attitude (score <12.5)	2.818	0.061
Mother as decision maker	1.313	0.163
Low husband support	1.589	0.093
Low husband support	4.909	0.004*
High caries severity	0.757	0.086

Notes: a Correlation of cross-tabulation. *Significant, p<0.05

In this study, 58.8% of research respondents with low intention had behavior that never taken their children to dental and oral health centers. Parents with low intentions chose not to go to the dentist because they consider that their children's oral problem as a minor problem, and believe that caries is basically a genetic problem and therefore beyond control. These parents prefer not to go to dentists and they take their children only when there is pain. An annual visits were considered sufficient.9

Husbands' role in the decision of the mothers to take their children to the dentist is part of the theory of planned behavior's subjective norm. Subjective norm refers to the perceptions of social normative pressure to engage in a behavior. This norms is based on beliefs about the perceived judgment of significant others (for example, friends, family, dentists) regarding the behavior. 10

According to the results of this study, subjects with low support from husbands tended not to take their children to dentists with 0.04 significance value (p). This number is consistent with other studies which showed that gender still plays a role in family decision making. 11 Other research that has been done about the behavior and subjective norms of couples and doctors in determining children's fever treatment decisions also showed that husbands play a role in determining the decision. 12

A research conducted in Nepal, 13 showed the dominance of men in the fields of labor, economy, education and politics has long been recognized so that men are considered the main pillar in a household. Men are given with a key role in managing finance, health and other matters. The role of men also influences knowledge in a family, so men also play an important role in decisions, including health aspects.14

Over time, there have been various changes in perceptions and roles prevalent in the family, especially between a husband and a wife. Changes in perceptions and roles are influenced by the existence of social changes caused by industrialization. This leads to the opening of women's opportunities to get higher education and also broader employment opportunities. This condition creates a different perception for women about their role in the family. The new perception also has an impact on the husbands' role as the head of the family. The empowerment of women in a family will increase if they have a job outside the home. Social and economic developments also have an impact on changes in cultural values that apply in an environment that influence decision making in the family structure to determine the expenditure of goods or services that will be used. 15 The result of this study matched reversely with the theory. Low husbands support on mothers who did not work, had low level of education, but high intention to go to the dentist, significantly affect their behavior not to take their children to the dentist. This result showed that mothers with narrow perspective and environment tend to do what

Table 3 Cross-Tabulation of the Frequency of Subjective Norms and Intention to Visit a Dentist

Variables		Dentist Visit		Total	P Value	Prevalence Ratio
		Never	Ever			
Subjective norm (husband's support)	<10.5 >10.5	22 (44.9%) 13 (28.3%)	27 (55.1%) 33 (71.7%)	49 (100%) 46 (100%)	0.093	1.589
Subjective norm (husband's support) ^a	<10.5 >10.5	12 (54.5%) 2 (11.1%)	10 (45.5%) 16 (88.9%)	22 (100%) 18 (100%)	0.004*	4.90
Intention	<7.5	10 (58.8%)	7 (41.2%)	17 (100%)	0.038*	1.835

Notes: "Mothers do not work, have low education and high intention to take children to the dentist, *Significant, p<0.05

Dovepress Bramantoro et al

husbands said, instead of taking actions based on what they would do in case of providing healthcare for their children.

In another study, it was also found that in low social classes, husbands had a dominant role in the family. This theory suits to subjects who did not work that husbands play an important role in determining the decision to go to health services. Husbands who are financially capable and have a role to fulfill family needs play a role as decision makers. Although wives are given space to argue, in the end, wives will usually follow the final decision made by husbands. ^{15,16}

Conclusion

Based on this study, it can be concluded that low husbands support affects mothers' behavior, tend not to take their children to the dentist. Therefore, husbands' support can be used as a supporting factor for the mother to make a decision about childrens' dental visit.

Acknowledgments

We would like to show our gratitude to Ketabang Public Health Center and Community Empowerment Program, Faculty of Dental Medicine, Universitas Airlangga, activists (Nadya Adina Zuhdi and friends), and also Department of Dental Public Health for supporting this research.

Disclosure

The authors report no conflicts of interest in this work.

References

- Indonesian Ministry of Health. Basic Health Survey of Republic of Indonesia. Jakarta: Indonesian Ministry of Health; 2013.
- Wigen TI, Wang NJ. Parental influences on dental caries development in preschool children: an overview with emphasis on recent Norwegian research. Nor Epidemiol. 2012;22(1):13–19. doi:10.5324/ nje.v22i1.1515

- Jain R, Oswal KC, Chitguppi R. Knowledge, attitude and practices of mothers toward their children's oral health: a questionnaire survey among subpopulation in Mumbai (India). J Dent Res Sci Dev. 2014;1:40–45. doi:10.4103/2348-3407.135073
- Szatko F, Wierzbicka M, Dybizbanska E, Struzycka I, Iwanicka-Frankowska E. Oral health of polish three-year-olds and mother's oral health-related knowledge. Community Dent Health. 2004;21:175–180.
- Edwards D. Ketika Anak Sulit Diatur: Panduan Bagi Para Orang Tua Untuk Mengubah Masalah Perilaku Anak. Bandung: PT Mizan Pustaka: 2006.
- Chacko V, Shenoy R, Prasy HE, Agarwal S. Self-reported awareness of oral health and infant oral health among pregnant women in Mangalore, India – a prenatal survey. Int J Health Rehabil Sci. 2013;2(2):109–115.
- Grembowski D, Spiekerman C, Milgrom P. Linking mother and child access to dental care. *Pediatrics*. 2008;122(4):e805–14. doi:10.1542/ peds.2008-0118
- Anderson CL, Reynolds TW, Gugerty MK. Husband and wife perspectives on farm household decision-making authority and evidence on intra-household accord in Rural Tanzania. World Dev. 2017;90:169–183. doi:10.1016/j.worlddev.2016.09.005
- Vermaire JH, Hoogstraten J, van Loveren C, Poorterman JH, van Exel NJ. Attitudes towards oral health among parents of 6-year-old children at risk of developing caries. Community Dent Oral. 2010;38:507–520. doi:10.1111/j.1600-0528.2010.00558.x
- den Branden SV, den Broucke SV, Leroy R, Declerck D, Hoppenbrouwers K. Predicting oral health-related behaviour in the parents of preschool children: an application of the theory of planned behaviour. Health Educ J. 2015;74(2):221–230.
- Scanzoni J, Szinovacz M. Family Decision-Making: A Developmental Sex Role Model. Sage: Beverly Hills; 1980.
- Walsh A, Edwards H, Fraser J. Attitudes and subjective norms: determinants of parents' intentions to reduce childhood fever with medications. Health Educ Res. 2009;24(3):531–545. doi:10.1093/her/cvn055
- McPherson RA, Tamang J, Hodgins S, et al. Process evaluation of a community-based intervention promoting multiple maternal and neonatal care practices in rural Nepal. BMC Pregnancy Childbirth. 2010;10:31. doi:10.1186/1471-2393-10-31
- Varkey LC, Mishra A, Das A, et al. Involving Men in Maternity Care in India. New Delhi: Population Council; 2004.
- Samsinar MS, Zawawi D, Teo BH. Factors affecting wives' role structure in urban family purchase decision making. *Pertanika* J Soc. 2013;21:189–200.
- Tajuddin SKA, Shamsuddin K. Decision making behaviour related to wife's reproductive health in bidayuh men in rural part of East Malaysia. IOSR-JNHS. 2015;4(1):56–63.

Clinical, Cosmetic and Investigational Dentistry

Publish your work in this journal

Clinical, Cosmetic and Investigational Dentistry is an international, peer-reviewed, open access, online journal focusing on the latest clinical and experimental research in dentistry with specific emphasis on cosmetic interventions. Innovative developments in dental materials, techniques and devices that improve outcomes and patient

satisfaction and preference will be highlighted. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/clinical-cosmetic-and-investigational-dentistry-journal

Dovepress

Husband's Support and Wife's Decision to Children's Dental Visit: Is There Any Relationship?

ORIGINALITY REPORT

%
SIMILARITY INDEX

3%
INTERNET SOURCES

5%
PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

Sigrid Van den Branden, Stephan Van den Broucke, Roos Leroy, Dominique Declerck, Karel Hoppenbrouwers. "Predicting oral health-related behaviour in the parents of preschool children: An application of the Theory of Planned Behaviour", Health Education Journal, 2014

1 %

Publication

W. KIM SEOW. "Environmental, maternal, and child factors which contribute to early childhood caries: a unifying conceptual model: A unifying conceptual model for early childhood caries", International Journal of Paediatric Dentistry, 05/2012

Publication

1 %

Sabounchi, Sabounchi, Safari. "Knowledge and Attitude of Midwifery Students on Oral Health Care", Dentistry Journal, 2019

1 %

Publication

- Fatih Karaaslan, Ahu Dikilitaş, Tuba Yiğit, Şerife Esra Kurt. "The Role of Parental Education in the Dental Health Behavior of Turkish Secondary School Children", Balkan Journal of Dental Medicine, 2020
- 1 %

www.ijsrp.org

1%

Asmawati Asmawati, Rafikah Hasyim, Andi Isti Ayu Lianingsih, Dwi Fitrah Ariani. "The difference of anti-inflammatory effect of brown algae extract Padina sp. and sargassum sp that is derived from punaga beach, South Sulawesi", Journal of Dentomaxillofacial Science, 2016

<1%

Heba J Sabbagh, Doaa S Alghamdi, Wafa M Almutairi, Shahd A Alshahrani, Asma S Alghamdi. "Knowledge and Practices for Early Childhood Caries Prevention among Parents of the Children Visiting King Abdulaziz University Pediatric Dental Clinics, Kingdom of Saudi Arabia", Journal of Contemporary Dentistry, 2019

<1%

Publication

Publication

J.H. Vermaire. "Attitudes towards oral health among parents of 6-year-old children at risk

<1%

of developing caries: Attitudes towards oral health among parents", Community Dentistry And Oral Epidemiology, 12/2010

Publication

10	dept.npru.ac.th Internet Source	<1%
11	Manal Mohamed Almoudi, Alaa Sabah Hussein, Jennifer Geraldine Doss, Robert J. Schroth. "Expectant mothers' readiness to initiate preventive oral health care for their children", The Saudi Journal for Dental Research, 2016 Publication	<1%
12	journal2.unusa.ac.id Internet Source	<1%
13	Santun Setiawati, Nurdiana Siahaan, Yupi Supartini, Yenny Sianturi. "The Influence of Health Education How to Care for Teeth and Mouths on Knowledge, Attitude and Skills and the Status of Dental and Oral Health in Elementary School", Asian Journal of Applied Sciences, 2018 Publication	<1%
1.1	scholarcommons.usf.edu	

Internet Source

Exclude quotes Off Exclude matches < 7 words

Exclude bibliography On