

# THE INDIAN VETERINARY JOURNAL

SINCE - 1924

Journal of the  
**INDIAN VETERINARY ASSOCIATION**  
ESTD - 1922 Regd. No. Sl. No. 96/1967 (CHENNAI)



No. 11, Pasumpon Muthuramalinga Thevar Salai (Chamiers Road),  
Nandanam, Chennai - 600 035, Tamil Nadu, India  
Tel. : +91 44 2435 1006  
Email : [ivj83@yahoo.com](mailto:ivj83@yahoo.com)  
ONLINE : [www.ivj.org.in](http://www.ivj.org.in)



# THE INDIAN VETERINARY JOURNAL

(Official organ of the Indian Veterinary Association)

Vol. 96

September 2019

No. 09

## CONTENTS

### GENERAL ARTICLES :

- Study on Morphological Traits in Indigenous *Jallikattu* Bulls of Tamil Nadu**  
R. Priyadharsini, A. Gopinathan, S.M.K. Karthickeyan and P.N. Richard Jagatheesan ... 09
- Epitopes Prediction According to Glycoprotein Encoding Gene of Rabies Virus Local Isolates as Vaccine Candidate against Circulating Rabies Virus in Indonesia**  
JolaRahmahani, Suwarno and Fedik Abdul Rantam ... 14
- Estimates of Genetic Parameters of Semen Traits in Crossbred Bulls**  
Gopinathan, S.N. Sivaselvam, S.M.K. Karthickeyan and R. Venkataramanan ... 17
- Commercial Cuts in Etawa Goat Fed with Water Spinach Pufa and Mineral Mixture Licks**  
Kadek Rachmawati, Romziah Sidik, Vivi Virgianty, Koesnoto Supranianondo, Tri Bhawono Dadi and Herinda Pertiwi ... 20
- Occurance of Ectoparasites in Mud Crab (*Scylla serrata*) and White Shrimp (*Litopenaeus vannamei*)**  
Widyo Witular, Kismiyati and Putri Desi Wulansari ... 23
- Antiviral Activity of Ethanollic Extract of Srikaya Seeds (*Annona squamosa* L.) Against Avian InfluenzaVirus**  
Maya Nurwartanti Yunita, Adi Prijo Raharjo, Prima Ayu Wibawati and Bodhi Agustono ... 26
- Identification of *Aeromonas hydrophila* Outer Membrane Protein as a Potential Vaccine Candidate for Ulcer Disease**  
M. Gandul Atik Yuliani, Anwar Ma'ruf, Ratna Damayanti and Diyantoro ... 29
- Diatom Naviculoid and Nitzschoid Composition in the Sulfur Mountains Watershed East Java, Indonesia**  
Suciyono, A.A. Sabil, E. D. Masithah, D.D. Nindarwi, M.H. Azhar and M.F.Ulkhaq ... 31
- Anti Early Embryonic Protein (EEP) for Pregnancy Test by Microtiter Strip in Dairy Cows**  
Abdul Samik and Erma Safitri ... 37
- Enhancement of Broiler Chicken Growth by Laserpuncture Treatment**  
Lilian Soekwanto, Chairul Anwar and Rimayanti ... 40
- Protective Effect of Mycotoxin Binders on Ovarian Gestation Mice Exposed by Zearalenone**  
Ragil Angga Prastiya, Abdul Samik, M. Thohawi Elziyad Purnama and Amung Logam Saputro ... 44
- Detection of Antibiotic Residue in Broiler Chicken Meat at Traditional Market in Surabaya City, Indonesia**  
Shelly Wulandari, Diyantoro and OkySetyo Widodo ... 47
- The Potency of *Hylocereus polyrhizus* Peel Extract as Protector on Lead Acetate-Induced Testicular Toxicity in Mice**  
E. Wulandari, R. I'tishom R and S.A. Sudjarwo ... 49
- Probiotic Utilization in Megacolon Dog : A Case Report**  
Tri BhawonoDadi, Ira Sari Yudaniyanti, WiwikMisacoYuniarti, NusdiantoTriakoso, BoediSetiawan, E. Djoko Poetranto, MiyayuSonetaSofyan and Herinda Pertiwi ... 51
- Honey as an Alternative to Stem Cells Therapy for Degenerated Rat Testis Due to Malnutrition**  
Erma Safitri, Thomas V. Widiyatno, Willy Sandhika and R. Heru Prasetyo ... 53

## CLINICAL AND FIELD ARTICLES :

### **Pathology of Selenite Induced Cataract in Rats**

S.Shiyamala, S.Ramesh, S.Hemalatha, C.Ramani, V.Ranganathan, K.Vijayarani, S.Ramesh and Ganne Venkata Sudhakar Rao ... 56

### **Successful Management of Recurrent Cervico Vaginal Prolapse in a Jersey Crossbred Cow by Caslick's Operation**

S. Rangasamy, T. Sarath, K. Logapriya, Aparna Gopinathan and J. Umamageswari ... 57

### **Dystocia Due to Hydrocephalus Fetus in a Queen Cat**

S. Rangasamy, J.Umamageswari, Aparna Gopinathan and D. Gopikrishnan ... 59

### **Dystocia Due to Ringwomb in a Non Descript Doe**

S. Rangasamy, J.Umamageswari, Aparna Gopinathan and D. Gopikrishnan ... 61

### **Congenital Polycystic Kidney Disease in a Domestic Short Haired Cat- A Rare Case**

P.Ramesh, D.Sumathi, K.Jeyaraja, C.Jayanthi and M.G.Jayathangaraj ... 63

### **Megaesophagus in Dogs – A Case Study**

P.Ramesh, S.Kavitha, K.Jeyaraja, D.Chandrasekaran, S.Arun Prasad and M.G.Jayathangaraj ... 65

### **Therapeutic Management of Generalized Tetanus in an Adult Dog Due to Nail Bed Infection**

S. Saravanan, M. Sasikala, K.M. Palanivel and G. Vijaya Kumar ... 67

### **Successful Management of Ulcerative Pododermatitis in Rabbits with Sulfacetamide Dry Dusting Powder**

D.Divyalakshmi, N. Kumarvelu, Thanga. Thamil Vanan and P.Tensingh Gnanaraj ... 69

### **Clinical Management of Oedematous Emphysema in HF Bull: A Case Report**

Vinod Haribhau Shende, Ajeet Singh, Anil Korade, S. Hanumantrao. Sontakke, Hemant Dashrath Kadam and Jayant Ramchandra Khadse ... 70

### **Ultrasonographic Evaluation of Gall Bladder Affections in Dogs - A Retrospective Study**

D.Sumathi, P.Ramesh, K.Jeyaraja, M.Ranjith Kumar and M.G.Jayathangaraj ... 72

### **Osteodystrophia Fibrosa in a Kathiyawari Colt - A Case Report**

R. Eazhisai, B. Gowri, A. Abinaya and S. Hamsa Yamini ... 74

### **Concurrent Clinical Coccidiosis and Subclinical Babesiosis in an Adult Cattle**

S. Saravanan, T. Mohanapriya, K.K. PonnuSwamy, P. A. Enbavelan, R.C. SundaraRajan and R. Ramprabhu ... 76

### **Diagnosis of Lymphoid Leucosis in an Organised Aseel Farm**

A.Varun, C. Yogesh, P.V.Sangeetha, S.Ezhilvalavan, M. Thangapandiyan, C.Pandian and A.V.Omprakash ... 78

### **Kaempferia galanga L. Inhibiting Effect on Vascular Endothelial Growth Factor (VEGF) and Cyclooxygenase-2 (Cox-2) Expression on Endothelium of Chorioallantoic Membrane**

Iwan Sahrial Hamid, Juni Ekowati and Muhammad Thohawi Elziyad Purnama ... 80

### **Pathology of Snake Envenomation in a Cat**

M.S.Sreelakshmi, Mammen, J. Abraham, N.D. Nair, B.Abeena and R.B.Vishnurahav ... 82

### **Black Quarter in a Crossbred Bull**

M.S. Sreelakshmi, Ajith Jacob George, Mammen J. Abraham and N.Divakaran Nair ... 84

**Author Index** ... 87



## Epitopes Prediction According to Glycoprotein Encoding Gene of Rabies Virus Local Isolates as Vaccine Candidate against Circulating Rabies Virus in Indonesia

JolaRahmahani<sup>1</sup>, Suwarno and Fedik Abdul Rantam

Laboratory of Virology and Immunology, Department of Veterinary Microbiology, Faculty of Veterinary Medicine, Stem Cell Research and Development Center, Universitas Airlangga, Jl. Mulyorejo, Kampus C Unair, Surabaya 60111, Indonesia

(Received : February, 2019 56/19 Accepted : April, 2019)

### Abstract

Rabies is one of the zoonotic disease which exist in Indonesia. Vaccination using conventional seed is not capable to reduce the morbidity of rabies due to the unmatching between seed vaccine compared to circulating Rabies virus. Nine infected dog brain were collected from Sumatera, Sulawesi and Bali. They were processed into RT-PCR according to Glycoprotein encoding gene. Positive samples were processed into sequencing and molecular analysis. Epitopes of T and B cells were predicted. Two samples that were isolated from Sumatera showed high number of epitopes than others.

**Key words :** RABV, Epitope predictions, peptide vaccination.

Rabies disease is a zoonotic disease which is still emerging in Indonesia. It is caused by virus belonging to genus Lyssavirus from Rhabdoviridae family called RABV (MacLachlan *et al.*, 2011; Singh *et al.* 2017). RABV has an envelope protein called Glycoprotein (G) causing pathogenicity and induce host specific immunity (Singh *et al.*, *loc cit*). Vaccination using conven-

tional seed has been done to control Rabies, but it still occurred in the field due to unmatching between seed vaccine compared to circulating virus (Susetya *et al.*, 2005). Vaccine based epitopes is usually used because it is capable to induce immune system, cheaper and decreasing the possibility of allergic response (Ahmed *et al.*, 2017).

### Materials and Methods

Nine samples were collected from Sulawesi (RABV C3, RABV C4 and RABV C9), Bali (RABV 148, RABV 285, RABV 382), and Sumatera (RABV 391, RABV 438, RABV 533). RNA of the samples was extracted. They were processed into one-step RT-PCR using primer which amplify gene encoding glycoprotein (Table I). Annealing was used to amplify the samples at 50°C. The RT-PCR was run for 35 cycles. They were visualized through agarose gel electrophoresis. DNA ladder used was Azura PureView™ 250bp DNA Ladder (Azura Genomics Inc.). Positive samples processed into sequencing. Prediction of T and B Lymphocyte cells were done using CD4 Immunogenecity Tools and Kolaskar-Tongaonkar.

**Table I.** Sequence of primer used for One-Step RT-PCR. The primer amplify gene encoding Glycoprotein (Yang *et al.*, 2011).

Primer	Nucleotide Sequences (5'-3')	Position	Sense	Primer Position
RVG1F	ATGGTTCTTCAGGCTCCTGTTTGT	3317-3342	+	28-53
RVG1R	GACTGACTTGTAGTGAGCATCGGC	4346-4369	-	1057-1080

<sup>1</sup>Corresponding author : Email : jola\_rahmahani@yahoo.co.id

**T and B cells epitopes prediction****Table II.** Epitope prediction of RABV<sub>I</sub>\_533.

T cell epitope prediction				B cell epitope prediction			
No	Peptide	Start	End	No.	Peptide	Start	End
1	MVLQALLFVTFQPKT	1	15	1	KQKPTPTLL	23	31
2	LLFVTFQPKDLLVQ	6	20	2	PRLRESTSARRQMH	36	49
3	DLLVQVQKQKPTPTL	16	30	3	EPHI	51	54
4	PTPTLLAMSPRLRE	26	40	4	GMKSPCT	63	69
5	PRLRESTSARRQMHA	36	50	5	ELRPPRSPLS	79	88
6	GRWLVTGPMKSPCTI	56	70	6	Q	92	92
7	PLSSYLQASQSWTRT	86	100	7	QSWTR	95	99
8	LQASQSWTRTINPFT	91	105	8	NPF	102	104
9	SWTRTINPFTRESFL	96	110	9	NAQEQCHPPTALLTTTTPSG	113	132
10	SGCLKTLDWGLRVMS	131	145	10	SRGKRASKGSKTRGFV	152	167
11	CDIFTNSRGKRASKG	146	160	11	TSDETKWCS	202	210
12	GLYKSLKGACKLKLC	171	185	12	CLD	240	242
13	KLKLCGVLGLRLMDG	181	195	13	HYK	246	248
14	GVLGLRLMDGTWVAL	186	200				
15	PDQLVNLHDFHSDEI	211	225				

**Table III.** Epitope prediction of RABV<sub>I</sub>\_438.

T cell epitope prediction				B cell epitope prediction			
No	Peptide	Start	End	No.	Peptide	Start	End
1	MVLQALLFVTSQPKT	1	15	1	QPKT	12	15
2	LLFVTSQPKDLLVQ	6	20	2	KQKPTPTLL	23	31
3	DLLVQVQKQKPTPTL	16	30	3	PRLRESTSARRQMH	36	49
4	PTPTLLAMSPRLRE	26	40	4	EPHI	51	54
5	PRLRESTSARRQMHA	36	50	5	GMKSPCT	63	69
6	GRWLVTGPMKSPCTI	56	70	6	ELRPPRSPLS	79	88
7	PLSSYLQASQSWTRT	86	100	7	Q	92	92
8	LQASQSWTRTINPFT	91	105	8	QSWTR	95	99
9	SWTRTINPFTRESFL	96	110	9	NPF	102	104
10	SGCLKTLDWGLRVMS	131	145	10	NAQEQCHPPTALLTTTTPSG	113	132
11	CDIFTNSRGKRAF MV	146	160	11	RG	153	154
12	RAF MVPQTLRFVDER	156	170	12	TSDETKWCS	202	210
13	PQTLRFVDERGLYKS	161	175	13	CLD	240	242
14	GLYKSLKGACKLKLC	171	185	14	HYK	246	248
15	KLKLCGVLGLRLMDG	181	195				
16	GVLGLRLMDGTWVAL	186	200				
17	PDQLVNLHDFHSDEI	211	225				



## Reverse-Transcriptase Polymerase Chain Reaction




Fig 1. Visualization of product of RT-PCR under ultraviolet 302 nm. A as DNA Marker; B as positive control; C as RABVI\_533; D as RABVI\_391; E as RABVI\_438.

## Results and Discussion

According to epitope predictions, samples that had high number of epitope were RABVI\_533 and RABVI\_438. They were isolated from Sumatera. T and B cells epitope that can be predicted from RABVI\_533 was 15 and 13 respectively, while T and B cells epitope that can be predicted from RABVI\_438 were 17 and 14, respectively. Epitopes are part of antigen which are capable to induce immunity of the host against antigen infection. The number of epitopes used in vaccine influence the protection rate of the host. Peptide based vaccine has many advantages such as reducing the possibility of allergy caused by unimmunogenic protein or chemical compound in adjuvant (Ahmed *et al.*, *loc cit*). It only uses part of pathogen capable to trigger activation of immunity (Reche *et al.*, 2015; Skwarczynski and Tolh 2016). Recently, local isolate is often used to control morbidity of several viral diseases such as Newcastle Disease (ND) (Dharmayanti *et al.*, 2014). Use of local isolate as vaccine candidate is

a strategy to control Rabies disease in Indonesia (Susetya *et al.*, *loc. cit*). According to the number of predicted epitopes, both samples RABVI\_533 and RABVI\_438 can be used as vaccine candidate. It needs further research to understand the effect of both candidate to induce specific immune system against circulating RABV, in Indonesia.

## Summary

Rabies disease is an emerging disease in Indonesia. This study was done to predict the possibility of epitopes which appeared from RABV Indonesia isolate. Samples which showed high number of predicted epitope can be used as vaccine candidate against Rabies disease.

## References

- Ahmed, O.H., A. Abdelhalim, S. Obi, K.A.A. Elrahman, A. Hamdi, and M.A. Hassan. (2017) Immunoinformatic Approach for Epitope-Based Peptide Vaccine against Lagos Rabies Virus Glycoprotein G. *Immuno Res.* **13**(3).
- Dharmayanti, N.I., R. Hartawan, D.A. Hewajuli and R. Indriani. (2014) Phylogenic Analysis of Genotype VII of New Castle Diseases Virus in Indonesia *Afr. J. Microbiol. Res.* **8**(13) : 1368 – 1374.
- MacLachlan, N.J. and Dubois, E.J. (2011) Elsevier United Kindom : pp 324-331.
- Reche, P., D.R. Flower, M. Fridskis-Hareli, and Y. Hosino. (2015) Peptide-Based Immunotherapeutics and Vaccines. *J IMMUNOL RES.* Article ID 349049
- Singh, R., K. P. Singh, S. Cherian, M. Saminathan, S. Kapoor, G. B. M. Reddy, S. Panda, and K. Dhama. (2017) Rabies – epidemiology, pathogenesis, public health concerns and advances in diagnosis and control: a comprehensive review. *Vet Q.* **37**(1) : 212–251.
- Skwarczynski, M. and I. Toth. (2016) Peptide-based synthetic vaccines. *Chem Sci.* **7** : 842-854.
- Susetya, H.I. Naoto, M. Sugiyama, and N. Minamoto. (2005) Genetic Analysis of Glycoprotein Gene of Indonesian Rabies Virus. *Indones J Biotechnol.* **10** (1) : 795-800.



**SURAT KETERANGAN**

Nomor : 2465 /UN3.1.6/KP/2022

Yang bertanda tangan di bawah ini :

Nama : **Prof. Dr. Mustofa Helmi Effendi, drh., DTAPH**  
NIP : 196201151988031002  
Pangkat / Golongan : Pembina (Gol. IV/a)  
Jabatan : Wakil Dekan III

Dengan ini menerangkan bahwa :

Nama : **Dr. Jola Rahmahani, drh., M.Kes**  
NIP : 195807131986012001  
Pangkat/Golongan : Pembina (IV/a)  
Jabatan : Lektor Kepala

Telah melaksanakan penelitian dengan judul sebagai berikut :

No	Judul Karya Ilmiah	Tahun pelaksanaan Penelitian
1.	<b>Epitopes Prediction According to Glycoprotein Encoding Gene of Rabies Virus Local Isolates as Vaccine Candidate against Circulating Rabies Virus in Indonesia.</b>	2016
2.	Egg Cholesterol and Immunity of Quail ( <i>Coturnix coturnix japonica</i> ) Diet <i>Phyllanthus buxifolius</i> Leaves as Feed Supplement	2015
3.	Effect of <i>Phyllanthus buxifolius</i> Leaf as a Feed Supplement on Liver Function and Haematological Response of Quail ( <i>Coturnix coturnix japonica</i> ) Challenged with Infectious Newcastle Disease Virus	2015
4.	Neutralizing Potential of Fab IgG Hybrid Antibody Against Dengue Virus (DENV-1,2,3,4) Expressed on Mesenchymal Stem Cells	2018
5.	Exploration of local isolate of highly pathogenic avian influenza clade 2.3.2.1 as vaccine candidate to prevent mass outbreak in East Java	2014
6.	Perbandingan Antigenitas Virus Infectious Bronchitis Strain Lokal dan Massachusetts dengan Indirect ELISA	2017
7.	Phylogenetic Analysis and Prediction of Epitope Immunogen Gene Encoding Fusion Protein Newcastle Disease Virus of Blitar Isolate	2016



UNIVERSITAS AIRLANGGA

FAKULTAS KEDOKTERAN HEWAN

Kampus C Mulyorejo Surabaya 60115 Telp. (031) 5992785, 5993016 Fax (031) 5993015

Laman: <http://www.fkh.unair.ac.id>, e-mail: [info@fkh.unair.ac.id](mailto:info@fkh.unair.ac.id)

---

Adapun penelitian tersebut layak di lakukan, meskipun belum ada *Ethical Clearence* karena menggunakan hewan coba yang minimal dan menghasilkan output yang sangat baik.

Demikian surat keterangan ini kami buat untuk dapat dipergunakan sebagai persyaratan pengusulan Jabatan Fungsional **Guru Besar**.

Surabaya, 07 Juli 2022

Wakil Dekan III



Prof/Dr. Mustofa Helmi Effendi, drh., DTAPH  
NIP. 196201151988031002

