

DE GRUYTER

JOURNAL OF BASIC AND CLINICAL PHYSIOLOGY AND PHARMACOLOGY

EDITOR-IN-CHIEF
Michal Horowitz

DE
G

www.degruyter.com/jbcpp



Published by De Gruyter

Volume 32 Issue 4 - INTERNATIONAL CONFERENCE OF PHARMACY AND HEALTH SCIENCES: The 3rd JOINT CONFERENCE UNAIR - USM; Guest Editors: Suciati & Andang Miatmoko

July 2021

Issue of *Journal of Basic and Clinical Physiology and Pharmacology*

CONTENTS JOURNAL OVERVIEW

Publicly Available June 25, 2021

Frontmatter

Page range: i-ii

[Cite this](#)

[Download PDF](#)

Original Articles

Unlicensed June 25, 2021

Cost of illness of diabetes mellitus in Indonesia: a systematic review

Yohana Febriani Putri Feu Patty, Mufarrihah, Yunira Nita

Page range: 285-295

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

Social media health interventions to improve diabetes mellitus patient outcome: a systematic review

Riza Alfian, Umi Athiyah, Yunira Nita

Page range: 297-304

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

Developing pharmacokinetics-pharmacodynamics model of valproic acid syrup based on prediction of population pharmacokinetics parameter and seizure frequency in Indonesian pediatric epilepsy outpatients

I Komang Prawira Nata Nugraha, Anita Purnamayanti, I Gusti Ngurah Made Suwarba, Nani Partati

Page range: 305-311

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

Acetylcholinesterase inhibitory activity of extract and fractions from the root of *Rauvolfia serpentina*(L.) Bth.ex Kurz

Suciati, Debora Poerwantoro, Aty Widyawatiyanti, Kornkanok Ingkaninan

Page range: 313-317

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

Green tea and its active compound epigallocatechin-3-gallate (EGCG) inhibit neuronal apoptosis in a middle cerebral artery occlusion (MCAO) model

Abdulloh Machin, Imam Susilo, Djoko A. Purwanto

Page range: 319-325

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

The effects of quercetin on nicotine-induced reward effects in mice

Mahardian Rahmadi, Dian Suasana, Silvy Restuning Lailis, Dinda Monika Nusantara Ratri, Christmawan Ardianto

Page range: 327-333

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

Resveratrol ameliorates physical and psychological stress-induced depressive-like behavior

Christmawan Ardianto, Aniek Setiya Budiati, I Nengah Badi Sumartha, Nurrahmi Nurrahmi, Mahardian Rahmadi, Junaidi Khotib

Page range: 335-340

[More](#)

[Cite this](#)

Unlicensed June 25, 2021

Translation and cross-cultural adaption of an instrument measuring patient's well-being under treatment for schizophrenia

Julaeha Julaeha, Umi Arbiyah, Margarita Maria Maramis, Agus Sugianto, Andi Hermansyah

Page range: 341-347

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Quercetin promotes behavioral recovery and biomolecular changes of melanocortin-4 receptor in mice with ischemic stroke

Tuhfatul Ulya, Chrismawan Ardianto, Putri Anggreini, Aniek Setiya Budiati, Dwi Setyawan, Junaidi Khotib

Page range: 349-355

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Knowledge and attitudes of healthcare professionals on prescribing errors

Desak Ketut Ernawati, Ida Ayu Alit Widhiartini, Endang Budiarti

Page range: 357-362

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Inhibition of Ras and STAT3 activity of 4-(tert-butyl)-N-carbamoylbenzamide as antiproliferative agent in HER2-expressing breast cancer cells

Aguslina Kirtishanti, Siswandono Siswodihardjo, I Ketut Sudiana, Desak G. A. Suprabawati, Aristika Dinaryanti

Page range: 363-371

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Predicting the molecular mechanism of glucosamine in accelerating bone defect repair by stimulating osteogenic proteins

Maria Apriliani Gani, Alunad Dzulfikri Nurhan, Aniek Setiya Budiati, Siswandono Siswodihardjo, Junaidi Khotib

Page range: 373-377

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Larvicidal toxicity and parasporal inclusion of native *Bacillus thuringiensis* BK5.2 against *Aedes aegypti*

Selannu, Fatimah, Ahmad Fauzi, Seling N. Praduvana, Ni'matuzahroh

Page range: 379-384

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Synthesis, ADMET predictions, molecular docking studies, and *in-vitro* anticancer activity of some benzoxazines against A549 human lung cancer cells

Melanny Ika Sulistyowaty, Retno Widayati, Galih Satrio Putra, Tutuk Budiati, Katsuyoshi Matsunami

Page range: 385-392

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Thymoquinone and its derivatives against breast cancer with HER2 positive: *in silico* studies of ADMET, docking and QSPR

Adinda Adelia Wulandari, Achmad Aziz Cholri, Pitria, Tri Widiandani

Page range: 393-401

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Assessment of patient understanding of their conventional cardiac medicines and herbal prepared/derived products: preliminary survey and interviews with selected community-dwelling elderly patients in the Philippines

Jay P. Jazul, Trisha Michaela G. Arciga, Mary Angelie C. Ante, Danavin Gwyneth B. Berlin, Loise Francoise L. Ravana, Samantha A. Reyes, Jashanjit Singh

Page range: 403-413

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The development and validation of the health belief model questionnaire for measuring factors affecting adherence in the elderly with hypertension

Rodhiyatul Fithri, Umi Athiyah, Elida Zairina

Page range: 415-419

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Analysis of the side effect of QTc interval prolongation in the bedaquiline regimen in drug resistant tuberculosis patients

Denny Ardianto, Suharjono, Soedarsono, Umi Fatmawati

Page range: 421-427

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Shallot skin profiling, computational evaluation of physicochemical properties, ADMET, and molecular docking of its components against P2Y12 receptor

Juni Ekowati, Kholidah Febriani, Irsna N. A. Yaqin, Adinda A. Wulandari, Indra H. Mulya, Kholis A. Nofianti, Achmad Syahrani

Page range: 429-437

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Analysis of HMGB-1 level before and after providing atorvastatin standard therapy in coronary artery disease patients with type-2 diabetes mellitus compared to without type-2 diabetes mellitus

Widya Handayani, Suharjono, Mohammad Yogiarto

Page range: 439-446

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Analysis of matrix metalloproteinase-9 levels among acute heart failure patients with ACE inhibitor therapy (Dr. Soetomo Regional General Hospital, Surabaya)

Ira Purbosari, Bambang Zubakti Zulkarnain, Muh Aminuddin, Umi Fatmawati

Page range: 447-451

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The correlation between self-related adherence, asthma-related quality of life and control of asthma in adult patients

Elida Zairina, Gesnita Nugraheni, Gusti Noorizka Veronika Achmad, Arie Sulistyarni, Yunita Nita, Arief Bakhtiar, Muhammad Amin

Page range: 453-458

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Providing counseling through home pharmacy care (HPC) for hemodialysis patients with hypertension in lowering blood pressure

Rahmiyati Daud, Bambang Subakti Zulkarnain, Ivan Virnanda Anu

Page range: 459-465

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Community knowledge and attitude in recognizing asthma symptoms and using medication for asthma attacks: a cross-sectional study

Arina Dery Puspitasari, Bindaria Mutmaina Prabawati, Alfian Nur Rosyid

Page range: 467-472

[More](#) [Cite this](#)

Unlicensed June 25, 2021

A study of anticoagulant therapy in patients with coronary artery disease

Arina D. Puspitasari, Daniel Dwi Christiananta Salean, Didik Hasmono, Rudy Hartono, Melty Ardiana

Page range: 473-478

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The association of FKBP5 polymorphism with asthma susceptibility in asthmatic patients

Sura F. Alsaifar, Haider Abdulhameed Alqaraghudi, Jabbar H. Yenzeel, Haider F. Ghazi

Page range: 479-484

[More](#) [Cite this](#)

Gastroprotective effect of fluvoxamine and ondansetron on stress-induced gastric ulcers in mice

Mahardian Rahmadi, Nily Su'aida, Pratiwi Yustisari, Wahyu Agung Dewaandika, Elma Oktavia Hanaratri, Marera Rindang Andarsari, Sumarno, Toerik Aryani

Page range: 485-490

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Osteoblast iron genes: real time PCR and microarray hybridization approach under hyperoxia

Pohartini Widiyanti, Hartmut Kuehn, Soetjipto Soetjipto

Page range: 491-496

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Attenuation of hyperplasia in lung parenchymal and colonic epithelial cells in DMBA-induced cancer by administering *Andrographis paniculata* Nees extract using animal model

Aniek Setiya Budiati, Ilham Bagus Sagitaras, Ika Putri Nurhayati, Nismatun Khairah, Khoirotin Nisak, Imam Susilo, Junaidi Khotib

Page range: 497-504

[More](#) [Cite this](#)

Unlicensed June 25, 2021

N-nitrosodiethylamine induces inflammation of liver in mice

Devy Maulidya Cahyani, Andang Miatmoko, Berlian Sarasitha Hariawan, Kusuma Eko Purwantari, Retno Sari

Page range: 505-510

[More](#) [Cite this](#)

Unlicensed June 25, 2021

AST/ALT levels, MDA, and liver histopathology of *Echinometra mathaei* ethanol extract on paracetamol-induced hepatotoxicity in rats

Angelica Kresnamurti, Dita Nurlita Rakhma, Amitasari Damayanti, Septivan Dwi Santoso, Enggar Restryarto, Wifqi Hadinata, Iwan Sahrial Hamid

Page range: 511-516

[More](#) [Cite this](#)

Development, characterization, molecular docking, and *in vivo* skin penetration of coenzyme Q10 nanostructured lipid carriers using tristearin and stearyl alcohol for dermal delivery

Ni Luh Dewi Aryani, Siswandono Siswodihardjo, Widji Soeratri, Nadia Fitria Indah Sari

Page range: 517-525

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The effect of *Camellia sinensis* (green tea) with its active compound EGCG on neuronal cell necroptosis in *Rattus norvegicus* middle cerebral artery occlusion (MCAO) model

Abdullah Machin, Ramidha Syaharani, Imam Susilo, Muhammad Hamdan, Dyah Fauziah, Djoko Agus Purwanto

Page range: 527-531

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Hepatoprotective effect of ethanolic extract of sugarcane (*Saccharum officinarum* Linn.) leaves

Ika P. Dewi, Rihdah B. Kwintana, Fihan U. Ulinuha, Fadhillah Rachman, Fransiska M. Christianty, Diana Hofidah

Page range: 533-540

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Correlation between the exposure time to mobile devices and the prevalence of evaporative dry eyes as one of the symptoms of computer vision syndrome among Senior High School students in East Java, Indonesia

Rozafina Loebis, Bambang Subakti Zulhazmin, Nadhila Zahra

Page range: 541-545

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The effect of various high-fat diet on liver histology in the development of NAFLD models in mice

Mahardian Rahmadi, Ahmad Dzulfikri Nurhan, Eka Dewi Pratiwi, Devita Ardina Prameswari, Sisca Melani Panggono, Khoirotin Nisak, Junaidi Khotib

Page range: 547-553

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Fabrication and characterization of bovine hydroxyapatite-gelatin-alendronate scaffold cross-linked by glutaraldehyde for bone regeneration

Samirah, Aniek Setiya Budiartini, Ferdiansyah Mahyudin, Junaidi Khotib

Page range: 555-560

More ▾ Cite this

Unlicensed June 25, 2021

Health related quality of life among postmenopausal woman with hormone responsive HER2- breast cancer in Indonesia

Ria Etilkasari, Tri Murti Andayani, Dwi Endarti, Kartika Widayati Taroeno-Hariadi

Page range: 561-565

More ▾ Cite this

Unlicensed June 25, 2021

Gender differences in the blood glucose type 2 diabetes patients with combination rapid and long acting insulin therapy

Dinda M. N. Ratri, Arina D. Puspitasari, Cahyo W. Nugroho, Budi Suprapti, Suharjo, Christopher P. Alderman

Page range: 567-570

More ▾ Cite this

Unlicensed June 25, 2021

Correlation of dietary iron intake and serum iron with thyroid stimulating hormone (TSH) and free thyroxine (FT4) levels in adult hyperthyroid patients

Utami Harjantini, Yulia Lanti Retno Dewi, Diftah Hanim, Ida Nurwati

Page range: 571-576

More ▾ Cite this

Unlicensed June 25, 2021

The effect of pillbox use and education by pharmacist toward medication adherence in diabetes mellitus patients in a Primary Health Care Center in Mataram

Mahacita Andanalusta, Yunita Nica, Umi Athiyah

Page range: 577-582

More ▾ Cite this

Unlicensed June 25, 2021

Variation concentration effect of propyleneglycol, glycerin, and polyethyleneglycol 400 to physical properties and dissolution rate of loratadine liquisolid tablet

Mikhania Christiningtyas Eryani, Esti Hendradi, Siswando

Page range: 583-587

More ▾ Cite this

Unlicensed June 25, 2021

Role of *Centella asiatica* and ceramide in skin barrier improvement: a double blind clinical trial of Indonesian batik workers

Sylvia Anggraeni, Menul Ayu Umborowati, Damayanti Damayanti, Anang Endaryanto, Cita Rosita Sigit Prakoeswa

Page range: 589-593

More ▾ Cite this

Unlicensed June 25, 2021

Secondary metabolite and antipyretic effects of *Maja (Crescentia cujete L.)* in fever-induced mice

Teodhora, Munawarohthus Sholikha, Asniatul Ania, Ika Maruya Kusuma

Page range: 595-601

More ▾ Cite this

Unlicensed June 25, 2021

Hydration effect on kidney function and serum electrolyte in children with tumor lysis syndrome (TLS) and risk of TLS

Yulistiani, Claudia Tiffany, I. Dewa Gede Ugrasena, Mariyatul Qibtiyah

Page range: 603-609

More ▾ Cite this

Unlicensed June 25, 2021

Drug utilization study and cost analysis of adult β -thalassemia major patient therapy at Dr. Soetomo General Hospital Surabaya

Hasna Qatrunnada, Suharjo, Siprianus Ugroseno Yudho Bintoro, Siti Wahyuni

Page range: 611-616

More ▾ Cite this

Unlicensed June 25, 2021

The role of hyperbaric oxygen to platelet aggregation in noninsulin-dependent diabetes mellitus (NIDDM)

Prihartini Widiyanti, Purnomo Suryohudoyo

Page range: 617-621

More ▾

Cite this

Unlicensed June 25, 2021

Cocrystal formation of loratadine-succinic acid and its improved solubility

Dwi Setyawan, Firdaus Rendra Adyaksa, Hanny Lystia Sari, Diajeng Putri Paramita, Retno Sari

Page range: 623-630

More ▾

Cite this

Unlicensed June 25, 2021

The role of chondroitin sulfate to bone healing indicators and compressive strength

Herry Wibowo, Prihartini Widiyanti, Syaifullah Asmiragani

Page range: 631-635

More ▾

Cite this

Unlicensed June 25, 2021

The effects of quercetin on the expression of SREBP-1c mRNA in high-fat diet-induced NAFLD in mice

Jamal Nasser Saleh Al-maamari, Mahardian Rahmadi, Sisca Melani Panggono, Devita Ardina Prameswari, Eka Dewi Pratiwi, Chrismawan Ardianto, Santhra Segaran Balan, Budi Suprapti

Page range: 637-644

More ▾

Cite this

Unlicensed June 25, 2021

Analysis of stress ulcer prophylaxis drug regimentation in surgical patients

Dhani Wijaya, Suharjono, Fendy Matulatan, Elfri Padolo

Page range: 645-649

More ▾

Cite this

Unlicensed June 25, 2021

The stability and irritability study of the chitosan-Aloe vera spray gel as wound healing

Dini Retnowati, Retno Sari, Esti Hendradi, Septiani Septiani

Page range: 651-656

More ▾

Cite this

Unlicensed June 25, 2021

Effectiveness of citicoline in pediatric patients with refractive amblyopia in Surabaya, East Java, Indonesia

Rozalina Loebis, Bambang Subakti Zulkarnain, Fitri Amalia Siswanto

Page range: 657-661

More ▾

Cite this

Unlicensed June 25, 2021

The thermodynamic study of *p*-methoxycinnamic acid inclusion complex formation, using β -cyclodextrin and hydroxypropyl- β -cyclodextrin

Dewi Isdiartuti, Noorma Rosita, Juni Ekowati, Achmad Syahrani, Toetik Ariyani, M. Ainur Rifqi

Page range: 663-667

More ▾

Cite this

Unlicensed June 25, 2021

The effect of chitosan type and drug-chitosan ratio on physical characteristics and release profile of ketoprofen microparticles prepared by spray drying

Muhammad A. S. Rijal, Hanah Masitah, Fanny Purvitasari, Retno Sari

Page range: 669-673

More ▾

Cite this

Unlicensed June 25, 2021

The maximum dose and duration in the therapy single use methotrexate to achieve remission by rheumatoid arthritis patients through disease activity score 28 (DAS28)

Anisyah Achmad, Tika Yasmin Rahmayanti, Bagus Putu Putra Suryana

Page range: 675-680

More ▾

Cite this

Publicly Available June 25, 2021

Knowledge, attitudes, and practices (KAP) towards COVID-19 among university students in Pakistan: a cross-sectional study

Shah Faisal, Junaedi Khotib, Elida Zairina

Page range: 681-686

[More](#) [Cite this](#) [Download PDF](#)

Unlicensed June 25, 2021

The impact of glutaraldehyde on the characteristics of bovine hydroxyapatite-gelatin based bone scaffold as gentamicin delivery system

Aniek Setiya Budiati, Maria Apriliani Gani, Chrismawan Ardianto, Samirah, Sahwati Yudiaprijah Daeng Pattah, Fitroh Mubarakah, Junaedi Khotib

Page range: 687-691

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Analysis of the use of antibiotics profile and factors of surgical site infections study on digestive and oncology surgeries

Lisa Narulita, Suharjono, Kuntaman, Mohammad Akram

Page range: 693-700

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Second internal transcribed spacer (ITS-2) as genetic marker for molecular characterization of *Sarcoptes scabiei* in rabbits from several areas of East Java, Indonesia

Nunuk Dyah Retno Lasruti, Nur Rusdiana, Poedji Hastuti

Page range: 701-705

[More](#) [Cite this](#)

Design of gossypetin derivatives based on naturally occurring flavonoid in *Hibiscus sabdariffa* and the molecular docking as antibacterial agents

Nuzul W. Diyah, Isnaeni, Shabrina W. Hidayati, Bambang T. Purwanto, Siswandono

Page range: 707-714

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Discovery of new targeting agents against GAPDH receptor for antituberculosis drug delivery

Muhammad Amirul Asyraf Noh, Siti Sarah Fazalul Rahiman, Habibah A Wahab, Amirah Mohd Gazzali

Page range: 715-722

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The effect of red passion fruit (*Passiflora edulis* Sims.) fermentation time on its activity against Extended Strain Methicillin-Resistant (ESBL) *Escherichia coli* and Methicillin-Resistant *Staphylococcus aureus* (MRSA)

Iif Hanifa Nurrosyidah, Ni Made Mertaniasih, Isnaeni

Page range: 723-727

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Antibiotic use on acute respiratory tract infection nonpneumonia and nonspecific diarrhea in Primary Health Care Centre in Banjarbaru City, South Kalimantan, Indonesia

Rizky Liesty Wardani, Suharjono, Kuntaman, Agus Widjaja

Page range: 729-735

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Screening of anti-HIV activities in ethanol extract and fractions from *Ficus fistulosa* leaves

Siti Qamariyah Khairunisa, Dwi Wahyu Indriati, Lidya Tunewu, Aty Widyawatiyanti, Nasronudin Nasronudin

Page range: 737-742

[More](#) [Cite this](#)

Unlicensed June 25, 2021

The characteristics of lactic acid bacteria isolated from fermented food as potential probiotics

Victoria Yulita Fitriani, Budi Suprpti, Muhammad Amin

Page range: 743-749

More ▾ Cite this

Unlicensed June 25, 2021

Profile of gyrA gene mutation in clinical isolate of levofloxacin resistant *Escherichia coli*

Ailfia Risma Fahmi, Subarjono, Kuntaman

Page range: 751-754

More ▾ Cite this

Unlicensed June 25, 2021

Antimicrobial activity of *Centella asiatica* and *Gigantochloa apus*

Siri Mudaliana

Page range: 755-759

More ▾ Cite this

Unlicensed June 25, 2021

Drug-related problems of antibiotic use in gastroenteritis related to patient therapy outcomes at Universitas Gadjah Mada Hospital

Evy Kurniawati, Nanang Munif Yasin, Farida Aulia, Gidirie Vinanda Krishna

Page range: 761-766

More ▾ Cite this

Unlicensed June 25, 2021

The impact of suitability of empirical antibiotics use on therapeutic outcome of respiratory tract infection patients at inpatient wards of Universitas Gadjah Mada Academic Hospital

Evy Kurniawati, Nanang Munif Yasin, Safina Nur Azizah, Silvia Ayu Purbaningtyas

Page range: 767-771

More ▾ Cite this

Unlicensed June 25, 2021

Genetic profile mutation *rpoB* in clinical isolate of rifampicin-resistant *Staphylococcus aureus*

Risa Zulfiana, Subarjono, Kuntaman

Page range: 773-776

More ▾ Cite this

Unlicensed June 25, 2021

Hematological side effect analysis of linezolid in MDR-TB patients with individual therapy

Novan Yusuf Indra Pratama, Bambang Subakti Zulkarnain, Soedarsono, Umi Fatmawati

Page range: 777-781

More ▾ Cite this

Unlicensed June 25, 2021

Adverse drug reaction and its management in tuberculosis patients with multidrug resistance: a retrospective study

Wenny Putri Nilamsari, Muhammad Fajar Rizqi, Natasya Olga Regina, Prastuti Asta Wulaningrum, Umi Fatmawati

Page range: 783-787

More ▾ Cite this

Unlicensed June 25, 2021

Analysis of prophylactic antibiotic use and risk factor of postoperative infection in urological surgery patients

Ratri Rokhani, Subarjono, Kuntaman, Mohammad Akram

Page range: 789-794

More ▾ Cite this

Unlicensed June 25, 2021

Molecular docking studies of *Nigella sativa* L and *Curcuma xanthorrhiza* Roxb secondary metabolites against histamine N-methyltransferase with their ADMET prediction

Alunad Dzulfikri Nurhan, Maria Apriliani Gani, Anek Setiya Budiatin, Siswandono Siswodihardjo, Junaidi Khotib

Page range: 795-802

More ▾ Cite this

Prediction of compounds with antiosteoporosis activity in *Chrysophyllum cainito* L. leaves through *in silico* approach

Burhan Ma'arif, Hilwa Fitri, Nisfatul Lailatus Saidah, Luqman Alfoni Najib, Achmad Hamdan Yurwati, Ria Ramadhani Dwi Atmeja, Fidia Rizkiah Inayatillah, Meilina Ratna Dianti, Hening Laswati, Mangestuti Agil

Page range: 803-808

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Phyllanthin and hypophyllanthin, the isolated compounds of *Phyllanthus niruri* inhibit protein receptor of corona virus (COVID-19) through *in silico* approach

Honey Dzikri Marhaeny, Aty Widyawaruyanti, Tri Widiandani, Achmad Fuad Hafid, Tutik Sri Wahyuni

Page range: 809-815

[More](#) [Cite this](#)

Unlicensed June 25, 2021

***Cratogeomys sumatranum* stem bark exhibited antimalarial activity by Lactate Dehydrogenase (LDH) assay**

Lidya Tumewu, Fendi Yoga Wardana, Hikmatul Ilmi, Adita Ayu Permanasari, Achmad Fuad Hafid, Aty Widyawaruyanti

Page range: 817-822

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Endophytic fungi inhabiting *Physalis angulata* L. plant: diversity, antioxidant, and antibacterial activities of their ethyl acetate extracts

Kartika Dyah Pahupi, Muhammad Ilyas, Andria Agusta

Page range: 823-829

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Exploration of several plants from Baung Forest on bone formation cell models

Retno Widawati, Neny Purwitasari, Rice Disi Oktarina, Wiwied Ekasari, Saarah Khaifurumisa, Hsin -I. Chang

Page range: 831-837

[More](#) [Cite this](#)

Unlicensed June 25, 2021

***In vitro* antimalarial activity of *Garcinia parvifolia* Miq. Stem extracts and fractions on *Plasmodium falciparum* lactate dehydrogenase (LDH) assay**

Marsih Wijayanti, Hikmatul Ilmi, Einstenia Kemalahayati, Lidya Tumewu, Fendi Yoga Wardana, Suciati, Achmad Fuad Hafid, Aty Widyawaruyanti

Page range: 839-844

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Antioxidant and antiviral potency of *Begonia medicinalis* fractions

Muhammad Sulaiman Zubair, Siti Qamariyah Khaifurumisa, Evi Sulastri, Ithwan, Agustinus Widodo, Nasronudin, Ramadanil Pitropang

Page range: 845-851

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Artocarpus sericarpus* stem bark contains antimalarial substances against *Plasmodium falciparum

Lidya Tumewu, Lutrah Qurrota A'yun, Hikmatul Ilmi, Achmad Fuad Hafid, Aty Widyawaruyanti

Page range: 853-858

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Formulation and characterization of *Eleutherine palmifolia* extract-loaded self-nanoemulsifying drug delivery system (SNEDDS)

Rahmi Annisa, Mochamad Yuwono, Esti Hendradi

Page range: 859-865

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Analytical method for the determination of curcumin entrapped in polymeric micellar powder using HPLC

Helmy Yusuf, Nina Wijiani, Rizka Arita Rahmawati, Riesta Primaharinastiti, M. Agus Syamsur Rijal, Dewi Isadiartuti

Page range: 867-873

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Challenges in the provision of natural medicines by community pharmacists in East Java Province, Indonesia

Hanni P. Puspitasari, Dhita Fatmaningrum, Sa'adatus Zahro, Shofi Salsabila, Zulfia A. Rizqulloh, Ana Yuda, Mufarrihah, Anila I. Sukorini, Neny Purwitasari

Page range: 875-880

[More](#) [Cite this](#)

Unlicensed June 25, 2021

In vitro and in silico analysis of phytochemical compounds of 96% ethanol extract of semanggi (*Marsilea crenata* Presl.) leaves as a bone formation agent

Agnis P.R. Aditama, Burhan Ma'arif, Hening Laswati, Mangestuti Agil

Page range: 881-887

[More](#) [Cite this](#)

Unlicensed June 25, 2021

Inhibitory activity of *Urena lobata* leaf extract on alpha-amylase and alpha-glucosidase: in vitro and in silico approach

Yudi Purnomo, Juliah Makdasari, Faiqoh Inayah Fatahillah

Page range: 889-894

[More](#) [Cite this](#)

Case Report

Unlicensed June 25, 2021

Effect of hydrocortisone on hypocortisolism caused by pituitary adenoma

Niswah N. Qanita, Hanik B. Hidayati

Page range: 895-898

[More](#) [Cite this](#)



Published since December 1, 1986

Journal of Basic and Clinical Physiology and Pharmacology

ISSN: 2191-0286

Editor-in-chief: Ugo Oliviero

Managing Editor: Alberto Marra

[OVERVIEW](#) [LATEST ISSUE](#) [ISSUES](#) [RANKING](#) [SUBMIT](#) **[EDITORIAL](#)**

Editorial

Editor-in-Chief:

Ugo Oliviero (Federico II University, Naples, Italy)

Deputy Editor:

Alberto M. Marra (Federico II University, Naples, Italy and University of Heidelberg, Germany)

Associate/Section Editors:

Emergency Medicine: Giorgio Bosso (S. Maria delle Grazie Hospital, Pozzuoli, Naples)

Oncology: Evelyne Bischof (prev. Ewelina Biskup; University Hospital Basel, Switzerland, Shanghai University of Medicine & Health Sciences, Shanghai, China)

Hematology and Coagulation disorders: Pablo Demelo-Rodriguez (G. Marangon Hospital and Universidad Complutense de Madrid, Spain)

Vascular Medicine: Antonio Valvano (Legnano Hospital, Legnano, Italy)

Gastroenterology: Theodor Voiosu (University of Bucharest, Bucharest, Romania)

Liver Disease: Andrei Voiosu (University of Bucharest, Bucharest, Romania)

Neurology and Cerebrovascular: Lorenzo Falsetti (Azienda Ospedaliero-Universitaria "Ospedali Riuniti" di Ancona, Italy)

Gender Medicine: Valeria Raparelli (University of Ferrara, Ferrara, Italy)

Endocrinology: Ieva Ruza, (University of Riga, Riga, Latvia)

Diabetology and Metabolism: Mariarosaria De Luca (Federico II University, Naples)

Cardiovascular Diseases: Andrea Salzano (Glenfield General Hospital, University of Leicester, Leicester, UK)

Heart Failure: Antonio Cittadini (Federico II University of Naples, Naples, Italy)

Respiratory Medicine: Salvatore Torrisi (University of Catania, Catania, Italy)

Geriatrics: Leonardo Bencivenga (Federico II University, Naples, Italy)

Immunology: Gilda Varricchi (Federico II University, Naples, Italy)

Rheumatology: Domenico Sambataro (Artroreuma, Catania, Italy)

Basic Science: Francesca Vinchi (New York Blood Center, New York, USA), Roberta D'Assante (Federico II, Naples),

Urology, Andrology and Nephrology: Felice Crocetto (Federico II University, Naples, Italy)

Editorial Office:

E-mail: jbcpp.editorial@degruyter.com

Case Report

Niswah N. Qonita and Hanik B. Hidayati*

Effect of hydrocortisone on hypocortisolism caused by pituitary adenoma

<https://doi.org/10.1515/jbcpp-2020-0464>

Received November 29, 2020; accepted March 8, 2021

Abstract

Objectives: Pituitary adenoma is a tumor that can cause hormonal secretion problems, including hypocortisolism. Hypocortisolism may result in negative impacts such as an increase in proinflammatory cytokine and immune system activation. Hypocortisolism therapy is performed by giving high-dose hydrocortisone. This case report presented a hypocortisolism therapy using hydrocortisone in a patient with pituitary adenoma.

Case presentation: A 17-year-old boy was admitted to a hospital due to right-eye vision loss, headache, and swallowing difficulty. During the treatment at the hospital, the patient had light depression. The brain Magnetic Resonance Imaging (MRI) scanning with contrast showed there was a supratentorial axial lesion enlarged from the intrasellar to the suprasellar. The anamnesis and physical examination, as well as laboratory and supporting examinations, showed that the patient was diagnosed to suffer from pituitary macroadenoma. The laboratory examination showed that the size of hypocortisolism was at $<0.5 \mu\text{g/dL}$ (reference value ranges from $4.30\text{--}22.40 \mu\text{g/dL}$). The patient was treated with hydrocortisone IV therapy at 100 mg/dose administered in the morning and evening for 4 days. Then, the dose tapering off of 100 mg/dose was administered in the morning for 4 days. After that, the patient received hydrocortisone of 20 mg/dose peroral administration in the morning and evening until the patient was discharged from the hospital. Tapering off was performed to prevent the side effects of high-dose hydrocortisone. Besides, the patient was also under the Endoscopic Endonasal Transsphenoidal Hypophysectomy

(EETH). The cortisol level in the pretreatment was at <0.5 and $5.3 \mu\text{g/dL}$ during the treatment. There were no side effects of the treatment when the patients were hospitalized.

Conclusions: The hydrocortisone IV therapy with 100 mg/do was administered in the morning and evening for 4 days, and then the dose tapering off of 100 mg/dose was done in the morning for 4 days. Then, the hydrocortisone therapy of 20 mg/dose peroral administration to the patient with pituitary macroadenoma in the morning and evening to improve the cortisol level. The cortisol level in the pretreatment was at 0.5 and $5.3 \mu\text{g/dL}$ in the post-treatment.

Keywords: hydrocortisone; hypocortisolism; pituitary adenoma.

Introduction

A pituitary adenoma is a hypophysis gland tumor found in the hypophysis anterior [1]. Pituitary adenoma emerges in one of the five hypophysis anterior cells, such as lactotrophs, gonadotrophs, somatotrophs, corticotropes, and thyrotrophs. Pituitary adenoma rarely emerges in the combination of this anterior cells [2]. Based on its size, the pituitary adenoma is classified into three: microadenoma ($<10 \text{ mm}$), macroadenoma ($>10 \text{ mm}$), and giant adenoma ($>40 \text{ mm}$) [3]. Based on the absence or presence of clinical syndrome due to hormonal hypersecretion, the pituitary adenoma is also classified into two: functioning pituitary adenoma and nonfunctioning pituitary adenoma [4].

The prevalence of pituitary adenoma was estimated to be at 0.2% , and the incidence reached two cases per $100,000$ population [5]. The rate of microadenoma or macroadenoma rarely occurs in child and adolescent populations at the prevalence of $1:1,000,000$ [6]. Pituitary adenoma in child and adolescent populations mostly suffer from functioning pituitary adenoma ($80\text{--}97\%$) [7].

Clinical symptoms because of hypophysis adenoma consist of three manifestations: hypersecretion or hormonal deficiency, neurological manifestation because of the mass effect that develops to the gland, or incidental

*Corresponding author: Hanik B. Hidayati, Department of Neurology, Universitas Airlangga, Dr. Soetomo General Hospital, Surabaya, Indonesia, Phone: +62 082131035699, E-mail: hanikhidayati@fk.unair.ac.id
Niswah N. Qonita, Faculty of Pharmacy, Universitas Airlangga, Surabaya, Indonesia

discoveries in the imaging performed. A hormonal manifestation that commonly occurs involves hyperprolactinemia, acromegaly, and Cushing syndrome. Other hormonal manifestations include partial or full hypopituitarism [2]. The most common hypopituitarism types include growth hormone deficiency and hypogonadism, while hypercortisolism rarely occurs [8].

Pituitary adenoma therapy aims to normalize prolactin serum, perform a tumor surgery, or lessen tumor size [8]. A therapy on hypercortisolism was done through glucocorticoid replacement. Decisions about the number of doses are also based on patient preference, differences in daily activities, and patient experience. There is no reliable biochemical marker to assess the appropriateness of dose in glucocorticoid replacement treatment, and so dose modification is guided by clinical judgment and subjective perception of symptoms and signs of glucocorticoid under-replacement and over-replacement [9].

Case presentation

A 17-year-old boy visited a hospital and complained that he experienced headache, swallowing difficulty, vomiting in the morning, and vision problems in the right-eye. Specifically, the patient experienced blurry eyes and double vision in the last 5 months before being hospitalized. The patient lost right-eye vision ability a week before being hospitalized. He was diagnosed to suffer from hypophysis macroadenoma in August 2019.

In the next anamnesis, he experienced slight depression and had a blood pressure of 110/80 mmHg, a pulse of 80 times per minutes, breathing frequency of 20 times per minutes, body temperature at 36.8 °C, and 98% of saturated oxygen through the administration of oxygen mask at 6 L per minutes. The neurological treatment in the Glasgow scale of E4V5M6 showed the patient has a negative meningeal sign, and negative facial palsy. The results of fundoscopic and confrontation visual tests showed optic atrophy and blindness in the right-eye. The patient's sense was in the normal range, and the motoric condition was generally weak.

The brain Magnetic Resonance Imaging (MRI) scanning with contrast showed an extra supratentorial axial lesion enlarged from the intrasellar to suprasellar tumors. The irregular clean edge margin was $1.3 \times 2.1 \times 2.31$ cm in size which stresses dextral optic nerves and optic chiasm and causes dextral optic nervous edema, which made the image of hypophysis macroadenoma cleaner (Figure 1).




Figure 1: MRI results before the EETA procedure. The brain MRI scanning with contrast showed an extra supratentorial axial lesion enlarged from the intrasellar to suprasellar tumors.

The laboratory examination in the presurgery on 20th December 2019 presented that the hypocortisolism level was at <0.5 $\mu\text{g/dL}$ (reference value ranges from 4.30–22.40 $\mu\text{g/dL}$). On 23rd December 2019, a surgery using Endoscopic Endonasal Transsphenoidal Approach (EETA) was performed. The anatomical pathology test observed layers of tumor tissues. A tumor contains cells with rounded nuclear, relatively monotonous shape, smooth chromatin, eosinophilic cytoplasm, absence of mitotic, and absence of cancerous signs. The anatomical pathology test is presented in Figure 2. The patient received the hydrocortisone therapy IV with oral administration of 100 mg/dose in the morning and evening for 4 days, and then the dose tapering off of 100 mg/dose was administered in the morning for 4 days. Then, hydrocortisone was administered orally at 20 mg in the morning and evening until the patient was discharged from the hospital.




Figure 2: Tumor histopathological examination results (A) original objective 20 \times . (B) original objective 40 \times . The anatomical pathology showed a tumor contains cells with rounded nuclear, relatively monotonous shape, smooth chromatin, eosinophilic cytoplasm, absence of mitotic, and absence of cancerous signs.

Discussion

A pituitary adenoma may cause hormonal problems as a clinical manifestation. Hormonal problems could be in the forms of hormonal excess or deficit [5]. Hypopituitarism is one hormonal deficit or more produced in the anterior pituitary or posterior pituitary. The most common hypopituitarism is hormonal growth deficiency and hypogonadism, while hypocortisolism rarely occurs [8]. Hypopituitarism is one of the causes of high mortality rate, and its main risk factor is cortisol deficiency due to hormonal adrenocorticotrophic deficiency (ACTH) [10].

Symptoms and signs experienced by the patient with hypo cortisol involve nausea, vomiting, constipation/diarrhea, stomach pain, asthenia, anorexia, weakness, headache, fasting hypoglycemia, weight loss, and hypotension. However, almost all the symptoms are not specific [11, 12]. The present patient experienced headache, swallowing difficulty, morning vomiting, and vision problems in the right-eye. The next anamnesis showed that the patient had slight depression. Besides, the laboratory test showed the patient's cortisol level was at <0.5 $\mu\text{g/dL}$ (reference value ranges from 4.30 – 22.40 $\mu\text{g/dL}$). To identify a hypopituitarism diagnosis, it was recommended to measure cortisol level serum at 8–9 AM, and the cortisol level under 3 g/dL was an indication of hypo cortisol [13]. In acute illness possibly attributable to hypocortisolism, a different diagnostic strategy should be applied as an immediate therapeutic intervention is required even before the diagnosis is formally confirmed [14].

The daily physiological production of cortisol is about 5 – 6 mg/m^2 body surface area. The recommended hormone replacement therapy for hypocortisolism is administering hydrocortisone of 15 – 25 mg usually in 2 – 3 doses per day and 50 – 66% given in the morning right after the patient is awake. If given two times a day, the second dose is usually administered 6 – 8 h after the morning administration. If given three times per day, the second dose is given 4 – 6 h after the early morning administration, and the third dose is given 4 – 6 h after this. Some clinicians recommend weight-adjusted dosing to reduce intervals of excess in cortisol concentrations during the day and decrease variability of cortisol profiles [9].

Hydrocortisone is short-action glucocorticoid, with an elimination half-life of 1 – 2 h. Hydrocortisone is primarily bound to corticosteroid-binding globulin (transcortin). When transcortin binding sites are saturated, hydrocortisone binds to albumin. Only 5 – 10% is unbound and

biologically active. Hydrocortisone is metabolized in the tissues and the liver to biologically inactive compounds, including glucuronides and sulfates. Hydrocortisone is excreted in the renal, and less than 1% of hydrocortisone is excreted as the unchanged drug in the urine [15].

Side effects correlated with glucocorticoid may be in the forms of endocrine, neuropsychiatric, gastrointestinal, musculoskeletal, cardiovascular, dermatology, ocular, or natural immunology. Different side effects may occur due to the use of glucocorticoids in a long-term of more than 60 days. These side effects may result from various doses and administration patterns. A patient administered with a low dose (≤ 7.5 mg/day) might experience these side effects as well [16]. The side effects due to the use of corticosteroids are also associated with therapy duration and the use of glucocorticoids in a long-term period. glucocorticoid therapy duration is classified into short-term duration (<10 days), middle-term duration (10 – 30 days), and long-term duration (>30 days). The use of corticosteroids for long period can stress the HPA axis, and thus the glucocorticoid therapy should be stopped in the right manner. Inappropriate stopping will stimulate the adrenal crisis due to the persistent HPA axis stress. Therefore, dose tapering off is required [17].

Apart from experiencing hypocortisolism, the patient also experienced hyperprolactinemia and would receive dopamine agonist therapy, namely bromocriptine and also EETA. Hypocortisolism therapy modalities in patients undergoing pituitary surgery are recommended using stress doses of the steroids before surgery and tapered doses after surgery before the testing repetition. Patients in the same condition will receive hydrocortisone therapy before surgery [13]. The present patient received hydrocortisone of 100 mg IV in the morning and evening for 4 days from 21 st– 24 th December 2019, and then the dose tapering off of 100 mg/day was performed on 25 th– 28 th December 2019. The patient received hydrocortisone of 20 mg per oral administration in the morning and evening until he was discharged from the hospital on 4 th January 2020 and received hydrocortisone of 20 mg in the morning and evening afterward. Tapering off was done to avoid the side effects of giving high-doses of hydrocortisone. The EETA was carried out on 23 December 2019. There was an increase in pretreatment cortisol <0.5 and 5.3 $\mu\text{g/dL}$ after the patient received hydrocortisone therapy. There was no side effect while the patient was hospitalized.

Decisions about the number of doses are also based on patient preference, differences in daily activities, and patient experience. There is no reliable biochemical marker

to assess the appropriateness of dose in glucocorticoid replacement treatment, and so dose modification is guided by clinical judgment and subjective perception of symptoms and signs of glucocorticoid under-replacement and over-replacement. The goal is to achieve the best clinical results with the lowest possible daily dose of steroids. Cortisol day curves are of little value in routine monitoring [9].

Conclusions

The hydrocortisone IV therapy was performed through the administration of 100 mg/dose in the morning and evening for 4 days, and then dose tapering off of 100 mg/dose was administered in the morning only for 4 days. After that, hydrocortisone was administered orally each at 20 mg/dose in the morning and evening to the patient with hypophysis macroadenoma and hypercortisolism to increase the cortisol level. The cortisol level in the pretreatment was at <0.5 and $5.3 \mu\text{g/dL}$ in the post-treatment.

Acknowledgments: We would like to thank director of Dr. Soetomo General Hospital, Surabaya.

Research funding: None declared.

Author contributions: All authors have accepted responsibility for the entire content of this manuscript and approved its submission.

Competing interests: Authors state no conflict of interest.

Informed consent: Informed consent was obtained from all individuals included in this study.

Ethical approval: In Dr. Soetomo General Hospital do not need ethical approval for writing case report.

References

- Mi-Yeoung J, Oaks S. Frontal lobe syndrome. In: Kreutzer JS, Deluca J, Caplan B, editors. *Encyclopedia of clinical neuropsychology*, 2nd ed. Gewerbestrasse, Switzerland: Springer International Publishing; 2018:2774 p.
- Lake MG, Krook LS, Cruz SV. Pituitary adenomas: an overview. *Am Fam Physician* 2013;88:319–27.
- Rotariu D, Gaivas S, Faiyad Z, Iencean AS, Poeat I. Pituitary adenoma, therapeutic approach and surgical results. *Romanian Neurosurg* 2011;XVIII:465–75.
- Vieira Neto L, Boguszewski CL, de Araújo LA, Bronstein MD, Miranda PAC, Musolino NRDC, et al. A review on the diagnosis and treatment of patients with clinically nonfunctioning pituitary adenoma by the neuroendocrinology department of the Brazilian society of endocrinology and metabolism. *Arch Endocrinol Metab* 2016;60:374–90.
- Cahyanur R, Soewondo P, Darmowidjojo B, Aman RA, Dewiasty E. Gambaran Klinis dan Proporsi Hipotiroidisme Sekunder pada Pasien Adenoma Hipofisis di Rumah Sakit Cipto Mangunkusumo. *Med J Indones* 2018;68:216–22.
- Zijlker H, Schagen S, Wit JM, Biermasz N, Van Furth W, Oostdijk W. Pituitary adenoma apoplexy in an adolescent: a case report and review of the literature. *J Clin Res Pediatr Endocrinol* 2017;9:265–73.
- Guaraldi F, Storr HL, Ghizzoni L, Ghigo E, Savage MO. Paediatric pituitary Adenomas : a decade of change. *Horm Res Paediatr* 2014;81:145–55.
- Peng J, Qiu M, Qi S, Li D, Peng Y. Hypopituitarism patterns among adult males with prolactinomas. *Clin Neurol Neurosurg* 2016;144:112–8.
- Bancos I, Hahner S, Tomlinson J, Arlt W. Diagnosis and management of adrenal insufficiency. *Lancet Diabetes Endocrinol* 2015;3:216–26.
- Higham CE, Johannsson G, Shalet SM. Hypopituitarism. *Lancet* 2016;6736:1–13.
- de Miguel Novoa P, Vela ET, Garcia NP, Rodríguez MM, Guerras IS, Santamaría MLAMS, et al. Guidelines for diagnosis and treatment of adrenal insufficiency in adults. *Endocrinol Nutr* 2016;10:70.
- Arlt W, Allolio B. Adrenal insufficiency. *Clin Med J R Coll Physicians London* 2008;8:211–5.
- Fleseriu M, Hashim IA, Karavitaki N, Melmed S, Hassan Murad M, Salvatori R, et al. Hormonal replacement in hypopituitarism in adults: an endocrine society clinical practice guideline. *J Clin Endocrinol Metab* 2016;101:3888–921.
- Bouillon R. Acute adrenal insufficiency. *Endocrinol Metab Clin N Am* 2006;35:767–75.
- MICROMEDEX. Hydrocortisone. In: DRUGDEX® evaluations. IBM Micromedex Watson Health Product; 2004:1–50 pp. https://www.micromedexsolutions.com/micromedex2/librarian/CS/C4668B/ND_PR/evidencexpert/ND_P/evidencexpert/ DUPLICATIONSHIELDSYNC/2.
- Oray M, Abu Samra K, Ebrahimiadib N, Meese H, Foster CS. Long-term side effects of glucocorticoids. *Expet Opin Drug Saf* 2016;15:457–65.
- Longui CA. Glucocorticoid therapy: minimizing side effects. *J Pediatr* 2007;83:163–71.