

Journal Ners

JURNAL NERS

📍 FAKULTAS KEPERAWATAN UNIVERSITAS AIRLANGGA

★ P-ISSN : 18583598 ↔ E-ISSN : 25025791 📌 Subject Area : Health

1.8

Impact Factor

1184

Google Citations

S1

Current Accreditation

🔍 Google Scholar 📖 Garuda 🌐 Website 🌐 Editor URL

History Accreditation

2017

2018

2019

2020

2021

2022

[Google Scholar](#)

[Garuda](#)

Front Matter Volume 6 Issue 1: February 2021

Authors : J Ners 📖 Jurnal Ners 16 (1), 2021

📅 2021 📄 0 cited 🌐 S2 Journal

Japanese Language Interest on Nursing Students toward Intention to Work in Japan at Stikes Pemkab Jombang

Authors : P Nahariani, KW Ratna, K Kolifah, I Noviana, S Rosmaharani 📖 Journal: Jurnal Ners, 247, 2020

📅 2020 📄 0 cited 🌐 S2 Journal

Family Support on the Activities of Elderly Hypertension Patients in Elderly Gymnastics Activities

Authors : W Yuniartika, F Muhammad 📖 Jurnal Ners 14 (3), 354, 2020

📅 2020 📄 3 cited 🌐 S2 Journal

Factors Affecting Burnout Syndrome Among Nurses: A Systematic Review

Authors : R Ardiansyah, F Putra, H Soebagyo, B Wei 📖 Jurnal Ners 14 (3), 272-276, 2020

📅 2020 📄 1 cited 🌐 S2 Journal

Developing Family Resilience Models: Indicators and Dimensions in the Families of Pulmonary TB Patients in Surabaya

Authors : DS Rachmawati, N Nursalam, M Amin, R Hargono 📖 Jurnal Ners 14 (2), 165, 2020

p-ISSN 1858-3598
e-ISSN 2502-5791

<http://e-journal.unair.ac.id/JNERS>

Jurnal Ners

Volume 14, Issue 3, December 2019

SPECIAL ISSUE: THE 10TH INTERNATIONAL NURSING CONFERENCE APRIL 6-7, 2019, SURABAYA, INDONESIA

- ◆ THE EFFECT OF BLENDED LEARNING ON NURSING STUDENTS' KNOWLEDGE
- ◆ EFFECT OF FOOT EXERCISE AND CARE ON PERIPHERAL VASCULAR STATUS IN PATIENTS WITH DIABETES MELLITUS
- ◆ RELATED FACTORS OF A NURSE HANDOVER IMPLEMENTATION IN THE INPATIENT WARD OF ULIN HOSPITAL, BANJARMASIN
- ◆ TRIGGERED RECURRENCE FACTORS OF MENTAL ILLNESS PATIENTS IN AN EMERGENCY UNIT IN A PSYCHIATRIC HOSPITAL
- ◆ FAMILY BURDEN FOR THE CAREGIVERS OF PEOPLE WITH MENTAL DISORDERS: A SYSTEMATIC REVIEW
- ◆ THE EXPERIENCES OF CANCER-RELATED FATIGUE AMONG ADULT CANCER PATIENTS: A SYSTEMATIC REVIEW
- ◆ A REVIEW OF PERSONALITY TYPE D ON CARDIOVASCULAR DISEASE PATIENTS
- ◆ THE QUALITY OF LIFE OF PATIENTS WITH HIV/AIDS UNDERGOING ANTIRETROVIRAL THERAPY: A SYSTEMATIC REVIEW
- ◆ A DIABETES SELF-MANAGEMENT EDUCATION/SUPPORT (DSME/S) PROGRAM IN REFERENCE TO THE BIOLOGICAL, PSYCHOLOGICAL AND SOCIAL ASPECTS OF A PATIENT WITH TYPE 2 DIABETES MELLITUS: A SYSTEMATIC REVIEW
- ◆ THE USE OF HEALTH TECHNOLOGY TO ENHANCE THE ADHERENCE OF TUBERCULOSIS TREATMENT: A SYSTEMATIC REVIEW
- ◆ OBESITY AND STUNTING IN CHILDHOOD: DO GRANDPARENTS PLAY A ROLE? A SYSTEMATIC REVIEW
- ◆ THE EFFECTIVENESS OF TRADITIONAL MEDIA (LEAFLET AND POSTER) TO PROMOTE HEALTH IN A COMMUNITY SETTING IN THE DIGITAL ERA: A SYSTEMATIC REVIEW
- ◆ MUSIC THERAPY AND AROMATHERAPY INTERVENTIONS IN PATIENTS UNDERGOING HEMODIALYSIS: A SYSTEMATIC REVIEW
- ◆ DEVELOPMENT OF DETECTION INSTRUMENT MODELS FOR MOBILITY IMPAIRMENT IN THE OLDER ADULTS BASED ON A MOBILE HEALTH NURSING APPLICATION IN A PUBLIC HEALTH CENTER
- ◆ THE EFFECT OF ERGONOMIC GYMNASTICS ON JOINT PAIN IN COMMUNITY-DWELLING ELDERLY
- ◆ EFFECTS OF HANDGRIP RELAXATION ON DECREASING BLOOD PRESSURE IN PATIENTS WITH HYPERTENSION
- ◆ A CASE CONTROL STUDY ON PHYSICAL ACTIVITY AND BODY MASS INDEX ASSOCIATED WITH HEMORRHOIDS
- ◆ IMPLEMENTATION OF THE CIPP EVALUATION MODEL IN INDONESIAN NURSING SCHOOLS
- ◆ THE IMPACT OF INDEPENDENT OF ACTIVITY DAILY LIVING AMONG STROKE PATIENTS ON CAREGIVERS BURDEN

Published by
Faculty of Nursing Universitas Airlangga in collaboration with
Indonesia National Nurses Association (PPNI), East Java Province

Accredited SINTA 2
No: 21/E/KPT/2018

Jurnal Ners (J. Ners)	Vol. 14	No. 3	Page 1-421	December 2019	p-ISSN 1858-3598 e-ISSN 2502-5791
--------------------------	---------	-------	------------	---------------	--------------------------------------

TABLE OF CONTENT

Editorial: Research Utilization and Evidence-Based Practice in Education and
Nursing Practice

Yulis Setya Dewi, Smriti Kana Mani

18. Relationship between Demographic Characteristics and Moral Sensitivity among Professional Nursing Students in Bali 113-117

Ni Putu Emy Darma Yanti, Komang Menik Sri Krisnawati

19. The Study of Learning Outcomes under Thai Qualifications Frameworks for Higher Education (TQF: HEd) in Community Health Nursing Practicum Course of 4th Year Students, Faculty of Nursing, Naresuan University 118-125

Amaraporn Puraya, Somsak Thojampa, Srisupha Jaisopha

20. *How Do People Living With HIV Acquire HIV Related Information: A Qualitative Evaluation of Jakarta Setting* 126-134

Mahathir Mahathir, Wiwin Wiarsih, Henny Permatasari

21. *Domestic Violence and Postpartum Depression* 135-141

**Winnellia Fridina Sandy, Djaswadi Dasuki, Elli Nur Hayati, Suhariyanto
Suhariyanto**

22. Summary Guidance for Daily Practices on Glycemic Control and Foot Care Behavior 142-147

Devi Mediarti, Rosnani Rosnani, Hidayat Arifin

23. *The Differences of Inpatients' Satisfaction Level based on Socio-Demographic Characteristics* 148-156

Ni Komang Ayu Adnya Dewi, Ni Putu Emy Darma Yanti, Kadek Saputra

24. *What Do Our Nurses Know about Managing Patient with Permanent Pacemakers?* 157-161

Muhamad Al Muizz Ismail, Nor Marini Ibrahim, Muhammad Kamil Che Hasan

25. Reducing Labor Pain Intensity within First Stage Active Phase through Hegu LI 4 Acupressure and Quranic Recital Method 162-166

Nurul Azizah, Rafhani Rosyidah, Hanik Mahfudloh

26. Model Theory of Planned Behavior to Improve Adherence to Treatment and the Quality of Life in Tuberculosis Patients 167-172

- Made Mahaguna Putra, Ni Putu Wulan Purnama Sari**
27. *Empowerment for Children Aged Less Than 5 Years with Stunting: A Quasi-Experimental Design* 173-177
Eli Amaliyah, Mulyati Mulyati
28. *Analysis of Factors Related to Nursing Student Self Wareness in Doing Screening for Psychosocial Problems* 178-184
Verantika Setya Putri, Ah Yusuf, Rr Dian Tristiana
29. *The Relationship between Family Harmony with Stress, Anxiety, and Depression in Adolescents* 185-193
Heni Dwi Windarwati, Amin Aji Budiman, Renny Nova, Niken Asih Laras Ati, Mira wahyu Kusumawati
30. *Effectiveness of an Intervention based on Peplau's Model on Health Literacy among Nurses Who Smoke: A Quasi-Experimental Study* 194-198
Achmad Djojo, Suhariyanto Suhariyanto, Lily Yuniar, Arsad Suni, Efi Riani, Yogi Ervandi, Sepni Walvri, Anggie Aprizal, Rr Tutik Sri Hariyati, Hanny Handiyani
31. *Life Experience of Pregnant Woman with Gestational Diabetes Mellitus in Maternal Role Attainment in Special Region of Yogyakarta* 199-207
Indah Wulaningsih, Elsi Dwi Hapsari, Heny Suseani Pangastuti, Robert Priharjo
32. *Knowledge, Attitude, and Culture Influence Visual Inspection with Acetic Acid Service Use* 208-213
Alifina Izza, Pungky Mulawardhana, Samsriyaningsih Handayani
33. *Determinants of Nutritional Status Among Pregnant Women: a Transcultural Nursing Approach* 214-221
Ni Ketut Alit Armini, Nurul Hidayati, Tiyas Kusumaningrum
34. *Social Support Attainment of Older Adults Living in a Flood-Prone Community* 222-227
Arlene Supremo, Sillmark Bacason, Alpha Issa Christianne Abegonia, Louverille Bacason
35. *Determinant Analysis of Trigger Risk of Death of Father Because of Non-Communicable Diseases in the Family* 228-231
Miftahul Munir



OPEN ACCESS

Published by the
Faculty of Nursing
Universitas Airlangga

Vol. 15 No. 2 (2020): OCTOBER 2020

Current Issue



Vol. 15 No. 2 (2020): OCTOBER 2020


Published: 2020-07-10

Editorial

Research Utilization and Evidence-Based Practice in Education and Nursing Practice

Abstract : 2861

XML : 1544



DOI : 10.20473/jn.v15i2.23583

Original Article


Relationship between Demographic Characteristics and Moral Sensitivity among Professional Nursing Students in Bali

Ni Putu Emy Danna Yanti , Komang Menik Sri Krisnawati

113-117

Abstract : 2053

PDF : 1397



DOI : 10.20473/jn.v15i2.19634


The Study of Learning Outcomes under Thai Qualifications Frameworks for Higher Education (TQF: HEd) in Community Health Nursing Practicum Course of 4th Year Students, Faculty of Nursing, Naresuan University

Amaraporn Puraya , Somsak Thojampa , Srisupha Jaisopha

118-125














Abstract : 1586

PDF : 1247





DOI : 10.20473/jn.v15i2.19212

How Do People Living With HIV Acquire HIV Related Information: A Qualitative Evaluation of

Jakarta Setting Mahathir Mahathir , Wiwin Wiarsih , Henny Permatasari 126-134 Abstract : 1244 PDF : 1192 PDF DOI : 10.20473/jn.v15i2.19432**Domestic Violence and Postpartum Depression** Winnellia Fridina Sandy , Djaswadi Dasuki , Eli Nur Hayati 135-141 Abstract : 1610 PDF : 1290 PDF DOI : 10.20473/jn.v15i2.16930**Summary Guidance for Daily Practices on Glycemic Control and Foot Care Behavior** Devi Mediarti , Rosnani Rosnani , Hidayat Arifin 142-147 Abstract : 1372 PDF : 1305 PDF DOI : 10.20473/jn.v15i2.21127**The Differences of Inpatients' Satisfaction Level based on Socio-Demographic Characteristics** Ni Komang Ayu Adnya Dewi , Ni Putu Emy Darma Yanti , Kadek Saputra 148-156 Abstract : 1730 PDF : 2029 PDF DOI : 10.20473/jn.v15i2.20610**What Do Our Nurses Know about Managing Patient with Permanent Pacemakers?** Muhamad Al Muizz Ismail , Nor Marini Ibrahim , Muhammad Kamil Che Hasan 157-161 Abstract : 3358 PDF : 1918 PDF DOI : 10.20473/jn.v15i2.18925**Reducing Labor Pain Intensity within First Stage Active Phase through Hegu LI 4 Acupressure and Quranic Recital Method** Nurul Azizah , Rafhani Rosyidah , Hanik Mahfudloh 162-166 Abstract : 1607 PDF : 1408 PDF DOI : 10.20473/jn.v15i2.20556**Model Theory of Planned Behavior to Improve Adherence to Treatment and the Quality of Life in Tuberculosis Patients**


 Made Mahaguna Putra , Ni Putu Wulan Purnama Sari

 167-172


 Abstract : 1451

 PDF : 1737


 PDF


 DOI : 10.20473/jn.v15i2.17958

Empowerment for Children Aged Less Than 5 Years with Stunting: A Quasi-Experimental Design

 Eli Amaliyah , Mulyati Mulyati

 173-177

 Abstract : 1674

 PDF : 1754

 PDF

 DOI : 10.20473/jn.v15i2.19494

Analysis of Factors Related to Nursing Student Self Wareness in Doing Screening for Psychosocial Problems

 Verantika Setya Putri , Ah Yusuf , Rr Dian Tristiana

 178-184


 Abstract : 1254

 PDF : 964

 PDF


 DOI : 10.20473/jn.v15i2.20395

The Relationship between Family Harmony with Stress, Anxiety, and Depression in Adolescents


 Heni Dwi Windarwati , Amin Aji Budiman , Renny Nova

 185-193

 Abstract : 4420


 PDF : 2784

 PDF

 DOI : 10.20473/jn.v15i2.21495

Effectiveness of an Intervention based on Papiou's Model on Health Literacy among Nurses Who Smoke: A Quasi-Experimental Study

 Achmad Djojo , Suhariyanto Suhariyanto , Lily Yuniar

 194-198

 Abstract : 1552


 PDF : 2036


 PDF

 DOI : 10.20473/jn.v15i2.21444

Life Experience of Pregnant Woman with Gestational Diabetes Mellitus in Maternal Role Attainment in Special Region of Yogyakarta

 Indah Wulaningsih , Elsi Dwi Napsari , Heny Suseani Pangastuti

 199-207














 Abstract : 1145

 PDF : 1267

 PDF

 DOI : 10.20473/jn.v15i2.19306

KNOWLEDGE, ATTITUDE, AND CULTURE INFLUENCE VISUAL INSPECTION WITH ACETIC ACID

SERVICE USE Alifina Izza , Pungky Mulawardhana , Samsriyaningsih Handayani 208-213 Abstract : 1149 PDF : 1227 PDF DOI : 10.20473/jn.v15i2.21250**Determinants of Nutritional Status Among Pregnant Women: a Transcultural Nursing Approach** Ni Ketut Alit Armini , Nurul Hidayati , Tiyas Kusumaningrum 214-221 Abstract : 2120 PDF : 1536 PDF DOI : 10.20473/jn.v15i2.21388**Social Support Attainment of Older Adults Living in a Flood-Prone Community** Ariene Supremo , Silimark Bacason , Alpha Issa Christianne Abegonia 222-227 Abstract : 1221 PDF : 1049 PDF DOI : 10.20473/jn.v15i2.22524**Determinant Analysis of Trigger Risk of Death of Father Because of Non-Communicable Diseases in the Family** Mitahul Munir 228-231 Abstract : 1065 PDF : 994 PDF DOI : 10.20473/jn.v15i2.21614**Front Matter****Front Matter Vol 15 No 2 2020** Abstract : 106 PDF : 255 PDF DOI : 10.20473/jn.v15i2.25468**Back Matter****Back Matter Vol 15 No 2 2020** Abstract : 97 PDF : 222 PDF DOI : 10.20473/jn.v15i2.25482



Original Research

Family Experience of Caring for a Diabetes Mellitus Patient: A Qualitative Study

Indah Wulandari^{1,3}, Kusnanto Kusnanto¹, Sony Wibisono² and Titin Puspitasari³¹ Faculty of Nursing, Universitas Airlangga, Surabaya, Indonesia² Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia³ Nursing Program, Faculty of Health Science, Universitas Faletahan, Banten, Indonesia

ABSTRACT

Introduction: Diabetes mellitus is a chronic disease that requires lifelong care. The treatment of diabetes mellitus patients at home requires a family role so then the patients can optimize their care. The diabetes complications can be reduced as a result. The aim of this study was to explore the family experience of treating diabetes mellitus patients at home.

Methods: A semi-structured phenomenological approach including inductive thematic analysis was used in this research. Thirteen family members of diabetes patients participated in the discussion. Participant recruitment was focused on families that have treated diabetes patients for more than 1 year with no complications. Data saturation occurred after 2-3 meetings per participant.

Results: The experiences of the family members while caring for diabetes mellitus patient can be used to determine the presence of 5 themes: family feelings that appear when caring for diabetes mellitus patients, patient adherence to taking medication, patient's disobedience of their diet, patient's disobedience of activity and the family expectations of the future

Conclusion: In every theme, family experience obstacles arise between the families' wants and the patients' needs. Diet and activity became a major obstacle to diabetic care at home. Some topics needed more attention, such as the information and support provided for the family.

ARTICLE HISTORY

Received: Feb 27, 2020

Accepted: April 1, 2020

KEYWORDS

diabetes care; diabetes mellitus; family experiences; family support

CONTACT

Indah Wulandari

✉ indah.wulandari-2018@fkn.unair.ac.id

✉ Faculty of Nursing, Universitas Airlangga, Surabaya, Indonesia

Cite this as: Wulandari, I., Kusnanto, K., Wibisono, S., & Puspitasari, T. (2020). Family Experience of Caring for a Diabetes Mellitus Patient: A Qualitative Study. *Jurnal Ners, Special Issues*, 75-81.
doi:<http://dx.doi.org/10.20473/jn.v15i2.19010>

INTRODUCTION

A person's experience becomes one of the sources of learning when treating disease, one of which is diabetes mellitus. Experience teaches a person knowledge, prompts an attitude improvement, and results in behavior modification through the observation of the reaction to an action (Dziegielewski, Wodarski, Lawrence, Zittek-Palamara, & Dulmus, 2007; Royer, 1998). Diabetes mellitus is a chronic disease that must be suffered for a lifetime. Diabetes mellitus patients and their families must have good knowledge and skills because the treatment is done continually (Alpers, 2010; Ansari, Hosseinzadeh, Harris, & Zwar, 2018; Macedo, Cortez, Santos, Reis, & Torres, 2017).

Experience can be a true source of information but it can also provide incorrect information if it is not balanced with formal information. Patients and their families can assume that their experience is correct if the observations show there to be an improvement in their health status. They can assume that they are wrong if the observations show worsening symptoms (Royer, 1998). The results of these observations were discussed with the health workers to validate whether or not the actions needed are what they are actually doing. However, if the patients and their families do not have access to validate their observations, then they may infer incorrectly (Alpers, 2010; Royer, 1998).

The recent studies indicate that the family has a role in helping the diabetes patients to care for

themselves at home (Kristianingrum, Wiarsih, & Nursasi, 2018; Shahab et al., 2019; Yue et al., 2019). The support received by the diabetes mellitus patients from their family comes in the form of helping the patients in their daily activities, assistance when preparing food, accompanying them to the health center, helping financially, helping them to solve problems and giving them attention (Kristianingrum et al., 2018). Family behavior has a positive impact but sometimes the patients feel that the family attention is nagging and disturbing (Mayberry, Harper, & Osborn, 2016). In addition, the differences in perception between the patients and their families are also obstacles in the treatment of the diabetes mellitus patients (Shahab et al., 2019; Yue et al., 2019).

The family is the closest environment that provides assistance to the patients with diabetes mellitus in terms of their care. The family experience of treating patients with diabetes mellitus at home is influenced by several things such as knowledge, attitude, motivation, socioeconomic level and access to information sources (Ansari et al., 2018; Coser, Sittner, Walls, & Handeland, 2018; Gomes et al., 2017; Mayberry et al., 2016). The family has an important role in supporting the patients with diabetes mellitus care at home (Coser et al., 2018; Gomes et al., 2017; King et al., 2010; Mayberry et al., 2016; Ramkisson, Pillay, & Sibanda, 2017; Shawon et al., 2016). Good support from their family member will help the patients with diabetes mellitus to undergo their treatment. The impact of good care for each patients is intended to enhance the patient's motivation to carry out regular care, to reduce the risk of complications, to reduce patient anxiety and to improve the quality of life of patients with diabetes mellitus (Ahola & Groop, 2013; Al-Khawaldeh, Al-Hassan, & Froelicher, 2012; Jannoo & Mamode Khan, 2019; Mogre, Abanga, Tzelepis, Johnson, & Paul, 2017; Pamungkas, Chamroonsawasdi, & Vatanasomboon, 2017).

The support provided by the family members also helps the diabetes mellitus patients to achieve compliance in terms of self care (Jannoo & Mamode Khan, 2019; Mogre et al., 2017; Simon-Tuval, Shmueli, & Harman-Boehm, 2016). A recent study showed that the patients had difficulty achieving adherence to their diet, recommended activities and medication when they did not get support from their family (Ahola & Groop, 2013; Al-Khawaldeh et al., 2012; Baek, Tanenbaum, & Gonzalez, 2014; Jannoo & Mamode Khan, 2019; Mogre et al., 2017). The impact showed that the patients did not achieve a stable regulation of their blood glucose and so their quality of life decreased. In addition, the patients also experienced anxiety and emotional disturbances (A.A., J.D., M., & A.-M., 2018; Pamungkas et al., 2017; Sina, Graffy, & Simmons, 2018). Therefore good family experience is needed in the care of diabetes mellitus patients at home. The aim of this study was to explore the family experiences when treating diabetes mellitus patients.

MATERIALS AND METHODS

Design

This study used a phenomenological approach. Inductive thematic analysis was used to get themes from the data collection. Phenomenology was used to describe the phenomena that exists as an integral part of the world in which we are living (Astalin, 2013; Berg, 2001). In this study, this refers to the family experience of caring for the diabetes mellitus patient. We conducted the data collection using in-depth interviews that were recorded and documented in the form of field notes. A semi-structured interview was selected as a guide. The determination of the theme used the 7 steps of inductive thematic analysis from Colaizzi: 1) transcribing all of the subjects' descriptions, 2) extracting significant statements, 3) creating the formulated meanings, 4) aggregating the formulated meanings into theme clusters, 5) developing an exhaustive description, 6) identifying the fundamental structure of the phenomenon and 7) returning to the participants for validation (Edward & Welch, 2011; Morrow, Rodriguez, & King, 2015).

Sample and setting

The families were recruited using purposive sampling in one of the Sub-District Level Health Centers. The selection criteria for the family members were that they were 18 years or older and that they had been living with and providing care for a diabetes patient for one year or more. A Sub-District Level Health Center officer was involved in the selection of the participants and they helped the researchers with their field notes. The families willing to become participants were given information on the research, on their involvement in the research, and if there were to be any rewards received. If the family was willing to become a participant, then they signed the prepared consent form. Thirteen family members participated in this study (see Table 1). The researcher explained to the participants that they could refuse to participate at any time.

Data collection

The interviews were held at the Sub-District Level Health Center. Thirteen semi-structured interviews were held based on the families' experiences. The interviews were conducted from November 2019 to December 2019, and they lasted between 30 and 60 minutes. We were started the interview with an open question: 'Could you tell me about the care that provide for diabetes mellitus at patient at home?' The semi-structured questions were based on the literature to ensure that the relevant topics were covered. Data saturation occurred after 2 - 3 meetings per participant.

Data analysis

The researcher used a type-recorder and transcribed verbatim. Inductive thematic analysis was used to enhance the understanding of the families'

Table 1. Demographics of participant

No	Family Relationship	Age	Time of the patients cared for	Patients' health status
1	Wife	61	7 years	no complications
2	Wife	33	2 years	diabetic ulcer
3	Son	18	7 years	hypercholesterolemia
4	Daughter	18	5 years	hypertension
5	Daughter	20	2 years	no complications
6	Daughter	27	3 years	hypertension
7	Niece	42	2 years	no complications
8	Wife	56	5 years	hypertension
9	Wife	35	3 years	hypertension
10	Daughter	35	2,5 years	hypertension
11	Daughter	37	2 years	hypertension
12	Wife	44	4 years	no complications
13	Sister	30	8 years	no complications




Figure 1. Scheme of the themes that the family experiences related to diabetes patient care

knowledge and their competencies regarding the caring of the diabetes mellitus patients. Some of the family members also talked about the disturbances or barriers when taking care of the diabetes mellitus patient. The inductive thematic analysis was conducted by the researcher and the transcripts were used to make up the content analysis. The transcripts were analyzed line by line and the codes were noted in the margin, creating a label for each sentence. The codes were grouped and labeled using broader categories and themes.

Ethical Approval

The data was collected after getting approval from the District Level Health Office of Serang in the form of a research permit. The researchers got a recommendation letter for the research permit from their institution and presented this to the District Level Health Office. The District Level Health Office examined the incoming letter, gave them permission and designated a place of research. The basis for the appointment of the research site is that it has the highest number of cases of diabetes mellitus in the

city of Serang, Indonesia. This research was conducted with respect to the subject's rights, justice, confidentiality and beneficence.

RESULTS

The study findings show that most family members had negative experiences when caring for the diet and activity of the diabetes mellitus patient. Most of the patients struggled to keep their diet and activity consistent with the health worker's suggestion. The experience of the family members when caring for the diabetes mellitus patient can be determined using 5 themes: 1) family feelings that appear when caring for diabetes mellitus patients, 2) patient adherence to taking medication, 3) patient disobedience of the diets, 4) patient disobedience of physical activity and 5) the family expectations in the future. In every theme, family experience obstacles arise between the families' wants and the patients' needs.

Family feelings that appear when caring for the diabetes mellitus patients

Most of the families expressed fear, helplessness and worry while caring for the patients with diabetes mellitus. The fear that arises among the family members due to the possibility of complications related to diabetes mellitus that can lead to early patient death.

'I was afraid that if my mother was sickI was afraid that her illness would cause death.' (Family member 4).

'I am worried and scared, I am afraid of the danger of my husband's illness...' (Family member 2).

The family was also worried about the boredom felt by the patients undergoing treatment because the family realized that diabetes mellitus is experienced for a lifetime.

'I feel sad and scared... and afraid because my aunt was diagnosed [with] diabetes by a doctor. I was also desperate and worried that if there was a wound th[en it] would [not] heal for a long time.' (Family member 7).

Patient adherence to taking medicine

Most patients adhere when it comes to taking the recommended medication. According to the family, patient compliance arises because of the free program from the Sub-District Level Health Center that the patients can follow every month. In addition, the patients are more likely to trust the doctor's advice on medication, as well as there being the hope of recovery with routine treatment.

'My husband still routinely takes the medicine ... and [not] just injecting insulin by himself.' (Family member 12).

'My mom is still taking medication regularly...' (Family member 5).

'My mother is taking routine medical treatment at the sub-district level health center every month...' (Family member 11).

Patient disobedience - diet

Most of the patients do not adhere to their diet. The most common reasons were boredom, not holding to their diet plan and always feeling hungry. Families have difficulty helping the patients as they prepare menus separately or the patients do not want to follow the dietary advice. Patients who feel bored following a different diet have often been diagnosed with diabetes mellitus for more than 5 years. There were also patients who did not adhere to the diet because of the difficulty resisting their desire to eat or always feeling hungry. This was common in the patients diagnosed <5 years ago. Only 2 families stated that the patient adhered to the diet.

'My father is difficult when abstaining from eating. Drinking coffee is also still do[ne]... hard to stop...' (Family member 8).

'My mother had difficulty being told to go on a diet. She just wanted [to eat] when looking at any food.' (Family member 10).

'In the past, she liked to stick to the diet, but now she likes to be disobedient. She likes to secretly eat without me knowing.' (Family member 13).

Patient disobedience - activity

The families said that one of the obstacles when caring for patients is regular exercise. Most patients do not want to exercise regularly because they are lazy. The other reason was that they had a complication that was a difficulty in the context of routine exercise. In addition, some of the patients were still actively working so it is reasonable for them not to have the opportunity to exercise.

'My mom just do[es] exercise sometimes ... It's usually just a morning walk...' (Family member 6).

'My sister never do[es] any exercise. She know[s] that she ha[s] to exercise but if I t[ell] her to do it, the answer[is that she is] just lazy ...' (Family member 13).

'My father still works every day. He is returning late [in the] afternoon or evening. He often feels [that it is] difficult to adjust the time [taken] to do an exercise. Sometimes he runs early on Sundays.' (Family member 5).

Family expectations of the future

Most families hope that the patients can live their lives normally without complications while always in a good condition. Most of the families said that if the patients were treated for complications or have unstable blood glucose, then they feel helpless and difficult during the recovery period. This is due to the fact that most patients fail to comply with the treatment because they feel hopeless, especially the patients who have the role of being the head of the family. They tend not to want to think about the disease and continue to work as though they were not sick.

'.....hopefully there are no complications that occur in my husband.' (Family member 1).

'I hope [that] my husband is always healthy. He is the head of the family. If he is sick, no one will support my family.' (Family member 9).

DISCUSSION

Feelings of fear, anxiety or a loss of hope that appear when treating chronically-ill patients are often experienced by the family. The causes include family knowledge, the patient's physical and psychological condition, and socioeconomic status (Abubakari et al., 2016; Baek et al., 2014; Mayberry et al., 2016; Salom? et al., 2017). The ignorance of the family when it comes to how to provide care and the impact of care is caused by anxiety or fear in the family (Jannoo & Mamode Khan, 2019; Joo & Lee, 2016; Mayberry et al., 2016). There is also the fear of facing pain or the death of the family member diagnosed with diabetes mellitus. The physical condition of the patient, referring to the complications due to diabetes or the psychological state of the patient, is also a source of stress for the family. The socioeconomic condition of the family, such as the existence of health insurance, is another factor that causes anxiety in the family. The knowledge that diabetes mellitus is a lifelong disease that requires a lot of treatment and the associated costs is a major obstacle for the families with a lower socioeconomic status with a family member who is a patient with diabetes mellitus (Abubakari et al., 2016; Jannoo & Mamode Khan, 2019; Joo & Lee, 2016; Mayberry et al., 2016; Sina et al., 2018).

The family members often cannot refute the patient's wishes when they are undergoing diabetes treatments, referring to their diet and exercise, due to their existing emotional attachment. Culture and race as well as the close relationship also allegedly causes the family difficulty when it comes to rejecting the desire of the patients to not adhere to the recommended diet (Ansari et al., 2018; Gomes et al., 2017; Mansyur, Rustveld, Nash, & Jibaja-Weiss, 2015). In this study, where the patient was the husband of the participant, there is the cultural factor where the husband's position is higher than that of their wife. The wife must obey her husband even though it is wrong. When a child is taking care of their parents, if they do not fulfill the parents' desire to eat what they want, there is a feeling of guilt. This feeling arises in the family so it is difficult to maintain consistency in terms of diet or exercise.

Apart from the cultural factors, the desire of the families to make the patients happy is one of the obstacles faced. In this study, if a patient with diabetes mellitus is given a diet menu that is recommended by their doctor, they often do not want to eat according to it. The patient does not eat and so the family will try to fulfill the patient's wishes. The study found that this is common where the patient is over the age of 50 years old. Another case is where the patient has a good level of desire and motivation when it comes to adhering to the diet and exercise rules. The results will be better than before.

The adherence of the patient showed better results, namely the achievement of blood glucose stability (Abubakari et al., 2016; Gamboa Moreno et al., 2018; Mansyur et al., 2015; Simon-Tuval et al., 2016; Sina et al., 2018). The study results showed that

the patients with diabetes who were supported by their family had better adherence than those without family support. The family support that is needed by the patients most is emotional support. This strengthens the patients when facing the disease, allowing them to carry out better care. The family experience of caring for patients provides additional family knowledge and skills in order to provide the best care for patients with diabetes mellitus.

CONCLUSION

The treatment of diabetes mellitus patients at home requires an equality of perception between the patients and their family members. The patients, as the main character and the focus of the care, must be fully supported by their family in order to have the passion and desire to undergo treatment.

CONFLICT OF INTEREST

This study does not have a conflict of interest. The research is independently funded and has no sponsor interests. Each participant was free to choose to be a participant or not, and they could have stopped their participation in the research whenever it was deemed to be necessary without any negative consequences.

ACKNOWLEDGEMENT

Acknowledgments are given to the leadership of the Sub-District Level Health Center and to the participants who provided their time in this study

REFERENCES

- A.A., L., J.D., P., M., H., & A.-M., R. (2018). Diabetes distress and glycemic control: The buffering effect of autonomy support from important family members and friends. *Diabetes Care*, 41(6), 1157–1163. <https://doi.org/10.2337/dc17-2396>
- Abubakari, A., Cousins, R., Thomas, C., Sharma, D., Naderali, E. K., Park, H., & Liverpool, L. (2016). Sociodemographic and Clinical Predictors of Self-Management among People with Poorly Controlled Type 1 and Type 2 Diabetes: The Role of Illness Perceptions and Self-Efficacy. *Journal of Diabetes Research*, 2016.
- Ahola, A. J., & Groop, P. H. (2013). Barriers to self-management of diabetes. *Diabetic Medicine*, 30(4), 413–420. <https://doi.org/10.1111/dme.12105>
- Al-Khawaldeh, O. A., Al-Hassan, M. A., & Froelicher, E. S. (2012). Self-efficacy, self-management, and glycemic control in adults with type 2 diabetes mellitus. *Journal of Diabetes and Its Complications*, 26(1), 10–16. <https://doi.org/10.1016/j.jdiacomp.2011.11.002>
- Alpers, R. R. (2010). A Review of "Nursing and family caregiving: Social support and nonsupport." In *Health Care for Women International* (Vol. 31). <https://doi.org/10.1080/07399332.2010.500134>
- Ansari, R. M., Hosseinzadeh, H., Harris, M., & Zwar, N.

- (2018). Self-management experiences among middle-aged population of rural area of Pakistan with type 2 diabetes: A qualitative analysis. *Clinical Epidemiology and Global Health*, (February), 0-1. <https://doi.org/10.1016/j.cegh.2018.04.003>
- Astalin, P. K. (2013). Qualitative Research Designs: A Conceptual Framework. *International Journal of Social Science and Interdisciplinary Research*, 2(1), 118-124. <https://doi.org/10.1063/1.2163485>
- Baek, R. N., Tanenbaum, M. L., & Gonzalez, J. S. (2014). Diabetes Burden and Diabetes Distress: the Buffering Effect of Social Support. *Annals of Behavioral Medicine*, 48(2), 145-155. <https://doi.org/10.1007/s12160-013-9585-4>
- Berg, B. L. (2001). *Qualitative Research Methods for The Social Sciences* (Fourth). Boston: Allyn and Bacon.
- Coser, A., Sittner, K. J., Walls, M. L., & Handeland, T. (2018). Caregiving Stress Among American Indians With Type 2 Diabetes: The Importance of Awareness of Connectedness and Family Support. *Journal of Family Nursing*, 24(4), 621-639. <https://doi.org/10.1177/1074840718810550>
- Dziegielewska, S. F., Wodarski, J. S., Lawrence, S. A., Zitek-Palamara, K., & Dulmus, C. N. (2007). Human behavior and the social environment. In J. S. Wodarski & S. F. Dziegielewska (Eds.), *New York*. <https://doi.org/10.1109/ICDE.2002.994737>
- Edward, K. Leigh, & Welch, A. (2011). The extension of Colaizzi's method of phenomenological enquiry. *Contemporary Nurse*, 39(2), 163-171. <https://doi.org/10.5172/conu.2011.39.2.163>
- Gamboa Moreno, E., Mateo-Abad, M., Ochoa de Retana García, L., Vrotsou, K., del Campo Pena, E., Sánchez Perez, Á., ... Rotaeché del Campo, R. (2018). Efficacy of a self-management education programme on patients with type 2 diabetes in primary care: A randomised controlled trial. *Primary Care Diabetes*, 1-12. <https://doi.org/10.1016/j.pcd.2018.10.001>
- Gomes, L. C., Coelho, A. C. M., Gomides, D. dos S., Foss-Freitas, M. C., Foss, M. C., & Pace, A. E. (2017). Contribution of family social support to the metabolic control of people with diabetes mellitus: A randomized controlled clinical trial. *Applied Nursing Research*, 36, 68-76. <https://doi.org/10.1016/j.apnr.2017.05.009>
- Jannoo, Z., & Mamode Khan, N. (2019). Medication Adherence and Diabetes Self-Care Activities among Patients with Type 2 Diabetes Mellitus. *Value in Health Regional Issues*, 18, 30-35. <https://doi.org/10.1016/j.vhri.2018.06.003>
- Joo, J. Y., & Lee, H. (2016). Barriers to and facilitators of diabetes self-management with elderly Korean-American immigrants. *International Council of Nurses*, 63, 277-284.
- King, D. K., Glasgow, R. E., Toobert, D. J., Strycker, L. A., Estabrooks, P. A., Osuna, D., & Faber, A. J. (2010). Self-efficacy, problem solving, and social-environmental support are associated with diabetes self-management behaviors. *Diabetes Care*, 33(4), 751-753. <https://doi.org/10.2337/dc09-1746>
- Kristianingrum, N. D., Wiarsih, W., & Nursasi, A. Y. (2018). Perceived family support among older persons in diabetes mellitus self-management. *BMC Geriatrics*, 18(Suppl 1), 1-5. <https://doi.org/10.1186/s12877-018-0981-2>
- Macedo, M. M. L., Cortez, D. N., Santos, J. C. dos, Reis, I. A., & Torres, H. de C. (2017). Adherence to self-care practices and empowerment of people with diabetes mellitus: A randomized clinical trial. *Revista Da Escola de Enfermagem*, 51, 1-8. <https://doi.org/10.1590/S1980-220X2016050303278>
- Mansyur, C. L., Rustveld, L. O., Nash, S. G., & Jibaja-Weiss, M. L. (2015). Social factors and barriers to self-care adherence in Hispanic men and women with diabetes. *Patient Education and Counseling*, 98(6), 805-810. <https://doi.org/10.1016/j.pec.2015.03.001>
- Mayberry, L. S., Harper, K. J., & Osborn, C. Y. (2016). Family behaviors and type 2 diabetes: What to target and how to address in interventions for adults with low socioeconomic status. *Chronic Illness*, 12(3), 199-215. <https://doi.org/10.1177/1742395316644303>
- Mogre, V., Abanga, Z. O., Tzelepis, F., Johnson, N. A., & Paul, C. (2017). Adherence to and factors associated with self-care behaviours in type 2 diabetes patients in Ghana. *BMC Endocrine Disorders*, 17(1), 1-8. <https://doi.org/10.1186/s12902-017-0169-3>
- Morrow, R., Rodriguez, A., & King, N. (2015). Colaizzi's descriptive phenomenological method. *The Psychologist*, 28(8), 643-644.
- Pamungkas, R. A., Chamroonsawasdi, K., & Vatanasomboon, P. (2017). A systematic review: Family support integrated with diabetes self-management among uncontrolled type II diabetes mellitus patients. *Behavioral Sciences*, 7(3), 1-17. <https://doi.org/10.3390/bs7030062>
- Ramkisson, S., Pillay, B. J., & Sibanda, W. (2017). Social support and coping in adults with type 2 diabetes. *African Journal of Primary Health Care and Family Medicine*, 9(1), 1-8. <https://doi.org/10.4102/phcfm.v9i1.1405>
- Royer, A. (1998). *Life with chronic illness: Social and Psychological Dimensions*. Westport, Connecticut: Greenwood Publishing Group.
- Salom?, G. M., De Almeida, S. A., Mendes, B., De Carvalho, M. R. F., Bueno, J. C., Massahud, M. R., & Ferreira, L. M. (2017). Association of Sociodemographic Factors with Spirituality and Hope in Patients with Diabetic Foot Ulcers. *Advances in Skin and Wound Care*, 30(1), 35-39. <https://doi.org/10.1097/01.ASW.0000508446.58173.29>

- Shahab, Y., Alofiyae-Doorbinnia, O., Reath, J., MacMillan, F., Simmons, D., McBride, K., & Abbott, P. (2019). Samoan migrants' perspectives on diabetes: A qualitative study. *Health Promotion Journal of Australia*, 30(3), 317-323. <https://doi.org/10.1002/hpja.240>
- Shawon, M. S. R., Hossain, F. B., Adhikary, G., Das Gupta, R., Hashan, M. R., Rabbi, M. F., & Ahsan, G. U. (2016). Attitude towards diabetes and social and family support among type 2 diabetes patients attending a tertiary-care hospital in Bangladesh: A cross-sectional study. *BMC Research Notes*, 9(1), 1-8. <https://doi.org/10.1186/s13104-016-2081-8>
- Simon-Tuval, T., Shmueli, A., & Harman-Boehm, I. (2016). Adherence to Self-Care Behaviors among Patients with Type 2 Diabetes—The Role of Risk Preferences. *Value in Health*, 19(6), 844-851. <https://doi.org/10.1016/j.jval.2016.04.003>
- Sina, M., Graffy, J., & Simmons, D. (2018). Associations between barriers to self-care and diabetes complications among patients with type 2 diabetes. *Diabetes Research and Clinical Practice*, 141, 126-131. <https://doi.org/10.1016/j.diabres.2018.04.031>
- Yue, P., Lamb, K. V., Chen, X., Wang, Y., Xiao, S., Feng, X., & Wu, Y. (2019). Identification of Family Factors That Affect Self-Management Behaviors Among Patients With Type 2 Diabetes: A Qualitative Descriptive Study in Chinese Communities. *Journal of Transcultural Nursing*, 30(3), 250-259. <https://doi.org/10.1177/1043659618793713>