(i)

(i)

Source details

Bali Medical Journal

Scopus coverage years: from 2020 to Present

Publisher: Sanglah General Hospital ISSN: 2089-1180 E-ISSN: 2302-2914 Subject area: (Medicine: General Medicine)

Source type: Journal

View all documents >

Set document alert

☐ Save to source list Source Homepage

CiteScore 2021

0.1

SJR 2021

0.109

SNIP 2021

① 0.139

CiteScore

CiteScore rank & trend

Scopus content coverage

Improved CiteScore methodology

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. Learn more >

CiteScore 2021

33 Citations 2018 - 2021 441 Documents 2018 - 2021

Calculated on 05 May, 2022

CiteScoreTracker 2022 ①

90 Citations to date 627 Documents to date

Last updated on 05 October, 2022 • Updated monthly

CiteScore rank 2021 ①

| Category | Rank Percentile | | |
|---------------------------|-----------------|-----|--|
| Medicine General Medicine | #791/826 | 4th | |

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site &

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語版を表示する

查看简体中文版本

查看繁體中文版本

Просмотр версии на русском языке

Customer Service

Help

Tutorials

Contact us

ELSEVIER

Terms and conditions \supset Privacy policy \supset

Copyright o Elsevier B.V \nearrow . All rights reserved. Scopuso is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies \mathbb{Z} .




also developed by scimago:





Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name




Bali Medical Journal 3

| IBJECT AREA AND TEGORY | PUBLISHER | H-INDEX |
|--|----------------------------------|---|
| edicine Medicine (miscellaneous) | Sanglah General Hospital | 2 |
| SN | COVERAGE | |
| 0891180, 23022914 | 2020-2021 | |
| | | |
| | edicine Medicine (miscellaneous) | Sanglah General Hospital edicine Medicine (miscellaneous) COVERAGE |

Q Join the conversation about this journal









SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization** tool.



Metrics based on Scopus® data as of April 2022

A Ahmad Al-Sarabbi 3 months ago

Dear Scimago,

On this page, you mentioned that the country of origin is Italy, but the journal's website says Indonesia. And if I am not mistaken, Bali is indeed a very famous, beautiful island in Indonesia.

Which one is accurate? Does your website post misleading information? Are other information regarding other journals can be trusted?

reply



Melanie Ortiz 3 months ago

Meianie Ortiz 3 montins aq

Dear Ahmad,

Thank you for contacting us. We will revise that information based on Scopus as soon as possible.

SCImago Team


Best Regards, SCImago Team

Leave a comment

Name

Email

(will not be published)





Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Impact Factor 3.36

Serious games & gamification research on health care - PMC inde

JMIR Publications


Impact Factor 3.36

Serious games & gamification research on health care - PMC inde

JMIR Publications

Developed by:

Powered by:



Bali Medical Journal

Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1.1.106)

Edit Cookie Consent





(https://www.balimedicaljournal.org)

| Open Access & Peer Reviewed N Journal of Medical Sci | |
|---|--|
| Search | |

Advanced Search (/index.php/bmj/search/search)

Home (https://www.balimedicaljournal.org/index.php/bmj/index) > Archives (https://www.balimedicaljournal.org/index.php/bmj/issue/archive) > Vol. 8 No. 1 (2019): (Available online 1 April 2019)

Vol. 8 No. 1 (2019): (Available online 1 April 2019)

ORIGINAL ARTICLE

Correlation of Interleukin-6 serum level and surgical site infection in post major surgery patient (https://www.balimedicaljournal.org/index.php/bmj/article/view/1004)

Т

| Supomo Supomo Online First: Oct 3, 2018 |
|--|
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1004/pdf) |
| ORIGINAL ARTICLE The effectiveness of art therapy with sand play method on behavioral disorders, emotional problems, and communication skills of children (https://www.balimedicaljournal.org/index.php/bmj/article/view/1010) Parisa Yaghoobian, Seyedeh Olia Emadian Online First: Oct 28, 2018 |
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1010/pdf) |
| ORIGINAL ARTICLE The factors associated with discharge against medical advice: Comparing older and younger patients in ShahidBeheshti Hospital Complex, Kashan-Iran (https://www.balimedicaljournal.org/index.php/bmj/article/view/828) Afsaneh Kogaie Bidgoli, Yadollah Abolfathi Momtaz, Marzieh Khamehchian, Tahere Mansouri, Vahidreza Borhaninejad Online First: Oct 28, 2018 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/828/pdf) |
| ORIGINAL ARTICLE Comparison of intramuscular injection of ketorolac and conventional treatment in the field of cost-effectiveness, length of stay and pain relief in patients admitted to the emergency department with renal colic (https://www.balimedicaljournal.org/index.php/bmj/article/view/1260) Rosana Hexam, Mahdi Rezai, Delaram Delbari, Yasaman Sadat Keshmiri, Hamed Aghdam, Darab Zohri Online First: Oct 29, 2018 |
| B Abstract B PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1260/pdf) |

ORIGINAL ARTICLE

Antimicrobial susceptibility and the pattern of a biofilm-forming pair of organisms from patients treated in intensive care units in Dr. Soetomo General Hospital, Indonesia (https://www.balimedicaljournal.org/index.php/bmj/article/view/1189)

Dewi Klarita Furtuna, Kartuti Debora, Eddy Bagus Wasito

Online First: Oct 30, 2018 |



PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1189/pdf)

ORIGINAL ARTICLE

Comparison of the technical efficiency of the hospital sector: Panel data analysis of the Iranian hospitals using parametric and non-parametric approaches (https://www.balimedicaljournal.org/index.php/bmj/article/view/1242)

Mohammad Mehdi Kiani, Behzad Raei, Parivash Afradi Asbagharani, Mahmood Yousefi, Seyed Abdolhossein Mousavi Rigi, Marzieh Salehi, Shabnam Mirabi Shiraz

Online First: Nov 5, 2018 |



PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1242/pdf)

ORIGINAL ARTICLE

Dewandaru fruit extracts (Eugenia uniflora L) reduce oxidative stress and increase Superoxide Dismutase level in excessive activity-induced rats (https://www.balimedicaljournal.org/index.php/bmj/article/view/1143)

Puguh Santoso, I Made Bakta, I.B. Putra Manuaba, Baus Komang Satriyasa

Online First: Nov 14, 2018 |



PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1143/pdf)


ORIGINAL ARTICLE

Correlation between serum S100β protein level with neurological deficit in patients with acute intracerebral hemorrhage (https://www.balimedicaljournal.org/index.php/bmj/article/view/1249)

Poppy Kristina Sasmita, Ismail Setyopranoto, Samekto Wibowo, Ahmad Hamim Sadewa

Online First: Dec 4, 2018 |





https://www.balimedicaljournal.org/index.php/bmj/issue/view/26

| Correction of aggregation level of basic regular blood elements in patients with hypertension and dyslipidemia receiving rosuvastatin and non-medicinal treatment (https://www.balimedicaljournal.org/index.php/bmj/article/view/648) | | | |
|--|--|--|--|
| Irina Alexandrovna Skoryatina, Ilya Nikolayevich Medvedev | | | |
| Online First: Dec 20, 2018 | | | |
| B Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/648/pdf) | | | |
| ORIGINAL ARTICLE | | | |
| Diagnostics of early dysfunctions of anticoagulant and fibrinolytic features of rats' vessels in the course of metabolic syndrome formation with the help of fructose model (https://www.balimedicaljournal.org/index.php/bmj/article/view/923) | | | |
| Boris Veniaminovich Usha, Svetlana Yurevna Zavalishina, Yuri Anatolyevich Vatnikov, Evgeniy Vladimirovich Kulikov, Vladimir Ivanovich Kuznetsov, Nikolay Vladimirovich Sturov, Margarita Vasilievna Kochneva, Anton Alexandrovich Poddubsky, Alina Vadimovna Petryaeva, Tatyana Ivanovna Glagoleva | | | |
| Online First: Dec 20, 2018 | | | |
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/923/pdf) | | | |
| ORIGINAL ARTICLE | | | |
| Aspects of Salmonellosis pathogenesis using chicken models (https://www.balimedicaljournal.org/index.php/bmj/article/view/920) | | | |
| Lenchenko E. M., Lozovoy D. A., Gavrilov V.A., Gnezdilova L. A., Vera N. Zimina V. N., Kuznetsov V. L., Annikov V. V., Medvedev I. N., Petryaeva E. V. | | | |
| Online First: Dec 20, 2018 | | | |
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/920/pdf) | | | |
| ODICINAL ADTICLE | | | |
| ORIGINAL ARTICLE Effect of a combination of arterial hypertension and insulin resistance on hemostasis activity (https://www.balimedicaljournal.org/index.php/bmj/article/view/1151) | | | |
| Svetlana Yurevna Zavalishina, Yuri Anatolyevich Vatnikov, Evgeniy Vladimirovich Kulikov, Tursumbay Satimbaevich Kubatbekov, Ilya Fedorovich Vilkovysky, Alexander Konstantinovich Petrov, Andrey Leonidovich Tishchenko, Stanislav Gennadievich Drukovsky, Andrei Nikolaevich Zharov, Victor Nikolaevich Grishin, Tatyana Ivanovna Glagoleva | | | |
| Online First: Dec 20, 2018 | | | |
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1151/pdf) | | | |

ORIGINAL ARTICLE Preparedness of Hormozgan province hospitals against disasters in 2016 (https://www.balimedicaljournal.org/index.php/bmj/article/view/1167) Salahaddin Safari Lafti, Somayeh Hessam, Abbas Yazdanpanah Online First: Jan 14, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1167/pdf) **ORIGINAL ARTICLE** A randomized control trial related to meal order of fruit, vegetable and high glycaemic carbohydrate in healthy adults and its effects on blood glucose levels and waist circumference (https://www.balimedicaljournal.org/index.php/bmj/article/view/1264) Damas Satrio Nagoro, Didik Gunawan Tamtomo, Dono Indarto Online First: Jan 26, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1264/pdf) **ORIGINAL ARTICLE**

Balinese Traditional Beliefs and Epilepsy (https://www.balimedicaljournal.org/index.php/bmj/article/view/1424)

Dewa Putu Gede Purwa Samatra

Online First: Jan 26, 2019 |

■ Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1424/pdf)

ORIGINAL ARTICLE

Correlation between Leucocyte Count, Neutrophil Lymphocyte Ratio (NLR), C-reactive Protein (CRP) and Coronary Artery Stenosis Degree on Stable Coronary Artery Disease (https://www.balimedicaljournal.org/index.php/bmj/article/view/1343)

Edward Kurnia Setiawan L, Purwanto Adhipireno, Imam Budiwiyono

Online First: Jan 26, 2019 |



| B Abstract B PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1343/pdf) |
|--|
| |
| ORIGINAL ARTICLE |
| The relationship between sodium, potassium, and hypothyroidism in Chronic Kidney Disease (CKD) patients (https://www.balimedicaljournal.org/index.php/bmj/article/view/1344) |
| Indranila Kustarini Samsuria |
| Online First: Jan 26, 2019 |
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1344/pdf) |
| Analysis of Prostate Specific Antigen (PSA) level on Medical Check-up (MCU) Participants (https://www.balimedicaljournal.org/index.php/bmj/article/view/1345) Linda Rosita, Gloscindy Arma Occifa Online First: Jan 26, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1345/pdf) |
| ORIGINAL ARTICLE Comparison of HbA1c measurement methods between automatic boronate affinity point of care testing and high-performance liquid chromatography (https://www.balimedicaljournal.org/index.php/bmj/article/view/1346) Ricky Tjahjadi, Astuti Giantini Online First: Jan 26, 2019 |
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1346/pdf) |
| ORIGINAL ARTICLE |

The role of social support and coping strategies in the prediction of psychological well-being in type 2 diabetic patients of Zahedan (https://www.balimedicaljournal.org/index.php/bmj/article/view/663) Azizollah Mojahed, Mahbubeh Fallah, Alireza Ganjali, Zahra Heidari Online First: Jan 26, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/663/pdf) ORIGINAL ARTICLE Laser acupuncture at BL20 Point Stimulate Pancreatic Beta cell in type 1 diabetes mellitus (https://www.balimedicaljournal.org/index.php/bmj/article/view/1436) Abdurachman H., Suhariningsih Suhariningsih, Agus Rubiyanto Online First: Feb 2, 2019 | ■ Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1436/pdf) **ORIGINAL ARTICLE** The impact of health reform on maternal and child health indicators in developing countries: A systematic review (https://www.balimedicaljournal.org/index.php/bmj/article/view/1168) Hossein Jabbari Beyrami, Salaheddin Asadi, Leila Doshmangir Online First: Apr 1, 2019 | Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1168/pdf) **ORIGINAL ARTICLE** Assessment of outcome of using amniotic membrane enriched with stem cells in scar formation and wound healing in patients with burn wounds (https://www.balimedicaljournal.org/index.php/bmj/article/view/1223) Mohamad Hossein Lashgari, Mohamad Hossein Hesami Rostami, Omid Etemad Online First: Feb 8, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1223/pdf)

ORIGINAL ARTICLE

The association between hypertension, physical activity, and brushing technique with periodontal disease (https://www.balimedicaljournal.org/index.php/bmj/article/view/1324)

Indirawati Tjahja Notohartojo, Made Lely Suratri, Vivi Setiawaty

Online First: Feb 10, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1324/pdf)

ORIGINAL ARTICLE

The effect of communication skills training on the self-efficacy of nurses: a systematic review and meta-analysis study (https://www.balimedicaljournal.org/index.php/bmj/article/view/1315)

Mojtaba Fattahi Ardakani, Mohammad Ali Morowati Sharifabad, Mohammad Amin Bahrami, Amin Salehi Abargouei

Online First: Feb 11, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1315/pdf)

ORIGINAL ARTICLE

Effect of hyperbaric oxygen therapy to IFNÎ³ and TNFα expression in pregnant Rattus novergicus infected with Tachyzoite of Toxoplasma gondii (https://www.balimedicaljournal.org/index.php/bmj/article/view/1316)

Arif Rahman Nurdianto, A Aryati, Mohammad Guritno Suryokusumo, M Mufasirin

Online First: Apr 1, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1316/pdf)

ORIGINAL ARTICLE

Investigating the impact of the Emergency Department's overcrowding on educational indices and emergency deputies' satisfaction with clinical education (https://www.balimedicaljournal.org/index.php/bmj/article/view/1230)

Mehdi Yarahmadi, Mehri Ayati




| Online First: Apr 1, 2019 |
|--|
| 图 PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1230/pdf) |
| ORIGINAL ARTICLE Strategic alignment, meaningful work, and employee engagement among teaching hospital's workforce in 2017 (https://www.balimedicaljournal.org/index.php/bmj/article/view/908) Hasan Abolghasem Gorgi, Hamed Fattahi, Azad Shokri, Fatemeh Manafi, Samira Alirezaei, Mozhgan Sadat Ghaemmohamadi, Mahmoud Khodadost, Khadije Maajani Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/908/pdf) |
| ORIGINAL ARTICLE Genetic polymorphism in CYP1A1 affected susceptibility to acne vulgaris in Pekanbaru Indonesian Population, Desember 2013 - Maret 2014 (https://www.balimedicaljournal.org/index.php/bmj/article/view/1243) Endang Darmani, Eryati Darwin, Irma Damayanti, Adnil Edwin Nurdin Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1243/pdf) |
| ORIGINAL ARTICLE Concentrations of endothelin-1 associated with aging of prehypertension patients in Denpasar and Badung Districts, Bali, Indonesia. (https://www.balimedicaljournal.org/index.php/bmj/article/view/1340) Luh Gede Sri Yenny Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1340/pdf) |

ORIGINAL ARTICLE Correlation between Superoxide Dismutase Level and Disease Activity of Vitiligo (https://www.balimedicaljournal.org/index.php/bmj/article/view/1374) Nelva K Jusuf, Kamaliah Muis, Kharina Y Putri Online First: Apr 1, 2019 | Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1374/pdf) **ORIGINAL ARTICLE** Affecting Factors on nurses outflows in Iran 2018: a systematic review (https://www.balimedicaljournal.org/index.php/bmj/article/view/1158) Soudabeh Vatankhah, Samira Alirezaei, Hasan Abolghasem Gorji Online First: Apr 1, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1158/pdf_1) ORIGINAL ARTICLE Botulinum toxin type A (BTX-A) to improve the treatment of keloid and hypertrophic scars: A double-blinded randomized clinical trial (https://www.balimedicaljournal.org/index.php/bmj/article/view/1216) Imam Habibi, Allahyar Taheri, Keshvad Hedayatyanfard, Farzaneh Farazmand, Behnam Habibi Online First: Apr 1, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1216/pdf) **ORIGINAL ARTICLE** The effect of mustard greens (Brassica rapa I.) ethanol extract on blood glucose and malondialdehyde levels of hyperglycemic

Wistar rats (https://www.balimedicaljournal.org/index.php/bmj/article/view/1320)

Sri Wahjuni, I Wayan Gede Gunawan, Ika Yolanda Dewi Malindo

Online First: Apr 1, 2019 |



ORIGINAL ARTICLE

Mangosteen extract reduce apoptosis via inhibition of oxidative process in rat model of traumatic brain injury (https://www.balimedicaljournal.org/index.php/bmj/article/view/1153)

1

| RR Suzy Indharty, Iskandar Japardi, Andre MP Siahaan, Steven Tandean Online First: Apr 1, 2019 |
|---|
| Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1153/pdf) |
| ORIGINAL ARTICLE The impact of the severity of HIV infection on the prevalence of liver fibrosis in children (https://www.balimedicaljournal.org/index.php/bmj/article/view/977) Ida Bagus Gde Suwibawa Putra, Ketut Dewi Kumara Wati, I Putu Gede Karyana, I Gusti Ngurah Sanjaya Putra, Ni Nyoman Metriani Nesa Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/977/pdf) |
| ORIGINAL ARTICLE The effect of storage on energy, carbohydrate, fat, and protein content of breast milk (https://www.balimedicaljournal.org/index.php/bmj/article/view/823) Putu Andina Pramitasari, I Gusti Lanang Sidiartha, I Gusti Ayu Putu Eka Pratiwi Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/823/pdf) |
| ORIGINAL ARTICLE The combination effect of brisk walking and relaxation toward hs-crp and anxiety levels in subject with central obesity in Singaraja, Bali (https://www.balimedicaljournal.org/index.php/bmj/article/view/1287) Ketut Indra Purnomo, Muchsin Doewes, Suroto Suroto, Bhisma Murti, Made Kurnia Widiastuti Giri Online First: Apr 1, 2019 |

ORIGINAL ARTICLE

Correlation of VEGF-C tissue expression and cervical lesion diameter on cervical cancer patients given neoadjuvant therapy (https://www.balimedicaljournal.org/index.php/bmj/article/view/1190)

Heru Priyanto, Ambar Mudigdo, Andrijono Andrijono, Bhisma Murti

Online First: Apr 1, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1190/pdf)

ORIGINAL ARTICLE

The relationship between ABO blood group typing with tinea corporis and or tinea cruris in Tanjung Gusta Prison, Medan-Indonesia (https://www.balimedicaljournal.org/index.php/bmj/article/view/1166)

Marlentine M, Nelva K Jusuf, Kamaliah Muis

Online First: Apr 1, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1166/pdf)

ORIGINAL ARTICLE

Thiol-producing microbiota of the intestine modulate oxidative stress and inflammation in Chronic Kidney Disease (https://www.balimedicaljournal.org/index.php/bmj/article/view/1285)

Ika Nindya Kadariswantiningsih, Mochammad Thaha, Cahyo Wibisono Nugroho, Maulana Antiyan Empitu

Online First: Apr 1, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1285/pdf)

ORIGINAL ARTICLE

Analysis of serum 25-Hydroxyvitamin D level in keloid patients (https://www.balimedicaljournal.org/index.php/bmj/article/view/1360)

Vira Indhiratamin Damanik, Imam B Putra, Oratna Ginting

Online First: Apr 1, 2009 |

1

| B Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1360/pdf) |
|---|
| ORIGINAL ARTICLE Bacterial pattern and its susceptibility toward antibiotic on burn infection in Burn Unit Sanglah General Hospital (https://www.balimedicaljournal.org/index.php/bmj/article/view/1456) Anak Agung Bagus Bramardipa, I Dewa Made Sukrama, Ni Nyoman Sri Budayanti Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1456/pdf) |
| ORIGINAL ARTICLE A new modified medium for Simultaneous Cystinase and elek tests of bacteria causing diphtheria (https://www.balimedicaljournal.org/index.php/bmj/article/view/1231) Fitriana Fitriana, Sunarno Sunarno, Armaji Kamaludi Syarif, Muhammad Karyana, Yeva Rosana, Lucky Hartati Moehario Online First: Apr 1, 2019 Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1231/pdf) |
| ORIGINAL ARTICLE Comparison of TLR2/1, NF-аB p105/50, NF-аB p65, and TNF-α expressions in the macrophages between multibacillary leprosy patients with and without erythema nodosum leprosum signifying innate immune system activity (https://www.balimedicaljournal.org/index.php/bmj/article/view/1482) M Yulianto Listiawan, Cita Rosita Sigit Prakoeswa, Indropo Agusni Online First: Apr 1, 2019 |
| ORIGINAL ARTICLE |

The build-up phase outcome of subcutaneous immunotherapy for pediatric allergic asthma: A retrospective cohort study from Surabaya, Indonesia (https://www.balimedicaljournal.org/index.php/bmj/article/view/1481) **Anang Endaryanto** Online First: Apr 1, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1481/pdf) **ORIGINAL ARTICLE** The role of stem cell metabolites derived from placenta for skin regeneration: An in vitro study (https://www.balimedicaljournal.org/index.php/bmj/article/view/1387) Purwati Sumorejo, Muhammad Yulianto Listiawan, Ardhiah Iswanda Putri, Fedik Abdul Rantam, Helen Susilowati, Eryk Hendrianto Online First: Apr 1, 2019 | Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1387/pdf) **ORIGINAL ARTICLE** The potency of Centella asiatica in protecting organs of rats with type 2 diabetes mellitus (https://www.balimedicaljournal.org/index.php/bmj/article/view/1229) Fitria Dhenok Palupi, Brian Wasita, Adi Magna Patriadi Nuhriawangsa Online First: Apr 1, 2019 | **■** Abstract PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1229/pdf) ORIGINAL ARTICLE The antiplasmodial activity of chalcone derivative through the inhibition of haemozoin formation and the induction of stomatocytes formation (https://www.balimedicaljournal.org/index.php/bmj/article/view/1196) Lilik Wijayanti, Kristanto Yuli Yarso, Bambang Purwanto, Ambar Mudigdo, Hery Suwito, Paramasari Dirgahayu, Mustofa Mustofa Online First: Apr 1, 2019 | **Abstract** PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1196/pdf)

ORIGINAL ARTICLE

Evaluation of human errors using Standardized Plant Analysis Risk among health provider personnel in a hospital in Qazvin Province in 2016-2017 (https://www.balimedicaljournal.org/index.php/bmj/article/view/1414)

Mohammad Reza Moddaber, Batoul Ahmadi, Ali Mohammad Mosadeghrad

Online First: Apr 1, 2019 |

■ Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1414/pdf)

ORIGINAL ARTICLE

Analysis of Serum Leptin Levels in Skin Tag Patients (https://www.balimedicaljournal.org/index.php/bmj/article/view/1352)

Raja Nurhayati, Imam Budi Putra, Remenda Siregar

Online First: Apr 1, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1352/pdf)

ORIGINAL ARTICLE

The correlation of Lipoprotein (a) with the severity of ischemic stroke in Dr. Soedono General Hospital, Madiun, Indonesia (https://www.balimedicaljournal.org/index.php/bmj/article/view/1350)

Rahma Yuantari, Dinik Wuriyanti, Djoko Siswantoro

Online First: Jan 26, 2019 |

Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1350/pdf)

REVIEW

Neurocritical care for traumatic brain injury in intensive care unit of Dr H. Andi Abdurahman Noor Hospital, Indonesia (https://www.balimedicaljournal.org/index.php/bmj/article/view/1031)

Komang Werdhi Sentosa, Yehezkiel Yehezkiel

1

| Online First: Nov | 5, 2018 |
|---------------------|--|
| Abstract | D PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1031/pdf) |
| REVIEW | |
| | factors, management, and outcome of preeclampsia patients at Haji Adam Malik Hospital Medan Indonesia ps://www.balimedicaljournal.org/index.php/bmj/article/view/814) |
| Azano Syahriza Si | tepu, Risman Kaban, Johny Marpaung, Delfi Lutan, M Oky Prabudi, Marwan Indamirsyah |
| Online First: Dec 2 | 20, 2018 |
| Abstract | 户 PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/814/pdf) |
| | |
| | |
| REVIEW | |
| | n emergency cases: A brief review (https://www.balimedicaljournal.org/index.php/bmj/article/view/1238) Tjokorda Gde Agung Senapathi |
| Online First: Apr 1 | |
| | ☑ PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1238/pdf) |
| ■ ADSITACE | E PDF (пups.//www.baiimedicaljournal.org/index.pnp/bmj/article/view/1256/pdf) |
| | |
| | |
| CASE REPORT | lantation of impacted maxillary incisor: A case report |
| | palimedicaljournal.org/index.php/bmj/article/view/1195) |
| | van, Bambang Widjanarko, Endang Sjamsudin |
| Online First: Oct 3 | 31, 2018 |
| Abstract | D PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1195/pdf) |
| | |
| | <u> </u> |

CASE REPORT

Optic Nerve Sheath Schwannoma of the Orbit: A case report (https://www.balimedicaljournal.org/index.php/bmj/article/view/1308)

Nyoman Golden

Online First: Jan 18, 2019 |



PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1308/pdf_1)

CASE REPORT

Mutation of the Fas-promoter-670 gene, AA to GA in the normal cervix-epithelial-cells of high risk Indonesian mother: A case report (https://www.balimedicaljournal.org/index.php/bmj/article/view/1313)

Mauritius Lambertus Edy Parwanto, Raditya Wratsangka, Assangga Guyansyah, Kirana Anggraeni

Online First: Apr 1, 2019 |



PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1313/pdf)

CASE REPORT

Utilization of modified digital subtraction angiography in a child with cerebral venous sinus thrombosis presenting with autism spectrum disorder symptoms: A novel approach (https://www.balimedicaljournal.org/index.php/bmj/article/view/1466)

Ardianto Pramono, Ristaniah Soetikno, Achmad Hussein Sundawa Kartamihardja, Tinni Trihartini Maskoen, Terawan Agus Putranto, Erwin Setiawan

Online First: Apr 1, 2019 |



PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1466/pdf)

CASE REPORT

Introduction to dendritic cell vaccines immunotherapy for glioblastoma multiforme: A novel approach (https://www.balimedicaljournal.org/index.php/bmj/article/view/1500)

Terawan Agus Putranto, Djoko Wibisono, Nyoto Widyo Astoro, Martina Lily Yana, Yudo Rantung, Ida Bagus Amertha Putra Manuaba

Online First: Apr 1, 2019 |



| Abstract | PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1500/pdf) |
|--------------------------|---|
| | |
| | |
| RESEARCH LE | |
| lergic rhini | zinc supplementation in eosinophil nasal mucous count and quality of life in moderate to severe persistent itis patient in ENT clinic Dr. Kariadi hospital Semarang in November 2016 until January 2017 v.balimedicaljournal.org/index.php/bmj/article/view/1127) |
| ik Masdarina | ah Sudadi, Riece Hariyati, Anna Mailasari Kusuma Dewi |
| nline First: A | or 1, 2019 |
| Abstract | PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1127/pdf) |
| RESEARCH LE | TTER |
| | acupressure on respiratory indices in patients undergoing mechanical ventilation v.balimedicaljournal.org/index.php/bmj/article/view/1141) |
| ojdeh Navid | namidi, Jaleh Mohammad Aliha, Nasim Mehranfard, Anoshirvan Kazemnejad |
| nline First: A | pr 1, 2019 |
| Abstract | PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1141/pdf) |
| DITORIAL | |
| ne 5th WFN eurosurgio | IS Spine Committee Biennial Conference in conjunction with The 22nd Annual Scientific Meeting of Indonesian al Society (INS), The 12th Asian Epilepsy Surgery Congress (AESC) and, The 2nd International Fujita Bantane ting (https://www.balimedicaljournal.org/index.php/bmj/article/view/1354) |
| ИЈ ВМЈ | |
| nline First: O | ct 29, 2018 |
| Abstract | PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1354/pdf) |
| | |
| | |

17th Annual Scientific Meeting and 9th Work Congress Of Indonesian Clinical Pathologist Association and Laboratory Medicine: Strengthening of Clinical Pathology in Facing Sustainable Development Goals (SDGS) (https://www.balimedicaljournal.org/index.php/bmj/article/view/1353)

PIT KONKER PDS Patklin Bali

Online First: Oct 31, 2018 |

■ Abstract

PDF (https://www.balimedicaljournal.org/index.php/bmj/article/view/1353/pdf)



WEB OF SCIENCE (https://mjl.clarivate.com/search-results?issn=2089-1180&hide_exact_match_fl=true&utm_source=mjl&utm_medium=share-bylink&utm_campaign=search-results-share-this-journal)



(https://www.scopus.com/sourceid/21101024217)



(https://doaj.org/toc/2302-2914)



(https://sinta3.kemdikbud.go.id/journals/profile/2513)

Full Indexing List (https://balimedicaljournal.org/index.php/bmj/pages/view/indexing)

In Press (https://balimedicaljournal.org/index.php/bmj/issue/view/30)

Submit An Article (https://balimedicaljournal.org/index.php/bmj/login)

Scopus Citedness (https://balimedicaljournal.org/index.php/bmj/pages/view/scopus)

(//clustrmaps.com/site/1a4xh? utm_source=globe)

Associate Editor

Prof. Putra Manuaba, M.Phil (http://profpuma.weebly.com/)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=8412278400), (Google Scholar (https://scholar.google.com/citations?user=jnmT14kPWNcC&hl=en) putramanuaba@unud.ac.id / putramanuaba28@yahoo.com

Biomedicine Postgraduate Program, Udayana University

Bali - Indonesia

Prof. Ketut Suwiyoga, SpOG (http://www.scopus.com/results/authorNamesList.url?sort=count-f&src=al&sid=01CAC4E9A2FB056A0A90221C03EC65FE.FZg2ODcJC9/NAME%28EQUALS%28Suwiyoga%29%29&st1=Suwiyoga&orcidId=&selectionPageSearch=anl&reselectAuthor=false&activeFlag=false&showDocument=false&result (Scopus ID (https://www.scopus.com/authid/detail.uri?authorId=54080784800))

suwiyoga@unud.ac.id

Faculty of Medicine, Udayana University, Sanglah Hospital Denpasar, Bali-Indonesia

Editorial Board for Regional America

Ankit Sakhuja, M.B.B.S., F.A.C.P., F.A.S.N. (http://www.med.umich.edu/intmed/nephrology/STAFF/sakhuja_a1.htm)

(Scopus ID (http://www.scopus.com/authid/detail.url?authorld=16744977200))

asakhuja@med.umich.edu

Nephrology and Hypertension Cleveland Clinic (United States)

Editorial Board for Regional Australia

Professor John Svigos, AM

MBBS; DRCOG; CBioEth; FRCOG; FRANZCOG

(http://www.womenshealthspecialists.com.au/jsvigos.html)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=6603773825)

john@svigos.com.au (mailto:john@svigos.com.au)

Discipline of Obstetrics & Gynaecology

Faculty of Health & Medical Sciences

University of Adelaide, South Australia

dr Deasy Ayuningtyas Tandio MPH-MBA (http://orcid.org/0000-0001-7847-2831).

(OrcidID) (https://orcid.org/0000-0001-7847-2831)

deasytandio@yahoo.com

James Cook University Australia Master of Public Health Master Of Business Administration, Indonesia

Editorial Board for Regional Europa

Prof. Harald Hoekstra

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=36038081900)

jsvigos@iprimus.com.au

Universitair Medisch Centrum Groningen, Division of Surgical Oncology, Groningen the Netherland

Editorial Board for Regional Asia

Prof Huang Qin (http://accu.cqu.edu.cn/web/eallprof/559.jhtml)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=7409535321)

qhuang@cqu.edu.cn



Chairman Dept. of Neurosurgery, Guangdong 999 Hospital Guangzhou China

Assoc. Prof. Mohammad Amin Bahrami

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=55524082200)

aminbahrami1359@gmail.com

Head of healthcare management department, Shahid Sadoughi University of Medical Sciences, Yazd, Iran

Dr. Tanveer Beg, PhD

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=6505772852)

tbmirza@jazanu.edu.sa

Assistant Professor, Department of Biology, Faculty of Science, Jazan University, Jazan, Saudi Arabia.

Editorial Board Members

Prof. Andi Asadul Islam

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=55504893500), (Google Scholar) (https://scholar.google.co.id/citations?user=vWs1RdMAAAAJ&hl=iundee@med.unhas.ac.id

Faculty of Medicine Hasanudin University, Makasar-Indonesia

Prof. Dr. dr. Abdul Hafid Bajamal, Sp.BS

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=57192378862)

hfbajamal@gmail.com

Faculty of Medicine Airlangga University, Surabaya-Indonesia

Dr. dr. I Wayan Sudarsa, Sp.B(K) Onk, FINACS, FICS.

(Scopus ID (https://www.scopus.com/authid/detail.uri?authorId=57205145862)), (Google Scholar (https://scholar.google.co.id/citations?hl=id&user=SdInHKwAAAAJ)

dr. I.B. Amertha P. Manuaba, SKed, MBiomed. (https://scholar.google.co.id/citations?user=KzCQgA0AAAAJ&hl=en)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorId=57195520004), (Google Scholar) (https://scholar.google.co.id/citations?user=KzCQgA0AAAAJ&hl=ei AmerthaManuaba@gmail.com / Amertha_Manuaba@unud.ac.id

Faculty of Medicine, Universitas Udayana, Indonesia

Editorial inquiries to be addressed to:

email 1: editorbalimedicaljournal@gmail.com (mailto:editor@balimedicaljournal.org)

email 2: editor@balimedicaljournal.org (mailto:editor@balimedicaljournal.org)



WEB OF SCIENCE[™] (https://mjl.clarivate.com/search-results?issn=2089-1180&hide_exact_match_fl=true&utm_source=mjl&utm_medium=share-by-link&utm_campaign=search-results-share-this-journal)



Bali Medical Journal (*Bali Med J*) 2019, Volume 8, Number 1: 347-353 P-ISSN.2089-1180, E-ISSN: 2302-2914



Comparison of TLR2/1, NF-κB p105/50, NF-κB p65, and TNF-α expressions in the macrophages between multibacillary leprosy patients with and without erythema nodosum leprosum signifying innate immune system activity



M. Yulianto Listiawan^{1*}

ABSTRACT

Background: Erythema nodosum leprosum (ENL) is one of the complications in multibacillary (MB) leprosy. The cause, mechanism, and treatment of ENL remain highly problematic. Various studies have identified possible involvement of the innate immune system in the pathogenesis of ENL. Increased understanding of this mechanisms maybe useful for the management of leprosy.

Objective: To compare the expression of Toll-like Receptor-2/1 (TLR2/1), Nuclear Factor Kapha Beta (NF- κ B) p105/p50, NF- κ B p65, Tumor Necrosis Factor- α (TNF- α) in the macrophages of MB patients with and without ENL as a marker of innate immune system involvement.

Methods: This study is a cross-sectional study performed on 42 MB

leprosy patients (21 with ENL and 21 without ENL) in the outpatient unit of Dr. Soetomo General Hospital from February to December 2010. Immunohistochemical staining method was conducted on all groups to determine the expression in macrophages of the dermis using the specific monoclonal antibody for TLR2/1, NF-κBp105/p50, NF-κBp65, and TNF-α. Statistical analysis was performed using Mann-Whitney U test.

Result: There was a significant difference of TLR2/1, NF-κBp105/p50, NF-κBp65, and TNF-α expression in the dermis macrophages between the MB leprosy patients with ENL and without ENL. **Conclusion:** The innate immunity was activated in the ENL reaction of MB leprosy.

Keywords: Erythema nodosum leprosum, innate immunity, multibacillary leprosy

Cite this Article: Listiawan, M.Y. 2019. Comparison of TLR2/1, NF-κB p105/50, NF-κB p65, and TNF-α expressions in the macrophages between multibacillary leprosy patients with and without erythema nodosum leprosum signifying innate immune system activity. *Bali Medical Journal* 8(1): 347-353. DOI: 10.15562/bmi.v8i1.1482

¹ Department of Dermatology & Venereology, Faculty of Medicine Universitas Airlangga, Dr. Soetomo General Hospital, Surabaya 60285, Indonesia

* Correspondence to: M. Yulianto Listiawan; Department of Dermatology & Venereology, Faculty of Medicine Universitas Airlangga, Dr. Soetomo General Hospital, Surabaya 60285, Indonesia

yuliantowawan@yahoo.com

Received: 2019-03-05 Accepted: 2019-03-27 Published: 2019-04-01

INTRODUCTION

Leprosy is a chronic infection caused by *Mycobacterium leprae* which primarily affects the skin and peripheral nerves, and its clinical symptoms depend mainly on the patient's cellular immune system^{1,2} Complications in leprosy including type 1 reaction and type 2 reaction or Erythema Nodosum Leprosum (ENL). Type 1 reaction is defined as acute inflammation that occurs due to delayed-type hypersensitivity. ENL is an acute inflammation allegedly caused by immune complex deposits that affect multibacillary (MB) leprosy patients.^{3,4}

Many studies on leprosy have attempted to determine the role of Tumor Necrosis Factor (TNF)- α , a type of cytokines secreted mainly by macrophages that plays a role in the innate immunity to eradicate bacteria. The primary function of TNF- α is to stimulate and attract neutrophils and monocytes to the site of infection and activate macrophages and neutrophils to treat the infection.⁵

The level of TNF-α in MB leprosy is lower than that in paucibacillary (PB) leprosy, indicating a decreased ability to localize the infection.^{6,7} Mutations in the type I membrane receptor that plays a role in innate immunity is suspected of being the cause of the decrease in TNF-α. This mutation causes a disturbance in the signal pathway that leads to the inability to produce TNF-α which serves to localize the infection.^{8,9} On the contrary, in MB leprosy with ENL there is an increase in TNF-α secretion by an unknown mechanism. 4,10 TNF-α may also act as co-stimulator of dendritic cell that plays a role as an antigen-presenting cell (APC), so it is also involved in the acquired immunity.¹¹ The secretion of TNF- α in ENL is thought to be induced by a part of M. leprae cell wall which can stimulate the innate immunity of the human body.

The assessment of TNF-α expression in macrophages can be useful for leprosy patients to localize and ultimately eliminate the *M. leprae* bacteria and as a prognostic factor of cellular

immune function.^{6,7} The acute symptoms in ENL are thought to indicate an excessive increase in innate immunity, reflected by Toll-like Receptor-2/1 (TLR2/1) expression as a part of the innate immune transduction signal pathway to produce TNF-α. Triacylated Lipoprotein (TLP) as Pathogen Associated Molecular Patterns (PAMPs) of *M. leprae* serves as a ligand for one of the Pattern Recognition Receptors (PRRs), which is TLR2/1 (a receptor in macrophages of the innate immunity in skin tissue).¹² It induces TNF-α expression, via the Nuclear Factor Kapha Beta (NF-κB) p65 homodimer and p105/50 heterodimer pathways.¹³

More in-depth study about transduction of TLR2/1, NF- κ B p65, and p105/p50 signals in the pathogenesis of ENL is necessary in order to understand the increase of TNF- α secretion in ENL fully. Increased understanding in the pathogenesis of ENL can be used for a more appropriate treatment approach, which may reduce the morbidity of ENL and stigma in leprosy. Since this particular study on ENL has never been previously done, we conducted a study aimed to compare the expression of TLR2/1, NF- κ B p105/p50, NF- κ Bp65, and TNF- α between MB patients with ENL and without ENL as a marker of innate immune system involvement.

METHODS

This study is a cross-sectional analytical observational study with a comparison group. The observed group was MB leprosy patients with ENL reactions, while the comparison group was MB leprosy patients without ENL. The sample consisted of MB leprosy patients who met the inclusion criteria, have done history taking, and physical and bacteriological examination, from February 2010 to December 2010. The samples were collected using consecutive sampling technique.

The inclusion criteria including MB leprosy patients with or without ENL who were clinically established with a positive bacteriological

 Table 1. Distribution of age and sex of ENL and non-ENL patients

| Age Group | ENL (+) | | - Total | ENL (-) | | Total |
|-----------|---------------|-----------|------------|------------|-----------|-----------|
| (year) | Male | Female | iotai | Male | Female | iotai |
| 15 – 25 | 4 | 0 | 4 (19.1%) | 5 | 1 | 6 (28,7%) |
| 26 - 35 | 9 | 2 | 11 (52.4%) | 6 | 1 | 7 (33,3%) |
| 36 - 45 | 4 | 0 | 4 (19%) | 4 | 0 | 4 (19%) |
| 46 – 55 | 1 | 1 | 2 (9.5%) | 3 | 1 | 4 (19%) |
| Total | 18 (85.7%) | 3 (14.3%) | 21 | 18 (85.7%) | 3 (14.3%) | 21 |

examination, aged of 12-50 years old, had no history of tuberculosis and diabetes mellitus, and were willing to sign the informed consent. We exclude patients with poor condition, patients who were pregnant or in lactation, and were treated with oral glucocorticoids for the last four days.

The diagnosis of leprosy was based on the cardinal signs of leprosy: anesthetic skin lesion, peripheral nerve enlargement along with autonomic, sensory and motor function abnormalities, and positive acid-fast bacilli (AFB) skin smear from skin lesion or ear lobe. WHO classification was used to determine the type of leprosy based on the number of skin lesions and skin smear results. If the sample showed skin lesion of >5, peripheral nerve enlargement of >1, and AFB +, then the patient was classified as MB leprosy. The diagnosis of ENL was based on history taking and clinical symptoms, including the presence of pain symptoms in the skin accompanied by the emergence of acute reddish nodules that can be accompanied by rising body temperature. ENL occurs only in patients with MB leprosy.

TLR2/1 is a surface receptor (transmembrane) that is part of PRRs that binds PAMPs of *M. leprae* (TLP) at the beginning of signal transduction that initiates reaction cascade. NF- κ B p65 and p105/p50 are heterodimers and homodimers transcription factors that play a role in the TLR2/1 signaling pathway to produce mRNA of TNF- α . TNF- α is a proinflammatory cytokine that plays a role in localized ENL clinical symptoms in skin tissues and systemic in the blood circulation.

Examination of TLR2/1, NF-κB p65, p105/p50, and TNF-α expressions in macrophages in skin tissue was performed with immunohistochemistry. Immunohistochemical studies were performed on the macrophages of the skin tissue in both groups to determine the expression of TLR2/1, NF-κB p65, p105/p50, and TNF-α. Examination of skin smear in the observed group was performed on two sites: skin lesions and ear lobes, and then we calculated the mean of the results. As for the comparison group, the examination was performed on the ear lobes only. The data collected were processed using the homogeneity test, normality test, and analyzed using the Mann-Whitney U test.

RESULTS

General characteristics of the subjects

In this study, there were 21 subjects of MB leprosy with ENL and 21 subjects of MB leprosy without ENL as the comparison group. The characteristics are presented in Table 1. The table shows that the age distribution of both groups was the same. Both groups had similar sex distribution, with the male being 85.7% and female 14.3 %.




Figure 1A. The dermis samples taken from MB leprosy with ENL patient showing positive reaction to TLR2/1 in macrophage (brown color), while the negative one does not (400X magnification).




Figure 1B. The dermis samples taken from non-ENL MB leprosy patient showing no expression of TLR2/1 on the surface of the macrophage (red arrow) (400x magnification).

ENL occurrence with MDT treatment

In 21 cases of ENL, the onset of ENL symptoms was associated with multidrug therapy (MDT). Most subjects (61.9%) were still on MDT, and 8 ENL cases (38.1%) were found after the 12th treatment with MDT. There were no subjects with ENL who have not received MDT.

Calculation of bacteriological index

The bacteriological index (BI) of ENL subjects

showed that most subjects (71.4%) had 3+, while 4.8% had 4+, 14.3% had 1+, and 9.5% had 2+. In the comparison group, most subjects (81%) also had BI 3+, while 9.5% had 4+ and 9.5% had 2+.

ENL degree of severity

The results showed that 71.43% of subjects had a mild degree of severity, while the remaining 28.57% had moderate severity. The scoring of 17 clinical symptoms determined the degree of severity. The score of 1 - 17 were included as mild, 18-34 was moderate, while 35- 51 was severe.

Expression of monoclonal antibodies

MB patients with ENL expressed monoclonal antibodies against TLR/21, as seen in Figure 1A. Meanwhile, MB patients without ENL did not express monoclonal antibodies against TLR/21, as seen in Figure 1B.

In the group of MB patients with ENL, three patients did not express TLR2/1. Those who expressed TLR2/1 showed a various amount of macrophages, ranging from 1-8. In the control group, no patient expressed TLR2/1. The results of the Mann-Whitney U test showed Z = -5.278 with p=0.000 (p<0.05), indicating a significant difference in the macrophages expression of TLR2/1 between MB leprosy patients with ENL and without ENL.

Figure 2 shows that monoclonal antibodies against NF-κB p105/p50 were expressed by subjects with ENL but not in the comparison group. In the ENL MB leprosy group, we found the expression of NF-κB p105/p50 of all samples obtained, whereas in the non-ENL MB leprosy group there was no NF-κB p105/p50 expression. Mann-Whitney U test results showed Z=-5.942 with p=0,000 (p<0.05), indicating a significant difference in the macrophages expression of NF-κB p105/p50 between MB leprosy patients with ENL and without ENL.

Figure 3 shows the expression of monoclonal antibodies against NF- κ B p65 in subjects with ENL. The overall examination results were variable. In subjects with ENL, expression of monoclonal antibodies against NF- κ B was found positive between 4-20 macrophages, while one sample showed negative expression. On the other hand, subjects without ENL did not express monoclonal antibody against NF- κ B p65. Mann-Whitney U test results showed Z = -5.709 with p = 0,000 (p <0.05). This result means that there is a significant difference in the expression of NF- κ B p65 between MB leprosy patients with ENL and without ENL in their macrophages.

Figure 4 and 5 shows the expression of TNF- α in ENL and non-ENL subjects, respectively. From




Figure 2. The dermis of ENL patients showing the expression of monoclonal antibody against NF-κB p105/p50 (400X magnification).




Figure 3. The samples taken from ENL patients showing the macrophages that expresses NF-κB p65 with positive (brown-colored) and negative reactions (red arrows) (400X magnification).

the results of all samples, there were 20 positive subjects with expression levels varying from 1-39 macrophages. Meanwhile, the non-ENL group had three patients whose expression was positive for TNF- α . Mann-Whitney U test results showed Z=-4.77, with p=0,000 (p<0.05). This result means that there is a significant difference in TNF- α expression between MB leprosy patients with ENL and those without ENL.

DISCUSSION

In this study, we observed the expression of TLR2/1 in 21 subjects of MB leprosy with ENL and 21 subjects without ENL. It was found that all subjects without ENL did not express TLR2/1. There was a significant difference in the expression of TLR2/1 in macrophages of patients with and without ENL although there were three patients with ENL who did not express TLR2/1.

The presence of immune complexes is in MB leprosy is caused by an increase in humoral immunity. Increased antibodies, along with antigen from pathogens, will lead to the formation of immune complexes and settle in the tissues. These antibodies, along with cytokines derived from new macrophages (such as IL-1) and TNF- α , are the main pathological mechanisms in ENL. The presence of new macrophages and TNF- α secretion opens new horizons about the role of innate immunity in ENL.

Macrophages in MB leprosy are the site of multiplication and primary host cell for M. leprae.4 Many macrophages are deformed into leprosy cells (Virchow cells) in MB leprosy. These cells are presumably formed from incomplete bacterial degradation inside macrophages. The phospholipid layers of bacterial cells are still in the cytoplasm of the macrophages, and the cells appear as leprosy cell. Macrophages which containing M. leprae cannot be activated, including by the IFN-y cytokines, which will result in the increased pathogens inside the cell.¹⁴ This small part of the M. leprae fragment (including TLP) will function as PAMPs. It also activates the ligand of TLR 2/1, which is a part of the PRRs and represents the function of the innate immunity.

In this study on TLR2/1 (a heterodimer as part of PRRs) is a representative of one of the mechanisms of the innate immune system that can recognize the biochemical pattern of bacteria as ligands. These ligands are part of PAMPs and are expressed by the pathogenic agent. The specificity of the recognized TLR varieties in initiating the response to ligands of various bacteria has been known. The activation function of TLR is as a direct introduction that will initiate an innate immune response, leading to regulation of phagocytic processes and initiate antibacterial activity. Also, TLR activation will lead to the release of various cytokines and differentiation of immature dendrite cells, which will increase the efficiency of the innate immune system.

Triacylated lipoprotein (TLP) is a PAMP of *M. leprae* that acts as a ligand of TLR2/1. As PAMP, TLP meets the specific descriptions: produced only by pathogenic microorganisms (*M. leprae* and *M. tuberculosis*); an essential structure in the life of mycobacteria; and a structure that is continuously




Figure 4. The expression of monoclonal antibody against TNF- α in the dermis layer of ENL patients (400X magnification).




Figure 5. The expression of monoclonal antibody against TNF- α in non-ENL MB leprosy patients; the red arrows points at macrophages that expresses TNF- α with positive (brown-colored) and negative reactions (400X magnification).

shared by a group of similar bacteria. 15

In this study, it was suspected that TLPs from *M. leprae*, which became fragmented by treatment or other causes, would be released from old macrophages. Then, they would be phagocytosed by new macrophages, functioning as NAPC, via a functioning natural receptor line (TLR 2/1). This process did not occur in the control group that

did not express TLR 2/1. In the control group, the expression of TLR2/1 was inhibited by the dominant cytokine in the MB leprosy spectrum (IL-4). IL-4 belongs to the group of Th₂ cytokines, a group of cytokines that works in response to humoral immune. It also explains that the symptoms of ENL often occur in the first six months of treatment with MDT¹⁶, which is thought to be the time of the occurrence of a TLP fragment that is part of the bacteria and acts as a ligand of TLR2/1.

In this study, there were also three samples of ENL patients who did not express TLR2/1 (samples 6, 8 and 11). These three samples were leprosy patients with clinical symptoms of ENL and history of released from treatment (RFT). This result is possibly due to activations of other TLR (such as TLR2) or other heterodimers (such as TLR2/6), which also play a role in inflammation reaction of innate immunity, with ligands in different leprosies.9 It is known that the factors of innate immunity do not only specifically play a role in the emergence of acute inflammatory reactions, but also the emergence of ENL. The examples of non-specific factors are other TLR roles other than TLR2/1, which can be generated through a variety of bacteria or viruses. Thus, the role of either grampositive or gram-negative bacteria can stimulate the activation of TLR. It is something that should be watched out for and must be treated in order to avoid the excessive expression of TLR and to enable better management for the severity of ENL.

In all subjects with ENL, we found that all macrophages expressed NF-κB p105/p50 with various levels, whereas in the control group none of the patients expressed NF-kB p105/p50. These results indicate that the breakdown of NF-Kb p105/p50 is important to activate the transcription factors in the pathogenesis of ENL. Mann-Whitney U test performed in both groups showed significant difference of NF-kB p105/p50 expression (Z = -5.942 with p = 0.00 [p<0.05]). This result shows that the breakdown of NF-kB p105/p50 in ENL plays a major role and does not occur in non-ENL leprosy. NF-kB takes a key part in inflammatory and immune processes by regulating the genes coding for pro-inflammatory cytokines, chemokine adhesion molecules, growth factors and various enzymes such as cyclo-oxygenase 2 (COX2) and inducible nitric oxide synthase (iNos).13

In this study, we used a primary monoclonal antibody containing phosphopeptide that was derived from human NF-kB but underwent phosphorylation of serine amino acids at site 927. Thus, macrophages that expressed monoclonal p105/p50 indicated activation of a constitutive transcription factor with varying degrees as seen in

the ENL subjects. On the other hand, in the patients without ENL, NF-κB p105/p50 was not expressed, suggesting that this transcription factor was not involved in the infection caused by *M. leprae*.

The activation of NF- κ B1 shows the activation of innate immunity transcription factors. Since macrophages expressing NF- κ B1 may be activated with a variety of receptors (including TNF- α , IL-1, CD40L and lipopolysaccharide [LPS]), some non-receptor activations or their receptors are unknown, such as oxidative stress and ultraviolet radiation. The discovery of this transcription factor activation can be used to prevent excessive NF- κ B activation by avoiding various activating ligands and using various drugs that suppress NF- κ B activation.

NF- κ B p65 (also known as the RelA protein) is different from p100/p50. It has a special role because it has a section called the transcriptional activation section and can function as a homodimer or heterodimer, with other NF- κ B groups to function as a transcription factor. It is known that the heterodimer p50/RelA is the heterodimer most often found in terms of inducing NF- κ B attachment to DNA to initiate the transcription process. In this study, it was found that in 21 samples of ENL the macrophages expressed RelA, whereas in MB leprosy patients who did not have ENL at 21 their macrophages did not express RelA with significant difference (Z = -5.709 with p = 0.00 [p<0.05]).

TNF-α can activate atypical pathways, via CK2 enzyme. 18 TNF-α is also a marker of ENL reaction, and therefore its increase will further aggravate the occurring ENL reactions. Suppression of TNF-a production is needed to control the severity of ENL reactions. In general, NF-κB activation is also a potential biomarker for oxidative stress.¹⁹ Associated with the advance knowledge of the field of immunology, TNF- α is one of the cytokines secreted by innate immunity during initial infection and is produced by macrophages. The production of this cytokine is lower in MB leprosy than PB type. However, in MB leprosy with ENL there is a considerable increase of TNF-α, making it as a biomarker of the onset of ENL. This study evaluated the type of membrane which has been studied rarely. The result showed a significant difference (Z = -4770 with p = 0.00 [p<0.05]) between the groups of MB leprosy with ENL and without ENL. Another study also found a similar result in which there was a significant increase of TNF-α in ENL patients compared to non-ENL patients.²⁰

According to one theory, the low level of TNF in MB leprosy is due to the polymorphism of TLR2. This study showed that TLR2/1, which is a TLR2 heterodimer, was expressed in MB leprosy with ENL patients. We also found that the inability

to express TLR2/1 in MB leprosy seems to be more caused by the immunity unresponsiveness (both innate and acquired immunity) in leprosy patients. This unresponsiveness condition is not caused by immunocompromised conditions, but rather due to the activity of *M. leprae* and the inappropriate modulation response of the host body. This condition can be seen in the ability of *M. leprae* to reproduce in macrophages chronically. Macrophages can phagocytose *M. leprae*, but due to the lack of lysosomal enzymes, only partial bacterial lysis occurs. Furthermore, due to its abundant phospholipids on its cell wall, *M. leprae* will cause metabolic disorders in the absence of an immunologic response.¹

The inability to activate immunological response is demonstrated by the inability of dermis macrophages (NAPC) to express TNF- α , an important anti-inflammatory cytokine in the onset of complicated ENL clinical symptoms. The expression of TNF- α in leprosy patients with ENL found in this study suggests an important role of TNF- α in the onset of complicated ENL symptoms. TNF was not produced in MB leprosy without reaction but produced in MB patients with reaction. It is deduced that since the fragile *M. leprae* fragments in chronic conditions of macrophages will be recognized by new macrophages (NAPCs) as ligands for natural immune responses played by TLR2/1.

The results of the study also showed ENL patients who did not express TNF- α (i.e., sample number 3). This results is possible because acute inflammation can be caused by non-TNF-α cytokines, such as IL-1 or IL-12.²² On the contrary, there are three samples of MB patients without ENL which showed TNF-α expression on their macrophages. This may be due to the three subjects have received the 10th, 6th and RFT MDTs. Each sample expressed TNF-α in a small amount of four, two, and five macrophages, respectively. The excessive expression of TNF-a in its macrophages indicates a function that leads to improvement in leprosy patients, as it can further enhance the expression of co-stimulators that increase the efficiency of acquired immunity against M. leprae infection. 11

CONCLUSION

The overall results of this research showed the activation of innate immunity in MB leprosy patients with ENL. Thus, it is necessary to revise the management approach of ENL which has been consistent with its adaptive and active immunity. In the Ministry of Health manual on the management of patients with severe ENL, the utilization consists of oral corticosteroid preparations (prednisone) in

large doses (40 mg/day), then gradually lowered for 12 weeks that it requires a reexamination to determine the period and dosage of the prednisone. A further prospective study is needed through careful observation of MB leprosy patients with and without ENL reaction using the variables similar to this study.

CONFLICT OF INTERESTS

The authors declare that there is no conflict of interest.

ETHICAL CLEARANCE

This study protocol has been approved by the Ethics Committee of Medical Research, Dr. Soetomo General Hospital Surabaya with Ethic Certificate No. 25/Panke.KKE/15/I/2010.

REFERENCES

- Abulafia J, Vignale RA. Leprosy: pathogenesis updated. International journal of dermatology. 1999;38(5):321-34.
- Rea TH MR. Leprosy. Freedberg IM EA, Wolff K, Austeen KF, Goldsmith IA, Katz SI, editor2003.
- Manandhar R, LeMaster JW, Roche PW. Risk factors for erythema nodosum leprosum. Int J Lepr Other Mycobact Dis. 1999;67(3):270-8.
- 4. Scollard DM, Adams LB, Gillis TP, Krahenbuhl JL, Truman RW, Williams DL. The continuing challenges of leprosy. *Clinical microbiology reviews*. 2006;19(2):338-81.
- Abbas AK LA, Pilai S. Cellular and Molecular Immunology (6th Edition). Beijing: Sounders Elsevier; 2007.
- Barnes PF, Chatterjee D, Brennan PJ, Rea TH, Modlin RL. Tumor necrosis factor production in patients with leprosy. *Infection and immunity*. 1992;60(4):1441-6.
- Kaur I, Agnihotri N, Mehta M, Dogra S, Ganguly NK. Tumor necrosis factor (TNF) production in leprosy patients. Int J Lepr Other Mycobact Dis. 2001;69(3):249-50.
- Kang TJ, Lee SB, Chae GT. A polymorphism in the tolllike receptor 2 is associated with IL-12 production from monocyte in lepromatous leprosy. *Cytokine*. 2002;20(2):56-62.
- Bochud PY, Hawn TR, Aderem A. Cutting edge: a Tolllike receptor 2 polymorphism that is associated with lepromatous leprosy is unable to mediate mycobacterial signaling. *Journal of immunology*. 2003;170(7):3451-4.

- Sehgal IN BS, Chattopadhaya, Saha K. Tumor Necrosis Factor: Status in reaction in leprosy before and after treatment. *Int J Dermatol.* 1993;32:436-9.
- 11. Murphy K TP, Walpart M. *Janeway's Immunobiology (7th ed)*. New York: Garland Science; 2008.
- Krutzik SR, Ochoa MT, Sieling PA, Uematsu S, Ng YW, Legaspi A, et al. Activation and regulation of Toll-like receptors 2 and 1 in human leprosy. *Nature medicine*. 2003;9(5):525-32.
- Tripathi P AA. NF-&B Transcription Factor: A Key Player in The Generation of Immune Response. *Current Science*. 2006;90(4):519-31.
- Hagge DA, Ray NA, Krahenbuhl JL, Adams LB. An in vitro model for the lepromatous leprosy granuloma: fate of Mycobacterium leprae from target macrophages after interaction with normal and activated effector macrophages. *Journal of immunology*. 2004;172(12):7771-9
- Madhzitov R JCJ. Innate Immunity. The New England Journal of Medicine. 2000.
- Jopling WH. Leprosy reaction (reactional states). India: CBS Publisher & distributors; 1996.
- Caamano J, Hunter CA. NF-kappaB family of transcription factors: central regulators of innate and adaptive immune functions. *Clinical microbiology reviews*. 2002;15(3):414-29.
- Reber L, Vermeulen L, Haegeman G, Frossard N. Ser276 phosphorylation of NF-kB p65 by MSK1 controls SCF expression in inflammation. *PloS one*. 2009;4(2):e4393.
- van den Berg R, Haenen GR, van den Berg H, Bast A. Transcription factor NF-κB as Potential Biomarker for Oxidative Stress. *British Journal of Nutrition*. 2001;86(Suppl 1): S121 – S7.
- Darmaputra IGN, Herwanto N, Rusyati LM, Riawan W, Endaryanto A, Prakoeswa CRS. Distribution of iNOS expressions and TNF neutrophil cells as well as PGE2 and S100 Schwann cell dermal nerves in the erythema nodosum leprosum patients. *Bali Medical Journal*. 2018; 7(1): 262-266. DOI:10.15562/bmj.v7i1.879
- Santos DO CH, Buorguignon SC, Bastos OM, Rodrigues CR, van Heuverswyn H, Nery JA, Miranda A. Expression of B7-1 Costimulatory Molecules in Patient with Multibacillary Leprosy and Reactional States. Clinical and experimental dermatology. 2006;32:75-80.
- Abbas AK LA. Basic Immunology (3rd ed). Beijing: Sounders Elsevier; 2011.



This work is licensed under a Creative Commons Attribution