Psidium guajava leaves compound as anti-inflammation: systematic review

by Abu Bakar

Submission date: 14-Oct-2022 03:18PM (UTC+0800)

Submission ID: 1925077146

File name: ajava_Leaves_Compound_As_Anti_Inflammation_Systematic_Review.pdf (432.08K)

Word count: 1364 Character count: 8614



DOI 10.24815/jn.v19i3.13829 Received: June, 2019, Accepted: October, 2019 Published October 2019 pISSN 1411-8513 eISSN 2541-4062

PSIDIUM GUAJAVA LEAVES COMPOUND AS ANTI-INFLAMMATION: SYSTEMATIC REVIEW

Angela Librianty Thome^{1*}, I Ketut Sudiana² and Abu Bakar³

¹FKP Universitas Airlangga - Surabaya

Abstract. Psidium guajava leaves are plants that have been widely used to treat health problems, such as inflammation. Guava leaves are one of parts used in this plant. People use guava leaves because it can be reached and has minimal side effects. The aim of this study was to identify the content available in guava leaves and their bioactivity as anti-inflammatory. The design of this study uses systematic reviews. Article is taken from electronic databases such as Scopus, Pubmed, ProQuest, and Science Direct. Articles are taken from 2013 to 2019 with the keywords "phytochemical" OR "chemical" OR "compounds" AND "psidium guajava leaves" AND "anti-inflammation". The review results of 3 articles explained that guava leaves contain ingredients that can be useful as anti-inflammatory. Guava leaves provide a great effect or benefit to inflammation.

Keywords: Phytochemical, psidium guajava leaves, anti-inflammation

I INTRODUCTION

Psidium guajava is a member of the Myrtacea family and is known for its antioxidant, antiantimicrobial, allergic, antigen antiplasmodial, cytotoxic, antispasmodic, cardioactive, antispasmolytic, and diabeabetic, anti-inflammatory, and antinociceptive [1]. The use of guava leaf decoction has been around for a long time and guava leaves are used as traditional medicine to treat varipus human diseases such as wounds, ulcers, bronchitis, eye wounds, intestinal diseases, diarrhea, and cholera [2][3]. Even by chewing guava leaves has become a way in a therapeutic application. Globally, almost 80% depend on herbal treatments because herbal treatments are considered to have low side effects [4]. Many people are interested in the reatment of guava leaves. Guava leaves are believed to have an active component that can help treat various diseases [5].

Plants are related to their bioactivities which can inhibit diseases and increase life expectancy [6]. Many articles evaluate the benefits of guava plant activity, by several study [7]. Some research results provide an explanation of traditional plants that can fight infection and have made it possible to indicate an alternative medicine [2]. This systematic review was carried

out to evaluate the content in guava leaves used as anti-inflammation.

II METHODOLOGY

This study uses a systematic review design. The method used begins with determining topics and keywords. The keywords used are "phytochemical" OR "chemical" OR "compounds" AND "psidium guajava leaves" AND "anti-inflammation". Article traced using English. Article search began from 2013 to 2019 through the Scopus, Pubmed, ProQuest, and Science Direct databases. Selection of terms beginning with the letters "P" or "L" is included. Selected articles use the PRISMA model that has been adapted. The choice of literature is determined by the inclusion criteria as follows: 1) articles that match keywords; 2) articles published in English; 3) articles published from 2013 to 2019; 4) articles focusing on analysing the content of guava leaves; 5) articles that include anti-inflammatory bioactivity in guava leaves. Duplicate articles (the same article in 2 or more databases) will be filtered. Three articles from 51042 artcles were found in accordance with the inclusion criteria (1 article from Scopus and 2 articles from Science Direct).

²FK Universitas Airlangga - Surabaya

³FKP Universitas Airlangga - Surabaya

^{*}Corresponding Author E-mail: angela.librianty.thome-2017@fkp.unair.ac.id




Figure 1 The selection process of the articles includes in the review used PRISMA flow diagram

III RESULT AND DISCUSSION

The review results of 4 articles showed that guava leaves have a bioactive content that acts to treat diseases. Anti-inflammatory is one of the bioactivity found in guava leaves.

Table Phytochemical analysis and bioactivity of Psidium guajava leaves

| Autho | r Phytochemical analysis | Bioactivity |
|---------|--|--|
| Joachii | nTannins, Flavonoids (myricetin, quercetin luteolin, kaemprefol) | , inflammatory, |
| Tello | Tannin, Flavonoids (myricetin, quercetin luteolin, kaempferol) caryophyllene, nerolidol, β-bisabolene, aromadendrene, 7 terpenoids (oleanic acid, ursolic acid, catecholic acid, | Anti- , inflammatory, , anti- hepatoprotector, anti- hyperglycemia, analgesic, anti- |

guyavolic acid, disease. maslinic acid, ellagic acid), β-sitosterol. α-Pinene, β-pinene, Anti-amoba, antiin flammatory, limonene, menthol, terpinyl acetate, anti-spasmodic antipyretic, blood isopropyl alcohol, cleanser, sore longicyclene, throat, anticaryophyllene, βin fection. bisabolene, caryophyllene oxide, convulsions diabetes mellitus, B-copanene, farnesene, humulene, and anti-bacterial. selinene, cardinene, and curcumene, nerolidol, 4 sitosterol, 3-L-4-4arabinofuranoside (avicularin) dan 3-L-4-vranoside, tannins. eugenol, caryophyllene, guajavolide and guavenoic acid, terpernes, such as oleanolic acid, triterpenoids, flavonone-2, 2'-ene, prenol, dihydrobenzophenanthridine, and cryptonine.

Phenolic compounds in guava leaf extract vary depending on the drying of the leaves, what extraction techniques are carried out and saf maturity [8]. Guava leaves contain α-Pinene, β-pinene, limonene, menthol, terpinyl acetate, isopropyl alcohol, longicyclene, caryophyllene, β-bisabolene, caryophyllene oxide, β-copanene, farnesene, humulene, selinene, cardinene, and curamene, 3-_L-4-4nerolidol, β-sitosterol, arabinofuranoside (avicularin) dan 3-L-4yranoside, tannins, eugenol, caryophyllene, guajavolide 6 d guavenoic acid, triterpernes, such as oleanolic acid, triterpenoids, flavonone-2, 2'-ene, prenol, dihydrobenzophenanthridine, and cryptonine. This study also explains that guava leaves also contain ingredients that act as antiamoba, antiinflammatory, antispasmodic, antipyretic, blood cleanser, sore throat, anti-infection, convulsions, diabetes mellitus, and antibacterial. Psidium gajava leaves have essential oils that are rich in cineol, tannins, triterpenes, flavonoids, resisn, eugenol, malic acid, fat, cellulose, chlorophyll, mineral salts, and other components [1].

A plant that has antioxidant activity is known to have phenolic acids and flavonoids. Guava

leaves are 2 sed as herbal medicines to treat diasease such as inflammation, diabetes, hypertension, caries, wounds, pain relief, fever, and other complaints [9]. In the pharmacological experiments carried out by previous studies, the biological content of guava leaves is very beneficial in health interest. The most important metabolites are phenolic, flavonoids, carotenoids, and triterpenoids [1].

CONCLUSION

In general, *psidium guajava* leaves have compounds such as tannins, flavonoids, phenols and others that have active ingredients in anti-inflammatory and other diseases. Flavonoids play a big role as a inflammatory therapy.

REFERENCE

- Gill K S 2016 Guavas Encyclopedia of Food and Health.
- Dzotam J K and Kuete V 2017 Antibacterial and Antibiotic-Modifying Activity of Methanol Extracts from Six Cameroonian Food Plants against Multidrug-Resistant Enteric Bacteria Biomed Research International. 2017 1583510.
- Begum S, Hassan S I, Ali S N and Siddiqui B S 2014 Chemical Constituents from the Leaves of Psidium Guajava Natural Product Research. 18(02), April 2014 ISSN 1478-6419.
- Anbuselvi V and Rebecca J 2017
 Phytochemical Biochemical and Antimicrobial Activty of Psidium Guajava Leaf Extract Journal of Pharmaceutical Sciences and Research 9(12, ISSN 0975.

- Biswas B, Rogers K, McLaughin F, Daniels D and Yadav A 2013 Antimicrobial Activities of Leaf Extracts of Guava (Psidium Guajava L.) on Two Gram-Negative and Gram-Positive Bacteria International Journal of Microbiology. 2013 746165.
- 6. Ashraf A, Sarfraz A R, Rashid A M, Mahmood A, Shahid M and Noor N 2016 Chemical composition, antioxidant, antitumor, anticancer and cytotoxic effects of Psidium guajava leaf extracts Pharmaceutical Biology. 0209 (February), ISSN 1388-0209.
- Shekar B R C, Nagarajappa R, Singh R and Thaku R 2014 Antimicrobial Efficacy of the Combinations of Acacia nilotica, Murraya Koenigii L. Sprengel, Eucalyptus hybrid and Psidium guajava on Primary Plaque Colonizers Journal of Basic and Clinical Pharmacy. 5(4), September-November 2014.
- Camarena-Tello J C, Martinez-Flores H
 E, Garnica-Romo Ma. G, PadillaRamirez J S, Saavedra-Molina A,
 Alvarez-Cortez O, Bartolome-Camaho M
 C and Rodiles-Lopez J O 2018
 Quantification of Phenolic Compounds
 and In Vitro Radical Scavenging
 Abilities with Leaf Extracts from Two
 Varieties of Psidium Guajava L.
 Antioxidants. 2018, 7,
- Zahin M, Ahmad I and Aqil F 2016
 Antioxidant and antimutagenic potential
 of Psidium guajava leaf extracts Drug
 and Chemical Toxicology. June 2016
 ISSN 0148-0545.

Psidium guajava leaves compound as anti-inflammation: systematic review

| | ITY REPORT | VICVV | | | |
|-----------|---------------------------|---|------------------|-----------------|-------|
| SIMILAR | % RITY INDEX | 15% INTERNET SOURCES | 15% PUBLICATIONS | % STUDENT PA | APERS |
| PRIMARY : | SOURCES | | | | |
| 1 | WWW.Se | manticscholar.o | org | | 4% |
| 2 | Antioxid | n Zahin, Iqbal Ah dant and antimu racts ", Drug and | tagenic poten | tial of | 2% |
| 3 | WWW.NC | bi.nlm.nih.gov | | | 2% |
| 4 | issuu.co | | | | 2% |
| 5 | fr.scribo | | | | 2% |
| 6 | jddtonli Internet Sour | | | | 2% |
| 7 | www.hi | ndawi.com | | | 1% |
| | \^\^\\ iii | rnal.unsviah.ac.i | d | | |

8 www.jurnal.unsyiah.ac.id

9/

Exclude quotes Off
Exclude bibliography On

Exclude matches

< 10 words