	E ST
FAKULTAS KEDO Anima	KOMISI ETIK PENELITIAN OKTERAN HEWAN UNIVERSITAS AIRLANGGA al Care and Use Committee (ACUC)
KE	TERANGAN KELAIKAN ETIK
	" ETHICAL CLEARENCE"
	No : 2.KE.058.04.2019
TELAH MEMPELAJAR	NELITIAN (ANIMAL CARE AND USE COMMITTEE) RAN HEWAN UNIVERSITAS AIRLANGGA SURABAYA, I SECARA SEKSAMA RANCANGAN PENELITIAN YANG MAKA DENGAN INI MENYATAKAN BAHWA :
PENELITIAN BERJUDUL	: Mekanisme Kerusakan Mikrotubulus Melalui Perubahan Protein Jalur Mitogen Activated Proteinkinase (MAPK) dan Maturation Promoting Factor (MPF) pada Maturasi Oosit in Vitro Pasca Vitrifikasi
PENELITI UTAMA	: A A Muhammad Nur Kasman
UNIT/LEMBAGA/TEMPAT PENELITIAN	: Program Studi Ilmu Kedokteran Jenjang Doktor Fakultas Kedokteran Universitas Airlangga
DINYATAKAN	: LAIK ETIK
Proz pr. Podjušnanto, M.K. NJP 1956010519860110	es.,Drh. Dr. Nusdianto Triakoso, M.P.,Drh. NIP. 196805051997021001


E-ISSN: 1309-100X

Journal of

International

Dental and Medical

Research



2021 - Vol. 14 - No. 1 http://www.jidmr.com

Editorial Board of JIDMR

Prof. Dr. Izzet YAVUZ Editor-in-Chief and General Director Prof. Dr. Ozkan ADIGUZEL Associate Editor

Advisory Board

Prof. Dr. Refik ULKU Associate Editor for Medicine Prof. Dr. Zulkuf AKDAG Associate Editor for Biomedical Research

Gajanan Kiran KULKARNI (CANADA) Betul KARGUL (TURKEY) Diah Ayu MAHARANI (INDONESIA) Francisco Cammarata-Scalisi (Venezuela) Myroslav Goncharuk-Khomyn (UKRAINE) Ferranti WONG (UK) Zeki AKKUS (TURKEY) Michele CALLEA (ROME, ITALY) Zelal ULKU (TURKEY) Moschos A. PAPADOPOULOS (GREECE)

Editorial Board Guvenc BASARAN (TURKEY)

Abdel Fattah BADAWI (EGYPT) Abdurrahman ONEN (TURKEY) Ahmet YALINKAYA (TURKEY) Ahmet DAG (TURKEY) Ali Al-ZAAG (IRAQ) Ali BUMIN (TURKEY) Ali FADEL (EGYPT) Ali GUR (TURKEY) Ali Kemal KADIROGLU (TURKEY) Ali Riza ALPOZ (TURKEY) Ali Riza Tunçdemir (TURKEY) Allah Bakhsh HAAFIZ (USA) Alpaslan TUZCU (TURKEY) Alpen ORTUG (TÜRKEY) Armelia Sari WIDYARMAN (INDONESIA) Ashish AGGARWAL (INDIA) Ayse GUNAY (TURKEY) Aziz YASAN (TURKEY) Balasubramanian MADHAN (INDIA) Benik HARUTUNYAN (ARMENIA) Betul KARGUL (TURKEY) Betul URREHMAN (UAE) Bugra OZEN (TURKEY) Carlos Menezes AGUIAR (BRAZIL) Cemil SERT (TURKEY) Chiramana SANDEEP (INDIA) Christine Bettina STAUDT (SWITZERLAND) Cihan AKGUL (TURKEY) Claudia DELLAVIA (ITALY) Diah Ayu MAHARANI (INDONESIA) Dinesh Rokaya (NEPAL) Edoardo BAUNER (ROMA) Emmanuel Joao N. Leal da SILVA (BRAZIL) Emin Caner TUMEN (TURKEY) Emrullah BAHSI (TURKEY) Ertunc Dayı (TURKEY) Fadel M. ALI (EGYPT) Fahinur ERTÜGRÜL (TÜRKEY) Feral OZTURK (TURKEY) Feridun BASAK (TURKEY) Ferranti WONG (UNITED KINGDOM) Feyzi Çelik (TURKEY) Feyzullah Uçmak (TURKEY) Figen SEYMEN (TURKEY) Filippo BATTELLI (ITALY) Filiz Acun KAYA (TURKEY) Flavio Domingues Das NEVES (BRAZIL) Folakemi OREDUGBA (NIGERIA) Francesca De Angelis (ITALY) Gajanan Kiran KULKARNI (CANADA) Gamze AREN (TURKEY) Gauri LELE (INDIA) Gonul OLMEZ (TURKEY) Gulsen YILMAZ (TURKEY) Gulten UNLU (TURKEY)

Guven ERBIL (TURKEY) Halimah AWANG (MALAYSIA) Halit AKBAS (TURKEY) Heloisa Fonseca MARAO (BRAZIL) Hilal TURKER (TURKEY) Huseyin ASLAN (TURKEY) Igor BELYAEV (SWEDEN) Ilhan INCI (ZURICH) Ilker ETIKAN (TURKEY) Isil TEKMEN (TURKEY) Isin ULUKAPI (TURKEY) Jalen DEVECIOGLU KAMA (TURKEY) Kemal CIGDEM (TURKEY) Kemal NAS (TURKEY) Kewal KRISHAN (INDIA) King Nigel MARTYN(HONG KONG, CHINA) Kursat ER (TURKEY) Levent ERDINC (TURKEY) Luca TESTARELLI (ROME) Lucianne Cople MAIA (BRAZIL) Luciane Rezende COSTA (BRAZIL) Marri Sai ARCHANA (INDIA) Manoj KUMAR (INDIÀ) Marcelo Rodrigues AZENHA (BRAZIL) Marcia Cancado FIGUEIREDO (BRAZIL) Marco MONTANARI (ITALY) Margaret TZAPHLIDOU (GREECE) Maria Elisa Oliveira dos SANTOS (BRAZIL) Medi GANIBEGOVIC (BOSNIA and HERZEGOVINA) Mehmet DOGRU (TURKEY) Mehmet Emin ERDAL (TURKEY) Mehmet Sinan DOGAN (TURKEY) Mehmet Ünal (TURKEY) Mehmet Zulkuf AKDAG (TURKEY) Meral ERDINC (TURKEY) Michele CALLEA (ITALY) Mohamed TREBAK (USA) Mohammad Khursheed Alam (KSA) Mohammed Mustahsen URREHMAN (UAE) Moschos A. PAPADOPOULOS (GREECE) Mostaphazadeh AMROLLAH (IRAN) M.S. Rami REDDY (INDIA) Muhammad FAHIM (INDIA Mukadder ATMACA (TURKEY) Murat AKKUS (TURKEY) Murat SOKER (TURKEY) Mustafa KELLE (TURKEY) Mustafa ZORTUK (TURKEY) Muzeyyen YILDIRIM (TURKEY) Neval Berrin ARSERIM (TURKEY)

Lindawati S KUSDHANY (INDONESIA) Yasemin YAVUZ (TURKEY) Yuliya MAKEDONOVA (RUSSIA) Nik Noriah Nik HUSSEIN (MALAYSIA)

Nezahat AKPOLAT (TURKEY) Nihal HAMAMCI (TURKEY) Nik Noriah Nik HÜSSEIN (MALAYSIA) Nicola Pranno (ROME) Nurten AKDENIZ (TURKEY) Nurten ERDAL (TURKEY) Orhan TACAR (TURKEY) Ozant ONCAG (TURKEY) Ozgur UZUN (TURKEY) Ozkan ADIGUZEL (TURKEY) Rafat Ali SIDDIQUI (PAKISTÁN) Refik ULKU (TURKEY Sabiha Zelal ULKU (TÚRKEY) Sabri BATUN (TURKEY) Sadullah KAYA (TURKEY) Saul Martins PAIVA (BRAZIL) Sedat AKDENIZ (TURKEY) Sebar GUNDUZ ARSLAN (TURKEY) Selahattin ATMACA (TURKEY) Selahattin TEKES (TURKEY) Serdar ERDINE (TURKEY) Serdar ONAT (TURKEY) Sergio Adriane Bezerra DE MOURA (BRAZIL) Serhan AKMAN (TURKEY) Sertac PEKER (TURKEY) Seyed Amir Danesh Sani (USA) Seyit Burhanedtin ZİNCİRCİOĞLU (TURKEY) Shailesh LELE (INDIA) Sinerik N. AYRAPETYAN (ARMENIA) Smaragda KAVADIA (GREECE) Sossani SIDIROPOULOU (GREECE) Stefano Di CARLO (ROME) Sunit Kr. JUREL (INDIA) Stephen D. SMITH (USA) Susumu TEREKAWA (JÁPAN) Suha TURKASLAN (TURKEY) Suleyman DASDAG (TURKEY) Taskin GURBUZ (TURKEY) Ufuk ALUCLU (TURKEY) Ugur KEKLIKCI (TURKEY) Xiong-Li YANG (CHINA) Vatan KAVAK (TURKEY) Yasar YILDIRIM (TURKEY) Yasemin YAVUZ (TURKEY) Yavuz SANISOGLU (TURKEY) Yu LEI (USA) Yuri LIMANSKI (UKRAINE) Zafer C. CEHRELI (TURKEY) Zeki AKKUS (TURKEY) Zeynep AYTEPE (TURKEY) Zuhal KIRZIOGLU (TURKEY Zurab KOMETIANI (GEORGIA)



TABLE OF CONTENTS / 2021; 14 (1)

DENTISTRY

- Efficiency of the Algorithm of Examination, Treatment and Rehabilitation of Dental Patients with Comorbid Pathology
 Viktoriya N. Naumova, Yuliya A. Makedonova, Dmitriy V. Mikhalchenko, Tatyana V. Kolesova, Olga Yu. Afanaseva, Elena E. Maslak, Hosyain Yu. Salyamov
 Pages 1-4
 EXPERIMENTAL ARTICLE
- Effects of an Obesogenic Diet on Craniofacial Morphology in Rats
 Daniela Botero-González, María Carolina Pustovrh, Mario Ortiz, Adriana María Herrera-Rubio
 Pages 5-11
- Chewing gum with added chitosan reduces the number of cariogenic bacteria colonies in human saliva Magdalena Nowosielska, Joanna Baginska, Anna Kierklo

Pages 12-16

Pro(

scopus

UEST INDEX COPERNICUS

JOURNALS MASTER LIS

EXPERIMENTAL ARTICLE

EXPERIMENTAL ARTICLE

EXPERIMENTAL ARTICLE

4. Morphological Resolution of Periodontal Mechanoreceptors in Mouse Maxillary Incisors Following Appliance-induced Crossbite Thosapol Piyapattamin, Visaka Limwongse Pages 17-23

EXPERIMENTAL ARTICLE

5. Prosthetic Treatment Optimization with the use of All-Ceramic Constructions under Synchroelectromyography Method Supervision Ihor Palyvoda, Roman Osnach, Serhii Terekhov, Andrii Proshchenko, Sergiy Chertov Pages 24-32

EXPERIMENTAL ARTICLE

6. Comparative evaluation of compressive strength and color stability of zirconomer and ceram-x against various children's health drinks: An in vitro study Vanishree Halasagundhi Shivakumar, Anand Siddappa Tegginamani, Chong Yiing Yee, Nur Alia binti Asri, Aswini Freda, Kwang Pei Yi, Khairiyah Binti Abd Muttalib, Ahmad Termizi Bin Zamzuri Pages 33-38

EXPERIMENTAL ARTICLE

7. The Effect of a Dual Cure Activator Composed of Aromatic Sulfinate Amide Derivatives on the Microhardness of Self-adhesive Resin Cements without Light Activation Warissara Leeprakobboon, Tool Sriamporn, Awiruth Klaisiri, Niyom Thamrongananskul Pages 39-45

EXPERIMENTAL ARTICLE

TÜRKİYE ATIF DİZİNİ

- An In Vitro Comparison and Analysis of Different Restorative Materials and Techniques Used for Fragment Reattachment of Fractured Anterior Teeth Taha Ayesha, Yasemin Yavuz, Shakil Moidin Pages 46-53
- 9. The Effectiveness of Propolis Extract against Extracellular Polymeric Substance (EPS) Biofilm Enterococcus Faecalis Bacteria Latief Mooduto, Dhea Adittya, Ari Subiyanto, Anuj Bhardwaj, Zoraya Arwidhyan, Setyabudi Goenharto, Dian Agustin Wahjuningrum Pages 54-59



Türkiye Klinikleri 🗇 Academic Keys



TABLE OF CONTENTS / 2021; 14 (1)

EXPERIMENTAL ARTICLE

10. Cone-Beam Computed Tomographic Analysis of Shaping Ability of XP Shaper, TRUshape, and Hyflex EDM

Abanoub Raouf, Magdy Ali, Sherief ElZahar, Reham Hassan Pages 60-66

EXPERIMENTAL ARTICLE

EXPERIMENTAL ARTICLE

- 11. Can the Static Magnetic Field Improve Orthodontic Adhesive Polymerization? Sarmad S. Salih Al Qassar, Amer A. Taqa, Hassan K. Mohiaalden Pages 67-73
- 12. Expression of TNF- and MMP-13 Following Subcutaneous Implantation of Demineralized Freeze Dried Bovine Cortical Bone Membrane in Rat's Dorsum Indra Mulyawan, Andra Rizqiawan, Pratiwi Soesilowati, David Buntoro Kamadjaja Pages 74-78

EXPERIMENTAL ARTICLE

13. Effect of Internal Hex Height and Collar Height on Marginal Fit of Implant Abutment Connection after Dynamic Cyclic Loading: (In Vitro Study) Mennat-Elrahman Elsayed, Eman Shakal, Tamer Mostafa Pages 79-86

EXPERIMENTAL ARTICLE

14. Defects Appearing to the Unaided Eye vs. Magnification in a Pediatric Rotary NiTi File Namitha Pottammal, Ashwin Rao, Srikant Natarajan, Karuna Yarmunja Mahabala, Anupama Nayak, Shweta Rao Pages 87-92

EXPERIMENTAL ARTICLE

15. Effect of Calcium Hydroxide as a Temporary Filling for Post Space on Apical Leakage of Epoxy Resin-Based Sealer

Panuroot Aguilar, Tunyatorn Ratanawatanasin, Lunyara Detchdanun, Wipada Peerawong, Panupat Phumpatrakom Pages 93-98

EXPERIMENTAL ARTICLE

16. A Comparison of Tooth Shade Selection between use of Visual Approach, Digital Cameras and Smartphone Cameras

Nasruddin Mf, Nik Zulkifeli Nr, Syed Bakhtiar Ariffin Sba, Muhamad Subra Mn, Ismail Mf, Yassin Ma Pages 99-104

EXPERIMENTAL ARTICLE

17. Increase of Fluoride Concentration on Mice Blood Plasma and Teeth after Consuming Bottled Water Fluoridation Fatmasari D, Budihardjo T, Shobirun, Macdonalds KF

Pages 105-108

copus

UEST INDEX COPERNICUS

JOURNALS MASTER LI

EXPERIMENTAL ARTICLE

18. Evaluation of Colour Stability of Selected Adhesive Systems with Different Staining Solutions Hazlina Abdul Ghani, Nur Alaa' Nasuha Abd Aziz, Nur Aisyah Roslan, Amar M. Thiyab, Mohammed Gh. Abd Ali Al-Naser Pages 109-118

EXPERIMENTAL ARTICLE

ÜRKİYE ATIF DİZİNİ

19. Application of Mangosteen Peel Extract (Garcinia Mangostana Linn.) to TGF-1, PDGF-B, FGF-2 and VEGF-A Expression on Human Gingival Fibroblast Cell Culture (In Vitro Study) Andra Rizqiawan, Obed Aprilia, Retta Gabriella Pakpahan, Essy Rodherika, Ayu Setyowati, Tobiumei Kei Pages 119-124

J Int Dent Med Res

Türkiye Klinikleri 🕞 Academic Keys



TABLE OF CONTENTS / 2021; 14 (1)

20. Effect of Surface Treatments on Shear Bond Strength of Resin Cement to Hybrid Ceramic Materials Praiya Sresthadatta, Tool Sriamporn, Awiruth Klaisiri, Niyom Thamrongananskul Pages 125-135

EXPERIMENTAL ARTICLE

EXPERIMENTAL ARTICLE

21. Ultrastructural Comparison between Wet and Dry Bonding Techniques of Two Different Solvent-Based Adhesives

Mohd Haidil Akmal Mahdan, Asyura Talibe, Ain Syafa Shaida Shamsuddin, Mohd Maizam Maideen Pages 136-140

- 22. Vascular Endothelial Growth Factor and Bone Morphogenetic Protein Expression after Induced by Gurami Fish Scale Collagen in Bone Regeneration Lambang Bargowo, I Komang Evan Wijaksana, Farizan Zata Hadyan, Wibi Riawan, Shafira Kurnia Supandi, Chiquita Prahasanti
 - . Pages 141-144

Pro(

copus

Uest index (copernicus

JOURNALS MASTER LIS

JIDMR

EXPERIMENTAL ARTICLE

23. Dose-dependent Vitamin C Supplementation Enhances Orthodontic Tooth Movement in Wistar Rats Kittisak Tankura, Warayut Chotprakaikiat, Thanit Prasitsak Pages 145-150

EXPERIMENTAL ARTICLE

24. Characteristics of Dental Health, Salivary Viscosity, pH and Flow Rate, Gum Hyperpigmentation, Malocclusion, Blood Pressure and Pulse Related to Body Mass Index of Vapers Winny Yohana, Rosiliwati Wihardja, Izzati Adlina, Annisa Rahmaputri, Puja Dies Farikhah Pages 151-155

EXPERIMENTAL ARTICLE

25. Role of Tumor-Associated Macrophages on Cathepsin-B, Cathepsin-D, MMP-2, and MMP-9 in HSC-3 Oral Cancer Cells Kamolparn Pugdee, Wattawan Wongpattaraworakul, Ekarat Hitakomate Pages 156-162

EXPERIMENTAL ARTICLE

26. Phytochemical Compounds and Potential anti-Osteoclastogenesis Effect of Extracted Aloe vera Sularsih, Sarianoferni, Widyasri Prananingrum, Siswandono Pages 163-168

EXPERIMENTAL ARTICLE

27. The Use of Silane Coupling Agents on Lithium Disilicate Glass Ceramic Repaired with Resin Composite Awiruth Klaisiri, Nantawan Krajangta, Tool Sriamporn, Panupat Phumpatrakom, Niyom Thamrongananskul Pages 169-172

EXPERIMENTAL ARTICLE

28. Effects of Epoxy Resin and Calcium Silicate-Based Root Canal Sealer on Fiber Post Adhesion Swesty Mahardhini, Ratna Meidyawati, Dewa Ayu Nyoman Putri Artiningsih, Milati Amalia Pages 173-179

J Int Dent Med Res

Türkiye Klinikleri 🗇 Academic Keys

EXPERIMENTAL ARTICLE

29. Effect of Capsaicin on Proliferation and Wound Healing of Dental Pulp Cells In Vitro Chonniphat Charoenwongsawad, Pornpoj Fuangtharnthip, Tasanee Tengrungsun, Theeralaksna Suddhasthira, Yukihiko Tamura Pages 180-186

EXPERIMENTAL ARTICLE

ÜRKİYE ATIF DİZİNİ

TABLE OF CONTENTS / 2021; 14 (1)

JIDMR

Scopus

EBSCO

30.	Shear Bond Strength of Different Functional Monomer in Universal Adhes Composite/Base Metal Alloys Interface Awiruth Klaisiri, Nantawan Krajangta, Chaimongkon Peampring, Tool Sriamporn, Niyor Andreas Neff, Poramate Pitak-Arnnop Pages 187-191	m Thamronganansk	cul,
31.	Mental Health of Dentists during the COVID-19 Pandemic: A Critical Literature Rev Isla Camilla Carvalho Laureano, Lunna Farias, Myroslav Goncharuk-Khomyn, Alessandro Leite Cavalcanti, Yasemin Yavuz Pages 192-202	CLINICAL ARTICL	LE
	-	CLINICAL ARTICL	LE
32.	Children's oral health of Roma, Ashkali and Egyptian Community Valmira Maxhuni Bajgora, Agim Begzati, Lindita Maxhuni Pages 203-208		
		CLINICAL ARTICL	LE
33.	Analysis of the Prevalence of Dental Complications in Patients with Masticatory M Yuliya A. Makedonova, Alexander A. Vorobev, Anna N. Osyko, Svellana V. Stavskaya, Anastasiya G. Pavlova-Adamovich Pages 209-215		/a,
	5	CLINICAL ARTICI	LΕ
34.	Low Serum 25-hydroxyvitamin D Levels in Oral Cancer Patients		
	Irna Sufiawati, I Nyoman Gede Juwita Putra, Dewi Marhaeni Diah Herawati, Agnes Reng Pages 216-220	gga Indrati	
	Tages 210-220	CLINICAL ARTICI	LE
35.	Anxiety and Changes in Physiological Parameters During Surgical Procedur Impacted Mandibular Third Molars in Young Adults Tanya Sbirkova, Radka Massaldjieva, Deyan Neychev, Ralitsa Raycheva Pages 221-227		
	1 ages 221 227	CLINICAL ARTICI	LE
36.	Effects of Gender and Ethnicity on Mandibular Canal Location on Malaysian Popul Waleed Sigali, Mohd Fadhli Bin Khamis, Atika Ahsar, Ahmad Hadif Samsudin Pages 228-234	lation	
		CLINICAL ARTICI	LE
37.	Histopathological Findings of Oral and Maxillofacial Biopsies from a Sample of Ye Mohammed Ali Al-Wesabi, Salsbeel Mohammed Al –Matari, Khaled Ahmed Al- Jawfi Pages 235-241	emeni Patients	
		CLINICAL ARTICI	LE
38.	Stress Index Registration in Dentists Managing Local Anesthesia by ECG Data		
	Vasil'ev Yuriy, Suetenkov D.E., Velichko Ellina, Renata Meylanova, Kashtanov Artem, B Pages 242-247	аупкох туап	
39.	Awareness and Knowledge of Dental Students about Sterilization \ Disinfection	CLINICAL ARTICL of Extracted Huma	
	Teeth Raghad Hashim, Ayah Amer, Nooran A. Rahim Pages 248-252		
40.	Masseter Muscle Activity in Dolichofacial Patients with Temporomandibular Electromyographic Study Maureen Antolis, Nia Ayu Ismaniati Noerhadi, Maria Purbiati Pages 253-256	CLINICAL ARTICI Joint Disorders: A	

J Int Dent Med Res

Türkiye Klinikleri Academic Keys

TÜRKİYE **ATIF DİZİNİ**

for Dentistry

airiti Library

ProQuest index Copernicus

Start here. JOURNALS MASTER LIST




TABLE OF CONTENTS / 2021; 14 (1)

50. A Correlated Presence of Human Cytomegalovirus and Human Papillomavirus in the Odontogenic Epithelium of Radicular Cyst Mohammed Amjed Alsaegh, Sudhir Rama Varma, Alaa Muayad Altaie, Shengrong Zhu Pages 315-320

J Int Dent Med Res

Türkiye Klinikleri PAcademic Keys

TÜRKİYE ATIF DİZİNİ

Journal of International Dental and Medical Research / ISSN: 1309-100X

JIDMR

Pro(

scopus

UEST INDEX COPERNICUS

JOURNALS MASTER LIS



TABLE OF CONTENTS / 2021; 14 (1)

- 51. Awareness and Attitude of Patients towards Retaining Teeth and Their Options for Teeth Replacement Tan Kim Ceng, Normastura Abd Rahman, Nor Aidaniza Abdul Muttlib, Rabihah Alawi Pages 321-327 CASE REPORT 52. Dens Invaginatus Revisited
- Igor Noenko, Volodymyr Fedak, Oleksandr Cherepynskyy Pages 328-335
- **53.** Extraosseous Dentinogenic Ghost Cell Tumors (EDGCT): a Case Report and Review of the Literature Mohamed A Jaber, Hussain Elmasmari, Salem Abu Fanas, Sudhir Rama Varma, Essra Mohamed Elameen Pages 336-339
- 54. Titanium Mandibular Prosthesis with Condyle: A 3D Printing Reconstruction Model Narissaporn Chaiprakit, Siripatra Patchanee, Chanekrid Oupadissakoon, Kritsasith Warin, Awiruth Klaisiri Pages 340-343
- **55.** Actuality of Studying the Steroid Profile of Saliva in the Planning of Dental Implantation Zurab Khabadze, Julia Generalova, Artemy Nedashkovsky, Meri Sheroziia, Kristina Hrytsenko, Khadizhat Omarova, Mariya Balashova, Oleg Mordanov Pages 344-349
- 56. The Use of Magnification, Loops, and Light Source in Daily Endodontic Practice Jamal Aqrabawi, Abeer AL-Hadidi, Rawan Abu Zaghlan Pages 350-359
- **57.** Hypersensitivity Reactions and Dental Considerations- an Overview Ceena Denny E, Sharada Rai, Shweta Elizabeth Jacob, Manuel S. Thomas Pages 360-366
- 58. Deep Insights of COVID-19: Perception of Current Infection and Anticipation of Potential Immunity Amira Alghazaly, Rania Moussa Pages 367-375
- 59. Features of Dental Implantation in Patients with Type II Diabetes Zurab Khabadze, Meri Sheroziia, Julia Generalova, Artemy Nedashkovsky, Kristina Hrytsenko, Khadizhat Omarova, Mariya Balashova, Anastasiya Gracheva, Oleg Mordanov Pages 376-383
- 60. The Utility of Pooling Salivary MicroRNA Sample for Oral Disease Related Research: Systematic Review Sharul Nisha Ali, Fouad Hussain Al-Bayaty, Khor Goot Heah, Mohd Faizal Hafez Hidayat, Sharul Nisha Ali Pages 384-393
- 61. COVID-19: Unraveling 10 Most Significant Answers about The Current Pandemic Asmaa Tahseen Uthman, Noor Natheer Al-Rawi, Bidaa Othman, Natheer Hashim Al-Rawi Pages 394-403

Jest index (copernicus

TOURNALS

copus

— J Int Dent Med Res —



CASE REPORT

CASE REPORT

REVIEW

REVIEW

REVIEW

REVIEW

REVIEW

REVIEW

REVIEW



TABLE OF CONTENTS / 2021; 14 (1)

MEDICINE

62. Biocompatibility Testing of Hydroxyapatite-Chitosan-Chondroitin Sulfate Composite Scaffold as Bone Graft

Dolfi Varton, Prihartini Widiyanti, Sri Puji Astuti Wahyuningsih, Aminatun Pages 404-411

EXPERIMENTAL ARTICLE

EXPERIMENTAL ARTICLE

- 63. Effects of Addition of Gonadotropin in the Media of Oocyte Maturation on the Embryo Cleavage A. A. M. N. Kasman, B. Santoso, E. M. Luqman, Widjiati Pages 412-418
- 64. Nanocurcumin Protective Effect on Gpx Scavenger Enzyme Expression and Apoptosis of Lead Acetate-Induced Rats Ovarian Granulosa Cells Anis Satus Syarifah, Sri Agus Sudjarwo , Hendy Hendarto ,Reny l'tishom, Supriyanto Pages 419-425

CLINICAL ARTICLE

CLINICAL ARTICLE

- 65. Non-Inferior Efficiency of Opiod-Free Analgesia Support Among Colorectal Cancer Patients During and After Surgical Treatment: Evidences of Open-Label Trial Tenkach O., Rusyn A., Palahonych E., Ivachevskyi M., Balazh O., Goncharuk-Komyn M. Pages 426-434
 CLINICAL ARTICLE
- 66. Measles Immunity among Fertile Age Women in Kosovo Ariana Kalaveshi, Teuta Osmani Vllasolli, Bernard Tahirbegolli, Leonora Alia Paice, Naser Ramadani Pages 435-439
- 67. Rheumatoid Factor and Its Association with Disease Severity and Functional Status of Rheumatoid Arthritis Patients Maryam Syahidah Azalan, Wan Majdiah Wan Mohamad, Wan Syamimee Wan Ghazali, Wan Zuraida Wan Ab Hamid, Norkhafizah Saddki Pages 440-445

68. Characteristic Comparison between Pregnant Women With and Without Preeclampsia Manggala Pasca Wardhana, Alfonsus Adrian Hadikusumo Harsono, Ryan Enast Intan, Satria Audi Hutama, Abyan Irzaldy, William Putera Sukmajaya, Sovia Salamah, Firas Farisi Alkaff Pages 446-452

CLINICAL ARTICLE

TÜRKİYE ATIF DİZİNİ

CASE REPORT

- 69. Clinical Effects and Prognostic Significance of Intraabdominal Pressure in Secondary Peritonitis Dafina Mahmutaj, Bedri Braha, Astrit Hamza, Jehona Krasniqi Pages 453-460
- 70. The use of Urinary Lipoarabinomannan (LAM) as a Rapid Diagnostic Test for Adult Pulmonary Tuberculosis in HIV-Positive Patients: an Evidence-based Case Report Annisa Kusumawardani, Atika Mahira Yanfaunnas, Dandy Permana Supandi, R.A. Mitsalina Inggita, Ni Gusti A.A.P Tika Andayani, Melva Louisa, Vivian Soetikno, Erlina Burhan Pages 461-466

J Int Dent Med Res



Pro(

copus



Effects of Addition of Gonadotropin in the Media of Oocyte Maturation on the Embryo Cleavage

A. A. M. N. Kasman¹, B. Santoso², E. M. Luqman³, Widjiati⁴*

1. Faculty of Health Science, Universitas Muhammadiyah Mataram. Mataram, Indonesia.

2. Department of Obstetrics and Gynecology, Faculty of Medicine, Universitas Airlangga. Surabaya, Indonesia.

3. Division of Veterinary Anatomy, Department of Veterinary Science, Universitas Airlangga. Surabaya, Indonesia.

4. Division of Veterinary Anatomy, Department of Veterinary Science, Universitas Airlangga. Surabaya, Indonesia.

Abstract

This research was performed to find the effects of addition of gonadotropin hormone in oocyte maturation in vitro on embryo cleavage. Gonadotropin hormone such as hMG 0,75 µg/ml and PMSG 15 IU were used in each oocyte maturation in vitro. Maturation media in this research was divided into 4 treatments such as Tc0, Tc+, Tc+hMG, and Tc+PMSG. Each treatment obtained 6 replicates. Oocyte maturation was carried out in each 100 µl TC 199 incubated for 24 hours. Staining of oocyte mature with aceto orcein and in vitro insemination were carried out in the middle of rosset. The research result showed that the average percentage of mature oocyte after maturation was 16.67% in the Tc0, 30% in the Tc+, 80% in the Tc+hMG, and 83.33% in the Tc+PMSG. Percentage of cleavage embryo was 5% for Tc0, 11.67% for Tc+, 43.33% for Tc+hMG, and 46.67% for Tc+PMSG. The result of correlation test on mature oocyte and cleavage was 0.932, the result of ANOVA test showed a significant difference, and the result of LSD test showed that there was difference between treatment groups of Tc0 and Tc+ compared to treatment group of Tc+hMG and Tc+PMSG, in both maturation and cleavage. This research concluded that the addition of gonadotropin obtained from hMg and PMSG into oocyte maturation media affected the increase in mature oocyte percentage and cleavage, there was no different result between the addition of hMG and PMSG on the percentage of mature oocyte and cleavage, and there was a correlation of mature oocyte on cleavage.

Experimental article (J Int Dent Med Res 2021; 14(1): 412-418)Keywords: Gonadotropin, oocyte, in vitro maturation, cleavage.Received date: 22 July 2020Accept date: 29 September 2020

Introduction

The development of in vitro fertilization technique particularly relating to optimization of the use of reproductive organ as a source to obtain eggs and sperm cell has important role in improving embryo quality, which until today it is still being studied and developed. One related to in vitro fertilization is the process of maturation of oocytes in vitro which is one of stages in fertilization events to obtain quality embryo¹.

Oocyte maturation in vitro requires a media that is able to be functioned as a place to supply nutrient and at the same time also as a place to

*Corresponding author: Widjiati Departemen of Veterinary Anatomy Faculty of Veterinary Medicine Universitas Airlangga Surabaya, Indonesia, 60115 E-mail: widjiati@fkh.unair.ac.id remove nutrient metabolite contained in the media needed for metabolism². The addition of hormone in the maturation media is needed for the development of oocytes to improve oocytes quality so that oocytes potential for fertilization and embryonic development can be improved³. Imperfect completion in the process of maturation in vitro leads to disruption in oocytes growth that certainly affects embryo development. The addition of hormone in the media of oocyte maturation in vitro is meant to improve the oocyte quality so that the fertility rate will increase when fertilization is carried out. Hormonal factors are important for proliferation and differentiation that specifically interact among molecules, therefore the hormonal addition in maturation media allows oocyte to be more able to live in their environment for the purpose of embryonic development⁴.

Hormone that is often added in the oocyte maturation media is gonadotropin hormone such

Volume · 14 · Number · 1 · 2021

as follicle stimulating hormone (FSH) and luteinizing hormone (LH) secreted by pituitary gland⁵. Follicle stimulating hormone (FSH) and luteinizing hormone (LH) are the main and primary gonadotropin hormone responsible for development⁶. oocyte The main signal transduction pathway is activated by FSH binding to membrane receptor in granulosa cell', meanwhile LH has important role in follicular maturation and ovulation induction, as well as androgen synthesis stimulation by theca cell⁸. However, other research states that the use of gonadotropin has not been able to increase maturation and potential of embryonic development, leads to disruption on embryo development. the use and of improper gonadotropin concentration leads to negative effects⁹.

Today, gonadotropin has been used to treat infertility. Gonadotropin hormone has important role during oocyte development, so it is necessary to explore the effects of addition of gonadotropin hormone in oocyte maturation in vitro on embryonic development for the development of science in the field of assisted reproductive technology. This research facilitates the readers to understand the effects of addition gonadotropin hormone in oocyte maturation media in vitro on embryonic development.

Materials and methods

hMG Making

As much as 100 ml female urine was collected in the morning and centrifuged within 1.000 x g speed for 15 minutes with 4° C. This centrifugation aims to separate the metabolite cells from the discarded precipitate. The supernatant was filtered and put into an Erlenmeyer flask by utilizing filter paper. The procedures above were repeated until as much as 50 ml supernatant was collected. Next, the urine was used in the glycoprotein isolation examination procedure. It needed 200 µl urine sample, homogenized by adding PBST-PMSF 5 times in the urine sample. The supernatant was put into microtube and was sonicated for 10 minutes, processed in the vortex and centrifuged within 3.000 x g speed for 15 minutes. Cold absolute ethanol in a ratio of 1:1 was added, then it was incubated inside the refrigerator for 1 hour or overnight. The liquid was then centrifuged within 5000 x rpm speed for 15 minutes, the

precipitate was dried to eliminate the smell of ethanol and was added with 20 mM tris-Cl buffer. After that protein isolate was obtained and SDS-PAGE examination was performed.

PMSG Making

The blood of 3.5 months pregnant local race horse was taken through jugular vein. The blood was left in room temperature for 3 hours, the edge of a tube in contact with blood was stabbed and left until 24 hours. It was then centrifuged for 15 minutes within 1000 x rpm speed to separate the serum part from the frozen blood. The supernatant was separated as a ready-to-use serum after went through the 0.2 μ m millipore filter or can be stored in -200 C if not used.

Oocyte Collection

Oocyte is originated from local cow ovaries that had entered puberty for more than 18 months. The ovaries were cut in а slaughterhouse and brought hygienically into the laboratory by using thermos in 0,9 (w/v) NaCl containing penicillin G $(75\mu g/ml)$ and streptomycin sulfate (50µg/ml) maintened at 35-37°C. Cows oocytes was aspired toward secondary follicle (antral) with 2-5mm section by using a 10 ml syringe of 18 G needles which contained 2 ml of oocyte wash medium.

In Vitro Maturation

Maturation was done in every 100 μ I TC199 containing ten oocytes which covered with mineral oil (Sigma) in disposable 36 mm plastic petri dish (Nunclon, Denmark). The incubation lasted for 24 hours within 5 % CO₂ incubator with 38,5° C temperature, and 95-99% humidity (Thermoline, USA). The oocyte temperature used 18 G needles associated with 3-5 ml syringes with 500 - 1000 μ l oocyte wash medium. Aspiration was done on secondary follicle (2-5 mm diameter). Each treatment was inserted with ten oocytes in treatment medium; Tc0, Tc+, Tc+hMG, and Tc+PMSG with at least six repetitions each. The hMG dosage was 0.75 μ g/ml, while the PMSG dosage was 15 IU (10%).

Aceto Orcein Staining

The procedure of collecting egg maturity level data was done through aceto orcein *staining* solution 1%. The matured oocyte was placed in a glass object with a pipette that had been washed with 0.5% *hyaluronidase enzyme* beforehand to eliminate it from its cumulus cell and rewashed with oocyte wash medium. Next, it was fixed in a 90% acetic acid solution and 70% ethanol in a ratio of 1:3 for 2-3 days, then

 $Volume \cdot 14 \cdot Number \cdot 1 \cdot 2021$

covered with a lid supported with Vaseline at the edge of the glass object. The fixed oocyte was stained with aceto orcein solution 1% and left for 2-3 minutes and rinsed with 90% acetic acid, glycerin, and 70% ethanol in a ratio of 1:1:3. Then, the *mature* oocyte development was analyzed under the inverted microscope. Mature oocyte confirmation with chromosome identification reached the metaphase II stage and/or the appearance of polar body I.

In Vitro Fertilization

The sperms used were the local cows' sperms frozen in a container with liquid nitrogen. The sperm were thawed, washed, and centrifuged at 850 rpm for 10 minutes twice. The next step was swams up for 15-20 minutes, and around 30 - 40 µl from the surface of the samples were taken and transferred into the middle part on rosset medium. In the middle rosset medium, 100 µl EBSS associated with 5-6 drops 10 µl of treatment was put on its centripetally on 35 mm plastic petri dish. On the centripetal of rosset medium, there was oocyte that had been maturedin the incubator on each treatment medium.

Cleavage Observation

The cleavage observation under the inverted microscope was done after the oocytes were fertilized by spermatozoa for 48 hours in Earle's Balanced Salt Solution (EBSS) medium to see the correlation from the amount of matured oocyte.

Data Analysis

The data analysis used Analysis of Variance (ANOVA). If there was any significant difference, it was then followed with Least Significant Difference (LSD) test to determine the significantly different treatment value.

Results

Oocyte Maturation Level in Maturation Medium

Oocyte maturation level observation in treatment medium was done by using staining preparation with aceto orcein staining solution 1 %. Mature oocyte data was based on polar body I percentage which formed and/or reached the state of chromosome up to the metaphase II stage from nuclear meiosis cleavage as seen in table 1.

The statistical analysis using one-way ANOVA, it showed significant differences

(P<0.05) regarding the addition of treatment on maturation medium on mature oocyte formation percentage. To determine the percentage of mature oocyte differences between treatment groups, LSD was conducted, the result was shown in table 3.

Medium	Replicates (n)	Mature oocytes (%)
Tc0	6	16,67 ± 8,16
Tc+	6	30 ± 10,95
Tc+hMG	6	80 ± 12,65
Tc+PMSG	6	83,33 ± 15,06

Table 1. Mean ± SD mature oocyte proportion inmaturation medium for 24 hours.

Different value among	treatment groups (LSD)
Tc 0 vs Tc +	13,33
Tc 0 vs (Tc+hMG)	63,33*
Tc 0 vs (Tc+PMSG)	66,67*
Tc + vs (Tc+hMG)	50,00*
Tc + vs (Tc+PMSG)	53,33*
(Tc+hMG) vs (Tc+PMSG)	3,33

Table 2. Least Significant Difference (LSD)among treatment groups on the number ofoocyte maturation.

LSD (0,5) = 14,42. Description: * significant difference (P<0.05).

The statistical analysis using one-way ANOVA and followed by LSD showed significant difference between Tc0 and Tc+ treatment group compared to Tc+hMG and Tc+PMSG treatment group on cleavage percentage.

Cleavage

The rate of embryo cleavage of each treatment in oocyte maturation media followed by in vitro fertilization can be seen in Table 3. To determine the effects of each treatment on maturation media on embryo cleavage, the data were transformed into the ANOVA table. The results can be seen in the Table 4. Embryo experiencing and not experiencing cleavage after maturation and fertilization can be seen in figure 3.

Based on statistical analysis using oneway ANOVA, it was showed that there was significant difference result, where (P<0.05) on the addition of hormone in maturation media to the percentage of cleavage. In order to find the difference in the percentage of cleavage among treatment groups, then LSD test was carried and the result was presented in table 5.

Maturation Media	Replicates (n)	Cleavage
Tc 0	6	5 ± 5,48
Tc +	6	11,67 ± 4,08
Tc + hMG	6	43,33 ± 5,16
Tc + PMSG	6	46,67 ± 8,16

Table 3. Proportion of Mean ±SD cleavage afterspermatozoa insemination for 48 hours.

The result of statistical analysis using one-way ANOVA that was followed by LSD test showed a significant difference result in the treatment groups of Tc0 and Tc+ compared to the treatment groups of Tc+hMG and Tc+PMSG on the percentage of cleavage.




Figure 1. Embryo experiencing and not experiencing cleavage after maturation and fertilization with 100X magnification

Table 4		<u> </u>	41		- 4
Total	8933.33	23			
Within Groups	700.00	20	35.00		
Beetween Groups	8233.33	3	2744.44	78.41 *	3,10
	Sum of Squares	df	Mean Squares	Fcount	F-table 0,05

Table 4. Oneway ANOVA, the effect of treatment on cleavage.

Note: * there was a significant difference result where (P<0,05).

Different Value among treatment groups (LSD)			
Tc 0 vs Tc +	6,67		
Tc 0 vs (Tc+hMG)	38,33*		
Tc 0 vs (Tc+PMSG)	41,67*		
Tc + vs (Tc+hMG)	31,67*		
Tc + vs (Tc+PMSG)	35,00*		
(Tc+hMG) vs (Tc+PMSG)	3,33		

Table 5. LSD test among treatment groups on the cleavage.

LSD (0,5) = $\overline{7}$,13 Note: * there was significant difference result where (P<0,05).

Mature Oocyte and Cleavage Correlation.

To determine the correlation between mature oocyte and cleavage occurrence, hence, the data was transformed into ANOVA table and followed by statistical analysis using Pearson correlation, in which the result could be seen in table 1. Statistical analysis using Pearson correlation on table 6 showed strong correlation between maturation and cleavage.

	MATURE	CLEAVAGE
MATURE	1	.932(**)
CLEAVAGE	.932(**)	1

Table 6. Mature oocyte and cleavage correlation test.

Description: ** very significant difference (P<0.01).

Discussion

In vitro fertilization is a process of combining eggs and sperm cell to form a new individual outside the body of female mammalian. There are many factors affecting the success of in vitro fertilization, such as optimization media environment condition, oocyte treatment during in vitro fertilization, treatment of spermatozoa during washing and in vitro capacitation, as well as embryo breeding after fertilization. To have optimum media environment, the condition must be resembled in vivo environment and has mechanical, physical, and biochemical function ensuring oocyte and embryo sustainability in vitro.

Mammalian oocyte maturation process is characterized by a change in the morphology of the cell nucleus, a change from immature oocytes (diplotene phase) to the mature stage (metaphase II) so that it is ready to be fertilized. The results of this research showed that oocyte maturation in the maturation media with the addition of FSH and LH led to the increase in the percentage of mature oocytes and provided positive effects on cleavage after in vitro fertilization. This result was in line with the result of previous research that gonadotropin was needed for oocyte competence¹⁰.

The maturation result and cleavage in the treatment group of Tc0 and Tc+ that was significantly difference compared to Tc+hMG dan Tc+PMSG might be caused by bioactivity ratio of FSH: LH contained in hMG and PMSG¹¹. In addition, it also could be caused by the molecule structure of α and β subunit chain that was

Volume · 14 · Number · 1 · 2021

different in hMg and PMSG¹² as a comparison in human with FSH and LH composition consisted from the same α subunit, which was 92 amino acid, while FSH β subunit consisted of 110 amino acid and LH β subunit consisted of 121 amino acid ¹³. hMG treatment was not significantly different compared to PMSG on the mature oocyte percentage, it might be because bioactivity in FSH and LH was the same, even though their composition and molecule structure of α and β were different, so that biological response produced was still able to stimulate oocyte maturation.

Combination of the role of FSH and LH contained in hMG and PMSG supported classical of two cells, the theory of two theory folliculogenesisgonadotropins during stereodogenesis stating that LH stimulated androgen production in theca cells, which was subsequently converted into estrogen by stimulating activity of FSH in granulosa cells 14. There were many researchs have showed FSH ability to stimulate oocyte maturation in vitro using various dosage¹⁵. LH had role in facilitating the recruitment of folliculogenesis supported by several research ¹⁶. LH has been widely considered as gonadotropin responsible for the onset of the return of meiosis¹⁷. Other research reported that the effect of LH added in the maturation media activated the binding of EGF and EGF receptor, in which it led to the activation of ERK1/2 required to not only facilitate oocyte to achieve metaphase II stage, but also form effective pronuclear¹⁸. However, only FSH was considered as gonadotropin responsible for inducing in vitro maturation on cumulus-wrapped oocyte ¹⁹. This is the reason why only cumuluswrapped oocyte that was able to reach mature stage in vitro, it was because FSH receptor was located in cumulus cell. The uneven uniformity of the cumulus wrapping oocyte at the time of collection from the follicle and continued in vitro maturation was one of the causes why there were oocytes that had not yet reached matured stage although the maturation media was added by gonadotropin²⁰. Besides, it was also caused by condition of oocyte collected was not able to grow individually, so it could not survive in the culture media²¹.

The addition of concentration of gonadotropin combination obtained from the result of extraction and fertilization of menopausal women in the maturation media was

significantly able to increase the percentage of metaphase oocyte reaching II, normal configuration of syndrome, normal chromosome regulation. cortical granule migration, and mitochondrial aggregation²². PMSG is the most glycolysis pituitary glycoprotein group in mammalian placenta with both hormone subunits containing N linked and O linked glycolysis sides²³. The high sialic acid content in PMSG greatly increased half-life compared to other glycoprotein hormones. This also can cause the maturation and cleavage rates produced by PMSG to be slightly higher compared to the media added by hMG, although it was not significant. PMSG also had luteinizing activity that was important for the optimal development of follicles in the pre-ovulatory phase²⁴. Other research reported that the addition of gonadotropin from serum resulted in the high level of maturation²⁵.

The results of this study indicate that the addition of FSH and LH in hMG and PMSG into oocyte maturation influences the embryo division. The addition of FSH and LH combination in maturation media by utilizing TCM-199 could increase in vitro fertilization rate and embryo division²⁶. Supplementation with gonadotropin in maturation media could boost the capacity of oocyte development into embryonic phase, and play an essential role in oocyte competence into metaphase II, and does not prompt the а of escalation chromosome abnormality. Gonadotropin in maturation media acts as an autocrine regulator and paracrine which also involved in protein steroidogenesis and synthesis during embryonic development²⁷. Oocyte without the addition of FSH and LH in maturation media results significantly fewer division rates and tend experience worse development. to The observation on oocyte rate that successfully split after the in vitro fertilization and incubation for 48 hours resulted in different divisions level, i.e., divisions were starting at two cells, four cells, and eight cells. The division rate diversity in this study is allegedly due to the different levels of oocyte maturation during fertilization. The low rate of embryo division in this study is probably due to the oocyte being fertilized in the early stages of maturation. Oocytes that are not fully mature could not split completely, or the process will be when fertilized. Perfect in vitro inhibited fertilization occurs when the division of oocyte metaphase core reached the II during

spermatozoa penetration²⁸. The low cleavage rate hit in this study could be due to the low rate of fertilization that is influenced by spermatozoa mobility which must experience capacitation and acrosome reactions, and the media environment during in vitro fertilization and division²⁹.

The result of correlation test between matured oocyte and cleavage provided positive effects or strong correlation. It showed that the maturation results affected cleavage result, in other words, maturation result was directly proportional with cleavage result. This was in accordance with the result that the more perfect of the level of oocyte maturation, the more oocyte would be fertilized and divided, and the more embryo would grow to reach blastocyst stage. Other research also reported that the addition of FSH and LH hormone in the oocyte maturation media was significantly correlated with the increase in embryonic cleavage after in vitro fertilization ³⁰. This research concluded that the addition of PMSG and hMG hormones contained FSH-LH to maturation media can be used as alternative hormones for oocyte maturation in vitro. Oocyte competence reached maturity and the embryonic cleavage stage was stimulated by the coordination of FSH and LH action. This emphasizes the complexitv research of gonadotropin transduction signal and its receptor during oocyte maturation in vitro so that it still needs further in-depth studies on gene expression levels related to ligand and receptor interactions as a result of addition of different types and concentrations of gonadotropins to oocyte competence.

Conclusions

The study was that the addition of gonadotropin obtained from hMg and PMSG into oocyte maturation media affected the increase in mature oocyte percentage and cleavage, there was no different result between the addition of hMG and PMSG on the percentage of mature oocyte and cleavage, and there was a correlation of mature oocyte on cleavage.

Acknowledgements

The researcher thanks to Faculty of Medicine of Universitas Airlangga that have been facilitated the implementation of this research.

Declaration of Interest

Conflict of Interests Statement: The authors declare that there is no conflict of interests regarding the publication of this article.

References

- Ding N, Liu X, Jian Q, Liang Z, Wang F. Dual trigger of final oocyte maturation with a combination of GnRH agonist and hCG versus a hCG alone trigger in GnRH antagonist cycle for in vitro fertilization: A Systematic Review and Metaanalysis. Eur. J. Obstet. Gynecol. Reprod. Biol. 2017; 218: 92– 98. DOI: 10.1016/j.ejogrb.2017.09.004
- Hatırnaz Ş, Ata B, Hatırnaz ES, Dahan MH, Tannus S, Tan J, Tan SL. Oocyte in vitro maturation: A systematic review. Turk Jinekoloji ve Obstetrik Dernegi Dergisi. 2018; 15(2) 112–125. DOI: 10.4274/tjod.23911
- Abbara A, Clarke SA, Dhillo WS. Novel concepts for inducing final oocyte maturation in in vitro fertilization treatment. Endocr. Rev. 2018; 39(5): 593–628. DOI: 10.1210/er.2017-00236
- Luciano AM, Sirard MA. Successful in vitro maturation of oocytes: a matter of follicular differentiation. Biol. Reprod. 2018; 98(2): 162–169. DOI: 10.1093/biolre/iox149
- Filatov M, Khramova Y, Parshina E, Bagaeva T, Semenova M. Influence of gonadotropins on ovarian follicle growth and development in vivo and in vitro. Zygote. 2017; 25(3): 235–243. DOI: 10.1017/S0967199417000168
- Lu C-L, Wang T-R, Yan L-Y, Xia X, Zhu X-H, Li R, Zhao H-C, Yan J, Yin T-L, Jin H-Y, Zhang Y, Zhang W-X, Feng H-L, Qiao J. Gonadotropin-Mediated Dynamic Alterations During Bovine Oocyte Maturation In Vitro. Biol. Reprod. 2014; 91(2): 44-58. DOI: 10.1095/biolreprod.114.117945
- Casarini L, Crépieux P. Molecular Mechanisms of Action of FSH. Front Endocrinol. 2019; 10: 305-310. DOI: 10.3389/fendo.2019.00305
- Liu X, Qiao P, Jiang A, Jiang J, Han H, Wang L, Ren C. Paracrine regulation of steroidogenesis in theca cells by granulosa cells derived from mouse preantral follicles. BioMed Res. Int. 2015; 2015: 1-8. DOI: 10.1155/2015/925691
- Edwards LJ, Kind KL, Armstrong DT, Thompson JG. Effects of recombinant human follicle-stimulating hormone on embryo development in mice. Am J Physiol Endocrinol Metab. 2005; 288(5): 845–851. DOI: 10.1152/ajpendo.00398.2004
- Blaschka C, Sánchez-Guijo A, Zimmer B, Stöhr J, Kotarski F, Grothmann H, Hartmann MF, Wudy SA,Wrenzycki C. Temporal expression pattern of steroid-metabolizing enzymes in bovine COC during in vitro maturation employing different gonadotropin concentrations. Theriogenology. 2029; 131: 182– 192. DOI: 10.1016/j.theriogenology.2019.03.028
- Alvarez RH, Natal FLN, Ribela MTCP, De Almeida BE, De Oliveira JE, Bartolini P. Physical-chemical and biological characterization of different preparations of equine chorionic gonadotropin. J. Vet. Sci. 2016; 17(4): 459–465. DOI: 10.1016/j.theriogenology.2019.03.028
- 12. Murphy BD, Martinuk SD. Equine chorionic gonadotropin. Endocr. Rev. 1991; 12: 1 27–44.
- 13. Narayan P, Ulloa-Aguirre A, Dias JA. 2018. Gonadotropin Hormones and Their Receptors. Elsevier Inc. DOI: 10.1016/B978-1-4557-2758-2.00002-0
- Short RV. Steroids in the follicular fluid and the corpus luteum of the mare. J Endocrinol. 1962; 24: 59–63. DOI: 10.1677/joe.0.0240059
- Lee HS, Seo YI, Yin XJ, Cho SG, Lee SS, Kim NH, Cho SK, Kong IK. Effect of follicle stimulation hormone and luteinizing hormone on cumulus cell expansion and in vitro nuclear maturation of canine oocytes. Reprod. Domest. Anim. 2007; 42(6): 561–565. DOI: 10.1111/j.1439-0531.2006.00818.x

 $Volume \cdot 14 \cdot Number \cdot 1 \cdot 2021$

- Mak SMJ, Wong WY, Chung HS, Chung PW, Kong GWS, Li TC, Cheung LP. Effect of mid-follicular phase recombinant LH versus urinary HCG supplementation in poor ovarian responders undergoing IVF – a prospective double-blinded randomized study. Reprod. Biomed. Online. 2017; 34(3): 258– 266. DOI: 10.1016/j.rbmo.2016.11.014
- Mattioli M, Bacci ML, Galeati G, Seren E. Effects of LH and FSH on the maturation of pig oocytes in vitro. Theriogenology. 1991; 36(1): 95–105. DOI: 10.1016/0093-691x(91)90438-j
- Zhang YL, Liu XM, Ji SY, Sha QQ, Zhang J, Fan HY. ERK1/2 Activities Are Dispensable for Oocyte Growth but Are Required for Meiotic Maturation and Pronuclear Formation in Mouse. J. Med. Genet. 2015; 42(9): 477–485. DOI: 10.1016/j.jgg.2015.07.004
- Samartzi F, Tsakmakidis I, Theodosiadou E, Vainas E. Effect of porcine and ovine FSH on nuclear maturation of pig oocytes in vitro. Reprod Domest Anim. 2008; 43(2):153–156. DOI: 10.1111/j.1439-0531.2007.00868.x
- Virant-Klun I, Bauer C, Ståhlberg A, Kubista M, Skutella T. Human oocyte maturation in vitro is improved by co-culture with cumulus cells from mature oocytes. Reprod. Biomed. Online. 2018; 36(5): 508–523.DOI: 10.1016/j.rbmo.2018.01.011
- Aziz NAA, Osman NA, Bidin H, Embong WK, Hashim NH. Influence of Early Apoptosis Incidence on In Vitro Maturation of Bovine Oocytes. APCBEE Procedia. 8, 2014; 272–276
- Sha W, Xu BZ, Li M, Liu D, Feng HL, Sun QY. Effect of gonadotropins on oocyte maturation in vitro: an animal model. Fertil Steril. 2010; 93(5):1650–1661. DOI: 10.1016/j.fertnstert.2009.03.003
- Barrios-De-Tomasi J, Timossi C, Merchant H, Quintanar A, Avalos JM, Andersen CY, Ulloa-Aguirre A. Assessment of the in vitro and in vivo biological activities of the human folliclestimulating isohormones. Mol. Cell. Endocrinol. 2002; 186(2): 189–198. DOI: 10.1016/s0303-7207(01)00657-8
- Ruman JI, Pollak S, Trousdale RK, Klein J, Lustbader JW. Effects of long-acting recombinant human follicle-stimulating hormone analogs containing N-linked glycosylation on murine folliculogenesis. Fertil Steril. 2005; 83(4): 1303–1309. DOI: 10.1016/j.fertnstert.2004.12.027
- Puri G, Chaudhary SS, Singh VK, Sharma AK. Effects of fetal bovine serum and estrus buffalo serum on maturation of buffalo (Bubalus bubalis) oocytes in vitro. Vet World. 2015; 8(2):143– 146. DOI: 10.14202/vetworld.2015.143-146
- Wang X, Tsai T, Qiao J, Zhang Z, Feng H L. Impact of gonadotropins on oocyte maturation, fertilization and developmental competence in vitro. Reprod. Fertil. Dev. 2014; 26(5): 752–7. DOI: 10.1071/RD13024
- Zhang M, Ouyang H, Xia G. The signal pathway of gonadotrophins-induced mammalian oocyte meiotic resumption. Mol. Hum. Reprod. 2009; 15(7): 399–409. DOI: 10.1093/molehr/gap031
- Silva GM, Brito IR, Sales AD, Aguiar FLN, Duarte ABG, Araújo VR, Vieira LA, Magalhães-Padilha DM, Lima LF, Alves BG, Silveira LBR, Lo Turco EG, Rodrigues AP, Campello CC, Wheeler MB, Figueiredo JR. In vitro growth and maturation of isolated caprine preantral follicles: Influence of insulin and FSH concentration, culture dish, coculture, and oocyte size on meiotic resumption. Theriogenology; 90 (1): 32–41. DOI: 10.1016/j.theriogenology.2016.10.026
- Loren P, Sánchez R, Arias ME, Felmer R, Risopatrón J, Cheuquemán C. Melatonin scavenger properties against oxidative and nitrosative stress: Impact on gamete handling and in vitro embryo production in humans and other mammals. Int. J. Mol. Sci. 2017; 18(6): 1–17. DOI: 10.3390/ijms18061119
- Zhang X, Zerafa A, Wong J, Armstrong DT, Khamsi F. Human menopausal gonadotropin during in vitro maturation of human oocytes retrieved from small follicles enhances in vitro fertilization and cleavage rates. Fertil Steril. 1993; 59(4): 850– 853. DOI: 10.1016/s0015-0282(16)55871-3