SNIP 2021

0.482

①



Source details

View all documents >

Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences

Scopus coverage years: from 1992 to 1993, 1996, from 2001 to Present

Publisher: Hunan Daxue/Hunan University

ISSN: 1674-2974

Subject area: Multidisciplinary

Source type: Journal

Save to source list

CiteScore CiteScore rank & trend Scopus content coverage

Set document alert

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語版を表示する

查看简体中文版本

查看繁體中文版本

Просмотр версии на русском языке

Customer Service

Help

Tutorials

Contact us


ELSEVIER

Terms and conditions \supset Privacy policy \supset


Copyright © Elsevier B.V ¬ . All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies \neg .








Hunan Daxue Xuebao/Journal of Hunan University Natural Sciences



Q Join the conversation about this journal








2 of 16 25/09/2022, 10:02

than September 2022. Will you be able to meet that deadline?

3. How long do we have to wait for the review?



Home About Search current Archives Sitemap Contact

Editorial Team

Editor-in-Chief:

Prof. Yi Weijian

Advisors:

Deng Wei, Party secretary of the CPC Hunan University Committee; professor.

Duan Xianzhong, member of the CPC Hunan University Committee and its standing committee, president of Hunan University professor and doctoral supervisor.

Yu Xiangcheng, vice secretary of the CPC Hunan University Committee.

Xie Chi, HNU Vice President, member of the Academic Research and Academic Degrees Committee and director of the A Committee of Department of Management of the HNU.

Wang Weibin, Vice president of Hunan University.

Editorial Team

Editorial Policies

Focus & Scope

Author Guidelines

Abstracting and Indexing

Publication Ethics

Paper Submission

INDEXED BY SCOPUS





USER	
Username	
Password	
Remember me	
Login	

NOTIFICATIONS
▶ <u>View</u>
› <u>Subscribe</u>

JOURNAL CONTENT

Search	
Search Scope	
All	~
Search	
Browse	
By Issue	
By Author	
▶ <u>By Title</u>	
INFORMATION	
For Readers	
For Authors	
For Librarians	



Journal of Hunan University Natural Sciences

湖南大学学报

ISSN 1674-2974

HOME ABOUT SEARCH CURRENT ARCHIVES SITEMAP CONTACT PAPER SUBMISSION

Q

Home > Archives > Vol 48, No 6 (2021)

Vol 48, No 6 (2021)

Table of Contents

Articles

PDF A New Approach to Detect COVID-19 in X-Ray Images of Indonesians Anggraini Dwi Sensusiati, Aji Sapta Pramulen, Dewinda Julianensi Rumala, I Ketut Eddy Purnama, Alfian Nur Rosyid, Muhammad Amin, Rofida Lathifah PDF Analysis of the Effect of Green Organizational Culture on Organizational Performance and Competitive Advantages of Green through Green Innovation in Manufacturing Industries Kristian Chandra, Willy Arafah, Yuzwar Z. Basri Characteristics of Marine Heatwaves off West Surnatra Derived from High-Resolution Satellite Data PDF Mochamad Furgon Azis Ismail Comparison of DEMs Spatial Resolution for Geomorphological Study in a Small Volcanic Island of Tidore, North PDF Bachtiar W. Mutaqin, Muh Aris Marfai, Danang Sri Hadmoko, Helvetia Wijayanti, Franck Lavigne, Audrey Date Palm Extract Effect on Quality of Mahseer Fish (Tor Soro) Spermatozoa after Frozem Storage PDF Abinawanto, Dyah Putri Alifiani, Anang Hari Kristanto, Astari Dwiranti, Fadhillah, Anom Bowolaksono, Retno Lestari PDF Determination of Low Level 137Cs in Environmental Water Sample Using AMP Method and a Review Comparing with Other Adsorbents Deddy Irawan Permana Putra, Shinya Ochiai, Seiichi Tomihara, Wahyu Retno Prihatiningsih, Murdahayu Makmur, Seiya Nagao Distribution Pattern Identification of Mineral using XRF and XRD Method in Jeneberang Watershed, Indonesia PDF Muhammad Altin Massinai, Wahyuningsih Mamudi, Muhammad Fawzy Ismullah Massinai PDF Enhancement of Eggplant Production in Intercropping Systems through Integrated Nutrient Management Moch. Dawam Maghfoer, Mahayu Woro Lestari PDF High-Productivity Traditional Bali Palung Salt Method for Small Production Fields Misri Gozan, Yety Rochwulaningsih , Singgih Tri Sulistiyono, Makhfud Efendy, Nurul Intan, Andre Fahriz Perdana Harahap, Hafidzurrahman Suhairi, Muhammad Yusuf Arya Ramadhan, Nurul Hidayat, Siti Fauziah Rahman, Mahendra P. Utama, Noor Naelil Masruroh, Susilo Budiyanto, Muhamad Sahlan, Shigenori PDF Influence of Geomorphology and Siltstone Structure on the Land Vulnerability in Mamberamo Raya, Papua, **Indonesia** Adi Tonggiroh PDF Integrated Family Development Intervention on Perceived Stress and Parental Self-Efficacy of Parents of Children with Autism Spectrum Disorder Diah Curie Kharisma, Agus Suwandono, Annastasia Ediati

Never Lose the War throughout Accounting Strategy Krisna Damayanti, Noorlailie Soewarno	PDF
Not Privatization but Partnership: Government Policy in Providing Public Service Infrastructure in Indonesia Sugeng Suharto, Sri Suharti, Untung Muhdiarto, Londa Very Yohanes, Sam Ratulangi	PDF
Optimal Machiine Learniing Models for Kitsume to Detect Miiraii Botnet Malware Attack Abdullah Alabdulatif, Syed Sajjad Hussain Rizvi, Manzoor Ahmed Hashmani	PDF
StegoBound: A Novel Image Steganography Technique Using Boundary-Based LSB Substitution Syed Saad Ahmed, Mashal Memon, Rabeea Jaffari, Moazzam Jawaid	PDF
The Effect of Economic Growth, Investment on Local Indigenous Income in Jambi Province M. Sudirman, M. S. Zahari, Willy Arafah	PDF
The Use of ICT in Thirukkural Teaching and Facilitation Kartheges Ponniah, Ilangkumaran Sivanadhan, Muniswaran Kumar, Pooveneswaran Nadarajan, Aigul Akhmetova	PDF
Transplantation of Acropora in Different Depth: First Report on an Effort for Environmental Sustainability in Gilli Ketapang, Probolinggo	PDF
Andys Dwianinda Rosaline, Mochamad Faisal Trisatrio, Muhammad Browijoyo Santanumurti, Fitri Budiyanto, Boedi Setya Rahardja, Putri Desi Wulan Sari	
A Model for Prevention of Forest and Land Fires Crimes Using a Sustainable Plantation Approach Aji Kurnia Dermawan, Sigid Suseno, Adrian E. Rompis, Dadang Epi Sukarsa	PDF
Comparison of CDC Bottle Bioassay Test with WHO Standard Method for Assessment of Aedes Aegypti Susceptibility to Carbamates and Organophosphates Insecticides in Semarang, Indonesia Muhammad Choirul Hidajat, Martini Martini, Nur Endah Wahyuningsih, Sayono, Ristiyanto, Triwibowo Ambar Garjito, Widiarti, Lasmiati, Sapto Prihasto Siswoko, Rima Tunjungsari Dyah Ayuningtyas, Ary Oktsari Yanti, Suharyo Hadisaputro	PDF
Critical Reading Teaching Materials Show R-Tam-Based Malay Teaching Loaded with Humanist Literacy: Future Language Learning Innovations Asnawi, Ida Zulaeha, Teguh Supriyanto, Hari Bakti Mardikantoro, Sri Wahyuni	PDF
Development of Junior Karate Physical Test Instruments in Kumiite Category	PDF
Jujur Gunawan Manullang, Soegiyanto, Sulaiman, Oktia Woro Kasmini Handayani	
Effect of Compensation and Discipline on Employee Performance: A Case Study Indonesia Indra Prasetyo, Esa Wahyu Endarti, Budi Endarto, Nabilah Aliyyah, Rusdiyanto, Heru Tjaraka, Nawang Kalbuana, Arif Syafi'ur Rochman	PDF
Financial Decision-Making during the COVID-19 Pandemic in Population Administration of the Republic of Indonesia Muhamad Arief Affandi, Etty Murwaningsari	PDF
Integrated Security System Implementation for Network Intrusion Resevoa Moral Muhammad, Indrarini Dyah Irawati, Muhammad Iqbal	PDF
Isolation: The Root Cause of Indigenous Poverty in Lumoli Village Elsina Titaley, Tony Donald Pariela	PDF
Pekanbaru Adolescents" Perceptions Concerning the Existence of Traditional Sports in the Millennial Era M. Fransazeli Makorohim, Soegiyanto, Taufiq Hidayah, Setya Rahayu	PDF
Strategy for Strengthening Character Education in Physical Education Learning at Makassar City Elementary Education Level	PDF
Cuartilla Nurafiati Tandiya Dahayu Cugiharta Harry Dramona	

Widyoningroem

эйахика ivuranau, тапиіуо капауи, эйдіпагю, патту гтапіоно

The Cytotoxic Activity of Crude Aqueous Annona Plant-Derived Extracts on Spodoptera frugiperda, Cell Lines Jesús A. Polo Olivella, Marlinda Lobo de Souza, Ericsson Coy-Barrera, Jhon F. Betancur Pérez, Jorge W. Arboleda Valencia	PDF
The Effect of Company Size as a Mediating Variable on the Relationship of Working Capital to Profitability Susanti Widhiastuti	PDF
The Effect of Economic Growth, Investment on Local Indigenous Income in Jambi Province M. Sudirman, M. S. Zahari, Willy Arafah	PDF
The Effect of Handstand Exercises on Entry Results in Diving Athletes, South Sumatra Kevin Octara, Soegiyanto, Tjepjep Rohendi Rohidi, Sulaiman	PDF
The Impact of Globalization and International Integration to Become a Global Citizenship in the Southeast – from the Practice of Ho Chi Minh City, Vietnam Pham Ngoc Tram, Ngo Hong Diep	PDF
The Influence of Management Commitment on the Achievement of Lecturers through Work Motivation and Organizational Citizenship Behavior Wahju A. Rini, Pamela H. Heng, Bobby Putrawan, Zeplin J. H. Tarigan, Sundring P. Djati, Ahmad Hidayat Sutawidjaya	PDF
The Religiosity Mechanism on Political Connections in the Indonesian Stock Exchange Zunairoh, Liliana Inggrit Wijaya	PDF
The Role of Absorptive Capacity and Organizational Innovation in Culinary Business Zoel Hutabarat, Willy Arafah, Farida Jasfar	PDF
The Role of ApOE, PSEN1, And Tnf-a as Predictor of COVID-19 Severity Evaluated Using Serial Thorax Radiograph Widiana Ferriastuti, Aryati, Harianto Notopuro, Anggraini D. Sensusiati, Paulus Sugianto, Anita	PDF

Editorial Team

Editorial Policies

Focus & Scope


Author Guidelines

Abstracting and Indexing

Publication Ethics

Paper Submission





Journal Template

USER	
Username	
Password	
Remember me	
Login	

NOTIFICATIONS
▶ <u>View</u>
› <u>Subscribe</u>

JOURNAL CONTE	ENT
Search	
Search Scope	·
Search	
Browse	
By Issue	
By Author	

By Title

INFORMATION

- For Readers
- For Authors
- For Librarians

Journal of Hunan University Natural Sciences

<u>About</u>

Current

<u>Archives</u>

<u>Sitemap</u>

Contact

<u>Home</u>

<u>Search</u>

<u>Paper</u>

Submission

+86-731-88823137 editorial-office@jonuns.com



Copyright 2012-2022 (e-ISSN: 1674-2974)

Mycobacterium tuberculosis Infection in the Central Nervous System Mimicking Metastatic Process

Dika Chandra Bintari¹, Djohan Ardiansyah², Paulus Sugianto²

¹ResidentProgram, Department of Neurology, Faculty of Medicine, Universitas Airlangga- Dr. Soetomo Hospital, Surabaya, Indonesia ²ResidentProgram, Department of Neurology, Faculty of Medicine, Universitas Airlangga- Dr. Soetomo Hospital, Surabaya, Indonesia

*paulus.sugianto.unair@gmail.com

ABSTRACT

Mycobacterium tuberculosis (MTB) infection is a global health issue. Tuberculosis (TB) on the central nervous system (CNS) is a severe form of the disease which entails mortality rate of 15-40%. CNS TB infection results from lymphohematogenous spread and could mimic metastases, thus, diagnosis often becomes difficult. Microbiology and histology examinations are very important for the diagnosis to be made. In this article, we report a 29-year-old immunocompetent male patient with atypical extra-pulmonary TB. Magnetic resonance imaging (MRI) results showed multiple lesions in the brain parenchym, duramater, calvaria and vertebrae, which mimics the metastatic process. Granulomatous lesions and MTB were found through the fine needle aspiration biopsyand histopathological examination. The present of MTB was also confirmed with the GeneExpert examination. In conclusion, establishing a definite diagnosis for multiple CNS TB that mimics metastasis is difficult. Beside from clinical manifestation and radiology, histopathology analysis have an important role in establishing a diagnosis in this case. Detection of MTB bacteria on culture is a gold standard to diagnose TB. Treatment of multiple CNS TB should consist of oral anti tuberculous (OAT) category 2.

Keywords: Tuberculosis, MTB, CNS TB, metastasis, Indonesia

Introduction

Tuberculosis (TB) is a granulomatous disease caused by *Mycobacterium tuberculosis* (MTB), a gram-positive rod that grows slowly. TB is an endemic in developing countries. According to WHO, there are about 9.2 million new cases of TB and 1.7 million deaths due to TB annually. In 2008, according to data from the National TB control program in India, 18% of the total cases of TB were extrapulmonary TB. Meanwhile, the TB prevalence rate in Indonesia in 2014 was 297 per 100,000 population. Since 2004, extrapulmonary TB cases have increased by 3% compared to the previous year, where 30% pleural effusions, 10% abdominal TB, 8% bone TB, 47% lymph node TB, 2% TB meningitis and 3% TB in other organs. TB cases in the central nervous system (CNS) are categorized as extrapulmonary TB cases and often presents with broad symptoms and non-specific clinical features that resemble the symptoms of other neurological diseases.

CNS TB is an uncommon manifestation and accounts for 5–10% of all cases of extrapulmonary TB. CNS TB causes high mortality and morbidity rates. In a prospective cohort study in Canada from 1971 to 2001, it was concluded that the manifestations of CNS TB consisted of tuberculoma meningitis, tuberculoma of the brain, tuberculoma brain abscess, encephalopathy TB, spinal TB and spinal tuberculoma.³

In this article, we presented a case of the manifestation of TB in the central nervous system that resembles metastasis, where no classical TB symptoms were found (through anamnesis) and imaging and histopathology tests showed contradicting results.

Case Illustration

The patient was a 25-year-old male with complaints of weakness in both legs since September 2018. Weakness initially started on the right side of the leg, then spread to the left leg a week later. Symptoms gradually worsened and when presented to the hospital the patient was unable to move both legs. Examination revealed that patient suffered from upper motor neuron paraplegia. The patient also complained of thickness from the navel to the feet, unbearable defecation and micturition, back pain as well as a left-sided headache. The patient initially had a cherry-sized lump on the left side of his head since June 2018, which then continued to grow to the size of a tennis ball. According to patient's medical records, patient had 2 seizures in January 2019, no history of trauma, no history of long-standing cough. Fig 1 shows the reported disease course of the patient.




Figure 1. Disease course of patient

Results of patient's head MRI with contrast showed a solid lesion that absorbed the contrast in the form of a ring on the convexity of the left parietal lobe that extended to the left parietal skull bone with perifocal edema around it and destroyed the left parietal calvaria bone, which can be metastasis. Spectroscopic MRI images showed an increase in the intralesional choline/creatinine ratio and an increase in perilesional lactate lipids.

The patient underwent a biopsy of the tumor mass, duramater and calvarial bone. Macroscopic soft tissue with size of 1.3x0.9x0.5cm -5x3.5x1.7 cm was obtained. The soft tissue showed a white-gray color with a firm and spongy consistency, while the bone tissue appeared as a whitish lesion with a hard and solid consistency. The microscopic image showed fibrocollagenous connective tissue that contained many granulomas consisting of collections of epithelioid cells surrounded by lymphocytes. Some granulomas were accompanied by Langerhans cells. There were no signs of malignancy. In excised bone tissue, tissue regions infiltrated by lymphocytes and histiocytes formed granulomas. There were no signs of malignancy and through ZN staining, BTA bacteria was found. According to the anatomical pathology examination of the parenchyma, granulomatous inflammation and MTB bacteria were found in the parenchyma, duramater and calvaria.

Results of thoracolumbar MRI with contrast showed destruction of the lamina, transverse processes, spinous processes, and pedicles on the cervical vertebrae with soft tissue bulging consistent with TB. ^{4,5} These findings suggest that metastasis processes. Suspected mass in the center of right lung was also identified. CT-scan of the thorax with contrast showed a

malignant lung mass with size 3.5x2.6x2.8 cm in the center of the right lung with lymphadenopathy in the right upper-lower paratracheal and subcarinal, as well as multiple metastases in the spine and sternum body (AJCC staging 8th 2017:T2aN2M1c), and bilateral pleural effusion hepatomegaly. Meanwhile, according to fibreoptic bronchoscopy examination, brushing cytology, pus cytology, broncho alveolar lavage (BAL), aspiration biopsy and forceps biopsy, no signs of malignancy were found. Tumor marker results: LDH 253, CEA 4.22 AFP 0.1 and CA-125 24.0.




Figure 2. Axial MRI of the head with Rim enhancing contrast. Solid lesion in the convexity of the left parietal lobe that extends to the scalp of the left parietal region with perifocal edema surrounding it, destroying the left parietal calvaria.




Figure 3. CT-scan of the thorax with contrast suggested malignant lung mass with size of 3.5x2.6x2.8 cm in the center of the right lung with lymphadenopathy in the right upper-lower paratracheal and subcarinal as well as multiple metastases in the spine and body of the sternum (staging AJCC 8th 2017:T2aN2M1c). Bilateral pleural effusion hepatomegaly.



Figure 4. Thorax CT-scan showing destruction of the lamina, transverse processes, spinous processes, and pedicles on the cervical vertebrae is apparent accompanied by soft tissue bulging suggesting metastasis. Incidental finding: suspected mass in the center of right lung.

Discussion

TB is the major cause of infectious morbidity and mortality worldwide, especially in Southeast Asia. The involvement of extrapulmonary TB, where in this case with CNS TB manifestations in an immunocompetent person, causes difficulties in diagnosis and causes many differential diagnoses. In a retrospective study at the Department of Pathology of the Northem Institute of India from 2001 to 2009, results showed that the demographic characteristics of CNS TB were associated with gender, with more males (64.4%) than females (35.5%). In the same study, most CNS TB cases were found in patients ranging from 20-40 years of age with a total of 43.7% in that age group. Meanwhile, demographic data based on the location of lesions in CNS TB patients were mostly supratentorial (90.47%), having a major predilection in the frontal and parietal regions. In CNS TB, the involvement of the left hemisphere is the highest, with percentage of 55%. Meanwhile, 30% of cases include the involvement of the right hemisphere and 15% in both hemispheres.

The case reported in this research occurred in a male patient aged 29 years with a lesion located supratentorial in the left parietal lobe, which is in accordance with the demographic data described above. However, this case is considered rare as the lesion was not only present in the parenchyma of the brain but extended to the duramater and destroyed the calvaria in the left parietal region, which resembles metastasis. This is supported by the spectroscopic examination, where results showed an increase in the intralesional choline/creatinine ratio and an increase in perilesional lactate lipids, therefore described as metastatic lesions by radiologists. Anatomical histopathological examination was then performed and results showed granulomatous inflammation and the presence of Mycobacterium tuberculosis.

There was a similar case reported by Chamberlin *et al.* in 2018.⁷ In that case, TB infection attacked various organs such as the lungs, pleura, bilateral testes, spinal and cerebri. However, unlike the case in this study, the spread of the lesion did not expand and damage the scalp and calvaria.

Macroscopic soft tissue with size of 1.3x0.9x0.5cm -5x3.5x1.7 cm was obtained from the mass in the patient's head. The soft tissue was white-gray in color and had solid and spongy consistency. Meanwhile the bone tissue showed whitish lesions surrounding the center hole with a solid and firm consistency. Microscopically, the bone tissue showed fibrocollagenous connective tissue containing many granulomas consisting of a collection of epitheloid cells surrounded by lymphocytes. Some granulomas were accompanied by Langerhans datia cells. There were no signs of malignancy. In the bone tissue, regions of tissue with infiltration of inflammatory cells of lymphocytes and histiocytes forming granulomas were found. Even so, there were no signs of malignancy and through ZN staining, BTA bacteria was found. According to the anatomical pathology examination, granulomatous inflammation and MTB bacteria were found on the parenchyma, duramater and calvaria.

Another manifestation of CNS TB in the case in this study was spinal TB. The thoracolumbar vertebrae is the most common region of infection in spinal TB, although other regions of the vertebrae can be affected. Spinal TB attacks the anterior portion of the vertebral body to the intervertebral disc, which is characterized by the destruction of the end plate. The posterior elements are usually also affected. Spread to the intervertebral disc instantly occurs, which reveals erosion of the anterior vertebral body caused by a soft tissue abscess. The anatomical distribution of the vertebral vessels is related to age. In adults, the highly vascularized vertebra is the angle of the vertebral body adjacent to the endplate and is therefore the most common site of initial infection. Subsequently, the infection spreads to the endplate of the opposite side of the vertebra, the disc space, the spinal arch and under the anterior or posterior longitudinal ligaments, leading to expansion of the infection to several adjacent or separate vertebral segments. This is different compared to the case reported in this study, where the cervicothoracolumbar MRI radiological image showed damage in the lamina, transverse process, spinous process and pedicle of the cervical vertebrae accompanied by soft tissue bulging, where in general the above findings lead to metastasis.

In the case in this study, pulmonary manifestation, which is the most common form of TB infection, was also found. However, clinical respiratory symptoms such as coughing up blood, prolonged cough and shortness of breath were not found. However, CT scan of the thorax + contrast showed the presence of a malignant lung mass with size of 3.5x2.6x2.8 cm in the center of the right lung with lymphadenopathy in the upper-lower right paratrachea and subcarina with multiple metastases in the spine and the body of sternum as well as bilateral pleural effusions. These findings resemble metastasis.

CT-scan of the thorax in patients with lung metastasis usually shows a solitary lesion with nodule size >2-3 cm, speculated edges and absorbs contrast with punctate calcification as well as bronchovascular invasion (air bronchogram is present). Meanwhile in pulmonary tuberculoma images, multiple lesions with a round or polygonal shape with flat edges is accompanied by satellite nodules and do not absorb contrast. This is inconsistent with the radiological images of the patient reported in this research. The histopathological results showed granulomatous inflammation and tuberculosis. GeneExpert examination found that rifampicin-sensitive MTB.

The patient reported in this research is an immunocompetent individual, as evidenced by an absolute CD4 count of 503. TB usually reacts differently in immunocompromised patients and immunocompetent patients. In immunocompromised patients, disseminated extrapulmonary TB generally occurs, no restriction area is present, multibacillary occurs and patients are often resistant to first-line therapy.⁸

There is a theory that states that the cause of disseminated TB in immunocompetent individuals is the energy level in that individual, where the body's defense mechanism lacks reactions against foreign substances and consists of induction of peripheral lymphocyte tolerance due to the human leukocyte Ag phenotype. Another theory states that this may be caused by intercurrent infections, which are infections that occur during the course of another disease and modifies the course of other diseases, usually in conditions of chronic viral infections such as CMV, hepatitis C and HHV2, which cause deficiency of cytotoxic NK cell activity due to chronic viral infection, resulting in temporary immunosuppression against TB bacteria resistance.⁸

Conclusion

In establishing the diagnosis of multiple CNS TB that is similar to the description of metastasis is not easy. In addition to clinical and radiological manifestations, histopathological analysis plays an important role in establishing the diagnosis in this case. The detection of MTB bacteria from bacterial culture examination is the gold standard for diagnosing TB. The high mortality rate in CNS TB is caused by late diagnosis and inadequate treatment for TB and its complications. This case report is expected to add information related to CNS TB disease that exists in Indonesia.

References

- 1. Lapausa, M.R., Saldana, A,M., Asensio, A.N., 2015. Extrapulmonary Tubercolosis: An Overview, Rev Española SanidPenit, p. 3-11.
- 2. Mubeen, B., Ul Rasool, M., Hamid, S., Haq, S., Hameed, R., Khursheed, N., Baba, K.M., 2015. A Clinical Study to See the Relationship between CNS Tuberculosis and Various Demographic Factors in a Population Attending a Tertiary Hospital in Northern India, Journal of Medical Science and Clinical Research, p. 3997-4007.
- 3. Rock, R.B., Olin, M., Baker, C.A., Molitor, T.W., 2008. Peterson, P.K., Central Nervous System Tuberculosis: Pathogenesis and Clinical Aspects, Clinical Microbiology Reviews, p. 243-261.
- 4. Rivas-Garcia, A., Sarria-Estrada, S., Torrents-Odin, C., Casas-Gomila, L., Franquet, E., 2013. Imaging Findings of Pott's Disease, European Spine Journal, p. 567-578.
- 5. Totanarungroj, K., Chaopotong, S., Tongdee, T., 2012. Distinguishing Small Primary Lung Cancer from Pulmonary Tuberculoma using 64-slices Multidetector CT, Journal of the Medical Association of Thailand, p. 574-582.
- 6. Castro-Gago, M., Gelabert, M., 1992. Central Nervous System Tuberculosis, Pediatric Neurology, p. 240.
- 7. Chamberlin, K., Orfanos, S., Mukherjee, A., Moy, E., Koganti, M., Khan, W., 2018. A Case of Disseminated Tuberculosis Mimicking Metastatic Cancer, Respiratory Medicine Case Reports, p. 239-241.
- 8. Kaur A, Kucheria M, Gupta R. Extensive Multisystemic Disseminated Tuberculosis in an Immunocompetent Patient, J Clin Aesthet Dermatol.2018;11(9);42-46