



Source details

Interdisciplinary Neurosurgery: Advanced Techniques and Case Management

Open Access ⓘ

Scopus coverage years: from 2014 to Present

Publisher: Elsevier

ISSN: 2214-7519

Subject area: Medicine: Surgery Medicine: Neurology (clinical)

Source type: Journal

CiteScore 2021

0.5



SJR 2021

0.182



SNIP 2021

0.335



[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology



CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ▼

$$0.5 = \frac{559 \text{ Citations } 2018 - 2021}{1,071 \text{ Documents } 2018 - 2021}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$0.7 = \frac{818 \text{ Citations to date}}{1,242 \text{ Documents to date}}$$

Last updated on 05 February, 2023 • Updated monthly

CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Medicine Surgery	#350/469	25th
Medicine Neurology (clinical)	#305/359	15th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site &](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.






Scientific Programming Papers

[Open](#)


Hindawi

Interdisciplinary Neurosurgery: Advanced Techniques and Case Management

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
<p>Netherlands</p> <ul style="list-style-type: none"> Universities and research institutions in Netherlands Media Ranking in Netherlands 	<p>Medicine</p> <ul style="list-style-type: none"> Neurology (clinical) Surgery 	Elsevier BV	11
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
Journals	22147519	2014-2022	<p>Homepage</p> <p>How to publish in this journal</p> <p>inat@elsevier.com</p>



SCOPE








Interdisciplinary Neurosurgery: Advanced Techniques and Case Management is an open access journal, devoted to the publication of manuscripts of original work and review articles in the field of interdisciplinary neurosurgery, promoting excellence and advances in complex neurosurgical situations pioneering neurosurgical techniques, including case series and technical notes. The subject should reflect the contemporary challenges and evolving opportunities in modern neurosurgery, such as modified approaches and surgical planning based on image guided surgical techniques and/or new treatment concepts that support translation of research aspects in the field of neurorestoration and neuroregeneration in the management of neurosurgical patients. Additionally, cases with "lessons learned" that advance understanding of avoidance of complication and encourage prospective trials on matters poorly understood in neurosurgical disease management are encouraged. Original work and research, as well as rare case scenarios and pioneering techniques and approaches to a neurosurgical and neurological disease or pathology that underline the interdisciplinary value of managing neurosurgical problems will be prioritized. Interdisciplinary Neurosurgery: Advanced Techniques and Case Management will publish the following type of peer-reviewed articles online: -Original work pioneering and advancing neurosurgical techniques and improved patient management utilizing interdisciplinary care systems- Case reports and Case Series- Technical notes and Surgical Techniques- Neuroanatomical studies- Letters to the Editor- Review articles

 Join the conversation about this journal

FIND SIMILAR JOURNALS

options

<p>1 Surgical Neurology International IND</p> <p>93% similarity</p>	<p>2 British Journal of Neurosurgery GBR</p> <p>92% similarity</p>	<p>3 Neurosurgical Review DEU</p> <p>92% similarity</p>	<p>4 World Neurosurgery USA</p> <p>92% similarity</p>	<p>5 Neurocirugia ESP</p> <p>85% similarity</p>
---	--	---	---	---



Interdisciplinary Neurosurgery: Advanced...
Q3 Surgery
SJR 2021 0.18
powered by scimagojr.com

Show this widget in your own website

Just copy the code below and paste within your html code:

SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool.**

Metrics based on Scopus® data as of April 2022




Loading comments...

Developed by:



Powered by:



Follow us on [@ScimagoJR](#)

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS
Horatius (Saturne 1, 1, 106)

[Edit Cookie Consent](#)

Volume 23

March 2021

[← Previous vol/issue](#)

[Next vol/issue >](#)

Receive an update when the latest issues in this journal are published

[Sign in to set up alerts](#)

Research Articles

Research article ● Open access

RET/PTC3 translocation in a rare hemorrhagic brain metastasis of papillary thyroid cancer post Chernobyl radiation affects vessels ultrastructure

Michela Relucenti, Pietro Familiari, Giorgia Iacopino, Placido Bruzzaniti, ... Antonio Santoro

Article 100889

[Download PDF](#) Article preview [▼](#)

Research article ● Open access

Efficacy of lumbar spinal drainage for straightforward approach in reoperation via lateral suboccipital retrosigmoid craniotomy

Tadashi Hamasaki, Tatsuya Takezaki, Shigetoshi Yano, Ryuta Ueda, Akitake Mukasa

Article 100915

[Download PDF](#) Article preview [▼](#)

Research article ● Open access

Early experience with oblique lateral interbody fusion (OLIF) with posterior percutaneous screw placement (OLIFwPPS): Case series with clinical and radiographic outcomes

Shoko M. Yamada, Yusuke Tomita, Masashi Kawamoto, Shokei Yamada

Article 100884

[Download PDF](#) Article preview 

Research article ● Open access

Use of a novel navigable tubular retractor system in 1826 minimally invasive parafascicular surgery (MIPS) cases involving deep-seated brain tumors, hemorrhages and malformations

Martina M. Cartwright, Penny Sekerak, Joseph Mark, Julian Bailes

Article 100919

[Download PDF](#) Article preview 

Research article ● Open access

Navigation-guided radiofrequency ablation for osteoid osteoma in the lumbar spine with a continuous cooling system for preventing neural damage: A report of two cases

Yuichiro Ukon, Shota Takenaka, Takahiro Makino, Atsuo Shigi, ... Takashi Kaito

Article 100926

[Download PDF](#) Article preview 

Research article ● Open access

There is no difference in safety and efficacy with Tirofiban or Eptifibatide for patients undergoing treatment of large vessel occlusion and underlying intracranial atherosclerosis

Hari Movva, Rani Rabah, Wondwossen Tekle, Alexandros Georgiadis, ... Ameer E. Hassan

Article 100927

[Download PDF](#) Article preview 

Research article ● Open access

A study of clinical presentation and management of base of skull fractures in our tertiary care centre

Bhaskar Naidu, Visweswaran Vivek, Krishnaswamy Visvanathan, Ravi Shekhar, ... Krishnamurthy Ganesh

Article 100906

[Download PDF](#) Article preview 

Research article ● Open access

The distribution of isocitrate dehydrogenase mutations, O6-methylguanine-DNA methyltransferase promoter methylation, and 1p/19q codeletion in different glioma subtypes and their correlation with glioma prognosis in Taiwanese population: A single center study

Peng-Wei Hsu, Chia-Yuan Chen, Kuo-Chen Wei, Chia-Hua Chen, Leslie Y. Chen

Article 100922

[Download PDF](#) Article preview 

Submit your article ↗

Guide for authors ↗

Menu



Research article ● Open access

Comparison of manual hand drill versus an electric dual-motor drill for bedside craniotomy

Brandon M. Welcome, Brian B. Gilmer, Sarah D. Lang, Michael Levitt, Michael M. Karch

Article 100928

[Download PDF](#) Article preview ▾

Research article ● Open access

Anterior or posterior approach in the surgical treatment of cervical radiculopathy; neurosurgeons' preference in the Netherlands

Anne E.H. Broekema, Rob J.M. Groen, Erzi Tegzess, Michiel F. Reneman, ... Jos M.A. Kuijlen

Article 100930

[Download PDF](#) Article preview ▾

Research article ● Open access

Basilar artery fenestration aneurysm treated with the Woven EndoBridge device

João Miguel de Almeida Silva, Guilherme Marcos Soares Dias, André Luiz Rezende

Article 100936

[Download PDF](#) Article preview ▾

Research article ● Open access

Prognostic significance of L-type amino acid transporter-1 (LAT-1) expression in human astrocytic gliomas

Ahmad Faried, Hendrikus M.B. Bolly, Yulius Hermanto, Arifudin Achmad, ... Muhammad Z. Arifin

Article 100939

[Download PDF](#) Article preview ▾

Research article ● Open access

The 100 most cited papers about medulloblastomas

Dimitrios Panagopoulos, Ploutarchos Karydakos, Dimitrios Giakoumettis, Marios Themistocleous

Article 100855

[Download PDF](#) Article preview ▾

Research article ● Open access

A radiographic analysis of the use of banana-shaped articulating interbody spacers in lumbar spine fusion: Retrospective design

Anthony Russo, Katelyn Stetzner, Torrey Shirk

Article 100918

Article 100910
[Download PDF](#) Article preview ▾

Research article ● Open access

Technical notes on deploying a LVIS stent – The importance of push and pull passively depending on the catheter torque

Yu Okuma, Nobuyuki Hirotsune, Yuta Sotome, Yasuhito Kegoya, ... Shigeru Daido

Article 100942

[Download PDF](#) Article preview ▾

Research article ● Open access

Black-blood vessel wall magnetic resonance imaging – A new imaging biomarker for regrowth of coiled saccular aneurysms?

Dittapong Songsaeng, Ittichai Sakarunchai, Sasithorn Harmontree, Sakun Mongkolnaowarat, ... Timo Krings

Article 100920

[Download PDF](#) Article preview ▾

Research article ● Open access

Uniportal thoracic endoscopic decompression using one block resection technique for thoracic ossified ligamentum flavum technical report

Pang Hung Wu, Hyeun Sung Kim, Ji-Yeon Kim, Yeon Jin Lee, ... Il-Tae Jang

Article 100963

[Download PDF](#) Article preview ▾

Research article ● Open access

Successful recanalization after stenting in acute basilar occlusion from vertebral V2 dissection: A telescoping stents technique with long term follow-up

Gianluigi Guarnieri, Vincenzo Andreone, Rosaria Renna, Massimo Muto, ... Mario Muto

Article 100962

[Download PDF](#) Article preview ▾

Research article ● Open access

Motion preservation after cervical total disc replacement surgery-fact or fiction?

Aftab Younus, Adrian Kelly, Weibo van der Meulen

Article 100965

[Download PDF](#) Article preview ▾

Research article ● Open access

Research article ● Open access

Comparative study of risk factors in young adults and elderly stroke patients in Sudan

Ahmed Mahmoud Sayed Sayedahmed, Mohammed Saeed Ali Alkhair

Article 100955

[Download PDF](#) Article preview ▾

Research article ● Open access

Cytotoxicity test for the use of freeze-dried amniotic membranes against viability, proliferation, and apoptosis on brain cell culture: An in vitro study

Rahadian Indarto Susilo, Joni Wahyuhadi, I Ketut Sudiana, Fedik Abdul Rantam

Article 100947

[Download PDF](#) Article preview ▾

Research article ● Open access

Novel risk factors and management of brain sag after brain tumor surgery

Hiroaki Motegi, Shigeru Yamaguchi, Michinari Okamoto, Yukitomo Ishi, ... Kiyohiro Houkin

Article 100951

[Download PDF](#) Article preview ▾

Research article ● Open access

Medical negligence: A neurosurgeon's guide

Callum Phillips, Lewis Thorne, A.T. Casey, Antonino Russo

Article 100970

[Download PDF](#) Article preview ▾

Research article ● Open access

Neurenteric CYST of the craniocervical junction. Case report

J. Iglesias, Carrasco, P. De la Fuente, L. Galbarriatu, ... I. Pomposo

Article 100852

[Download PDF](#) Article preview ▾

Research article ● Open access

Is a coccydectomy an efficacious surgical treatment for debilitating coccygeal pain?

Aftab Younus, Adrian Kelly

Article 100974

[Download PDF](#) Article preview ▾

Research article ● Open access

Research article ● Open access

Closed-loop vagus nerve stimulation. Patient-tailored therapy or undirected treatment?

Philipp Spindler, Peter Vajkoczy, Ulf Cristoph Schneider

Article 101003

[Download PDF](#) Article preview 

Research article ● Open access

Evaluating the muscle splitting Wiltse approach versus standard open midline approach for stabilization of unstable thoracolumbar fractures

Muhammad Siddique Hamid, Adrian Kelly, Aftab Younus, Muhammad Hanif Mian, Muhammad Tariq Sohail

Article 101006

[Download PDF](#) Article preview 

Research article ● Open access

Prospective study of complications in neurosurgery and their impact on the health related quality of life (HRQOL) – Proposal of a new complication grading in neurosurgery based on HRQOL

Ramesh Chandra Venkata Vemula, BCM Prasad, Kunal Kumar

Article 101002

[Download PDF](#) Article preview 

Research article ● Open access

Junctional bradycardia caused by subarachnoid hemorrhage

Wei-Hsiang Liao, Yu-Jang Su, Che-Hung Liu

Article 100986

[Download PDF](#) Article preview 

Research article ● Open access

High frequency spinal cord stimulation for chronic back and leg pain

Sergio Torres-Bayona, Salvador Mattar, Maria Paula Arce-Martinez, Yeiris Miranda-Acosta, ... Jibril-Osman Farah

Article 101009

[Download PDF](#) Article preview 

Research article ● Open access

¹⁸F-FDG PET findings of a case of polyostotic fibrous dysplasia

Bo Pan, Shi-Cun Wang, Xi-Chen

Article 100990

[Download PDF](#) Article preview 

Submit your article ↗

Guide for authors ↗

Menu



Research article ● Open access

Percutaneous vertebroplasty for the treatment of symptomatic vertebral hemangioma with long-term follow-up

Arun Kumar Gupta, Pranjal Phukan, Narendra Bodhey

Article 100968

[Download PDF](#) Article preview

Research article ● Open access

The effectiveness of cement augmentation in kyphosis correction of dynamically loaded osteoporotic vertebral fractures: A retrospective case series

Ramachandran Govindasamy, Swaroop Gopal, Satish Rudrappa

Article 100978

[Download PDF](#) Article preview

Research article ● Open access

Primary epidural extra-osseous Ewing sarcoma/peripheral primitive neuroectodermal tumor of the cervical spine curatively treated by surgery and adjuvant chemoradiotherapy: A case report and review of the literature

Shunsuke Ito, Yoichi Iizuka, Masahiro Nishinome, Takashi Yanagawa, ... Hirotaka Chikuda

Article 101013

[Download PDF](#) Article preview

Research article ● Open access

Patient satisfaction with telehealth in neurosurgery outpatient clinic during COVID-19 pandemic

Alexandra E. Richards, Kara Curley, Lynda Christel, Nan Zhang, ... Matthew T. Neal

Article 101017

[Download PDF](#) Article preview

Research article ● Open access

Efficacy and safety of surgical treatment for middle cerebral artery aneurysms: A retrospective case series

Marcos Dellaretti, Leyzeane Marques do Nascimento, Alan Douglas de Oliveira Lima, Julio Cesar de Almeida, Ricardo Souza Quadros

Article 101018

[Download PDF](#) Article preview

Research article ● Open access

Geriatric neurosurgery in a suburban community: A preliminary review of a single neurosurgeon experience

Abiodun Idowu Okunlola, Cecilia Kehinde Okunlola, Olakunle Fatai Babalola, Tesleem Olayinka Orewole, ... Olasunbo Oluwaseun

Kofoworola

Article 101023

Spontaneous subdural and intracavitary hemorrhage of temporal arachnoid cyst in an adult patient

Tiago S. Holanda Ferreira, Lara Raissa Cavalcante Malveira, Antônio Gomes Neto

Article 100830

[Download PDF](#) Article preview 

Case report ● Open access

DNET presenting with bleed: An infrequent event – Histopatho-radio-surgical report

Simranjeet Singh, Shweta Kedia, Ajay Garg, Hemanth Kumar, Gaurav Singh

Article 100890

[Download PDF](#) Article preview 

Case report ● Open access

Short-term corticosteroid pulse therapy in the treatment of post-infectious spinal arachnoiditis following cryptococcal meningoenzephalitis: A case report

Kang-Po Lee, Hui-Chen Su, Po-Lin Chen, Pi-Shan Sung

Article 100910

[Download PDF](#) Article preview 

Case report ● Open access

Meningeal mesenchymal chondrosarcoma: Case report

Jing Liu, Xia Liu, Dahui Zuo, Yanhua Sun

Article 100914

[Download PDF](#) Article preview 

Case report ● Open access

A male patient with pseudobulbar affect caused by post-traumatic normal pressure hydrocephalus successfully managed with ventriculoperitoneal shunt

Michael J. Gigliotti, Pardis Pooshpas, Neel Patel, Elias B. Rizk

Article 100916

[Download PDF](#) Article preview 

Case report ● Open access

Transient global amnesia caused by cryptogenic ischemic stroke

Mi-Kyoung Kang, Sang Yeon Kim, Hyun Goo Kang, Byoung-Soo Shin, Chan-Hyuk Lee

Article 100911

[Download PDF](#) Article preview 

Case report ● Open access

Case report ● Open access

Distortion and retraction injury at the hair-pin portion of the radiculomedullary artery during endovascular therapy for arteriovenous fistulas of the filum terminale

Bikei Ryu, Shinsuke Sato, Yasunari Niimi
Article 100898

[Download PDF](#) Article preview ▾

Case report ● Open access

A black mass at skull base – Foramen magnum melanocytic meningioma

Udaykumar Badhe, Rohit Balasubramanian, Shriram Varadhrajan, R. Subramaniam
Article 100899

[Download PDF](#) Article preview ▾

Case report ● Open access

Strategy for surgical excision and primary reconstruction of giant frontal sinus osteoma

Sherif Elwatidy, Malak Alkathlan, Taghreed Alhumsi, Abdullah Kattan, ... Mohammed Alessa
Article 100905

[Download PDF](#) Article preview ▾

Case report ● Open access

Mature cystic teratoma of conus medularis in an adult: A rare case

Rahul Varshney, Laxmi Narayan Gupta, Ajay Choudhary
Article 100917

[Download PDF](#) Article preview ▾

Case report ● Open access

Unintentional aortic puncture during lumboperitoneal shunt placement

Alexander E. Shearin, Nazih A. Moufarrij
Article 100908

[Download PDF](#) Article preview ▾

Case report ● Open access

Resection of a conus medullaris hemangioblastoma: Case report

Reinier Alvarez, Panagiotis Mastorakos, Prashant Chittiboina
Article 100904

[Download PDF](#) Article preview ▾

Case report ● Open access

[Submit your article ↗](#)[Guide for authors ↗](#)[Menu](#)Case report ● *Open access*

Traumatic carotid-cavernous fistula treated by trans-arterial stent-assisted coil embolization: Technical note

Hunsoo Park, Ichiro Nakagawa, Masashi Kotsugi, Kaoru Myochin, ... Hiroyuki Nakase

Article 100921

[Download PDF](#) Article preview Case report ● *Open access*

Donut-shaped partially thrombosed cavernous segment giant aneurysm treated under proximal flow control: Technical case report and literature review

Ryo Tamaki, Ichiro Nakagawa, Ryokichi Yagi, Seigo Kimura, ... Hirokatsu Taniguchi

Article 100923

[Download PDF](#) Article preview Case report ● *Open access*

Autopsy report and review of the 2016 WHO classification of congenital supratentorial embryonal tumors, not otherwise specified

Eduardo Cambruzzi, Karla Lais Pêgas, Gabriella Bezerra Cortês Nascimento, José Nathan Andrade Muller da Silva, ... Mateus Scarabelot Medeiros

Article 100913

[Download PDF](#) Article preview Case report ● *Open access*

Brainstem infarction triggered by the sling technique to treat trigeminal neuralgia caused by a huge vertebrobasilar artery compression

Akinori Kondo, Hiroshi Shimano, Souitirou Yasuda, Hiroto Inoue, Tomohiro Ihata

Article 100932

[Download PDF](#) Article preview Case report ● *Open access*

Priapism secondary to cauda equina compression: A debilitating and socially embarrassing pathology

Abiodun Idowu Okunlola

Article 100925

[Download PDF](#) Article preview Case report ● *Open access*

Repeat intravenous r-tPA administration four days after initial thrombolytic therapy for recurrent ischemic stroke: A case report and review of literature

Aimen Vanood, Sunitha Santhakumar, Ahmad Said

Francesco Corrivetti, Carmine Franco Muccio, Pierluigi Granaroli, Giuseppina Iorio, Matteo De Notaris
Article 100934

[Download PDF](#) Article preview 

Case report ● Open access

Converting from Video-assisted Thoracoscopic Surgery to open thoracotomy during multilevel tuberculous corpectomy and cage reconstruction

Aftab Younus, Adrian Kelly

Article 100938

[Download PDF](#) Article preview 

Case report ● Open access

Traumatic spondylolisthesis of the axis – A South African surgical case series

Aftab Younus, Adrian Kelly

Article 100950

[Download PDF](#) Article preview 

Case report ● Open access

Seizure-induced thoracolumbar burst fracture secondary to cirrhosis: A case report

Dong-Ju Lim, Sang-Yeup Shim

Article 100935

[Download PDF](#) Article preview 

Case report ● Open access

Recurrent subgaleal migration of the peritoneal catheter of ventriculoperitoneal shunt: A case report and literature review

Abdullah Alzahrani, Yaser Babgi, Abdulrahman Al Nemri, Ikhlas Al-Tuwaijri

Article 100933

[Download PDF](#) Article preview 

Case report ● Open access

Extracranial – Intracranial bypass surgery for large and complex cerebral aneurysms: An institutional experience in Vietnam

Hung Manh Ngo, Linh Hai Nguyen, Lieu Van Nguyen

Article 100941

[Download PDF](#) Article preview 

Case report ● Open access

Case report ● Open access

Intraoperative pedicle screw migration to the abdominal cavity in a severe osteoporotic spine surgery

Jun Ouchida, Tokumi Kanemura, Kotaro Satake, Hiroaki Nakashima, ... Shiro Imagama

Article 100943

[Download PDF](#) Article preview ▾

Case report ● Open access

Multiple vertebral hemangiomas of the thoracic spine with atypical radiological features and aggressive behavior causing myelopathy: A case report

G. Mariniello, S. Pagano, V. Meglio, M. Barbato, ... A. Elefante

Article 100954

[Download PDF](#) Article preview ▾

Case report ● Open access

Symptomatic Intracerebral Hemorrhage After Intravenous Thrombolysis Administration in an Acute Ischemic Stroke Patient with Chronic Pontine Microbleeds, a Case Report

Samantha Anne S. Gutierrez, Christian Oliver C. Co, Evita C. Trias, Maria Carissa C. Pineda-Franks

Article 100964

[Download PDF](#) Article preview ▾

Case report ● Open access

Revision surgery of an older patient with adjacent segment disease (ASD) following anterior cervical discectomy and fusion by PCB: A case report

Lei Fang, Zi-Liang Shen, Shu-Qiang Wang, Yong Kuang

Article 100944

[Download PDF](#) Article preview ▾

Case report ● Open access

Spontaneous regression of a subaxial cervical facet cyst

Kiyoshi Tarukado, Tomohiko Uemori, Shuhei Ueda, Toshihiro Imamura, Kozo Kaji

Article 100952

[Download PDF](#) Article preview ▾

Case report ● Open access

Anomic aphasia in the absence of hemianopia due to proximal posterior cerebral artery occlusion

Alison Ilana Thaler, Brian D. Kim, Kurt Yaeger, Shahram Majidi, ... Michael G. Fara

Article 100961

[Download PDF](#) Article preview ▾

Case report ● Open access

Post-traumatic retained foreign body in the cavernous sinus

A.L Hermann, A. Lecler

Article 100959

[Download PDF](#) Article preview 

Case report ● Open access

A duplicate anastomosing L5 nerve root discovered during microsurgically treated lumbar disk herniation: A case report

Ghazwan A. Lafta, Ammar S. Al-Adhami

Article 100966

[Download PDF](#) Article preview 

Case report ● Open access

Adeloye-Odeku cyst in a 65-year-old man, a rare presentation of a very rare disease: Case report and literature review

O.H. Obanife, John Ashindointiang

Article 100971

[Download PDF](#) Article preview 

Case report ● Open access

Technical considerations in a glossopharyngeal schwannoma

Oksana Zemskova, Oksana Skobska, Oleksandra Malysheva, Tetiana Malysheva, ... Viktor Gudkov

Article 100969

[Download PDF](#) Article preview 

Case report ● Open access

Management of pituitary spindle cell oncocytomas: A case report and review of the literature

Hael Abdulrazeq, Matthew Anderson, Jonathan Poggi, Shailen Sampath, ... Prakash Sampath

Article 100972

[Download PDF](#) Article preview 

Case report ● Open access

Lumbar unifacet dislocation without an associated fracture – A case report and literature review

Aftab Younus, Adrian Kelly

Article 100973

[Download PDF](#) Article preview 

Case report ● Open access

Reconstruction of comminuted frontal bone fracture with titanium plates and acrylic resin: Report of two cases

Ida Barca, Carmelo Stroschio, Raffaella Cordaro, Ciro Emiliano Boschetti, ... Maria Giulia Cristofaro

Article 100988

[Download PDF](#) Article preview 

Case report ● Open access

Cortical T2-hyperintense lesions as the initial MRI finding in glioblastoma

Timothy A. Gregory, John W. Henson

Article 100993

[Download PDF](#) Article preview 

Case report ● Open access

Electrocardiographic alteration associated with subarachnoid haemorrhage may mimic heart attack

Etrusca Brogi, Emiliano Gamberini, Emanuele Russo, Francesco Forfori, Vanni Agnoletti

Article 100982

[Download PDF](#) Article preview 

Case report ● Open access

Primary granulosa cell tumor of cerebellum: A rare case report

Sunil Rauniyar, Zhigang Shen, Lei Wang, Jia Gu, ... Rutong Yu

Article 100992

[Download PDF](#) Article preview 

Case report ● Open access

Venous varix enlargement after cerebrospinal fluid diversion in a neonate with pial arteriovenous fistula complicated with hydrocephalus. A case report

Kenichi Sato, Masayuki Ezura, Tomomi Kimiwada, Teiji Tominaga

Article 100981

[Download PDF](#) Article preview 

Case report ● Open access

Timing of surgery for spinal venous malformation—early vs. delayed: A case report and literature review

Yoon Bin Chong, Chee-Yin Chai, Ann-Shung Lieu

Article 100984

[Download PDF](#) Article preview 

Case report ● Open access

Vaginal cerebrospinal fluid discharge due to fallopian tube perforation by distal catheter of ventriculoperitoneal shunt: A case report

Igor Vilela Faquini, Ricardo Brandão Fonseca, Auricélio Batista Cezar Junior, Bruno Corrêa de Albuquerque Leimig, ... Lara Barreto Machado Galvão

Article 100977

[Download PDF](#) Article preview 

Case report ● Open access

Non-traumatic subdural hematoma in a third-trimester gravid patient: A case report

Francklin Tetinou, Ulrick Sidney Kanmounye, Alain Jibia, Patricia Menanga Ntsama, ... Anne Esther Njom Nlend

Article 100967

[Download PDF](#) Article preview 

Case report ● Open access

Idiopathic ventral thoracic spinal cord herniation – A case report and literature review

Wiebo van der Meulen, Adrian Kelly

Article 101000

[Download PDF](#) Article preview 

Case report ● Open access

Pipeline embolization device for treatment of atypical facial pain caused by a cavernous sinus aneurysm

Anthony S. Larson, Tapan Mehta, Shailesh Male, Bharathi Jagadeesan, Andrew W. Grande

Article 101001

[Download PDF](#) Article preview 

Case report ● Open access

The microsurgical management of a brainstem compression resulted from an embolized cerebral tentorial dural arteriovenous fistula

Mohammad Ghorbani, Farhad Rahbarian, Ghazwan A. Lafta

Article 100998

[Download PDF](#) Article preview 

Case report ● Open access

Spinal metastases from renal cell carcinoma: Case note with an overview

Shailesh Hadgaonkar, Amogh Zawar, Sahil Sanghavi, Ajay Kothari, ... Ashok Shyam

Article 100994

Article 101007

[Download PDF](#) Article preview ▾

Case report ● Open access

ANTI-MA2 encephalitis mimicking diencephalic demyelinating syndrome

Agábio Diógenes Pessoa Neto, Bárbara Cristina Vieira de Aquino, Paulo Santiago de Moraes Brito, Rodrigo de Alencar e Silva, ... Clécio de Oliveira Godeiro Junior

Article 100980

[Download PDF](#) Article preview ▾

Case report ● Open access

Successful endovascular treatment of extra-intracranial arteriovenous malformation using a combination of liquid non-adhesive embolic agents

S.M. Karasev, A.A. Sufianov, R.R. Khafizov, I.I. Karaseva, ... T.N. Khafizov

Article 101008

[Download PDF](#) Article preview ▾

[Submit your article ↗](#)

[Guide for authors ↗](#)


☰ Menu

🔍 Search in this journal

- > [Aims and scope](#)
- > [Editorial board](#)
- > [Abstracting & indexing](#)
- > [Announcements](#)

Gender diversity of editors

Based on 100.00% responding editors



- 50% man
- 50% woman
- 0% non-binary or gender diverse
- 0% prefer not to disclose

> [See more editors by country/region](#)

Editorial board

Editor in Chief

Professor P.M. Klinge, MD, PhD

Brown University, Warren Alpert Medical School, Neurosurgery Foundation Inc., 593 Eddy Street, RI 02903, Providence, Rhode Island, United States of America

General & pediatric neurosurgery

Associate Editors

Kostas N. Fountas, MD, PhD

University of Thessaly School of Health Sciences, Larissa, Greece

Awake craniotomy, Epilepsy surgery, Glioma, MR spectroscopy, Neuro-oncology, Intraoperative neurophysiology, AVM surgery, Intracranial aneurysm surgery, History of Neurosurgery, Decompressive craniectomy, head injury management

Editorial Board Members

Mohammed A. Azab, MD

Boise State University, Department of Biological Sciences, Boise, Idaho, United States of America

Neurooncology, Neuroimaging, General Neurosurgery

Ruben Dammers, Dr.

Erasmus University Rotterdam, Rotterdam, Netherlands

CSF diversion surgery, skull base surgery, cerebrovascular surgery

Pasquale De Bonis, MD, PhD

University of Ferrara, Department of Morphology Surgery and Experimental Medicine, Ferrara FE, Italy

Hydrocephalus (adult), Neurotrauma, Neuro-Oncology, Spine surgery

Wilhelm Eisner, Dr.

Medical University of Innsbruck, Innsbruck, Austria

Neuroimaging, Neuroscience, Magnetic Resonance, Computed Tomography, Imaging, Electrophysiology, Neurophysiology, Brain Imaging, Brain, Cognitive Neuroscience

Felice Esposito, M.D., Ph.D.

Federico II University of Naples, Naples, Italy

Neurosurgery, Skull Base Surgery, NeuroEndoscopy, Pain Management, Functional Neurosurgery

Lotfi Hacein-Bey, MD, PhD

University of California Davis School of Medicine, Sacramento, California, United States of America

Cerebrovascular, Stroke, Neuro-interventional, Aneurysm, Functional

Stephen Honeybul, Dr., FRCS (S.N.) FRACS

Sir Charles Gairdner Hospital, Department of Neurosurgery, Perth, Australia

(Traumatic) Brain Injury

Pascal Jabbour, MD

Thomas Jefferson University Hospital, Philadelphia, Pennsylvania, United States of America

Cranial and spine surgery, Surgical research

Joachim Krauss, MD

Hannover Medical School, Department of Neurosurgery, Hannover, Germany

Functional Neurosurgery, Movement Disorders, Pain, Hydrocephalus, Deep Brain Stimulation

Vartan Kurtcuoglu, PhD

University of Zurich Institute of Physiology, Zurich, Switzerland

Cerebrospinal fluid dynamics; Computational physiology; Fluid dynamics; Solute transport

David E. Mandelbaum, MD, PhD

Brown University Warren Alpert Medical School, Department of Pediatrics, Providence, Rhode Island, United States of America

Child Neurology; Pediatric Epilepsy, Autism, Neurodevelopmental Disabilities

Laurence Marshman, MD FRACS

The Townsville Hospital, Dept of Neurosurgery, Townsville, Queensland, Australia

Neurosurgery, Spine surgery

Rachit Patil, MD

Brown University Warren Alpert Medical School, Providence, Rhode Island, United States of America

Pediatric neurology, epilepsy surgery, hydrocephalus, epilepsy genetics, neonatal neurology

Norman Relkin, MD, PHD

Brilliant Health LLC, Tucson, Arizona, United States of America

Neurologist and Neuroscientist Neurologists diagnose and treat disorders of the brain, spinal cord, peripheral nerves, muscles, and the involuntary nervous system that controls the heart, lungs and other organs. They treat headaches, stroke, dementia, seizures, epilepsy, multiple

Ivan Sosa, MD

University of Rijeka, Faculty of Medicine, Rijeka, Croatia

Andreas Unterberg, MD PhD

Heidelberg University Hospital, Department of Neurosurgery, Heidelberg, Germany

Brain tumour surgery, Skull base surgery, Traumatic brain injury, Pituitary surgery

Sumeet Vadera, MD

University of California at Irvine (UCI) College of Medicine, Dept. of Neurological Surgery, Orange, United States of America

Brain tumors, Epilepsy, Epilepsy in children, Laser ablation of intracranial tumors, Minimally invasive head and neck surgery, Minimally invasive, robot-assisted intracranial surgery, Radiculopathy, Schwannoma, Sciatica, Seizure disorders, Spinal cancer

Qun Wu, MD

Zhejiang University School of Medicine Second Affiliated Hospital, Hangzhou, China

Clinical and basic research on pituitary tumor; Intracranial aneurysm and skull base tumor

Shinya Yamada, M.D, Ph.D

Juntendo University, Department of Neurosurgery, Tokyo, Japan

Neurosurgery, Cerebrospinal fluid, Interstitial fluid, Hydrocephalus, MRI

All members of the Editorial Board have identified their affiliated institutions or organizations, along with the corresponding country or geographic region. Elsevier remains neutral with regard to any jurisdictional claims.




[Submit your article ↗](#)

[Guide for authors ↗](#)


 Menu





Contents lists available at ScienceDirect

Interdisciplinary Neurosurgery: Advanced Techniques and Case Management

journal homepage: www.elsevier.com/locate/inat

Research Article

Cytotoxicity test for the use of freeze-dried amniotic membranes against viability, proliferation, and apoptosis on brain cell culture: An in vitro study

Rahadian Indarto Susilo^a, Joni Wahyuhadi^{a,*}, I Ketut Sudiana^b, Fedik Abdul Rantam^{c,d}^a Department of Neurosurgery, Faculty of Medicine, Universitas Airlangga – Dr. Soetomo General Academic Hospital, Surabaya, Indonesia^b Department of Pathological Anatomy, Faculty of Medicine, Universitas Airlangga – Dr. Soetomo General Academic Hospital, Surabaya, Indonesia^c Laboratory of Virology and Immunology, Department of Microbiology, Faculty of Veterinary Medicine, Universitas Airlangga, Surabaya, Indonesia^d Stem Cell Research and Development Center, Universitas Airlangga, Surabaya, Indonesia

ARTICLE INFO

Keywords:

Cytotoxicity

Dura mater defect

Freeze-dried amniotic membrane

Viability

ABSTRACT

Objective: This study aimed to conduct a cytotoxicity test in determining biocompatibility of freeze-dried amniotic membranes on brain cell culture.

Methods: An in vitro study was carried out on rat's brain cell culture. Samples were divided into three groups: control, conditioned medium, and direct amniotic membrane exposure. Each group was stained with MTT, DAPI and Annexin-V for its viability, proliferation, and apoptosis, respectively. Statistical analysis was conducted using ANOVA, post-hoc, or the Kruskal-Wallis test with CI 95%.

Results: Viability test using MTT staining showed viable cell in conditioned medium group of 76.99 ± 10.19 , and direct amniotic membrane exposure group of 90.36 ± 23.31 ($p = 0.001$). DAPI staining showed a median value of 5.32 (1.97-16.53) for control group, 6.00 (2.42-16.62) for conditioned medium group, and 3.53 (1.32-8.69) for direct amniotic membrane exposure. Annexin-V single staining showed mean value of 10.28 ± 2.43 (control group), 10.07 ± 0.97 (conditioned medium), and 10.42 ± 4.07 (direct amniotic membrane; $p = 0.969$). Double staining by Annexin V + DAPI showed mean value of 10.43 ± 1.82 (control), 10.01 ± 1.07 (conditioned medium), and 12.40 ± 3.67 (direct amniotic membrane exposure; $p = 0.148$).

Conclusion: Amniotic membrane exposure affected rat's brain cell culture viability in tolerable limit, while proliferation and apoptosis do not get affected.

1. Background

Dural defects are problems often faced by neurosurgeons. This defect can occur due to iatrogenic or pathological process. Dural closure is primarily an ideal method that needs to be conducted to prevent cerebrospinal fluid (CSF) leakage [1]. If primary closure is not possible, the surgeon will need to close the defect with a graft from another tissue. A good dura mater substitute must be biocompatible in terms of acceptability, inflammatory reaction, and tissue adherence [2]. Various biomaterial choices are available for grafting, which are grouped into: autologous materials [3], allograft [4], xenograft [5,6], and artificial or synthetic materials [7].

Despite graft usage, post-operative evaluation has reported CSF leakage, wound infection, asymptomatic pseudo meningocele, hematoma, adhesions, brain herniation, tension pneumocephalus, epilepsy,

bacterial or chemical meningitis, all of which result in longer hospitalization after duraplasty. A study of dural closure using waterproof seams showed an average CSF leakage of 7.7%, an infection rate of 7.5%, asymptomatic pseudo meningocele diagnosed using MRI and or CT scan of 11.8% [8]. The use of synthetic absorbable biomaterials made from microporous polyester non-woven fine fiber material shows the potential for transmigration of fibrinopurulent and malignant cells into dura mater transplants at the closure of defect. Local inflammation can create local immunosuppression. In addition, graft implantation stimulates IL-10 and or TGF- β , increasing immunosuppression and malignant cell infiltration [9].

One of the materials which is currently being examined as dural patch is human amniotic membranes. Several studies have shown satisfying results in both experimental and clinical study settings. Amniotic membrane has been proposed as an ideal material due to its

* Corresponding author at: Department of Neurosurgery, Faculty of Medicine, Universitas Airlangga – Dr. Soetomo General Academic Hospital, Jl. Mayjen Prof dr. Moestopo no 6 – 8, Airlangga, Gubeng Surabaya, East Java 60286, Indonesia.

E-mail address: joniwahyuhadi@fk.unair.ac.id (J. Wahyuhadi).

<https://doi.org/10.1016/j.inat.2020.100947>

Received 7 May 2020; Received in revised form 25 September 2020; Accepted 27 September 2020

Available online 2 October 2020

2214-7519/© 2020 The Authors.

Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

absorbance rate and its microscopic profile in facilitating adequate membrane formation. Amniotic membrane is considered as the right material as a graft duraplasty. There are several beneficial characteristics with its anti-inflammatory effect and low immunogenicity in the area of concentration. Amniotic membrane which has been preserved by freeze-dried will function as scaffold in the process of dural defect closure. The low level of two potential inflammatory mediators shows minimal inflammatory reaction in the cortex. Active fibroblast cells are vital in dural healing for scar tissue formation, including the process of gliosis in brain. Tomita et al. examined the potential of amniotic membrane as biomaterial option, showing satisfying result in both experimental and clinical study settings [10,11].

However, there have been no studies examining the safety of amniotic membranes usage against surrounding brain tissue. This study aimed to conduct a cytotoxicity test for the use of freeze-dried amniotic membranes against viability, proliferation, and apoptosis of brain cell culture.

2. Methods and materials

2.1. Amniotic membrane preparation

Amniotic membrane material was obtained through consenting labor patient at Dr. Soetomo General Academic Hospital. The placenta was prepared by the tissue bank. Amniotic membrane was first washed using normal saline solution followed with 0.05% chlorine. The membrane was then irrigated to remove all chlorine solution. The tissue was stretched on glass board, separated from the chorionic layer, and catalogued. The membrane was further stored in a -80°C freezer followed with sublimation process to evaporate all remaining water content using lyophilizer for 6–7 h in a -105°C temperature.

2.2. Cell culture and characterization

Primary rat brain cell culture in 3rd-4th passage was obtained from Wistar rat (Animal Laboratory of Institute of Tropical Disease; Surabaya, Indonesia). The surgical process began with general anaesthesia using ketamine for animals, followed by a craniotomy process. After the rat brain was exposed, tissue was taken for further culture. Rat brain cell was cultured in a 35-mm dishes at 70% confluence in Dulbecco's Modified Eagle Media (DMEM) medium with 20 mM HEPES/NaOH (pH 7.4), 5 mM NaHCO_3 , 10% fetal bovine serum, and 100 ml streptomycin with 100U/ml penicillin in 37°C and 95% humidity and 5% CO_2 . Procedures to the animals complied with the approval of the Ethical Committee of Faculty of Veterinary, Universitas Airlangga, Surabaya, Indonesia (Ethical number: 2.KE.034.02.2019).

Cell culture were divided into three groups: control, conditioned-medium, and direct amniotic exposure. Culture in control group received no amnion treatment. The second group consisted of cell culture in a conditioned-medium for 24 h. Medium for cell culture were then washed and replaced with conditioned medium. Conditioned medium was made by submersing amniotic membrane in culture medium for 1 h at 37°C [12]. The third group consisted of cell culture with direct exposure to crude amniotic membrane. Pieces of amniotic membrane was submerged directly into the cell culture medium, incubated for 24 h and was taken out afterwards. Sample was taken from each group to be processed further for characterization followed by cytotoxicity test using immunohistochemistry staining.

2.3. Characterization

Characterization of cell culture was performed to confirm cell type. The process was carried out by immunocytochemistry technique using GFAP, NESTIN, and SOX-21 Polyclonal Antibody, purchased from Bioss Antibodies Inc., Woburn, MA, USA, to confirm neuronal cell characterization.

2.4. Cytotoxicity test

The cytotoxicity of dura mater material was assessed in this study by measuring cell viability, proliferation, and apoptosis. Study material was introduced using two types of intervention: direct exposure of amniotic membrane to cell culture by submersion and amniotic-membrane-treated conditioned medium. Cell culture viability was estimated with colorimetric assay using MTT (3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl tetrazolium bromide) staining, purchased from (Sigma-Aldrich Corp., St. Louis, MO, USA). Proliferation and apoptosis were evaluated with immunocytochemistry staining technique analysis using DAPI (4',6-diamidino-2'-phenylindole, dihydrochloride), purchased from Seracare Life Sciences Inc., Milford, MA, USA, and Annexin-V, purchased from eBioscience, San Diego, CA, USA, respectively.

2.5. MTT staining

Cells seeded in parallel 96-multiwell plates were used to calculate the number of cells/well at different post-plating. Cell was taken from CO_2 incubator in 80–90% confluence for harvesting. Cell was incubated in a 37°C , 5% CO_2 environment for 24 h, distributed into each well and incubated further for 20 h. 25 μL /well of 5 mg/mL MTT was used prior to the third incubation for 4 h. Medium was discarded following the third incubation. DMSO of 200 μL /well were added. Cell was put under ELISA reader (Multi Reader Promega GM35000) on 595 nm wavelength for reading. Absorbance graph was made to be further compared to concentration. Percentage of viable cell and IC50 value were calculated using linear regression of log concentration. Three types of absorbance were obtained: cultured medium with cell and Dimethyl Sulfoxide (DMSO), controlled medium, and study cultured medium with cell and study material. Peak concentration of DMSO was observed from highest concentrated sample [13].

2.6. 4',6-Diamidino-2-phenylindole (DAPI) staining

Cell culture were fixated and washed three times with PBS + Tween 0.05%. Cell seeker were conducted using syringe procurement, followed by diluting DAPI solution 1:1000 in PBS for 5 min in dark room with room temperature of 27°C . Remaining cell were washed three times for three minutes [14,15].

2.7. Annexin-V – Fluorescein isothiocyanate (FITC) conjugated staining

Cell culture were fixated and washed three times with PBS + Tween 0.05% and rinsed. Cell permeability were increased with three times application of PBS and Triton-X 0.1%. Blocking buffer was carried out with 30-minute incubation in PBS and BSA 1% to prevent non-specific protein. Specimen then washed three times in 4°C . Primary antibody of 1:100 was put into blocking buffer for 1 h in dark room with room temperature, followed by rinsing for three times and counterstaining with DAPI [16–18].

2.8. Image analysis

The immune reaction product was observed with immunofluorescence microscope (Fluorescence Microscope Olympus IX71, 100x magnification). Images were captured then processed by ImageJ program to calculate intensity of colour spectrum, giving quantitative number of pixels as output. High resolution images taken by fluorescence microscope were processed by ImageJ program to obtain quantify percent coverage. The threshold colour was put on dark background and measured for percent area of threshold. Percent area of coverage for multiple region within each sample was calculated as average pixels [19].

2.9. Statistical analysis

The results of data collection were presented in the form of mean \pm standard deviation (SD) or median (minimum–maximum) and percentage (%). The research results were also displayed in the form of pictures or tables. Statistical analysis used IBM SPSS Statistics software version 23.0 (IBM Corp., Armonk, NY, USA). ANOVA test was conducted should the data in normal distribution, while Kruskal-Wallis method was performed should the data in abnormal distribution. The statistical test was followed with a post-hoc test between groups to look for significant differences between groups. A significant correlation was determined should the $p < 0.05$ with 95% CI.

3. Results

3.1. Cell culture viability on amniotic membrane exposure

Cell viability testing was conducted by MTT staining at each well ($n = 48$), followed by colorimetric reading on each well. Each well received treatment in the form of amniotic membrane direct exposure ($n = 16$), conditioned medium ($n = 16$), and control ($n = 16$). The data were processed to describe the percentage of living cells. The mean value of MTT reading results in each treatment group was reduced by the absorbance value of control group. From these calculations, cell viability was obtained in the form of a living cell percentage of 76.99% in the conditioned-medium treatment group and 90.36% in the amniotic membrane direct exposure group (Fig. 1).

The results showed the mean value of 0.44 ± 0.09 for the amniotic membrane group, 0.39 ± 0.04 for the conditioned medium group, and 0.48 ± 0.03 for the control group ($p = 0.001$). The mean value of the conditioned medium (0.39 ± 0.04) was significantly lower than the mean value of control group (0.48 ± 0.02 ; $p < 0.001$). It was concluded that cell culture still has good cell viability in amniotic membrane exposure in the form of direct exposure or in the form of condition-medium (Table 1).

3.2. Cell culture proliferation on amniotic membrane exposure

The results of ImageJ processing showed mean for the control group was 5.49 ± 2.6 , while subjects in conditioned-medium was 6.10 ± 2.56




Fig. 1. Percentage of cell viability, control 100.00 ± 0.00 , conditioned mediums 76.99 ± 10.20 , and amniotic membrane 90.36 ± 23.31 ($p = 0.001$; CI 99%).

Table 1

ANOVA analysis of cell culture on MTT staining.

Group	Mean \pm SD	p
Amniotic membrane	0.44 ± 0.09	0.001
Conditioned medium	0.39 ± 0.04	
Control	0.48 ± 0.03	

and amniotic membrane was 3.75 ± 1.53 (Fig. 2).

The results showed that the median for the control group was 5.32 (1.97–16.53), while median for conditioned medium was 6.00 (2.42–16.62) and amniotic membrane direct exposure was 3.53 (1.32–8.69). The examination was continued by conducting a different test on 3 groups. The comparison results showed significant differences between the three groups, with $p = 0.001$ (Table 2).

Significantly different test results were achieved by comparing amniotic membrane treatment group to control ($p = 0.005$) and between amniotic membrane treatment group against the medium condition ($p = 0.001$; Table 3).

3.3. Cell culture apoptosis on amniotic membrane exposure

The results of cell culture staining (Fig. 3) with Annexin V showed that the mean value for the control group was 10.28 ± 2.43 , while conditioned medium was 10.428 ± 4.073 and amniotic membrane group was 10.06 ± 0.97 . In the group with Annexin V + DAPI staining showed a median value for the control group of 10.19 (8.69–12.68), while conditioned medium was 12.78 (7.21–21.22) and amniotic membrane treatment group was 9.68 (8.58–11.67; Fig. 4).

The calculation of normal data distribution on Annexin V staining was processed for data analysis using ANOVA to look for significant differences between the 3 groups. The results showed no significant difference ($p = 0.97$) in the comparison of each treatment group. The results of analysis showed no significant difference ($p = 0.148$) in the comparison between treatment groups (Table 4).

4. Discussions

Amniotic membrane potential as biomaterial had been proven many times in some previous studies. Currently, amniotic membrane is also used as a biomaterial to cover dural defects. These applications have been investigated in several in vivo and clinical studies [10,11]. Ideally, as a basis for usage, biomaterial is necessary to go through stages that prove safety, starting from the in vitro research stage and continuing in vivo. Only if proven safe, it will be continued in human research [20]. There are no in vitro studies examining the toxicity of amniotic membranes to brain tissue [21–23].

Neurotoxicity study is recommended in vitro to find out the underlying processes of normal functioning of the nerve and its dysfunction. The neurotoxicity seen at the cellular level results from bioactivation of the response to the test metabolite, whereas in the in vivo level test, visible toxicity can also occur due to the response from non-neuronal or systemic cells [24]. Neurotoxicity assessment using cell culture media [24,25] aims to evaluate the potential for biochemical neurotoxicity in the form of experimental tests. The results obtained are measured to determine changes in receptors, growth, physiological and nerve cell basal function. The parameter evaluation includes evaluating macromolecular synthesis, oxidation, mitochondrial activity, apoptosis, DNA integrity, regulation and cell function, enzyme changes, to cell integrity [24].

Amniotic membrane as intrauterine embryonal protector provides mechanical barrier in suspensive stress from good tensile resistance from condensed interstitial collagen I, II and elastin, and adequate elasticity from collagen III. Its healing profile had been proven by Haugh et al. [26], and widely used in reconstructive surgery with satisfying result [10]. A study conducted by Turchan et al., also showed amniotic




Fig. 2. DAPI staining in the control group, conditioned media and amniotic membrane. Visible fluorescent images with bluish DAPI in the cell nucleus. The reading was conducted in a dark room to measure the intensity of immunoreactive cells. (Olympus IX71 Fluoroscopy Microscope, 100x magnification).

Table 2
Median results for DAPI staining.

Group	Median (min – max)	p
Amniotic membrane	5.32 (1.97 – 16.53)	0.001
Conditioned medium	6.00 (2.42 – 16.62)	
Control	3.53 (1.32 – 8.69)	

Table 3
Comparative analysis for cell culture proliferation between DAPI stained groups using Mann-Whitney method.

Group	N	Mean Rank	p
Amniotic membrane	20	12,13	0.001
Conditioned medium	20	28,88	
Control	10	13,15	0.307
Amniotic membrane	20	12,4	0.005
Control	10	21,7	

membrane effectiveness as scaffold in dural defect closure with no LCS leakage [11]. Adequate safety profile of amniotic membrane in using dehydrated human amnion for dural grafting was also reported [27]. These reports are in concordance with the results of this study, strengthening the basis of safety and cytotoxicity for clinical use. Extended study on amniotic membrane toxicology profile should be conducted to set basic cellular profile during amniotic membrane exposure on neuron cells.

Cell culture proliferation evaluation using DAPI staining showed blue colour, representing intact live cells followed by microscopic analysis to observe chromatin fragmentation in the nucleus and was read by ImageJ software for further processing [28,29]. DAPI staining in the amniotic membrane treatment group showed a low expression which was significantly different when compared to the control group and the conditioned medium. This could indicate that differences in cell proliferation of amnion membrane exposure group were not pended by apoptosis process. The result of low expression of DAPI in amniotic


membrane exposure group could be due to the technical exposure of amniotic membrane to cell culture. A study by Leaw et al. reported a significant inhibitory effect of human amniotic membrane on apoptosis following brain injury in rat model [30]. Our study noted that amniotic membrane must be taken back when staining. The retrieval process can result in cell release which explained our result.

Annexin V has been widely used for apoptosis analysis based on membrane changes of asymmetrical loss. In viable cells, the phospholipid phosphatidylserine (PS) membrane is located in the inner part of plasma membrane, externalized and exposed on the cell surface [31]. The disadvantage of Annexin-V is the possibility of cell binding in undergoing necrosis [32]. The results of cell apoptosis assessment with Annexin-V staining showed a non-significant difference of apoptotic numbers between control and treatment groups. Rat’s brain cell culture did not undergo extensive apoptosis during exposure. This non-significant difference strengthens amniotic membrane safety profile and can be used as basis for conducting further studies using brain tissue.


Amniotic membrane can also reduce inflammation from its immunosuppressive property. Ueta et al. showed its capabilities in suppressing T cell response in an in vitro cell culture study [33]. In addition, Walker et al. showed amniotic membrane capabilities to reduce adhesion and fibrosis for dural repair [25]. Reports show its axonal regeneration profile along with increased mRNA expression of neurotropic factor in animal model [34] and nerve scaring prevention [35].

Even though amniotic membrane has undergone a process of preservation, it still contains various growth factors that affect the condition of microenvironment. Therefore, it will create a more conducive condition to the wound healing process. The amniotic membrane contains growth factors such as EGF, FGF, GM-CSF, VEGF, and PDGF, which have an important role in wound healing. The complex role of this growth factor has been studied and reported to have an important role in adhesion, migration, proliferation, and cell differentiation [36,37]. This might explain the differences seen in the proliferation observed in this study, where cells using conditioned medium from amnion have a higher proliferation value compared to other groups. Results of this study showed that direct exposure to amniotic membrane is safe for amniotic membrane cell culture viability. The mean value of cell culture

Control



Conditioned Medium



Amnion Membrane




Fig. 3. The result of cell staining with Annexin-V (left lane) and addition of counter-stained with DAPI (right lane) in the control group, conditioned medium and amniotic membrane. (Olympus IX71 Fluorescity Microscope, 100x magnification).

in conditioned medium group was significantly lower than the mean value of control group. Conditioned medium group may have mediators and cytokines released and may have an effect on cell viability compared to direct exposure. A study of human amniotic epithelial cell (HAEC) conditioned medium of cultured neuronal cell of rats showed amniotic membrane regeneration profile postulated from the medium containing various expression of neurotrophic factor without neurotrophic effects on rat neurons [12]. Later, further evaluation of HAEC's neuroprotective effects by its conditioned medium suggested neuroprotective its potential [38]. Further studies are required to investigate the optimum usage of conditioned medium of amniotic membrane.

Amniotic membrane meets the ideal criteria for biomaterial and has valuable potential as dural graft material, but only a few studies exploring its safety and toxicity profile towards brain cell or tissue. Unlike other studies, this research examined the safety of amnion

membranes in vitro against brain culture cells. This study should be followed by further in-depth researches related to cytocompatibility of freeze-dried amniotic membranes usage in duraplasty against brain tissue in animal model.

5. Conclusions

This study finds a difference in cell viability in amniotic membrane exposure, but still within tolerable limits. Amniotic membrane exposure does not affect apoptosis of rat's brain cell culture. Amniotic membrane is not toxic and is safe against rat's brain cell culture. The potential of amniotic membranes can be considered as an alternative material for the development of dural graft biomaterials in the duraplasty procedure. Further research is needed at the in vivo stage in animal models to assess inflammatory reactions in tissue reactions to foreign bodies.




Fig. 4. Mean average of Annexin-V staining. Result was obtained from image reading on single staining and double staining with DAPI.

Table 4

Cell apoptosis data by Annexin V and annexin + DAPI staining.

	group I	II	III	P
Annexin V	10.28 ± 2.43	10.07 ± 0.97	10.42 ± 4.07	0.969
Annexin V + DAPI	10.43 ± 1.82	10.01 ± 1.07	12.40 ± 3.67	0.148

Ethical approval

All procedures performed in studies involving experimental animals were in accordance with the ethical standards of the faculty of veterinary medicine, Universitas Airlangga, Surabaya, Indonesia (Ethical number 2.KE.034.02.2019).

Author contribution

Rahadian Indarto Susilo was in charge on concept creation, research implementation, data collection and processing, writing manuscript. Joni Wahyuhadi conducted concept making, data processing, interpretation of results, writing manuscript. I Ketut Suidiana was in charge on concept making, interpretation of results, writing manuscripts. Fedik Abdul Rantam made concepts, interpreted results, and wrote manuscripts.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

- [1] M. Protasoni, S. Sangiorgi, A. Cividini, G.T. Culivaris, G. Tomei, C. Dell'Ordo, M. Raspanti, S. Balbi, M. Reguzzoni, The collagenic architecture of human dura mater, *J. Neurosurg.* 114 (6) (2011) 1723–1730, <https://doi.org/10.3171/2010.12.JNS101732>.
- [2] S.F. Danish, A. Samdani, A. Hanna, P. Storm, L. Sutton, Experience with acellular human dura and bovine collagen matrix for duraplasty after posterior fossa decompression for chiari malformations, *J. Neurosurg.* 104 (2006) 16–20, <https://doi.org/10.3171/ped.2006.104.1.106>.
- [3] F.C. Lam, E. Kasper, Augmented autologous pericranium duraplasty in 100 posterior fossa surgeries - a retrospective case series, *Neurosurg.* 71 (2012) ons302-307, <https://doi.org/10.1227/NEU.0b013e31826a8ab0>.
- [4] W.L. Warren, M.B. Medary, C.D. Dureza, J.B. Bellotte, P.P. Flannagan, M.Y. Oh, T. Fukushima, Dural repair using acellular human dermis: experience with 200 cases: technique assessment, *Neurosurg.* 46 (6) (2000) 1391–1396, <https://doi.org/10.1097/00006123-200006000-00020>.
- [5] U. Knopp, F. Christmann, E. Reusche, A. Sepehrnia, A new collagen biomatrix of equine origin versus a cadaveric dura graft for the repair of dural defects – a comparative animal experimental study, *Acta Neurochir.* 147 (8) (2005) 877–887, <https://doi.org/10.1007/s00701-005-0552-0>.
- [6] G.K. Bejjani, J. Zabramski, Safety and efficacy of the porcine small intestinal submucosa dural substitute: results of a prospective multicenter study and literature review, *J. Neurosurg.* 106 (6) (2007) 1028–1033, <https://doi.org/10.3171/jns.2007.106.6.1028>.
- [7] K. Kurpinski, S. Patel, Dura mater regeneration with a novel synthetic, bilayered nanofibrous dural substitute: an experimental study, *Nanomedicine.* 6 (2) (2011) 325–337, <https://doi.org/10.2217/nmm.10.132>.
- [8] P.K. Narotam, F. Qiao, N. Nathoo, Collagen matrix duraplasty for posterior fossa surgery: evaluation of surgical technique in 52 adult patients, *J. Neurosurg.* 111 (2) (2009) 380–386, <https://doi.org/10.3171/2008.10.JNS08993>.
- [9] F. El Majdoub, M. Lohr, M. Maarouf, A. Brun, W. Stenzel, R.-I. Ernestus, Transmigration of fibrino-purulent inflammation and malignant cells into an artificial dura substitute (Neuro-Patch®): report of two cases, *Acta Neurochir.* 151 (7) (2009) 833–835, <https://doi.org/10.1007/s00701-009-0207-7>.
- [10] T. Tomita, N. Hayashi, M. Okabe, T. Yoshida, H. Hamada, S.S. Endo, T. Nikaido, New dried human amniotic membrane is useful as a substitute for dural repair after skull base surgery, *J. Neurol. Surg. B* 73 (5) (2012) 302–307, <https://doi.org/10.1055/s-0031-1321506>.
- [11] A. Turchan, T.F. Rochman, A. Ibrahim, D. Fauziah, J. Wahyuhadi, M.A. Parenrengi, A. Al Fauzi, E. Sufarnap, A.H. Bajamal, H.S. Ferdiansyah, F.A. Purwati, A. W. Rantam, C.B.L. Paramadini, Duraplasty using amniotic membrane versus temporal muscle fascia: a clinical comparative study, *J. Clin. Neurosci.* 50 (2018) 272–276, <https://doi.org/10.1016/j.jocn.2018.01.069>.
- [12] S. Uchida, Y. Inanaga, M. Kobayashi, S. Hurokawa, M. Araie, N. Sakuragawa, Neurotrophic function of conditioned medium from human amniotic epithelial cells, *J. Neurosci. Res.* 62 (4) (2000) 585–590, [https://doi.org/10.1002/1097-4547\(20001115\)62:4<585::AID-JNR13>3.0.CO;2-U](https://doi.org/10.1002/1097-4547(20001115)62:4<585::AID-JNR13>3.0.CO;2-U).
- [13] J.C. Stockert, A. Blazquez-Castro, M. Canete, R.W. Horobin, A. Villanueva, MTT assay for cell viability: Intracellular localization of the formazan product in lipid droplets, *Acta Histochem.* 114 (8) (2012) 785–796, <https://doi.org/10.1016/j.acthis.2012.01.006>.
- [14] S.M. Nguyen, C.J. Lieven, L.A. Levin, Simultaneous labeling of projecting neurons and apoptotic state, *J. Neurosci. Methods* 161 (2) (2007) 281–284, <https://doi.org/10.1016/j.jneumeth.2006.10.026>.
- [15] A.K. Estandarte, S. Botchway, C. Lynch, M. Yusuf, I. Robinson, The use of DAPI fluorescence lifetime imaging for investigating chromatin condensation in human chromosomes, *Sci. Rep.* 6 (2016) 31417, <https://doi.org/10.1038/srep31417>.
- [16] A.M. Rieger, K.L. Nelson, J.D. Konowalchuk, D.R. Barreda, Modified annexin V/propidium iodide apoptosis assay for accurate assessment of cell death, *J. Vis. Exp.* 50 (2011) 2597, <https://doi.org/10.3791/2597>.
- [17] M. Archana, Bastian, T.L. Yogesh, K.L. Kumaraswamy, Various methods available for detection of apoptotic cells-a review. *Indian J. Cancer.* 50 (3) (2013) 274-283, doi: 10.4103/0019-509X.118720.
- [18] S. Kim, S.M. Bae, J. Seo, K. Cha, M. Piao, S. Kim, H. Son, R. Park, B. Lee, I. Kim, Advantages of the phosphatidylserine-recognizing peptide PSP1 for molecular imaging of tumor apoptosis compared with annexin V, *PLoS One.* 10 (3) (2015), e0121171, <https://doi.org/10.1371/journal.pone.0121171>.

- [19] J.X. Yuan, J.M. Munson, Quantitative immunohistochemistry of the cellular microenvironment in patient glioblastoma resections, *J. Vis. Exp.* 125 (2017) 56025, <https://doi.org/10.3791/56025>.
- [20] G.A. Van Norman, Drugs, devices, and the FDA: Part 2: an overview of approval processes: FDA approval of medical devices, *JACC Basic Transl. Sci.* 1 (4) (2016) 277–287, <https://doi.org/10.1016/j.jacbts.2016.03.009>.
- [21] P.B. Milan, N. Amini, M.T. Joghataei, L. Ebrahimi, M. Amoupour, A. Sarveazad, S. Kargozar, M. Mozafari, Decellularized human amniotic membrane: from animal models to clinical trials, *Methods* 171 (2020) 11–19, <https://doi.org/10.1016/j.ymeth.2019.07.018>.
- [22] Z. Liu, X. Zhu, T. Zhu, R. Tang, Evaluation of a biocomposite mesh modified with decellularized human amniotic membrane for intraperitoneal onlay mesh repair, *ACS Omega* 5 (7) (2020) 3550–3562, <https://doi.org/10.1021/acsomega.9b0366>.
- [23] M. Fenelon, M., Etchebarne, R. Siadous, A. Gremare, M. Durand, L. Sentilhes, Y. Torres, S. Catros, F. Gindraux, N. L'Heureux, J-N, Fricain. Assessment of fresh and preserved amniotic membrane for guided bone regeneration in mice. *J. Biomed. Mater. Res. A* 108 (10) (2020) 2044–2056, doi: 10.1002/jbm.a.36964.
- [24] G.J. Harry, M. Billingsley, A. Bruinink, I.L. Campbell, W. Classen, D.C. Dorman, C. Galli, D. Ray, R.A. Smith, H.A. Tilson, In vitro techniques for the assessment of neurotoxicity, *Environ. Health Perspect.* 106 (Suppl. 1) (1998) 131–158, <https://doi.org/10.1289/ehp.98106s1131>.
- [25] C.T. Walker, J. Godzik, U.K. kakarla, J.D. Turner, A.C. Whiting, P. Nakaji, Human amniotic membrane for the prevention of intradural spinal cord adhesions: retrospective review of its novel use in a case series of 14 patients. *Neurosurg.* 83 (5) (2018). 989–996, doi: 10.1093/neuros/nyx608.
- [26] A.M. Haugh, J.G. Witt, A. Hauch, M. Darden, G. Parker, W.A. Ellsworth, J.F. Buell, Amnion membrane in diabetic foot wounds: a meta-analysis, *Plast. Reconstr. Surg. Glob. Open* 5 (4) (2017), e1302, <https://doi.org/10.1097/GOX.0000000000001302>.
- [27] D.G. Eichberg, S.C. Ali, S.S. Buttrick, R.J. Komotar, The use of dehydrated amniotic membrane allograft for augmentation of dural closure in craniotomies and endoscopic endonasal transphenoidal surgeries, *Br. J. Neurosurg.* 32 (5) (2018) 516–520, <https://doi.org/10.1080/02688697.2018.1490943>.
- [28] D. Zink, N. Sadoni, E. Stelzer, Visualizing chromatin and chromosomes in living cells, *Methods* 29 (1) (2003) 42–50, [https://doi.org/10.1016/s1046-2023\(02\)00289-x](https://doi.org/10.1016/s1046-2023(02)00289-x).
- [29] Y.R. Saadat, N. Saeidi, S.Z. Vahed, A. Barzegari, J. Barar, An update to DNA ladder assay for apoptosis detection, *Bioimpacts* 5 (1) (2015) 25–28, <https://doi.org/10.15171/bi.2015.01>.
- [30] B. Leaw, D. Zhu, J. Tan, R. Muljadi, M.I. Saad, J.C. Mockler, E.M. Wallace, R. Lim, M. Tolcos, Human amnion epithelial cells rescue cell death via immunomodulation of microglia in a mouse model of perinatal brain injury, *Stem Cell Res. Ther.* 8 (2017) 46, <https://doi.org/10.1186/s13287-017-0496-3>.
- [31] N.M. Rysavy, L.M.N. Shimoda, A.M. Dixon, M. Speck, A.J. Stokes, H. Turner, E. Y. Umemoto, Beyond apoptosis: the mechanism and function of phosphatidylserine asymmetry in the membrane of activating mast cells, *Bioarchitecture* 4 (4–5) (2014) 127–137, <https://doi.org/10.1080/19490992.2014.995516>.
- [32] M.N. Breit, W.C. Kisseberth, M.D. Bear, Y. Lasdesman, T. Kashyap, D. McCauley, M. G. Kauffman, S. Shacham, C.A. London, Biologic activity of the novel orally bioavailable selective inhibitor of nuclear export (SINE) KPT-335 against canine melanoma cell lines, *BMC Vet. Res.* 10 (2014) 160, <https://doi.org/10.1186/1746-6148-10-160>.
- [33] M. Ueta, M.-N. Kweon, Y. Sano, C. Sotozono, J. Yanada, N. Koizumi, H. Kiyono, S. Kinoshita, Immunosuppressive properties of human amniotic membrane for mixed lymphocyte reaction, *Clin. Exp. Immunol.* 129 (3) (2002) 464–470, <https://doi.org/10.1046/j.1365-2249.2002.01945.x>.
- [34] Z.-Y. Zhang, J. Yang, Z.-H. Fan, D.-L. Wang, Y.-Y. Wang, T. Zhang, L.-M. Yu, C.-Y. Yu, Fresh human amniotic membrane effectively promotes the repair of injured common peroneal nerve, *Neural. Regen. Res.* 14 (12) (2019) 2199–2208, <https://doi.org/10.4103/1673-5374.262596>.
- [35] G.Y. Ozgenel, G. Filiz, Combined application of human amniotic membrane wrapping and hyaluronic acid injection in epineurectomized rat sciatic nerve, *J. Reconstr. Microsurg.* 20 (02) (2004) 153–157, <https://doi.org/10.1055/s-2004-820772>.
- [36] N. Koizumi, T. Inatomi, C. Sotozono, N.J. Fullwood, A.J. Quantock, S. Kinoshita, Growth factor mRNA and protein in preserved human amniotic membrane, *Curr. Eye Res.* 20 (3) (2000) 173–177.
- [37] S. Barrientos, O. Stojadinovic, M.S. Golinko, H. Brem, M. Tomic-Canic, Perspective article: growth factors and cytokines in wound healing, *Wound Repair Regen.* 16 (5) (2008) 585–601, <https://doi.org/10.1111/j.1524-475X.2008.00410.x>.
- [38] S. Uchida, Y. Suzuki, M. Araie, K. Kashiwagi, Y. Otori, N. Sakuragawa, Factors secreted by human amniotic epithelial cells promote the survival of rat retinal ganglion cells, *Neuroscience Lett.* 341 (2003) 1–4, [https://doi.org/10.1016/S0304-3940\(02\)01454-4](https://doi.org/10.1016/S0304-3940(02)01454-4).