

CiteScoreTracker 2021 ①

32 Citations to date

377 Documents to date

Last updated on % April, 2022 - Updated monthly

Source details

Scopus Preview

Bali Medical Journal

Open Access (1)

Scopus coverage years: from 2020 to 2021

Publisher: Sanglah General Hospital

ISSN: 2089-1180 E-ISSN: 2302-2914

Subject area: (Medicine: General Medicine)

Source type: Journal

View all documents >

Set document alert

Save to source list Source Homepage

CiteScore

CiteScore rank & trend

Scopus content coverage

Improved CiteScore methodology

CiteScore 2020 counts the citations received in 2017-2020 to articles, reviews, conference papers, book chapters and data papers published in 2017-2020, and divides this by the number of publications published in 2017-2020. Learn more >

CiteScore 2020

2 Citations 2017 - 2020

171 Documents 2017 - 2020

Calculated on 05 May, 2021

CiteScore rank 2020 ①

Category

Rank Percentile

Medicine

General Medicine

#782/793

1st

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site &

CiteScore 2020

Create accou

SNIP

0.0

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語に切り替える

切换到简体中文

切換到繁體中文

Русский язык

Customer Service

Help

Tutorials

Contact us

ELSEVIER

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

RELX





Open Access & Peer Reviewed Multidisciplinary Journal Of Medical Sciences

Search	

Advanced Search (https://www.ballmedicaljournal.org/index.php/bmj/search/search)

Home (https://www.balimedicaljournal.org/index.php/bmj/index) > Editorial Board & Reviewer (https://www.balimedicaljournal.org/index.php/bmj/pages /view/editorialboard)

Editor-in-Chief

Prof. Dr. Sri Maliawan, SpBS (http://www.baliroyalhospital.co.id/halaman_staff.php?ditail=229)
(Scopus ID (https://www.scopus.com/authid/detail.uri?authorld=15738530400)), (Google scholar (https://scholar.google.co.id/citations?user=qVJ57aYAAAAJ&h(=id))
srimaliawan@unud.ac.id / maliawans@yahoo.com
Department of Neuro Surgery, Udayana University
Sanglah General Hospital
Bali - Indonesia

Associate Editor

Prof. Putra Manuaba, M.Phil (http://profpuma.weebly.com/)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=8412278400), (Google Scholar (https://scholar.google.com/citations?user=jnmT14kPWNcC&hl=en))
putramanuaba@unud.ac.id / putramanuaba28@yahoo.com
Biomedicine Postgraduate Program, Udayana University

Bali - Indonesia

Prof. Ketut Suwiyoga, SpOG (http://www.scopus.com/results/authorNamesList.url?sort=count-f&src=al&sid=01CAC4E9A2FB056A0A90221C03EC65FE.FZg2ODcJC9ArCe8WOZPvA%3a360&sot=al&sdt=al&sl=34&s=AUTH--LAST--NAME%28EQUALS%28Suwiyoga%29%29&st1=Suwiyoga&orcidId=&selectionPageSearch=anl&reselectAuthor=false&activeFlag=false&showDocument=false&resultsPerPage=20&offset=1&jtp=false¤tPage=1&previousSelectionCount=0&tooManySelections=false&previousResultCount=0&authSubject=LFSC&authSubject=HLSC&authSubject=PHSC&authSubject=SOSC&exactAuthorSearch=true&showFullList=false&authorPreferredName=&origin=searchauthorfreelookup&affiliationId=&txGid=01CAC4E9A2FB056A0A90221C03EC65FE.FZg2ODcJC9ArCe8WOZPvA%3a36)

(Scopus ID (https://www.scopus.com/authid/detail.uri?authorId=54080784800))

suwiyoga@unud.ac.id

Faculty of Medicine, Udayana University, Sanglah Hospital Denpasar, Bali-Indonesia

Editorial Board for Regional America

Ankit Sakhuja, M.B.B.S., F.A.C.P., F.A.S.N. (http://www.med.umich.edu/intmed/nephrology/STAFF/sakhuja_a1.htm)

(Scopus ID (http://www.scopus.com/authid/detail.url?authorld=16744977200))

asakhuja@med.umich.edu

Nephrology and Hypertension Cleveland Clinic (United States)

Editorial Board for Regional Australia

Prof. John Svigos, MB. BS. DRCOG., FRCOG., RANZCOG (http://www.womenshealthspecialists.com.au/jsvigos.html)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=6603773825)

john@svigos.com.au (mailto:john@svigos.com.au)

Ashford Hospital & Faculty of Health Sciences, University of Adelaide, Australia

dr Deasy Ayuningtyas Tandio MPH-MBA (http://orcid.org/0000-0001-7847-2831).

(OrcidID) (https://orcid.org/0000-0001-7847-2831)

deasytandio@yahoo.com

James Cook University Australia Master of Public Health Master Of Business Administration, Indonesia

Editorial Board for Regional Europa

Prof. Harald Hoekstra

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=36038081900)

jsvigos@iprimus.com.au

Universitair Medisch Centrum Groningen, Division of Surgical Oncology, Groningen the Netherland

Editorial Board for Regional Asia

Prof Huang Qin (http://accu.cqu.edu.cn/web/eallprof/559.jhtml)

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=7409535321)

qhuang@cqu.edu.cn

Chairman Dept. of Neurosurgery, Guangdong 999 Hospital Guangzhou China

Assoc. Prof. Mohammad Amin Bahrami

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=55524082200)

aminbahrami1359@gmail.com

Head of healthcare management department, Shahid Sadoughi University of Medical Sciences, Yazd,Iran

Dr. Tanveer Beg, PhD

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=6505772852)

tbmirza@jazanu.edu.sa

Assistant Professor, Department of Biology, Faculty of Science, Jazan University, Jazan, Saudi Arabia.

Editorial Board Members

Prof. Andi Asadul Islam

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=55504893500), (Google Scholar) (https://scholar.google.co.id/citations?user=vWs1RdMAAAAJ&hl=id&oi=sra)

/Citations / user - VVVS i RQIVIAAAAJani-idaol

undee@med.unhas.ac.id

Faculty of Medicine Hasanudin University, Makasar-Indonesia

Prof. Dr. dr. Abdul Hafid Bajamal, Sp.BS

(Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=57192378862)

hfbajamal@gmail.com

Faculty of Medicine Airlangga University, Surabaya-Indonesia

Dr. dr. I Wayan Sudarsa, Sp.B(K) Onk, FINACS, FICS.

(Scopus ID (https://www.scopus.com/authid/detail.uri?authorld=57205145862)), (Google Scholar (https://scholar.google.co.id /citations?hl=id&user=SdlnHKwAAAAJ)), (Researchgate (https://www.researchgate.net/scientific-contributions /2157636099_I_Wayan_Sudarsa))

dr. I.B. Amertha P. Manuaba, SKed, MBiomed. (https://scholar.google.co.id/citations?user=KzCQgA0AAAAJ&hl=en) (Scopus ID) (https://www.scopus.com/authid/detail.uri?authorld=57195520004), (Google Scholar) (https://scholar.google.co.id/citations?user=KzCQgA0AAAAJ&hl=en), (ORCID) (http://orcid.org/0000-0001-6647-9497), (Researcher ID (http://www.researcherid.com/rid/P-9169-2016)) (Researchgate) (https://www.researchgate.net/profile/Amertha_Manuaba) AmerthaManuaba@gmail.com / Amertha_Manuaba@unud.ac.id Faculty of Medicine, Universitas Udayana, Indonesia

Editorial inquiries to be addressed to:

email 1: editorbalimedicaljournal@gmail.com (mailto:editor@balimedicaljournal.org) email 2: editor@balimedicaljournal.org (mailto:editor@balimedicaljournal.org)



WEB OF SCIENCE"

(https://mjl.clarivate.com/search-results?issn=2089-1180&hide_exact_match_fl=true&utm_source=mjl&utm_medium=share-by-link&utm_campaign=search-results-share-this-journal)



(https://www.scopus.com/sourceid/21101024217)



(https://doaj.org/toc/2302-2914)



(https://sinta3.kemdikbud.go.id/journals/profile/2513)

Full Indexing List (/index.php/bmj/pages/view/indexing)

In Press (/index.php/bmj/issue/view/30)

Submit An Article (/index.php/bmj/login)

Scopus Citedness (/index.php/bmj/pages/view/scopus)

(//clustrmaps.com /site/1a4xh?utm_source=globe)



(/index.php/bmj/)



Lowongan Guru online

Dapatkan penghasilan tambahan mulai dari Rp 50,000 sampai Rp 300,000 / jam

Superprof Indonesia

Daftar Sekarang >

Published by: (http://www.discoversys.ca/)

Pali Medical Journal, Bali-Indonesia

G 62 (0369) 225206

62 369 220510

For Indonesian Physician Forum and Indonesia College of Surgeons, Indonesia

Contact (https://www.balimedicaljournal.org/index.php/bmj/pages/view/contact)

Journal Information (https://www.balimedicaljournal.org/index.php/bmj/pages/view/journalinfo)

Editorial Board (https://www.balimedicaljournal.org/index.php/bmj/pages/view/editorialboard)

Abstracting & Indexing (https://www.balimedicaljournal.org/index.php/bmj/pages/view/indexing)

Privacy Statement (http://discoversys.ca/privacy.html)

Home (https://www.balimedicaljournal.org/index.php/bmj/index)

Last Issue (https://www.balimedicaljournal.org/index.php/bmj/issue/current)

Archive (https://www.balimedicaljournal.org/index.php/bmj/issue/archive)

Author Guidelines (https://www.balimedicaljournal.org/index.php/bmj/pages/view/authorguidlines)

Open-Access Licence (https://www.balimedicaljournal.org/index.php/bmj/pages/view/OAlicence)

Copyright © 2008-2022 DiscoverSys Inc (http://discoversys.ca/). All rights reserved.

(https://creativecommons.org/licenses/by/4.0/) (http://www.crossref.org/citedby/index.html) (http://www.crossref.org)

Open Access (http://discoversys.ca/privacy.html) No Fee (http://discoversys.ca/privacy.html) ROMEO (http://www.sherpa.ac.uk/romeo/pub/1931/)

OCUL (https://oclc.org) WSC HTML 41 (http://jigsaw.w3.org/css-validator/validator) WSC CSS (http://the-acap.org/acap-enabled.php)

ACAP ENABLED (http://the-acap.org/acap-enabled.php)



[/]

Open Access & Peer Reviewed Multidisciplinary Journal Of Medical Sciences

Search

Advanced Search (https://www.balimedicaljournal.org/index.php/bmj/search/search)

Home (https://www.balimedicaljournal.org/index.php/bmj/index) > Archives (https://www.balimedicaljournal.org/index.php/bmj/issue/archive) > Vol 11, No 1 (2022) (https://www.balimedicaljournal.org/index.php/bmj/issue/view/38)

(Available online: 1 April 2022)

Vol 11, No 1 (2022): (Available online : 1 April 2022)

Table of Contents

The potential effect of intradermal Botulinum Toxin Type-A (BTA) injection to increase extended random skin flap survival Caroline Fiona Iswinamo Doso Saputro Agus Santoso Budi DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3026/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3026/PDF) |

Persistence of anti-Salmonella O9 IgM as measured by Tubex® TF may contribute to the over-diagnosis of typhoid fever in endemic areas

I Wayan Adi Pranata Aly Diana Marco R Heryanto Nurhayati Lukman Herman Kosasih Hofiya Djauhari Deni PR Butarbutar Susana Widjaja Bachti Alisjahbana

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3035/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3035/PDF) |

The effect of ACTH4-10Pro8-Gly9-Pro10 on neurotrophin-3 expression in Sprague Dawley rat on acute spinal cord injury
Made Gemma Daniswara Maliawan Eko Agus Subagio Budi Utomo Muhammad Arifin Parenrengi Asra Al Fauzi I Ketut Sudiana
DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3143/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM
/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3143/PDF) |

High level of highly sensitivity c-reactive protein levels (hs-CRP) as a risk factor for preterm delivery

Marthin Kolelupun I Gede Putu Surya I Nyoman Hariyasa Sanjaya Tjok Gde Agung Suwardewa I Wayan Megadhana I Gede Mega Putra I

Nyoman Gede Budiana I Wayan Artana Putra

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2966/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM

/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2966/PDF) |

Retrospective Study on Very Early Relapse of Childhood Acute Lymphoblastic Leukemia at a Reference Centre in Indonesia Nur Melani Sari Namira Assyfa Nurazizah Ronny Lesmana Nur Suryawan Susi Susanah DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2495/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2495/PDF) |

C-Reactive Protein (CRP)/Albumin Ratio (CAR) pre-treatment as a predictive factor of radiological response after neoadjuvant chemotherapy in Locally Advanced Rectal Cancer (LARC) patients at Dr. Soetomo General Hospital, Surabaya, Indonesia Fariza Hakim Rio Branko Tomy Lesmana

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3004/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM //IEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3004/PDF) |

Identification of PST 10 bacterial isolate with ?-hemolysis characteristic isolated from pig's tonsil
Hamong Suharsono I Wayan Suardana Rizki Kusuma Putri
DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3180/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3180/PDF) |

Correlation between Urea Creatinine Ratio (UCR) and lipid profile in COVID-19 patients

Indranila Kustarini Samsuria Ariosta Ariosta Untung Sujianto

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2945/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2945/PDF) |

The variability of temperature, rainfall, humidity and prevalance of dengue fever in Manado City
Odi Roni Pinontoan Oksfriani Jufri Sumampouw Jansje Ticoalu Jeini Ester Nelwan Ester Cendrawati Musa Joy Sekeeon
DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2722/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2722/PDF)

Clinical presentation of maternal death with COVID-19 in rural tertiary care center: A retrospective-descriptive Study

Devita Kurniawati Budi Prasetyo Hanindito Pandu Arif Rahman Nurdianto

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3158/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3158/PDF) |

Characteristic of testicular torsion and predictors of testicular salvage: A retrospective study

Alfryan Janardhana Besut Daryanto Budi Suwarno Arif Rahman Nurdianto

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3157/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3157/PDF) |

A novel scoring system to predict postoperative mortality after colorectal cancer surgery: a retrospective cohort study

Anita Hartono Tomy Lesmana

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2988/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2988/PDF) |

Aqueous Humour Malondialdehyde Level as Oxidative Stress Marker In Types Of Glaucoma

Maharani Maharani Puspita Kusuma Dewi Riski Prihatningtias Arief Wildan Trilaksana Nugroho Edward Kurnia Setiawan Limijadi Fifin L.

Rahmi

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2599/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2599/PDF) |

CD44 expression as a potential favorable marker for prognosis in mucoepidermoid carcinoma of salivary gland Stella Marleen Lisnawati Rachmadi Diah Rini Handjari Kusmardi Kusmardi

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2793/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2793/PDF) |

TNF-a serum Level between SARS-CoV-2 Infected Pregnant women with normal pregnant women in RSUD Dr. Soetomo Surabaya Margaretha Claudhya Febryanna Manggala Pasca Wardhana Muhammad Ilham Aldika Akbar Arif Rahman Nurdianto DOWNLOAD POF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3377/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM

/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3377/PDF) |

Combination effect of methotrexate with Narrowband Ultraviolet B (NB-UVB) phototherapy in psoriasis vulgaris patients in dermatology and venereology outpatient clinic Dr. Soetomo Generàl Academic Hospital, Śurabaya, Indonesia Emma Hidayati Sasmito Iskandar Zulkarnain Muhammad Yulianto Listiawan Diah Mira Indramaya Linda Astari Budi Utomo Afif Nurul Hidayati DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3071/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM

/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3071/PDF) |

Application of Moringa Oleifera leaves extract cream inhibits paw edema in white male Wistar rat (Rattus norvegicus) induced by carrageenan 1%

I Gusti Nyoman Darmaputra I Gusti Ayu Sattwika Pramita Ketut Kwartantaya Winaya

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3384/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3384/PDF) |

Bioinformatics assessment on the potential of Lipoteichoic Acid (LTA) of Lactic Acid Bacteria (LAB) as topical therapy for

inflammatory skin diseases
Radityastuti Radityastuti Anang Endaryanto Ingrid Suryanti Surono Mohamad Amin Cita Rosita Sigit Prakoeswa
DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3025/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3025/PDF) |

Factors predicting clinical outcome during hospitalization after pericardiocentesis in Sanglah General Hospital, Bali, Indonesia Rani Paramitha Iswari Maliawan I Gede Bagus Bhaskara Wijaksana I Gusti Ayu Wijayanty Permatasari Dewa Putu Wisnu Wardhana Hendy Wirawan I Gusti Ngurah Putra Gunadhi

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2999/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2999/PDF) |

A structural model of Mapalus culture, health behavior and coronary artery disease incidence in the Minahasa ethnic community in North Sulawesi Province

Jeini Ester Nelwan Oksfriani Jufri Sumampouw Adisti Aldegonda Rumayar Franckie Maramis Odi Roni Pinontoan Ester Musa Jansje Ticoalu Edi Widjajanto

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2814/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2814/PDF) |

Exploring the role of the combination of propolis and vitamin D3 on VCAM-1 and Caspase-3 expression in preventing atherosclerosis in chronic kidney disease rats

Darmawan Ismail Bambang Purwanto Brian Wasita Supomo Supomo Ketut Putu Yasa Soetrisno Soetrisno

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3194/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3194/PDF) |

Profile of melasma patients in dermatology and venerology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia

Aprilin Krista Devi Budi Utomo Diah Mira Indramaya Muhammad Yulianto Listiawan Sawitri Sawitri Dwi Murtiastutik Cita Rosita Sigit Prakoeswa

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3182/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM //VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3182/PDF) |

Risk factors for disability in leprosy patients: a cross-sectional study

Silvani Geani Rahmadewi Rahmadewi Astindari Astindari Cita Rosita Sigit Prakoeswa Sawitri Sawitri Evy Ervianti Budi Utomo Medhi Denisa Novianti Rizky Reza Bagus Haryo Kusumaputra Regitta Indira Agusni Putri Hendria Wardhani Muhammad Yulianto Listiawan DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3311/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3311/PDF) |

Development of patient safety learning module based on problem based learning for nursing students at the College of Health Sciences

Ni Nyoman Gunahariati I Made Sutajaya Ida Bagus Putu Arnyana I Gede Sudirtha

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3248/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM
//IEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3248/PDF) |

Analysis of Isocitrate Dehydrogenase (IDH) expression in astrocytoma patients: cases of South Sulawesi, Indonesia
Olivia Desty Sabunga Cahyono Kaelan Upik Anderiani Miskad Andi Alfian Zainuddin Ni Ketut Sungowati Muhammad Husni Cangara
DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3078/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM
//IEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3078/PDF) |

Comparison of effects and differences in duration between exposure to conventional cigarette smoke and electronic cigarette vapors on changes in the number of hippocampal pyknotic pyramidal cell

Richard Wijaya Poppy Kristina Sasmita Iskandar Rahardjo Budianto Tena Djuartina

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3098/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM

/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3098/PDF) |

Comparison of prognostic models for severe burn patients in an Indonesian tertiary hospital: retrospective study

Eunice Geraldine Oenarta Agus Roy Rusly Hariantana Hamid I Gusti Putu Hendra Sanjaya I Made Suka Adnyana Tjokorda Gede Bagus

Mahadewa I Wayan Harimawan Agustinus

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3378/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM

/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3378/PDF) |

Relationship between CD4 levels and mucocutaneous manifestations in HIV-AIDS patients at Dr. Soetomo General Academic Teaching Hospital, Surabaya, Indonesia

Citra Dwi Hamingtyas Damayanti Damayanti Maylita Sari Muhammad Yulianto Listiawan Diah Mira Indramaya Linda Astari Budi Utomo Dwi Murtiastutik Setyana Widyantari Astindari Astindari Aff Nurul Hidayati
DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3385/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM

/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3385/PDF)

The effect of Epigallocatechin-3-Gallate (EGCG) combined with low dose sorafenib in apoptosis and Platelet-Derived Growth Factor Receptor (PDGFR) expression in hepatocellular carcinoma rats

Emilia Rosita Sigit Adi Prasetyo Ignasius Riwanto Wahyuni Lukita Atmodjo

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2985/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM //IEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2985/PDF) |

Medical education system in Coronavirus Disease 2019 (COVID-19) pandemic: what has been changed from the past era? Ida Bagus Amertha Putra Manuaba I Gede Putu Supadmanaba I Gusti Ayu Sri Darmayani Dwijo Anargha Sindhughosa Made Violin Weda Yani

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3159/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM //VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3159/PDF) |

Medical Management of Kidney Stones: a review

Jody Felizio Widi Atmoko

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3343/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3343/PDF) |

Human umbilical cords mesenchymal stem cells for kidney diseases

Dianita Halimah Harahap Gampo Alam Irdam

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3085/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM/VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3085/PDF) |

Management of complications of RV branch ellis type V artery perforation with handmade covered stent

Starry Homenta Rampengan Jeffry Jeffry

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3068/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3068/PDF) |

A patient with Type 2 Diabetes Mellitus (T2DM) with Fournier gangrene: a case report

Mike Christanti Jongky Hendro Prajitno Rio Yudistira Christanto

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2957/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2957/PDF) |

A severe COVID-19 patient with diabetes mellitus getting dexamethasone with depression disorders: a case report

Ammar Ammar Musofa Rusli

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2962/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/2962/PDF) |

The similarity of a desmoid tumor with parasitic leiomyoma: a very rare case report and literature review

Hasanuddin Hasanuddin Derevie Hendryan

DOWNLOAD PDF (HTTPS://WWW.BALIMEDIĆALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3044/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3044/PDF)

Advanced MRI prediction of meningioma histopathological classification: a literature review and case presentations Sri Andreani Utomo Abdul Hafid Bajamal Yuyun Yueniwati PW Irwan Barlian Immadoel Haq Dyah Fauziah Eunike Serfina Fajarini DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3100/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3100/PDF) |

The severe adverse event in a locally anesthetized circumcision: A case report of a breath-holding spell

Syifa Fauziah Fadhly Irfan Wahyudi Gerhard Reinaldi Situmorang Arry Rodjani DÓWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3379/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3379/PDF) |

Uncommon presentation of COVID-19 in ophthalmology: a case report Cisca Kuswidyati Andre Andre Klarissa Chrishalim

DOWNLOAD POF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3006/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3006/PDF) |

Diagnostic challenges in Waldenstrom macroglobulinemia: a case report

Stella Pravita Ugroseno Yudho Bintoro Putu Niken Ayu Amrita Putu Niken Ayu Amrita

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3160/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3160/PDF) |

Profuse haematochezia related to Crohn's disease: a rare case report

Dilly Niza Paramita Budi Widodo Heriyawati Heriyawati

DOWNLOAD PDF (HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3204/PDF) | VIEW PDF (HTTP://DOCS.GOOGLE.COM /VIEWER?URL=HTTPS://WWW.BALIMEDICALJOURNAL.ORG/INDEX.PHP/BMJ/ARTICLE/VIEWFILE/3204/PDF)

ORIGINAL ARTICLE

The potential effect of intradermal Botulinum Toxin Type-A (BTA) injection to increase extended random skin flap survival (https://www.balimedicaljournal.org/index.php/bmj/article/view/3026)

Caroline Fiona, Iswinarno Doso Saputro, Agus Santoso Budi

Online First: January 04, 2022 | DOI: 10.15562/bmj.v11i1.3026 (http://dx.doi.org/10.15562/bmj.v11i1.3026)

Abstract (.pop-up-a-2)

ORIGINAL ARTICLE

Persistence of anti-Salmonella O9 IgM as measured by Tubex® TF may contribute to the overdiagnosis of typhoid fever in endemic areas (https://www.balimedicaljournal.org/index.php/bmj/article Bali Medical Journal (*Bali MedJ*) 2022, Volume 11, Number 1: 116-121 P-ISSN.2089-1180, E-ISSN: 2302-2914



Combination effect of methotrexate with Narrowband Ultraviolet B (NB-UVB) phototherapy in psoriasis vulgaris patients in dermatology and venereology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia



Emma Hidayati Sasmito¹, Iskandar Zulkarnain¹,
Muhammad Yulianto Listiawan¹,
Diah Mira Indramaya¹, Linda Astari¹, Budi Utomo², Afif Nurul Hidayati^{1,3*}

¹Department of Dermatology and Venereology, Dr. Soetomo General Academic Teaching Hospital, Surabaya ²Department of Public Health and Preventive Medicine, Faculty of Medicine, Universitas Airlangga, Surabaya ³Department of Dermatology and Venereology, Universitas Airlangga Teaching Hospital, Surabaya

*Corresponding to:
Afif Nurul Hidayati; Department of
Dermatology and Venereology, Dr.
Soetomo General Academic Teaching
Hospital, Surabaya, Indonesia;
Department of Dermatology and
Venereology, Universitas Airlangga
Teaching Hospital, Surabaya;
afif nurulhidayati@fk.unair.ac.id

Received: 2022-01-03 Accepted: 2022-03-16 Published: 2022-03-24

ABSTRACT

Background: Psoriasis is a chronic, recurrent, inflammatory skin disease that alters the quality of life. Systemic therapy and biologic agents are prescribed for severe and widespread psoriasis, but these drugs may have systemic side effects and immune suppression. Narrowband Ultraviolet B (NB-UVB) phototherapy remains one of the most effective and safe treatments for psoriasis.

Methods: This study was an observational retrospective cohort with one group pretest and post-test design. A retrospective analysis was done on 16 medical records of patients who met the inclusion criteria. The efficacy of the therapy was identified and analyzed using the SPSS version 17 for Windows.

Results: This study found that 16 psoriasis patients received NB-UVB phototherapy, 11 (68.75%) in men and 5 (31.25%) in women. The mean age was 47.31 years. There was a statistically significant difference in the reduction in PASI score before and after receiving combination methotrexate with 24 sessions of NB-UVB phototherapy (p=0.000); the delta PASI score was 45,02%. A statistical analysis based on the number of phototherapy sessions per week showed enhanced results when patients attended 3 phototherapy sessions per week (p=0.001).

Conclusion: There was a statistically significant reduction in PASI score in psoriasis vulgaris patients before and after receiving combination methotrexate with 24 sessions of NB-UVB phototherapy.

Keywords: Psoriasis Vulgaris, Phototherapy, Narrowband Ultraviolet B, Methotrexate, Human and Disease. **Cite This Article:** Sasmito, E.H., Zulkarnain, I., Listiawan, M.Y., Indramaya, D.M., Astari, L., Utomo B., Hidayat, A.N. 2022. Combination effect of methotrexate with Narrowband Ultraviolet B (NB-UVB) phototherapy in psoriasis vulgaris patients in dermatology and venereology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia *Bali Medical Journal* 11(1): 116-121. DOI: 10.15562/bmj.v11i1.3071

INTRODUCTION

Psoriasis is a chronic inflammatory skin disease involving genetic, immune defects, hormones, and environmental factors. Psoriasis vulgaris is often characterized by thick, erythematous, well-demarcated, coarse, layered, silvery-white plaques.¹ Psoriasis vulgaris, also called plaquetype psoriasis, is the most common type, occurring in about 90% of patients.¹

Psoriasis is a chronic, recurrent, inflammatory skin disease that interferes with the quality of life, so appropriate, safe and effective therapy is needed.² The treatment options include topical therapy,

phototherapy, systemic, and biological agents. Systemic treatment and biologic agents are prescribed for severe and widespread psoriasis but cause systemic side effects and immune suppression, which are not tolerable for the patient. It requires alternative or combination therapy.² Narrowband Ultraviolet B (NB-UVB) phototherapy is relatively safe and effective as a treatment modality if used in erythemogenic doses with wavelengths between 311-313 nm, causing good remission in psoriasis lesions.^{1,3}

Based on those mentioned above, this study aims to evaluate the effect of combination methotrexate with 24 sessions of NB-UVB phototherapy in psoriasis vulgaris patients at Dermatology and Venereology Outpatient Department Dr. Soetomo Surabaya from March 2019 to February 2020.

METHODS

This study was an observational retrospective cohort with one group pretest and post-test design that aimed to evaluate the Psoriasis and Severity Index (PASI) score of psoriasis vulgaris patients who received a combination of methotrexate with 24 sessions of NB-UVB phototherapy using secondary data in the form of the medical record.

The inclusions criteria were all patients recorded in medical records with a diagnosis of moderate-severe psoriasis vulgaris who received combination therapy methotrexate with 24 sessions of NB-UVB phototherapy at Dermatology and Venereology Outpatient Department, Dr. Soetomo Surabaya, for the period of March 2019 - February 2020. The exclusions criteria were patients who stopped NB-UVB phototherapy treatment for more than 3 sessions consecutive weeks. The variable in this study was psoriasis vulgaris patients who received combination therapy methotrexate with 24 sessions of NB-UVB phototherapy and assessed based on the Psoriasis and Severity Index (PASI) score. Those data inputted into a data collection sheet to be analyzed using the Statistical Package for Social Sciences (SPSS) version 17 for Windows.

RESULTS

There were 16 psoriasis patients who received NB-UVB phototherapy at Dermatology and Venereology Outpatient Department Dr. Soetomo Surabaya for March 2019-February 2020, which met the inclusion criteria. Patients' demographic data were assessed based on gender, age, Fitzpatrick's skin phototype, and the severity degree based on the PASI scores.

The demographic distribution of psoriasis vulgaris patients received NB-UVB phototherapy (Table 1). The results showed that male patients were more female, 11 (68.75%) males and 5 (31.25%) females. The median age was 47.31 years, with the youngest being 22 years and the oldest was 64 years old. Based on the PASI scores, the severity degree was 5 patients (31.25%) for moderate and 11 patients (68.75%) for severe. Skin types based on Fitzpatrick's phototype were 2 patients (12.55%) with type III, 9 patients (56.25%)

with type IV, and 5 patients (31.25%) with type V (Table 1).

For the initial dose of NB-UVB phototherapy, 16 (100.00%) patients received an initial dose of NB-UVB phototherapy of 260 mJ (Table 1). The methotrexate dosage distribution in psoriasis vulgaris patients who received 24 sessions of NB-UVB phototherapy, as many as 1 (6.25%) patient received 2,5 mg methotrexate therapy, 3 (18.75%) patients received methotrexate 5 mg, 2 (12.5%) patients received 7,5 mg methotrexate, 5 (31.25%) patients received 10 mg

methotrexate, and 5 (31.25%) patients received 15 mg methotrexate (Table 1).

The additional systemic therapy in psoriasis vulgaris patients who received NB-UVB phototherapy, as many as 16 (100.00%) patients received folic acid and 16 (100.00%) patients received cetirizine, respectively, due to the itching (Table 1). The topical therapy in psoriasis vulgaris patients who received NB-UVB phototherapy, as many as 1 (6.25%) patient received clobetasol propionate, 15 (93.75%) patients received desoximetasone, 13 (81.25%) patients

Table 1. Psoriasis vulgaris patient distribution who received a combination of methotrexate with 24 sessions NB-UVB phototherapy

Variable	Total (n=16)
Gender, n (%)	
Male	11 (68.75)
Female	5 (31.25)
Age, Median (Minimum-Maximum)	47.31 (22-64)
Psoriasis and Severity Index (PASI) scores, n (%)	
Moderate (5-10)	5 (31.25)
Severe (>10)	11 (68.75)
Fitzpatrick's Skin Phototypes, n (%)	
Ī	0 (0.00)
II	0 (0.00)
III	2 (12.50)
IV	9 (56.25)
V	5 (31.25)
VI	0 (0.00)
Narrowband Ultraviolet B (NB-UVB) (260 mJ), n (%)	16 (100.00)
Methotrexate Distribution (mg), n (%)	
2.5	1 (6.25)
5	3 (18.75)
7.5	2 (12.5)
10	5 (31.25)
15	5 (31.25)
Additional Systemic Therapy, n (%)	
Folic Acid	16 (100.00)
Cetirizin	16 (100.00)
Topical Therapy Distribution, n (%)	
Clobetasol propionate	1 (6.25)
Desoximetasone	15 (93.75)
Mometasone furoate	13 (81.25)
Desonide lotion	3 (18.75)
Atopiclair	7 (43.75)
Vaseline album	7 (43.75)
Urea 10%	2 (12.50)
Ketoconazole shampoo	4 (25.00)

Table 2. Evaluation of the PASI scores of psoriasis vulgaris patients before and after receiving 24 sessions of NB-UVB phototherapy

PASI scores before phototherapy (Mean±SD)	PASI scores after 24 sessions of phototherapy (Mean±SD)	Delta PASI scores (Mean±SD)	Delta PASI scores (%)	р
12.65±4.82	7.20±4.82	5.45±3.05	45.02±21.10	0.000*

PASI: Psoriasis and Severity Index; SD: Standard Deviations; *Kruskal-Walis Test: Statistically significant if p-value less than 0.05

Table 3. The comparison of the significant reduction of PASI scores in psoriasis vulgaris patients after receiving a combination of methotrexate with NB-UVB phototherapy

Variable	n	PASI scores before phototherapy	PASI scores after 24 sessions of phototherapy	Delta PASI scores	р
Gender					
Male	11	13.28	9.20	4.00	0.080
Female	5	13.20	6.51	6.69	
Age (Years Old)					
< 60	13	13.41	7.65	5.76	0.304
≥ 60	3	12.75	6.17	6.50	
Methotrexate (mg)					
≤ 5	4	10.80	6.30	4.25	0.323
> 5-10	7	13.78	7.97	5.81	
> 10	5	15.00	7.40	7.60	
Topical					
Steroid, emollient	12	13.87	8.03	5.79	0.458
Steroid, emollient, antifungal	4	11.25	4.92	6.33	
shampoo					
Phototherapy session (per week)					
3 sessions	7	13.00	4.65	8.27	0.001*
< 3 sessions	9	13.48	9.66	3.82	

PASI: Psoriasis and Severity Index; *Kruskal-Walis Test: Statistically significant if p-value less than 0.05

received mometasone furoate, 3 (18.75%) patients received desonide lotion, 7 (43.75%) patients received atopiclair, 7 (43.75%) patients received vaseline album, 2 (12.50%) patients received urea 10%, and 4 (25.00%) scalp psoriasis patients received ketoconazole shampoo (Table 1).

The evaluation of the PASI scores in psoriasis vulgaris patients before and after receiving 24 sessions of NB-UVB phototherapy with the mean PASI scores before receiving NB-UVB phototherapy was 12.65±4.82. The mean PASI scores after receiving 24 sessions of NB-UVB phototherapy was 7.20±4.82. The mean delta PASI scores or the mean reduction of PASI scores before and after receiving 24 sessions of NB-UVB phototherapy was 5.45±3.05. The mean delta of the PASI scores (%) or the mean reduction of PASI scores (%) before and after receiving 24 sessions of NB-UVB phototherapy was 45.02±21.10. From the statistical analysis, the p-value was 0.000, indicating a statistically significant difference in reducing PASI scores before and after receiving 24 sessions of NB-UVB phototherapy (Table 2).

The comparison of the significance values for reducing PASI scores by gender, age, methotrexate dosage, combination topical therapy, and the number of phototherapy sessions per week in psoriasis

vulgaris patients receiving a combination of methotrexate with 24 sessions of NB-UVB phototherapy (Table 3). The mean delta of PASI scores in males was 4,00 and in females was 6,69 (p = 0,080), which indicated that there was no statistically significant difference between male and female (p>0.05) towards the reduction of PASI scores in psoriasis vulgaris patients after receiving 24 sessions of NB-UVB phototherapy (Table 3).

The mean delta of PASI scores at < 60 years of age of 5.76 and at ≥ 60 years of 6.50 (p=0.304) which indicated that there was no statistically significant difference between ages < 60 years and ≥ 60 years of age for the reduction of PASI scores in psoriasis vulgaris patients after receiving a combination of methotrexate with 24 sessions of NB-UVB phototherapy (Table 3).

The reduction in the PASI scores is based on the methotrexate dosage using the Kruskal Walis test. Kruskal Walis test was a different test for 3 groups for abnormal distribution obtained the mean delta PASI scores at the methotrexate dose ≤ 5 mg was 4.25, > 5 mg -10 mg was 5.81, > 10 mg was 7.60 (p=0.323), which indicated that there was no statistically significant difference based on the differences of the methotrexate dosage in the reduction in PASI scores in psoriasis vulgaris patients

after receiving 24 sessions of NB-UVB phototherapy (Table 3).

The PASI scores reduction based on topical combination therapy showed that the mean delta PASI scores for combination of topical steroids and emollients was 5.79 and for the combination of topical steroids, emollients, and anti-fungal shampoos was 6.33 (p = 0.458), which indicates that there was no statistically significant difference between the combination of topical corticosteroid and emollient therapy with the combination of topical corticosteroid therapy, emollient and antifungal shampoo on the reduction of PASI scores in psoriasis vulgaris patients after receiving the combination of methotrexate with 24 sessions of NB-UVB phototherapy (Table 3).

The reduction in PASI scores based on the number of phototherapy sessions per week showed that the mean delta PASI scores on phototherapy with 3 sessions per week was 8.27 and < 3 sessions per week was 3.82 (p = 0.001), which showed that there was a statistically significant difference between the 3 sessions per week and < 3 sessions per week of phototherapy on the reduction of PASI scores in psoriasis vulgaris patients after receiving a combination of methotrexate with 24 sessions of NB-UVB phototherapy (Table 3)

DISCUSSION

This retrospective study found that 16 psoriasis vulgaris patients received a combination of methotrexate with 24 sessions of NB-UVB phototherapy at Dermatology and Venereology Outpatient Department Dr. Soetomo Surabaya from March 2019 to February 2020. The gender distribution of psoriasis vulgaris showed that males were more than females, 11 (68,75%) males and 5 (31,25%) females. The clinical manifestations of psoriasis in males were often more severe, so males often came to the hospital for treatment.^{1,3} Male also tend to have a higher BMI than women, and the influence of smoking and alcohol consumption, likely to be higher in males, is a risk factor for psoriasis.^{4,5} A study in Korea found that the prevalence of psoriasis increased around 50 years old.6 This was due to the increasing comorbid risk factors in old age, namely obesity, metabolic disease, stress, and susceptibility to infections which could be a risk factor for psoriasis.7

A nonrandomized control trial on moderate-severe patients given NB-UVB phototherapy was shown to reduce the PASI scores. In general, NB-UVB phototherapy is recommended moderate-severe psoriasis vulgaris.8 NB-UVB was the first-line phototherapy for moderate-severe plaque-type psoriasis vulgaris with an extensive skin involvement accompanied by thick plaques. In moderate-severe psoriasis vulgaris, there was an increase in the intensity of redness, desquamation, and extensive plaque thickness. NB-UVB phototherapy could improve redness, desquamation, and extensive plaque thickness by inducing apoptosis of keratinocytes and T cells in the epidermis and dermis, increasing immunosuppression promoting by migration of Langerhans cells from the epidermis and reducing degranulation of mast cells and release of histamine, and inducing changes in the cytokine of psoriasis.9

The characteristics of Asian skin based on Fitzpatrick's skin phototype obtained types III and IV in Chinese and Japanese and types IV and V in South Asian, Indian and Pakistani populations (10). The distribution of the initial dose of NB-UVB phototherapy was 16 (100%)

patients received an initial dose of 260 mJ. Erythema skin reactions due to burning during and after Narrowband ultraviolet B (NB-UVB) phototherapy may occur, which caused a dose adjustment.1,8 Determination of the initial dose of NB-UVB phototherapy with 260 mJ in all psoriasis vulgaris patients who received narrowband ultraviolet B (NB-UVB) phototherapy may be considered to avoid the risk of unwanted side effects such as erythema due to burning during and after receiving NB-UVB phototherapy and the initial dose of NB-UVB phototherapy with 260 mJ was already efficient in achieving improvement.

In moderate-severe psoriasis, methotrexate could be combined with NB-UVB phototherapy. 10 Methotrexate is a folic acid analog that competitively inhibits dihydrofolate reductase and other folate-related enzymes. The main effect of methotrexate is to inhibit the synthesis of thymine and purines, which results in a reduction of DNA and RNA synthesis, inhibits mitosis and cell proliferation, including psoriatic keratinocytes. Inhibition of nucleic acid formation in activated T cells and keratinocytes is the main mechanism of action of methotrexate as an antiproliferative and immunomodulation in psoriasis vulgaris.11

A recent meta-analysis of randomized controlled trials showed a 79% reduction in mucosal and gastrointestinal side effects when folic acid supplementation was given to the patients who received systemic methotrexate therapy psoriasis vulgaris. Various studies have been conducted to prevent the side effects of methotrexate by using folic acid supplementation while maintaining the therapeutic benefits of methotrexate.¹² The treatment for pruritus in psoriasis vulgaris is still debated because its pathogenesis is still not fully understood. Pruritus is more common in psoriasis vulgaris than in other types of psoriasis. It can interfere with the patients' quality of life. Many investigators had suggested impaired innervation and dysregulation of neuropeptide expression in psoriasis. As an important mediator in allergic, especially urticaria, histamine is not a causative agent in psoriasis.13

A study conducted topical administration of high potency

corticosteroids could improve in 75% of patients with moderate-severe psoriasis vulgaris. The mechanism of action of topical corticosteroids is anti-inflammatory, antiproliferative, immunosuppressive, and vasoconstrictive. Topical corticosteroids in moderate-severe scalp psoriasis have also been effective in reducing plaque thickness. Combination with topical therapies such as corticosteroids and emollients while undergoing Narrowband Ultraviolet B (NB-UVB) phototherapy had been proven safe, effective and had the potential to increase efficacy.¹⁴

Anti-fungal ketoconazole was shown to be effective in reducing the colonization of Pityrosporum sp. in scalp psoriasis. 15 It interacted with microbial products by causing an abnormal skin response in psoriasis. Microbial products that had a role in the pathogenesis of psoriasis were *Malassezia ovalis* (*Pityrosporum ovale*), a normal flora in the scalp, which could enhance the activation of the pathogenesis pathway, which could lead to psoriasis lesions. *Malassezia ovalis* is also believed to increase the development of scalp psoriasis. 16

There was no difference between gender and age in the clearance rate of psoriasis vulgaris lesions after receiving Narrowband Ultraviolet B (NB-UVB phototherapy. IL-17 and IL-23 levels after receiving NB-UVB phototherapy in both males and females, as well as ages, decreased significantly.¹⁷ IL-17 and IL-23 levels are known to be associated with the pathogenesis of psoriasis as a predictive factor for the prognosis and the successful response of NB-UVB phototherapy.18 There was no difference between gender and age in reducing the PASI scores after receiving NB-UVB phototherapy. The significant difference in lowering PASI scores was the NB-UVB phototherapy.19

A study recommends the dose of methotrexate between 5-15 mg per week, 60% of patients achieved a reduction in PASI scores by 75% for the initial dose of methotrexate 15 mg per week for 16 weeks, for a dose of 7,5 mg per week, a reduction in PASI scores was 40%.²⁰ A study on 39 patients who received a combination of narrowband ultraviolet B (NB-UVB) phototherapy with methotrexate 0.4 mg/kg/week and maximum dosage of 25

mg/week showed that this combination therapy gave a rapid clinical improvement and there was a significant reduction in PASI scores in all psoriasis vulgaris patients.²¹

Although the dose of methotrexate at the onset of NB-UVB phototherapy varies, the combination of methotrexate and NB-UVB phototherapy will work synergistically. Methotrexate and NB-UVB phototherapy both have antimitotic and antiproliferative functions against T lymphocytes, and both have an anti-inflammatory property. Methotrexate can help reduce the squama and infiltration of psoriasis lesions, thus allowing NB-UVB phototherapy to penetrate deeper into the dermis. It has greater effectiveness in reducing dermal T lymphocytes.²²

A study in Taiwan showed that 98,4% of psoriasis vulgaris patients received topical therapy with corticosteroids and emollients, there was a significant improvement in psoriasis vulgaris plaque lesions.23 Other topical treatments combined with topical anti-fungal therapy were safe and effective, especially in scalp psoriasis. In psoriasis, there is an involvement of Malassezia ovalis (Pityrosporum ovale), a normal flora in the scalp. Still, in some psoriasis patients, even though Malassezia ovalis (Pityrosporum ovale) is a normal flora, it can enhance the activation of cytokines, chemokines, and PGE2. It is associated with Th1 and Th2 from mononuclear cells, leading to new scalp lesions.16

The three sessions per week of NB-UVB phototherapy caused a high cumulative dose, which increased inflammatory factor expression changes through the NF-κB signaling pathway.²⁴ NB-UVB phototherapy with a high cumulative dose could also increase inhibition of pro-inflammatory factor expression and increase anti-inflammatory factor expression through increased induction of lymphocyte apoptosis, reduced proinflammatory cytokine production, downregulation of the Th17 signaling pathway, and reduction or T cell depletion, so it could be faster in reducing or thinning plaque in psoriasis lesions which was an important mechanism for psoriasis therapy.²⁵ The limitation of this study is the relatively small group of patients and the data was based on medical records, which

caused a numerous risk of bias. Further study is needed to evaluate the PASI scores over 24 sessions of NB-UVB phototherapy to know the number of sessions that 4. effectively reduce the PASI-75 scores in psoriasis vulgaris patients.

CONCLUSION

The conclusion is there was a statistically significant difference in the reduction in PASI scores before and after receiving a combination of methotrexate with 24 sessions of NB-UVB phototherapy. Combining methotrexate with 24 sessions of NB-UVB phototherapy may be considered for patients with moderate-severe psoriasis vulgaris who failed with previous therapy. The importance of routine control is for the compliance to receive 3 sessions of narrowband ultraviolet B (NB-UVB) phototherapy per week in order to achieve a reduction in the PASI-75.

CONFLICT OF INTEREST

There is no conflict of interest regarding the manuscript

ETHICS CONSIDERATION

This research has obtained ethical approval from the Ethics Committee of Dr. Soetomo General Academic Teaching Hospital Surabaya (0142/LOE/301.4.2/X/2020).

FUNDING

None.

AUTHOR CONTRIBUTIONS

All authors equally contribute to the study from the conceptual framework, data acquisition, data analysis until reporting the results of the study through publication.

REFERENCES

- Armstrong AW, Read C. Pathophysiology, Clinical Presentation, and Treatment of Psoriasis: A Review. JAMA. 2020;323(19):1945-1960.
- Mahmood AN, Saeed MY. Extracutaneous manifestations of adult psoriatic patients attending Dermatology Teaching Center in Slemani, Iraq. Bali Medical Journal. 2020;9(1):121-124.

- Dogra S, De D. Narrowband ultraviolet B in the treatment of psoriasis: the journey so far!. Indian J Dermatol Venereol Leprol. 2010;76(6):652-661.
- Ito T, Takahashi H, Kawada A, Iizuka H, Nakagawa H; Japanese Society For Psoriasis Research. Epidemiological survey from 2009 to 2012 of psoriatic patients in Japanese Society for Psoriasis Research. J Dermatol. 2018;45(3):293-301
- Colombo D, Cassano N, Bellia G, Vena GA. Gender medicine and psoriasis. World J Dermatol. 2014;3(3):36–44.
- Han JH, Lee JH, Han KD, Seo HM, Bang CH, Park YM, et al. Epidemiology and Medication Trends in Patients with Psoriasis: A Nationwide Population-based Cohort Study from Korea. Acta Derm Venereol. 2018;98(4):396-400.
- Parisi R, Symmons DP, Griffiths CE, Ashcroft DM; Identification and Management of Psoriasis and Associated ComorbidiTy (IMPACT) project team. Global epidemiology of psoriasis: a systematic review of incidence and prevalence. J Invest Dermatol. 2013;133(2):377-385
- Van TN, Van TH, Minh PPT, Trong HN, Van TC, Huu ND, et al. Efficacy of Narrow

 Band UVB Phototherapy versus PUVA
 Chemophototherapy for Psoriasis in Vietnamese Patients. Open Access Maced J Med Sci. 2019;7(2):227-230.
- Nakamura M, Farahnik B, Bhutani T. Recent advances in phototherapy for psoriasis. F1000Res. 2016;5:F1000 Faculty Rev-1684
- Chan IL, Cohen S, da Cunha MG, Maluf LC. Characteristics and management of Asian skin. Int J Dermatol. 2019;58(2):131-143.
- Pathirana D, Ormerod AD, Saiag P, Smith C, Spuls PI, Nast A, et al. European S3-guidelines on the systemic treatment of psoriasis vulgaris. J Eur Acad Dermatol Venereol. 2009;23 Suppl 2:1-70.
- Rai T, Singh SK. Role of folic acid supplementation in reducing side effects of oral methotrexate in patients of psoriasis: A study. Indian J Drugs Dermatol. 2016;2(1):83-86.
- Domagała A, Szepietowski J, Reich A. Antihistamines in the treatment of pruritus in psoriasis. Postepy Dermatol Alergol. 2017;34(5):457-463.
- Elmets CA, Lim HW, Stoff B, Connor C, Cordoro KM, Lebwohl M, et al. Joint American Academy of Dermatology-National Psoriasis Foundation guidelines of care for the management and treatment of psoriasis with phototherapy. J Am Acad Dermatol. 2019;81(3):775-804.
- Wang TS, Tsai TF. Managing Scalp Psoriasis: An Evidence-Based Review. Am J Clin Dermatol. 2017;18(1):17-43.
- Blakely K, Gooderham M. Management of scalp psoriasis: current perspectives. Psoriasis (Auckl). 2016;6:33-40.
- Elghandour TM, Youssef Sel S, Aly DG, Abd Elhameed MS, Abdel Moneim MM. Effect of Narrow Band Ultraviolet B Therapy versus Methotrexate on Serum Levels of Interleukin-17 and Interleukin-23 in Egyptian Patients with Severe Psoriasis. Dermatol Res Pract. 2013;2013:618269.

- Rácz E, Prens EP, Kurek D, Kant M, de Ridder D, Mourits S, et al. Effective treatment of psoriasis with narrow-band UVB phototherapy is linked to suppression of the IFN and Th17 pathways. J Invest Dermatol. 2011;131(7):1547-58.
- Saleky S, Bulur I, Saraçoğlu ZN. Narrowband UVB treatment increases serum 25-hydroxyvitamin D levels in patients with chronic plaque psoriasis. Cutis. 2017;99(6):431-435
- Dogra S, Mahajan R. Systemic methotrexate therapy for psoriasis: past, present and future. Clin Exp Dermatol. 2013;38(6):573-588.
- 21. Khadka D, Agrawal S, Dhali T. Methotrexate plus narrow band ultraviolet B (NBUVB) versus methotrexate alone in the treatment of moderate

- to severe plaque psoriasis: A randomized clinical trial. Nepal Journal of Dermatology, Venereology & Leprology. 2016;13(1):12–23.
- 22. Al-Hamamy HR, Al-Mashhadani SA, Mustafa IN. Comparative study of the effect of narrowband ultraviolet B phototherapy plus methotrexate vs. narrowband ultraviolet B alone and methotrexate alone in the treatment of plaque-type psoriasis. Int J Dermatol. 2014;53(12):1531-1535. d
- Chang YT, Chen TJ, Liu PC, Chen YC, Chen YJ, Huang YL, et al. Epidemiological study of psoriasis in the national health insurance database in Taiwan. Acta Derm Venereol. 2009;89(3):262-6.
- Matos TR, Ling TC, Sheth V. Ultraviolet B radiation therapy for psoriasis: Pursuing the optimal regime. Clin Dermatol. 2016;34(5):587-593.
- Ye J, Huang H, Luo G, Yin L, Li B, Chen S, et al NB-UVB irradiation attenuates inflammatory response in psoriasis. Dermatol Ther. 2020;33(4):e13626.



This work is licensed under a Creative Commons Attribution