



# Source details

## Archives of Clinical Infectious Diseases

Formerly known as: Iranian Journal of Clinical Infectious Diseases

Scopus coverage years: from 2012 to 2022

Publisher: Brieflands

E-ISSN: 2345-2641

Subject area: Medicine: Critical Care and Intensive Care Medicine

Immunology and Microbiology: Immunology and Microbiology (miscellaneous) [View all](#)

Source type: Journal

CiteScore 2021  
**2.2**



SJR 2021  
**0.291**



SNIP 2021  
**0.449**



[View all documents](#) >

[Set document alert](#)

[Save to source list](#)

[CiteScore](#)   [CiteScore rank & trend](#)   [Scopus content coverage](#)

### i Improved CiteScore methodology

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more](#) >

CiteScore 2021

$$2.2 = \frac{540 \text{ Citations } 2018 - 2021}{249 \text{ Documents } 2018 - 2021}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022

$$2.7 = \frac{581 \text{ Citations to date}}{213 \text{ Documents to date}}$$

Last updated on 05 January, 2023 • Updated monthly

### CiteScore rank 2021

Category	Rank	Percentile
Medicine		
↳ Critical Care and Intensive Care Medicine	#41/89	54th
Immunology and Microbiology		
↳ Immunology and Microbiology (miscellaneous)	#8/16	53rd

[View CiteScore methodology](#) >   [CiteScore FAQ](#) >   [Add CiteScore to your site](#)

---

## About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

## Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

## Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

---

## ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.



## Archives of Clinical Infectious Diseases

<p><b>COUNTRY</b></p> <p>Iran</p> <ul style="list-style-type: none"> <li> Universities and research institutions in Iran</li> <li> Media Ranking in Iran</li> </ul>	<p><b>SUBJECT AREA AND CATEGORY</b></p> <ul style="list-style-type: none"> <li>Immunology and Microbiology           <ul style="list-style-type: none"> <li>Immunology and Microbiology (miscellaneous)</li> <li>Microbiology</li> </ul> </li> <li>Medicine           <ul style="list-style-type: none"> <li>Cardiology and Cardiovascular Medicine</li> <li>Critical Care and Intensive Care Medicine</li> <li>Infectious Diseases</li> <li>Public Health, Environmental and Occupational Health</li> </ul> </li> <li>Pharmacology, Toxicology and Pharmaceutics           <ul style="list-style-type: none"> <li>Toxicology</li> </ul> </li> </ul>	<p><b>PUBLISHER</b></p> <p>Shahid Beheshti University of Medical Sciences</p> <ul style="list-style-type: none"> <li> Shahid Beheshti University of Medical Sciences and Health Services in Scimago Institutions Rankings</li> </ul>	<p><b>H-INDEX</b></p> <p>17</p>
<p><b>PUBLICATION TYPE</b></p> <p>Journals</p>	<p><b>ISSN</b></p> <p>23452641</p>	<p><b>COVERAGE</b></p> <p>2012-2021</p>	<p><b>INFORMATION</b></p> <ul style="list-style-type: none"> <li><a href="#">Homepage</a></li> <li><a href="#">How to publish in this journal</a></li> <li><a href="#">Contact</a></li> </ul>

### SCOPE


Archives of Clinical Infectious Diseases is a peer-reviewed multi-disciplinary medical publication, scheduled to appear quarterly serving as a means for scientific information exchange in the international medical forum. The journal particularly welcomes contributions relevant to the Middle-East region and publishes biomedical experiences and clinical investigations on prevalent infectious diseases in the region as well as analysis of factors that may modulate the incidence, course, and management of infectious diseases and pertinent medical problems in the Middle East.

 Join the conversation about this journal

FIND SIMILAR JOURNALS ?

options ⋮

<p>1 <b>Jundishapur Journal of Microbiology</b> NLD</p> <p><b>85%</b> similarity</p>	<p>2 <b>Journal of Infection in Developing Countries</b> ITA</p> <p><b>77%</b> similarity</p>	<p>3 <b>Canadian Journal of Infectious Diseases and</b> EGY</p> <p><b>73%</b> similarity</p>	<p>4 <b>Annals of Clinical Microbiology and</b> GBR</p> <p><b>71%</b> similarity</p>	<p>5 <b>Iranian Journal of Microbiology</b> IRN</p> <p><b>71%</b> similarity</p>
--	---	--	--	--



Archives of Clinical Infectious Diseases

**Q3** Cardiology and Cardiovascular Medicine  
best quartile

SJR 2021  
**0.29**

powered by scimagojr.com

Show this widget in your own website

Just copy the code below and paste within your html code:

`<a href="https://www.scimagojr.com" style="color: red; text-decoration: underline;">https://www.scimagojr.com`

**S** ScImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool.**



**Kermani** 3 years ago

با سلام و احترام  
Archives Of Clinical Infectious shahid beheshti  
آیا برای ارسال

و پایش و چاپ مقاله در مجله  
باید هزینه پرداخت شود؟ اگر بلی چه میزان؟  
ممنون از پاسختان

reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Kermani,  
thank you for contacting us.  
We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.  
Unfortunately, we cannot help you with your request, we suggest you to visit the journal's homepage (See submission/author guidelines) or contact the journal's editorial staff, so they could inform you more deeply.  
Best Regards, SCImago Team

**Leave a comment**

Name

Email

(will not be published)


Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:




Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS  
Horatius (Saturne 7, 1, 109)

Edit Cookie Consent

## Editors and Boards

 Last Update: 19 June, 2022 | 13:14

- [Staff Editors](#)
- [Editorial Boards](#)
- [International Advisory Board](#)
- [Consultant Committee](#)
- [Editorial Office](#)
- [Contact Boards](#)

### Staff Editors

- [Brieflands](#), as an STM publisher, makes a contract for providing publishing services to academic universities and institutions as the journal owners. All editors of journals are introduced by the journal owners and will be re-evaluated at the first of each contract and annually by the governing board of Brieflands to be matched within the [editorial board criterias of independence](#) and [responsibilities](#). Therefore, staff editors are completely independent of the publisher.
- The Brieflands editors are paid a fixed salary by the journal owners and their payments are not linked to the number of papers published in the journal. Editors are required to declare all relevant conflicts of interest and do not participate in the review of any paper for which they have a competing interest. The editor-in-chief is responsible for the scientific context of all published materials in the journal. The conflict of interests statements is declared below each staff editor and shows their relationship to activities over the previous 12 months since the last update. However, relevant competing interests from previous years will also be taken into account when deciding whether it is appropriate for an editor to handle a paper.

[Chairman](#)



- *Professor*
- **Affiliation:** Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [ResearchGate](#)
- **Published papers in this journal:** 12 out of 656 published article
- **Paid Salary:** Archives of Clinical Infectious Diseases
- Monetary or in kind compensation for self or household member from an organization that may in any way gain or lose financially or in any other way from the publication of papers in Brieflands:
  - **Reimbursement for attending a conference or symposium, Accommodation and travel or Fees for speaking:** No
  - **Fees for organizing education or funds for researches from Publisher:** No
  - **Stocks or shares in Publisher:** No
  - **Other competing interests related to the journal:** Not Declared

## Editor in Chief

### Masoud Mardani



- *Professor*
- **Affiliation:** Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#) | [ORCID](#)
- **Published papers in this journal:** 87 out of 656 published article
- **Paid Salary:** Archives of Clinical Infectious Diseases
- Monetary or in kind compensation for self or household member from an organization that may in any way gain or lose financially or in any other way from the publication of papers in Brieflands:
  - **Reimbursement for attending a conference or symposium, Accommodation and travel or Fees for speaking:** No
  - **Fees for organizing education or funds for researches from Publisher:** No
  - **Stocks or shares in Publisher:** No
  - **Other competing interests related to the journal:** Not Declared

## Statistical and Analytical Consultant



- *Professor*
- **Affiliation:** Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Published papers in this journal:** 12 out of 656 published article
- **Paid Salary:** Archives of Clinical Infectious Diseases
- Monetary or in kind compensation for self or household member from an organization that may in any way gain or lose financially or in any other way from the publication of papers in Brieflands:
  - **Reimbursement for attending a conference or symposium, Accommodation and travel or Fees for speaking:** No
  - **Fees for organizing education or funds for researches from Publisher:** No
  - **Stocks or shares in Publisher:** No
  - **Other competing interests related to the journal:** Not Declared

## Executive Manager

### Bita Pourkaveh



- *Ph.D*
- **Affiliation:** Infectious Diseases and Tropical Medicine Research Center, Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar](#)
- **Published papers in this journal:** 11 out of 656 published article

## Editorial Board:

### Abdolvahab Alborzi



- *Professor*
- Department of Pediatrics, Shiraz University of Medical Sciences, Shiraz, IR Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assign-**

### Zohreh Aminzadeh Barforooshi



- *Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar](#)
- **Completed assignments in**



**Articles in this journal:**

4/656

- **Conflict of Interest:** No. Voluntary.

**Articles in this****journal:** 8/656

- **Conflict of Interest:** No. Voluntary.

## Stephen Calderwood

- *Professor*
- Massachusetts General Hospital, Boston, The USA
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.



## Latif Gachkar

- *Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published papers in this journal:** 12/656
- **Conflict of Interest:** No. Voluntary.



## Hossein Goudarzi

- *Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 5
- **Published Articles in this journal:** 26/656
- **Conflict of Interest:** No. Voluntary.



## Mahboobeh Hajiabdolbaghi

- *Professor*
- Tehran University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 3/656
- **Conflict of Interest:** No. Voluntary.



## Hasanjani Roushan



- *Professor*
- Babol University of Medical Sciences, Babol, IR Iran
- **Profiles:** [Scholar | ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.



## M. J. Ghan

- *Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, IR Iran
- **Profiles:** [Scholar | ResearchGate | ORCID](#)
- **Completed assignments in this journal:** 17
- **Published Articles in this journal:** 86/656
- **Conflict of Interest:** No. Voluntary.

## Minoo Mohraz



- *Professor*
- Tehran University of Medical Sciences, Tehran, IR Iran
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.



## Kenneth Rolston

- *Professor*
- Department of Infectious Diseases, MD Anderson Cancer Center, University of Texas, Texas, The USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 2/656
- **Conflict of Interest:** No. Voluntary.

## George Schmid



- Department of HIV/AIDS, World Health Organization,



## Davood Yadegarynia

- *Professor*
- Shahid Beheshti University of

- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.

[ResearchGate](#)

- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 12/656
- **Conflict of Interest:** No. Voluntary.

**International Advisory Board:**

### Abdul Razak Abyad

- Abyad Medical Center, Lebanon
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



### Arash Alborzi

- USA
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



### Gerald Bode



- USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



### Essam Girgaway

- USA
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



 <ul style="list-style-type: none"> <li>• University of Texas MD Anderson Cancer Center, USA</li> <li>• <b>Profiles:</b> <a href="#">ResearchGate</a></li> <li>• <b>Completed assignments in this journal:</b> 0</li> <li>• <b>Published Articles in this journal:</b> 0/656</li> <li>• <b>Conflict of Interest:</b> No. Voluntary.</li> </ul>	 <ul style="list-style-type: none"> <li>• Texas Southern University, Texas, USA</li> <li>• <b>Profiles:</b> <a href="#">ResearchGate</a></li> <li>• <b>Completed assignments in this journal:</b> 0</li> <li>• <b>Published Articles in this journal:</b> 0/656</li> <li>• <b>Conflict of Interest:</b> No. Voluntary.</li> </ul>
---	--

### Katzenstein David



- *MD*
- The Biomedical Research and Training Institute
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.

### Raad Issam



- University of Texas MD Anderson Cancer Center, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.

**Consultant Committee:**

### Alavian Seyed Moayed



- *Professor, MD*
- Middle East Liver Disease Center, tehran, Iran
- **Profiles:** [Scholar | ResearchGate](#)
- **Completed assignments in this journal:** 0

### Edrisian Gholamhossein



- *MD*
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.

7/656

- **Conflict of Interest:** No. Voluntary.

**Interest:** No. Voluntary.

### Eslami Gita

- *PhD*
- Shahid Beheshti University Of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar | ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 23/656
- **Conflict of Interest:** No. Voluntary.



### Gooya Mohammad Mehdi

- *MD*
- Ministry of Education, Iran
- **Profiles:**
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



### Hatami Hossein

- *Professor, MD*
- School of Public health, Shahid Beheshti, Tehran, Iran
- **Profiles:** [Scholar | ResarchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.



### Karimi Abdollah

- *MD*
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar | ResearachGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 9/656
- **Conflict of Interest:** No. Voluntary.



Keshtkar Jahromi Maryam



Malek Afzali Hossein

School of Medicine,  
USA

- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.

Sciences, tehran,  
Iran

- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.

### Mansouri Davod



- *MD*
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 2/656
- **Conflict of Interest:** No. Voluntary.

### Masjedi Mohammadreza



- *Professor, MD*
- Shahid Beheshti University of Medical Sciences, Tehran, Iran.
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 3/656
- **Conflict of Interest:** No. Voluntary.

### Mokhtari Azad Talat



- *Professor, PhD*
- Tehran University of Medical Sciences
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:**

### Nadim Abolhasan



- *MD*
- Academy Of Medical Sciences Of Iran, Iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published**

**Interest:** No.  
Voluntary.

**Interest:** No.  
Voluntary.

### Naghili Behrooz



- *Professor, MD*
- Tabriz University of Medical Sciences, Tabriz, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 3/656
- **Conflict of Interest:** No. Voluntary.



### Najar Pirayeh Shahin

- *PhD*
- Department of Bacteriology, Faculty of Medical Sciences, Tarbiat Modares University, Tehran, Iran
- **Profiles:** [Scholar](#)
- **Completed assignments in this journal:** 5
- **Published Articles in this journal:** 12/656
- **Conflict of Interest:** No. Voluntary.

### Nategh Rakhshandeh



- *MD*
- Tehran University of Medical Sciences, Tehran, Iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



### Panahi Mahmood

- *MD*
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.



Rasoli Nejad



Rostami

- MD
- Tehran University of Medical Sciences
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.

- Isfahan University of Medical Sciences, Isfahan, iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/656
- **Conflict of Interest:** No. Voluntary.

### Saghari Hoshang



- MD
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No. Voluntary.

### Tabarsi Payam



- MD
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar | ResearchGate](#)
- **Completed assignments in this journal:** 3
- **Published Articles in this journal:** 6/656
- **Conflict of Interest:** No. Voluntary.

### Vahdani Parviz



- MD
- Shahid Beheshti Skin Research Center, Tehran, Iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:**

### Velayati Ali Akbar



- MD
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0



**Interest:** No.  
Voluntary.

**Conflict of Interest:** No.  
Voluntary.

### Zowghi Esmaeil

- *DVM*
- Razi Vaccine and Serum Research Institute, Karaj, Iran
- **Profiles:**  
[ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 2/656
- **Conflict of Interest:** No.  
Voluntary.



### Yalda Alireza

- *MD*
- Tehran University of Medical Sciences, Tehran, Iran
- **Profiles:**  
[ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No.  
Voluntary.



#### Editorial Office:

### Darvishi Azar

- *MA*
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/656
- **Conflict of Interest:** No.  
Voluntary.



How to contact Editorial Board?

## Archives of Clinical Infectious Diseases

[Home](#)

[Instructions](#)

[Pricing](#)

[Articles](#)


- [All Issues](#)
- [Current Issue](#)
- [In Press](#)
- [Accepted Manuscripts](#)

[About Journal](#)

- [Journal Information](#)
- [Boards And Committees](#)
- [Indexing And Listing Sources](#)
- [Open Peer Review \(OPR\)](#)
- [Publication Ethics And Publication Malpractice Statement](#)
- [Journal Metrics](#)
- [Contact Us](#)



[Submit a Ticket](#)



Brieflands

Science, Technical, Medical Publisher

Since 2007

© Copyright 2023 Reserved by Brieflands.

**Archive**  
Vol. 16, Issue 5

**11 Articles**  
 Oct 2021




**Editorial**

**What We Know About Omicron?**

Masoud Mardani

| Final Published



**Systematic Review**

**Simple Coagulation Profile as Predictor of Mortality in Adults Admitted with COVID-19: A Meta-analysis**

Johanes Nugroho \*, Ardyan Wardhana , Dita Aulia Rachmi, Eka Prasetya Budi Mulia, Maya Qurota A'yun, Imanita Septianda, et al.

| Final Published |



**Review Article**

### Cancer Patients’ Challenges During COVID-19 Pandemic: An Approach to Decision-Making in Management and Policy-Making

Mitra Savabi-Esfahani, Sanaz Zangeneh \*, Mohammad Reza Sharbafchi



Final Published |

**Table 1. Clinical and Laboratory Findings of COVID-19 Patients in Two Episodes (Iran, Nov. 2020 - 2021)\***

Variable	First Episode	Second Episode	P Value
<b>Dyspnea</b>			0.63
Yes	8 (33.4)	14 (18.6)	
No	21 (86.5)	51 (67.2)	
<b>Fever</b>			0.40
Yes	24 (98.4)	27 (78.0)	
No	1 (4.1)	8 (21.0)	
<b>Chills</b>			0.52
Yes	22 (90.8)	24 (66.7)	
No	3 (12.3)	12 (33.3)	
<b>Myalgia</b>			0.29
Yes	27 (75)	31 (83.6)	
No	9 (25)	6 (16.4)	
<b>Cough</b>			0.49
Yes	16 (65.3)	22 (58.8)	
No	9 (34.7)	16 (43.2)	
<b>Rhinitis</b>			0.84
Yes	9 (21)	18 (47)	
No	37 (79)	37 (93)	
<b>Diarrhea</b>			0.66
Yes	9 (21)	9 (24.3)	


**Research Article**

### COVID-19 Reinfection or Relapse? A Retrospective Multicenter Cohort Study from Iran

Mohammadreza Salehi , SeyedAhmad SeyedAlinaghi, Ilad Alavi Darazam , Payam Tabarsi , Mohammad Mahdi Rabiei, Firouze Hatami, et al.




Final Published |



**Research Article**

### Coagulation Disorders in Hospitalized COVID-19 Patients and Relationship with Disease Outcome: A Cross-sectional Study

PDF | Final Published |




**Research Article**

### Is the Intraoperative Use of the Chlorhexidine Gluconate Safe for Inactivation of the Liver Hydatid Cyst?

Mohammad Eslamian , Mohsen Kolaheidouzan, Hossein Yousofi Darani, Alireza Rezaei, Mohammad Hosein Sanei

PDF | Final Published |




**Research Article**

### Outcome, Severity, and Risk of Mortality in Patients with COVID-19 and Chronic Underlying Diseases: A Prospective Study

Amir Salimi, Mahmood Aghaziarati, Mohammad Qasem Roshanfeker Balalami, Nastaran Rastgoo, Fatemeh Taghizadeh, Zahra Pirastepoor, et al.

PDF | Final Published |



**Research Article**

### Pulmonary Thromboembolism in Patients After COVID-19: Predictive Indicators for Correct Diagnosis

Dilyana Yakova-Hristova <sup>\*</sup>, Iana Simova <sup>\*\*</sup>, Pavlin Pavlov, Martin Hristov, Todor Kundurzhiev, Nikolai Dimitrov, et al.



Final Published



Characteristic	Case (n = 102)
Age (Mean ± SD)	61 ± 14
Sex	
Male	61 (60%)
Female	41 (40%)
Medical record	
ACEI	18 (18%)
Statins	61 (60%)
Length of hospitalization (days)	9 ± 2
Underlying disease	
Ischemic heart disease	12 (12%)
Cardiomyopathy	11 (11%)
Hypertension	41 (40%)
Liver cirrhosis	0
Chronic kidney disease	2 (2%)
Asthma	0
Neurological malignancy <sup>†</sup>	1 (1%)
Solid tumor <sup>‡</sup>	1 (1%)
Osteoporosis	1 (1%)
DVT	0
Epilepsy	0
Hypertension	10 (10%)
Hemiparesis	1 (1%)
Risk factors	
Critical illness-related	1 (1%)
Smoking	1 (1%)


**Research Article**

### Risk Factors of Oropharyngeal Candidiasis in COVID-19 Patients: A Case-control Study

Mohammadreza Salehi , Nasim Khajavirad, Ilad Alavi Darazam , Seyed Jamal Hashemi, Saham Ansari , Fereshteh Ghasvand, et al.



Final Published



**Case Report**

### Plasmapheresis with Convalescent Plasma as a Rescue Therapy for COVID-19 Patients: A Case Series

Jamshid Vafaemanesh , Seyed Hassan Adeli , Akram Asghari ,

## Journal Feat

Social

FOLLOW US



Letter

Official COPE member  
Is the Reduced Incidence of Crimean-Congo Hemorrhagic Measures

Jalil Nejati

PDF | Final P



If you have any questions [contact us](#)

## Newsletter

Stay in touch and be informed about our special discount offers and educational letter from Briefland.

HOME

**Instructions**

**Pricing**

**Articles**

- **All Issues**
- **Current Issue**
- **In Press**
- **Accepted Manuscripts**

**About Journal**

- **Journal Information**
- **Boards And Committees**
- **Indexing And Listing Sources**
- **Open Peer Review (OPR)**
- **Publication Ethics And Publication Malpractice Statement**
- **Journal Metrics**
- **Contact Us**



**Submit a Ticket**



**Brieflands**

Science, Technical, Medical Publisher

Since 2007

© Copyright 2023 Reserved by Brieflands.





# Simple Coagulation Profile as Predictor of Mortality in Adults Admitted with COVID-19: A Meta-Analysis

Johanes Nugroho <sup>1,2,\*</sup>, Ardyan Wardhana <sup>3</sup>, Dita Aulia Rachmi <sup>1</sup>, Eka Prasetya Budi Mulia <sup>1</sup>, Maya Qurota A'yun <sup>1</sup>, Imanita Septianda <sup>1</sup> and Irma Maghfirah <sup>1</sup>

<sup>1</sup>Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia

<sup>2</sup>Dr. Soetomo General Hospital, Surabaya, Indonesia

<sup>3</sup>Faculty of Medicine, Universitas Surabaya, Surabaya, Indonesia

\*Corresponding author: Department of Cardiology and Vascular Medicine, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia. Email: j.nugroho.eko@fk.unair.ac.id

Received 2021 May 03; Revised 2021 November 28; Accepted 2021 November 30.

## Abstract

**Context:** COVID-19 severe manifestations must be detected as soon as possible. One of the essential poor characteristics is the involvement of coagulopathy. Simple coagulation parameters, including prothrombin time (PT), international normalized ratio (INR), activated partial thromboplastin time (aPTT), and platelet, are widely accessible in many health centers.

**Objectives:** This meta-analysis aimed to determine the association between simple coagulation profiles and COVID-19 in-hospital mortality.

**Method:** We systematically searched five databases for studies measuring simple coagulation parameters in COVID-19 on admission. The random-effects and inverse-variance weighting were used in the study, which used a standardized-mean difference of coagulation profile values. The odds ratios were computed using the Mantel-Haenszel formula for dichotomous variables.

**Results:** This meta-analysis comprised a total of 30 studies (9,175 patients). In our meta-analysis, we found that non-survivors had a lower platelet count [SMD = -0.56 (95% CI: -0.79 to -0.33),  $P < 0.01$ ; OR = 3.00 (95% CI: 1.66 to 5.41),  $P < 0.01$ ], prolonged PT [SMD = 1.22 (95%CI: 0.71 to 1.72),  $P < 0.01$ ; OR = 1.86 (95%CI: 1.43 to 2.43),  $P < 0.01$ ], prolonged aPTT [SMD = 0.24 (95%CI: -0.04 to 0.52),  $P = 0.99$ ], and increased INR [SMD = 2.21 (95%CI: 0.10 to 4.31),  $P = 0.04$ ] than survivors.

**Conclusions:** In COVID-19 patients, abnormal simple coagulation parameters on admission, such as platelet, PT, and INR, were associated with mortality outcomes.

**Keywords:** COVID-19, Coagulopathy, Coagulation Profile, Platelet, Mortality

## 1. Context

Rapid growing numbers of COVID-19 patients and limited infrastructure resources provide significant challenges for healthcare institutions. It would be beneficial if any clinical or laboratory parameters would help us rapidly triage patients to appropriate units. The COVID-19 severe manifestations must be detected as soon as possible to predict each case's prognosis. Although the underlying pathophysiology of severe COVID-19 is poorly defined, some studies (1) reported that severe COVID-19 is related to significant coagulopathy.

A previous meta-analysis (2) demonstrated that advanced coagulation parameters such as D-dimer were associated with severity and mortality of COVID-19. However, most hospitals in peripheral areas, especially in developing countries, might not be able to test D-dimer. Sim-

ple coagulation parameters, including Prothrombin Time (PT), international normalized ratio (INR), activated partial thromboplastin time (aPTT), and platelets, are widely accessible in many health centers (3). Based on early reports, moderate to severe COVID-19 patients were likely to have prolonged PT, elevated INR, prolonged aPTT, and decreased platelets with subsequent poorer outcomes (4-6).

## 2. Objectives

We aimed to identify if basic coagulation profiles have a prognostic value in COVID-19 in-hospital mortality.

## 3. Method

We selected observational studies or trials on adult COVID-19 patients presenting some details on coagulation

profiles, including platelet (PLT), PT, aPTT, and INR, for in-hospital mortality outcomes. Any study that had incomplete required data or lacked coagulation profile information on admission was removed. This meta-analysis was written as per the Preferred Reporting Items for systematic reviews and meta-analyses (PRISMA) guidelines (7).

A systematic literature search was finalized on November 20, 2021, following the approval of the institutional review board. We searched five different databases (PubMed, Science Direct, Scopus, ProQuest, and medRxiv) using the keywords "COVID 19" OR "Sars-Cov-2" OR "Novel coronavirus" AND "Laboratory parameter" OR "Coagulation" AND "Mortality" OR "Death" OR "Survivor." We also examined reference lists of the included studies to recognize any relevant studies to be added. Before full-text retrieval, three investigators evaluated titles and abstracts. Three investigators reviewed titles and abstracts before retrieving full-text papers. Two investigators then collected the data in each comparison category from full-text studies, including the authors, publication year, location, study design, peer-reviewed publication status, study outcome, and coagulation profile data.

The coagulation profile focusing on survival and non-survival outcomes was the primary outcome in our meta-analysis. The NIH quality assessment tool for observational Cohort and cross-sectional studies was used to determine the methodological quality of the studies. The visual analysis of funnel plots and the Egger regression test were used to assess publication bias (8).

Data analysis was carried out utilizing review manager (RevMan v5.4 2020) and Stata v.16. A standardized mean difference (SMD) for coagulation profile values was used in the meta-analysis. According to Wan et al. (9), sample size, median, and interquartile range (IQR) were used to calculate the mean and standard deviation (SD). We used inverse-variance weighting and random-effects models. The pooled odds ratios (ORs) were calculated using the Mantel-Haenszel formula for dichotomous variables.

We carried out a subgroup analysis by study design. Sensitivity analysis was performed using the leave-one-out method or dependent on peer-review status to evaluate the reason for heterogeneity. We assessed the heterogeneity using the  $I^2$  statistic. Restricted maximum likelihood random-effects meta-regression was performed for age, sex, cardiovascular disease (CVD), hypertension (HTN), and diabetes mellitus (DM) comorbidities in coagulation profiles, with a significant result and more than 10 studies included (10). In this meta-analysis, all *p* values less than 0.05 were statistically significant (except for heterogeneity using  $P < 0.10$ ).

#### 4. Results

Initial searches showed 88 PubMed records, 14 Science Direct records, 34 ProQuest records, 14 Scopus records, 262 medRxiv records, and 53 other records (Figure 1). After removing 39 duplicates and excluding 326 records, we retrieved 100 records for full-text screening. A total of 14 studies were excluded due to incorrect patient population, 13 due to unavailability of data on coagulation parameters, and 43 due to no outcome of interest. Thereby, we included the remaining 30 studies (9,175 patients) for analysis (11-40).

Tables 1 and 2 show the baseline characteristics of the included studies. There were 28 retrospective studies and two prospective observational studies. Peer review had already been completed on 21 studies. We assessed all methodologically acceptable studies (Table 1). The analyses and conclusions drawn were reliable. Nonetheless, due to their cross-sectional designs, most studies did not assess exposure before evaluating the outcome and would most likely lack adequate periods for the outcome.

Funnel plots for INR and aPTT showed an asymmetrical appearance indicating publication bias (Appendix 1). Since less than 10 studies were involved, we did not conduct Egger's regression test for INR. The publication bias for aPTT was also shown by the Egger's test ( $P = 0.007$ ), but not for PT ( $P = 0.395$ ) and PLT ( $P = 0.896$ ).

##### 4.1. Platelet

Random-effects meta-analysis revealed significantly lower platelet counts on admission in the non-survivor group than in the survivor group, as shown in Figure 2 [26 studies, SMD = -0.56 (95% CI: -0.79 to -0.33),  $P < 0.01$ ;  $I^2 = 94%$ ,  $P < 0.01$ ]. A similar result was shown in retrospective subgroup analysis. Categorical data of platelet count were found in five studies. Decreased platelet counts were associated with increased mortality [OR = 3.00 (95% CI: 1.66 to 5.41),  $P < 0.01$ ;  $I^2 = 69%$ ,  $P = 0.01$ ] (Figure 2). The sensitivity of 58% (95% CI: 38 to 76%) and specificity of 70% (95% CI: 54 to 83%) were obtained from a pooled analysis of multiple cut-off points (Appendix 2). Decreased platelet had a positive likelihood ratio (LR) of 1.9 and a negative LR of 0.6. According to a meta-regression analysis, unlike age ( $P = 0.023$ ) and HTN ( $P = 0.014$ ), sex ( $P = 0.412$ ), CVD ( $P = 0.580$ ) and DM ( $P = 0.935$ ) had no impacts on the relationship between decreased platelet count and mortality.

##### 4.2. Prothrombin Time

The pooled effect size demonstrated that PT was significantly higher in non-survivors than in survivors, as shown in Figure 3 [21 studies, SMD = 1.22 (95% CI: 0.71 to 1.72),  $P <$




Figure 1. Study flow chart (as per PRISMA guideline)

0.01;  $I^2 = 98\%$ ,  $P < 0.01$ ]. A similar result was shown in retrospective subgroup analysis. Sensitivity analysis by removing Gil et al.' study (11) showed no improvement in heterogeneity. Pooled analysis of three studies with categorical data of PT demonstrated increased PT in the non-survivor group [OR = 1.86 (95% CI: 1.43 to 2.43),  $P < 0.01$ ;  $I^2 = 2\%$ ,  $P = 0.36$ ] (Figure 3). According to a meta-regression analysis, age ( $P = 0.964$ ), sex ( $P = 0.422$ ), CVD ( $P = 0.889$ ), DM ( $P = 0.955$ ), and HTN ( $P = 0.910$ ) comorbidities had no impact on the relationship between decreased platelet count and

mortality.

#### 4.3. Activated Partial Thromboplastin Time

The pooled effect size demonstrated that aPTT was non-significantly higher in non-survivors than in survivors, as shown in Figure 4 [18 studies, SMD = 0.24 (95% CI: -0.04 to 0.52),  $P = 0.09$ ;  $I^2 = 93\%$ ,  $P < 0.01$ ]. The prospective group did not differ from the retrospective subgroup, as shown in subgroup analysis based on study design. Nevertheless, the removal of Gil et al.'s study (11) demonstrated a signifi-

**Table 2.** Laboratory Parameters in Included Studies <sup>a</sup>

No.	Author	aPTT (s)	PT (s)	PT Cut-Off	PLT ( $10^9/L$ )	PLT Cut-Off	INR
1	Zhang 2020 (14)	39.99 $\pm$ 7.12 vs. 40.25 $\pm$ 4.65	14.95 $\pm$ 1.70 vs. 13.70 $\pm$ 1.04	NR	109.42 $\pm$ 112.33 vs. 176.75 $\pm$ 54.40	NR	N/A
2	Yan 2020 (15)	40.16 $\pm$ 8.3 vs. 37.63 $\pm$ 6.77	15.47 $\pm$ 3.15 vs. 13.73 $\pm$ 0.92	NR	167 $\pm$ 88.51 vs. 202.33 $\pm$ 111.08	NR	N/A
3	Tang 2020 (16)	N/A	16.5 $\pm$ 8.4 vs. 14.6 $\pm$ 2.1	NR	178 $\pm$ 92 vs. 231 $\pm$ 99	NR	N/A
4	Wu 2020 (17)	24.9 $\pm$ 4.67 vs. 29.78 $\pm$ 9.03	11.72 $\pm$ 1.03 vs. 11.72 $\pm$ 1.15	NR	167.83 $\pm$ 92.35 vs. 201.33 $\pm$ 96.5	NR	N/A
5	Tang 2020 (13)	45.33 $\pm$ 8.59 vs. 40.7 $\pm$ 5.31	15.4 $\pm$ 1.51 vs. 13.63 $\pm$ 0.97	NR	N/A	N/A	N/A
6	Fan 2020 (18)	N/A	11.88 $\pm$ 1.55 vs. 11.13 $\pm$ 1.41	NR	168.33 $\pm$ 65 vs. 207 $\pm$ 93.33	NR	N/A
7	Li 2020 (19)	37.47 $\pm$ 7.17 vs. 35.13 $\pm$ 6.30	13.93 $\pm$ 2.80 vs. 13.33 $\pm$ 1.37	NR	N/A	N/A	1.13 $\pm$ 0.16 vs. 0.69 $\pm$ 0.76
8	Satici 2020 (20)	N/A	N/A	N/A	196 $\pm$ 47.96 vs. 198.33 $\pm$ 60.93	NR	N/A
9	Du 2020 (21)	36.7 $\pm$ 8.51 vs. 35.1 $\pm$ 6.14	14.17 $\pm$ 3.18 vs. 13.77 $\pm$ 2.09	NR	N/A	N/A	N/A
10	Pan 2020 (22)	37.45 $\pm$ 1.86 vs. 38.63 $\pm$ 1.69	14.15 $\pm$ 0.43 vs. 13.67 $\pm$ 0.29	> 13.9	187.33 $\pm$ 58.78 vs. 191.33 $\pm$ 70.34	$\leq$ 187	N/A
11	Chen 2020 (12)	40.92 $\pm$ 1.99 vs. 40.72 $\pm$ 1.25	15.6 $\pm$ 0.56 vs. 13.85 $\pm$ 0.21	NR	160.78 $\pm$ 18.95 vs. 203 $\pm$ 16.92	NR	1.23 $\pm$ 0.05 vs. 1.08 $\pm$ 0.02
12	Gil 2020 (11)	32.63 $\pm$ 1.10 vs. 34.13 $\pm$ 1.29	13.85 $\pm$ 0.22 vs. 14.68 $\pm$ 0.45	NR	N/A	N/A	N/A
13	Alshukry 2020 (23)	45.81 $\pm$ 3.05 vs. 32.63 $\pm$ 1.3	15.87 $\pm$ 1.04 vs. 13.64 $\pm$ 0.35	NR	260.35 $\pm$ 22.89 vs. 323.92 $\pm$ 24.27	NR	N/A
14	Ayed 2020 (24)	41.5 $\pm$ 8.5 vs. 38.75 $\pm$ 6.68	N/A	N/A	216.5 $\pm$ 20.66 vs. 261.75 $\pm$ 24.9	NR	1.16 $\pm$ 0.10 vs. 1.03 $\pm$ 0.03
15	Shi 2020 (25)	30.48 $\pm$ 1.02 vs. 30.03 $\pm$ 1.10	13.32 $\pm$ 0.38 vs. 12.63 $\pm$ 0.42	NR	168 $\pm$ 26.78 vs. 159.75 $\pm$ 16.19	NR	N/A
16	Luo 2020 (26)	N/A	N/A	N/A	169.67 $\pm$ 73.72 vs. 207.33 $\pm$ 82.68	< 125	N/A
17	Zhang 2020 (26)	N/A	N/A	N/A	140 $\pm$ 100.24 vs. 182.33 $\pm$ 57.51	< 125	N/A
18	Paranjpe 2020 (28)	33.57 $\pm$ 5.54 vs. 31.63 $\pm$ 4.54	14.7 $\pm$ 2.02 vs. 13.63 $\pm$ 1.04	NR	189.33 $\pm$ 70.79 vs. 197.67 $\pm$ 69.82	NR	N/A
19	Hu 2020 (29)	N/A	15.6 $\pm$ 2.42 vs. 13.83 $\pm$ 0.98	NR	171.33 $\pm$ 78.39 vs. 211 $\pm$ 80.33	NR	N/A
20	Fu 2020 (30)	N/A	N/A	N/A	165.33 $\pm$ 50.67 vs. 226 $\pm$ 72.64	NR	N/A
21	Luo 2020 (31)	N/A	N/A	N/A	159.33 $\pm$ 76.94 vs. 202.67 $\pm$ 75.38	NR	N/A
22	Wang 2020 (32)	29.43 $\pm$ 3.26 vs. 28.37 $\pm$ 4.17	12.97 $\pm$ 1.64 vs. 12.17 $\pm$ 0.52	NR	164.67 $\pm$ 86.36 vs. 212.67 $\pm$ 81.15	NR	N/A
23	Yang 2020 (33)	N/A	12.9 $\pm$ 2.9 vs. 10.9 $\pm$ 2.7	NR	191 $\pm$ 63 vs. 164 $\pm$ 74	NR	N/A
24	Zhou 2020 (34)	N/A	12.33 $\pm$ 1.86 vs. 11.47 $\pm$ 1.65	$\geq$ 16	167.17 $\pm$ 92.92 vs. 219.67 $\pm$ 77.17	< 100	N/A
25	Wang 2020 (35)	41.3 $\pm$ 7.32 vs. 39.3 $\pm$ 6.05	39.37 $\pm$ 6.05 vs. 14.9 $\pm$ 1.26	NR	221 $\pm$ 114.0 vs. 230.5 $\pm$ 86.5	NR	N/A
26	Sai 2021 (36)	35.87 $\pm$ 14.51 vs. 33.63 $\pm$ 9.75	13.63 $\pm$ 3.52 vs. 12.53 $\pm$ 1.77	NR	173.47 $\pm$ 107.84 vs. 225.47 $\pm$ 98.79	NR	N/A
27	Peiró 2021 (37)	N/A	N/A	N/A	226.33 $\pm$ 118.77 vs. 215.67 $\pm$ 90.52	NR	N/A
28	Velasco-Rodriguez 2021 (38)	30.07 $\pm$ 4.17 vs. 30.47 $\pm$ 3.34	13.3 $\pm$ 1.41 vs. 12.87 $\pm$ 1.19	> 14	199.17 $\pm$ 82.96 vs. 198.08 $\pm$ 128.54	< 140	N/A
29	Violi 2021 (39)	N/A	N/A	N/A	204 $\pm$ 119 vs. 211 $\pm$ 75	NR	N/A
30	Gayam 2021 (40)	31.42 $\pm$ 4.76 vs. 31.41 $\pm$ 3.95	N/A	N/A	215.33 $\pm$ 83.19 vs. 226 $\pm$ 89.43	NR	N/A

Abbreviations: aPTT, activated partial thromboplastin time; N/A, Not available; NR, not reported; PLT, Platelet; PT, prothrombin time.

<sup>a</sup> Data are presented as non-survivors vs. survivors in mean  $\pm$  SD.

cant result of higher aPTT in non-survivors [SMD = 0.43 (95% CI: 0.06 to 0.58),  $P = 0.02$ ;  $I^2 = 91\%$ ,  $P < 0.01$ ].

#### 4.4. International Normalized Ratio


Higher mean INR was found in non-survivors than in survivors, as shown in Figure 5 [three studies, SMD = 2.21 (95% CI: 0.10 to 4.31),  $P = 0.04$ ;  $I^2 = 98\%$ ,  $P < 0.01$ ]. Sensitivity analysis by removing Chen et al.' study (12) showed improvement in heterogeneity [SMD = 1.21 (95% CI: 0.10 to 2.32),  $P = 0.03$ ;  $I^2 = 88\%$ ,  $P < 0.01$ ].

## 5. Discussion

This meta-analysis found that COVID-19 patients with prolonged PT and aPTT, elevated INR, and a lower platelet level on admission had a higher mortality rate. Our results are similar to previous studies (6, 41). The prolongation of

PT in the non-survivor group was consistent with another meta-analysis (4). However, the degree of PT prolongation is less prominent in COVID-19 than in bacterial sepsis-induced coagulopathy or disseminated intravascular coagulation (DIC) (42). Mild prolongation of aPTT demonstrated in COVID-19 subjects is possibly explained by the involvement of severe consumption or inhibition to specific coagulation factors (43).

Along with the emerging evidence of SARS-CoV-2, the presence of coagulopathy is one of the major factors responsible for high mortality rates other than cytokine storms (44). Severe infection activates the coagulation cascade and increases DIC risk, consequently increasing the fatality rates (13). Besides, COVID-19 increases the risk of thromboembolism in several organs, as it causes abnormal activation of coagulation and secondary hyperfibrinolysis (45). A first autopsy series to COVID-19-related deaths in New Orleans (46) reported the presence of signif-




**Figure 2.** Forest plot of platelet level for mortality outcome. A, Non-survivors had a lower platelet level than survivors; and B, Decreased platelet was associated with increased mortality.

icant diffuse alveolar damage and pulmonary microvascular thrombosis, possibly contributing to death.

Decreased platelet counts in COVID-19 are possibly caused by hematopoiesis suppression in the bone marrow by the virus. As known, COVID-19 increases autoantibodies and immune complexes, leading to specific immune system disruption of platelets. Lung tissue and pulmonary endothelial cells damage in COVID-19 can activate platelets in the lungs, leading to microthrombi aggregation and for-

mation and increased platelet consumption (47).

In addition, PT and aPTT are beneficial for the early detection of DIC in COVID-19-associated coagulopathy (48). Laboratory characteristics in DIC vary depending on the stage. In early DIC, hemostatic system activation is compensated. As DIC develops into the decompensated stage, which might be found in the late stage of COVID-19, decreased thrombocyte, elevated PT and aPTT, increased fibrinogen, increased fibrin degradation product, and re-




**Figure 3.** Forest plot of PT level for mortality outcome. A, Non-survivors had a higher PT level than survivors; and B, Increased PT and mortality (PT, prothrombin time).

duced protease inhibition are found (49). Besides, PT, aPTT, and INR are excellent parameters describing clot formation. These parameters do not provide information about fibrin crosslinking or clot dissolution and will thus be insensitive to abnormalities of fibrinolysis. On the other hand, D-dimer indicates recent or ongoing intravascular coagulation and fibrinolysis (50).


Our findings suggest that the abnormality of routine coagulation parameters on admission can be used as risk stratification tools in adult COVID-19 patients. Risk stratification in triage would help health workers allocate resources and sort the patients in the appropriate critical care or modified units, therefore maximizing the use of

acute care beds (51). We encourage further studies to develop a prognostic model involving coagulation profiles in COVID-19 outcomes.

To the authors' knowledge, our review of 30 studies is the largest meta-analysis on the elaboration of coagulation profiles and in-hospital mortality of COVID-19. However, several limitations are found in our study. Publication bias was noted in several coagulation parameters. There was also substantial heterogeneity across studies. Some of the included studies in this meta-analysis were published at the preprint server. The majority of the included studies were retrospective and had limited sample sizes. Furthermore, China was the source of the majority of the studies.



**Figure 4.** Forest plot of aPTT level for mortality outcome. Non-survivors had a non-significantly higher aPTT level than survivors (aPTT, activated partial thromboplastin time).



**Figure 5.** Forest plot of INR for mortality outcome. Non-survivors had a higher INR level than survivors (INR, international normalized ratio).

Differences in ethnicity and geography can skew the analysis results.

**5.1. Conclusion**

In COVID-19 patients, abnormal simple coagulation parameters on admission, such as increased PPT and INR and decreased platelets, were related to a higher risk of in-hospital mortality. We recommend clinicians closely monitor routine coagulation parameters as markers for potential progression to critical illness.

**Supplementary Material**

Supplementary material(s) is available [here](#) [To read supplementary materials, please refer to the journal web-

site and open PDF/HTML].

**Footnotes**

**Authors' Contribution:** JN, conceptualization, methodology, writing, review, editing, and supervision; AW, conceptualization, data analysis, manuscript writing, review, and editing; DR, screening, investigation, data analysis, quality assessment, and writing the original draft; EM, screening, data extraction, investigation, and writing the original draft; MA, screening, investigation, data extraction, writing the original draft, and project administration; IS, investigation, data analysis, quality assessment,

and writing the original draft; IM, screening, data extraction, investigation, analysis, and writing the original draft.

**Conflict of Interests:** The authors declare that the research was conducted without any commercial or financial relationships that could be considered a potential conflict of interests.

**Data Reproducibility:** The data supporting this meta-analysis are from previously reported studies and datasets, which have been cited.

**Funding/Support:** This work did not receive specific funding but was performed as part of Johannes Nugroho employment at the Department of Cardiology and Vascular Medicine, Universitas Airlangga/Dr. Soetomo General Hospital, East Java, Indonesia.

## References

- Marchandot B, Sattler L, Jesel L, Matsushita K, Schini-Kerth V, Grunebaum L, et al. COVID-19 Related Coagulopathy: A Distinct Entity? *J Clin Med*. 2020;**9**(6). doi: [10.3390/jcm9061651](https://doi.org/10.3390/jcm9061651). [PubMed: [32486469](https://pubmed.ncbi.nlm.nih.gov/32486469/)]. [PubMed Central: [PMC7356260](https://pubmed.ncbi.nlm.nih.gov/PMC7356260/)].
- Nugroho J, Wardhana A, Maghfirah I, Mulia EPB, Rachmi DA, A'Yun M Q, et al. Relationship of D-dimer with severity and mortality in SARS-CoV-2 patients: A meta-analysis. *Int J Lab Hematol*. 2021;**43**(1):110–5. doi: [10.1111/ijlh.13336](https://doi.org/10.1111/ijlh.13336). [PubMed: [32931146](https://pubmed.ncbi.nlm.nih.gov/32931146/)].
- Abdullah W. Shortened Activated Partial Thromboplastin Time (APTT): A Simple but Important Marker of Hypercoagulable State During Acute Coronary Event. *Coronary Artery Disease - New Insights and Novel Approaches*. London, UK: IntechOpen; 2012. doi: [10.5772/27887](https://doi.org/10.5772/27887).
- Henry BM, de Oliveira MHS, Benoit S, Plebani M, Lippi G. Hematologic, biochemical and immune biomarker abnormalities associated with severe illness and mortality in coronavirus disease 2019 (COVID-19): a meta-analysis. *Clin Chem Lab Med*. 2020;**58**(7):1021–8. doi: [10.1515/cclm-2020-0369](https://doi.org/10.1515/cclm-2020-0369). [PubMed: [32286245](https://pubmed.ncbi.nlm.nih.gov/32286245/)].
- Deng Y, Liu W, Liu K, Fang YY, Shang J, Zhou L, et al. Clinical characteristics of fatal and recovered cases of coronavirus disease 2019 in Wuhan, China: a retrospective study. *Chin Med J (Engl)*. 2020;**133**(11):1261–7. doi: [10.1097/CM9.0000000000000824](https://doi.org/10.1097/CM9.0000000000000824). [PubMed: [32209890](https://pubmed.ncbi.nlm.nih.gov/32209890/)]. [PubMed Central: [PMC7289311](https://pubmed.ncbi.nlm.nih.gov/PMC7289311/)].
- Velavan TP, Meyer CG. Mild versus severe COVID-19: Laboratory markers. *Int J Infect Dis*. 2020;**95**:304–7. doi: [10.1016/j.ijid.2020.04.061](https://doi.org/10.1016/j.ijid.2020.04.061). [PubMed: [32344011](https://pubmed.ncbi.nlm.nih.gov/32344011/)]. [PubMed Central: [PMC7194601](https://pubmed.ncbi.nlm.nih.gov/PMC7194601/)].
- Hutton B, Salanti G, Caldwell DM, Chaimani A, Schmid CH, Cameron C, et al. The PRISMA extension statement for reporting of systematic reviews incorporating network meta-analyses of health care interventions: checklist and explanations. *Ann Intern Med*. 2015;**162**(11):777–84. doi: [10.7326/M14-2385](https://doi.org/10.7326/M14-2385). [PubMed: [26030634](https://pubmed.ncbi.nlm.nih.gov/26030634/)].
- Egger M, Davey Smith G, Schneider M, Minder C. Bias in meta-analysis detected by a simple, graphical test. *BMJ*. 1997;**315**(7109):629–34. doi: [10.1136/bmj.315.7109.629](https://doi.org/10.1136/bmj.315.7109.629). [PubMed: [9310563](https://pubmed.ncbi.nlm.nih.gov/9310563/)]. [PubMed Central: [PMC2127453](https://pubmed.ncbi.nlm.nih.gov/PMC2127453/)].
- Wan X, Wang W, Liu J, Tong T. Estimating the sample mean and standard deviation from the sample size, median, range and/or interquartile range. *BMC Med Res Methodol*. 2014;**14**:135. doi: [10.1186/1471-2288-14-135](https://doi.org/10.1186/1471-2288-14-135). [PubMed: [25524443](https://pubmed.ncbi.nlm.nih.gov/25524443/)]. [PubMed Central: [PMC4383202](https://pubmed.ncbi.nlm.nih.gov/PMC4383202/)].
- Higgins JP, Thomas J, Chandler J, Cumpston M, Li T, Page MJ, et al. *Cochrane handbook for systematic reviews of interventions*. New Jersey, USA: John Wiley & Sons; 2019.
- Gil MR, Gonzalez-Lugo JD, Rahman S, Barouqa M, Szymanski J, Ikemura K, et al. Correlation of coagulation parameters with clinical outcomes in Coronavirus-19 affected minorities in United States: Observational cohort. *medRxiv*. 2020;**Preprint**. doi: [10.1101/2020.05.01.20087932](https://doi.org/10.1101/2020.05.01.20087932).
- Chen T, Wu D, Chen H, Yan W, Yang D, Chen G, et al. Clinical characteristics of 113 deceased patients with coronavirus disease 2019: retrospective study. *BMJ*. 2020;**368**:m1091. doi: [10.1136/bmj.m1091](https://doi.org/10.1136/bmj.m1091). [PubMed: [32217556](https://pubmed.ncbi.nlm.nih.gov/32217556/)]. [PubMed Central: [PMC7190011](https://pubmed.ncbi.nlm.nih.gov/PMC7190011/)].
- Tang N, Li D, Wang X, Sun Z. Abnormal coagulation parameters are associated with poor prognosis in patients with novel coronavirus pneumonia. *J Thromb Haemost*. 2020;**18**(4):844–7. doi: [10.1111/jth.14768](https://doi.org/10.1111/jth.14768). [PubMed: [32073213](https://pubmed.ncbi.nlm.nih.gov/32073213/)]. [PubMed Central: [PMC7166509](https://pubmed.ncbi.nlm.nih.gov/PMC7166509/)].
- Zhang F, Xiong Y, Wei Y, Hu Y, Wang F, Li G, et al. Obesity predisposes to the risk of higher mortality in young COVID-19 patients. *J Med Virol*. 2020;**92**(11):2536–42. doi: [10.1002/jmv.26039](https://doi.org/10.1002/jmv.26039). [PubMed: [32437016](https://pubmed.ncbi.nlm.nih.gov/32437016/)]. [PubMed Central: [PMC7280697](https://pubmed.ncbi.nlm.nih.gov/PMC7280697/)].
- Yan Y, Yang Y, Wang F, Ren H, Zhang S, Shi X, et al. Clinical characteristics and outcomes of patients with severe covid-19 with diabetes. *BMJ Open Diabetes Res Care*. 2020;**8**(1). doi: [10.1136/bmjdr-2020-001343](https://doi.org/10.1136/bmjdr-2020-001343). [PubMed: [32345579](https://pubmed.ncbi.nlm.nih.gov/32345579/)]. [PubMed Central: [PMC7225777](https://pubmed.ncbi.nlm.nih.gov/PMC7225777/)].
- Tang N, Bai H, Chen X, Gong J, Li D, Sun Z. Anticoagulant treatment is associated with decreased mortality in severe coronavirus disease 2019 patients with coagulopathy. *J Thromb Haemost*. 2020;**18**(5):1094–9. doi: [10.1111/jth.14817](https://doi.org/10.1111/jth.14817). [PubMed: [32220112](https://pubmed.ncbi.nlm.nih.gov/32220112/)].
- Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S, et al. Risk Factors Associated With Acute Respiratory Distress Syndrome and Death in Patients With Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Intern Med*. 2020;**180**(7):934–43. doi: [10.1001/jamainternmed.2020.0994](https://doi.org/10.1001/jamainternmed.2020.0994). [PubMed: [32167524](https://pubmed.ncbi.nlm.nih.gov/32167524/)]. [PubMed Central: [PMC7070509](https://pubmed.ncbi.nlm.nih.gov/PMC7070509/)].
- Fan H, Zhang L, Huang B, Zhu M, Zhou Y, Zhang H, et al. Cardiac injuries in patients with coronavirus disease 2019: Not to be ignored. *Int J Infect Dis*. 2020;**96**:294–7. doi: [10.1016/j.ijid.2020.05.024](https://doi.org/10.1016/j.ijid.2020.05.024). [PubMed: [32437935](https://pubmed.ncbi.nlm.nih.gov/32437935/)]. [PubMed Central: [PMC7211636](https://pubmed.ncbi.nlm.nih.gov/PMC7211636/)].
- Li J, Xu G, Yu H, Peng X, Luo Y, Cao C. Clinical Characteristics and Outcomes of 74 Patients With Severe or Critical COVID-19. *Am J Med Sci*. 2020;**360**(3):229–35. doi: [10.1016/j.amjms.2020.05.040](https://doi.org/10.1016/j.amjms.2020.05.040). [PubMed: [32653160](https://pubmed.ncbi.nlm.nih.gov/32653160/)]. [PubMed Central: [PMC7832924](https://pubmed.ncbi.nlm.nih.gov/PMC7832924/)].
- Satici C, Demirkol MA, Sargin Altunok E, Gursoy B, Alkan M, Kamat S, et al. Performance of pneumonia severity index and CURB-65 in predicting 30-day mortality in patients with COVID-19. *Int J Infect Dis*. 2020;**98**:84–9. doi: [10.1016/j.ijid.2020.06.038](https://doi.org/10.1016/j.ijid.2020.06.038). [PubMed: [32553714](https://pubmed.ncbi.nlm.nih.gov/32553714/)]. [PubMed Central: [PMC7293841](https://pubmed.ncbi.nlm.nih.gov/PMC7293841/)].
- Du RH, Liang LR, Yang CQ, Wang W, Cao TZ, Li M, et al. Predictors of mortality for patients with COVID-19 pneumonia caused by SARS-CoV-2: A prospective cohort study. *Eur Respir J*. 2020;**55**(5). doi: [10.1183/13993003.00524-2020](https://doi.org/10.1183/13993003.00524-2020). [PubMed: [32269088](https://pubmed.ncbi.nlm.nih.gov/32269088/)]. [PubMed Central: [PMC7144257](https://pubmed.ncbi.nlm.nih.gov/PMC7144257/)].
- Pan F, Yang L, Li Y, Liang B, Li L, Ye T, et al. Factors associated with death outcome in patients with severe coronavirus disease-19 (COVID-19): A case-control study. *Int J Med Sci*. 2020;**17**(9):1281–92. doi: [10.7150/ijms.46614](https://doi.org/10.7150/ijms.46614). [PubMed: [32547323](https://pubmed.ncbi.nlm.nih.gov/32547323/)]. [PubMed Central: [PMC7294915](https://pubmed.ncbi.nlm.nih.gov/PMC7294915/)].
- Alshukry A, Ali H, Ali Y, Taweel TA, Abu-Farha M, AbuBaker J, et al. Clinical characteristics of Coronavirus Disease 2019 (COVID-19) patients in Kuwait. *medRxiv*. 2020;**Preprint**. doi: [10.1101/2020.06.14.20131045](https://doi.org/10.1101/2020.06.14.20131045).
- Ayed M, Borahmah AA, Yazdani A, Sultan A, Mossad A, Rawdhan H. Assessment of clinical characteristics and mortality-associated factors in COVID-19 critical cases in Kuwait. *medRxiv*. 2020;**Preprint**. doi: [10.1101/2020.06.17.20134007](https://doi.org/10.1101/2020.06.17.20134007).
- Shi Q, Zhao K, Yu J, Jiang F, Feng J, Zhao K, et al. Clinical characteristics of 101 COVID-19 non-survivors in Wuhan, China: a retrospective study. *medRxiv*. 2020;**Preprint**. doi: [10.1101/2020.03.04.20031039](https://doi.org/10.1101/2020.03.04.20031039).
- Luo X, Xia H, Yang W, Wang B, Guo T, Xiong J, et al. Characteristics of patients with COVID-19 during epidemic ongoing outbreak in Wuhan, China. *medRxiv*. 2020;**Preprint**. doi: [10.1101/2020.03.19.20033175](https://doi.org/10.1101/2020.03.19.20033175).



27. Zhang F, Yang D, Li J, Gao P, Chen T, Cheng Z, et al. Myocardial injury is associated with in-hospital mortality of confirmed or suspected COVID-19 in Wuhan, China: A single center retrospective cohort study. *medRxiv*. 2020; **Preprint**. doi: [10.1101/2020.03.21.20040121](https://doi.org/10.1101/2020.03.21.20040121).
28. Paranjpe I, Russak AJ, De Freitas JK, Lala A, Miotto R, Vaid A, et al. Clinical Characteristics of Hospitalized Covid-19 Patients in New York City. *medRxiv*. 2020; **Preprint**. doi: [10.1101/2020.04.19.20062117](https://doi.org/10.1101/2020.04.19.20062117).
29. Hu C, Liu Z, Jiang Y, Zhang X, Shi O, Xu K, et al. Early prediction of mortality risk among severe COVID-19 patients using machine learning. *medRxiv*. 2020; **Preprint**. doi: [10.1101/2020.04.13.20064329](https://doi.org/10.1101/2020.04.13.20064329).
30. Fu Y, Sun Y, Lu S, Yang Y, Wang Y, Xu F. Impact of blood analysis and immune function on the prognosis of patients with COVID-19. *medRxiv*. 2020; **Preprint**. doi: [10.1101/2020.04.16.20067587](https://doi.org/10.1101/2020.04.16.20067587).
31. Luo X, Zhou W, Yan X, Guo T, Wang B, Xia H, et al. Prognostic Value of C-Reactive Protein in Patients With Coronavirus 2019. *Clin Infect Dis*. 2020; **71**(16):2174–9. doi: [10.1093/cid/ciaa641](https://doi.org/10.1093/cid/ciaa641). [PubMed: [32445579](https://pubmed.ncbi.nlm.nih.gov/32445579/)]. [PubMed Central: [PMC7314209](https://pubmed.ncbi.nlm.nih.gov/PMC7314209/)].
32. Wang L, He W, Yu X, Hu D, Bao M, Liu H, et al. Coronavirus disease 2019 in elderly patients: Characteristics and prognostic factors based on 4-week follow-up. *J Infect*. 2020; **80**(6):639–45. doi: [10.1016/j.jinf.2020.03.019](https://doi.org/10.1016/j.jinf.2020.03.019). [PubMed: [32240670](https://pubmed.ncbi.nlm.nih.gov/32240670/)]. [PubMed Central: [PMC7118526](https://pubmed.ncbi.nlm.nih.gov/PMC7118526/)].
33. Yang X, Yu Y, Xu J, Shu H, Xia J, Liu H, et al. Clinical course and outcomes of critically ill patients with SARS-CoV-2 pneumonia in Wuhan, China: A single-center, retrospective, observational study. *Lancet Respir Med*. 2020; **8**(5):475–81. doi: [10.1016/S2213-2600\(20\)30079-5](https://doi.org/10.1016/S2213-2600(20)30079-5). [PubMed: [32105632](https://pubmed.ncbi.nlm.nih.gov/32105632/)]. [PubMed Central: [PMC7102538](https://pubmed.ncbi.nlm.nih.gov/PMC7102538/)].
34. Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: A retrospective cohort study. *Lancet*. 2020; **395**(10229):1054–62. doi: [10.1016/S0140-6736\(20\)30566-3](https://doi.org/10.1016/S0140-6736(20)30566-3). [PubMed: [32171076](https://pubmed.ncbi.nlm.nih.gov/32171076/)]. [PubMed Central: [PMC7270627](https://pubmed.ncbi.nlm.nih.gov/PMC7270627/)].
35. Wang J, Zhang H, Qiao R, Ge Q, Zhang S, Zhao Z, et al. Thrombo-inflammatory features predicting mortality in patients with COVID-19: The FAD-85 score. *J Int Med Res*. 2020; **48**(9):300060520955037. doi: [10.1177/0300060520955037](https://doi.org/10.1177/0300060520955037). [PubMed: [32960106](https://pubmed.ncbi.nlm.nih.gov/32960106/)]. [PubMed Central: [PMC7511832](https://pubmed.ncbi.nlm.nih.gov/PMC7511832/)].
36. Sai F, Liu X, Li L, Ye Y, Zhu C, Hang Y, et al. Clinical characteristics and risk factors for mortality in patients with coronavirus disease 2019 in intensive care unit: A single-center, retrospective, observational study in China. *Ann Palliat Med*. 2021; **10**(3):2859–68. doi: [10.21037/apm-20-1575](https://doi.org/10.21037/apm-20-1575). [PubMed: [33548994](https://pubmed.ncbi.nlm.nih.gov/33548994/)].
37. Peiro OM, Carrasquer A, Sanchez-Gimenez R, Lal-Trehan N, Del-Moral-Ronda V, Bonet G, et al. Biomarkers and short-term prognosis in COVID-19. *Biomarkers*. 2021; **26**(2):119–26. doi: [10.1080/1354750X.2021.1874052](https://doi.org/10.1080/1354750X.2021.1874052). [PubMed: [33426934](https://pubmed.ncbi.nlm.nih.gov/33426934/)]. [PubMed Central: [PMC7832452](https://pubmed.ncbi.nlm.nih.gov/PMC7832452/)].
38. Velasco-Rodriguez D, Alonso-Dominguez JM, Vidal Laso R, Lainez-Gonzalez D, Garcia-Raso A, Martin-Herrero S, et al. Development and validation of a predictive model of in-hospital mortality in COVID-19 patients. *PLoS One*. 2021; **16**(3). e0247676. doi: [10.1371/journal.pone.0247676](https://doi.org/10.1371/journal.pone.0247676). [PubMed: [33661939](https://pubmed.ncbi.nlm.nih.gov/33661939/)]. [PubMed Central: [PMC7932507](https://pubmed.ncbi.nlm.nih.gov/PMC7932507/)].
39. Violi F, Ceccarelli G, Cangemi R, Cipollone F, D'Ardes D, Oliva A, et al. Arterial and venous thrombosis in coronavirus 2019 disease (Covid-19): Relationship with mortality. *Intern Emerg Med*. 2021; **16**(5):1231–7. doi: [10.1007/s11739-020-02621-8](https://doi.org/10.1007/s11739-020-02621-8). [PubMed: [34218413](https://pubmed.ncbi.nlm.nih.gov/34218413/)]. [PubMed Central: [PMC8255055](https://pubmed.ncbi.nlm.nih.gov/PMC8255055/)].
40. Gayam V, Chobufo MD, Merghani MA, Lamichhane S, Garlapati PR, Adler MK. Clinical characteristics and predictors of mortality in African-Americans with COVID-19 from an inner-city community teaching hospital in New York. *J Med Virol*. 2021; **93**(2):812–9. doi: [10.1002/jmv.26306](https://doi.org/10.1002/jmv.26306). [PubMed: [32672844](https://pubmed.ncbi.nlm.nih.gov/32672844/)]. [PubMed Central: [PMC7405133](https://pubmed.ncbi.nlm.nih.gov/PMC7405133/)].
41. Sakka M, Connors JM, Hekimian G, Martin-Toutain I, Crichi B, Colmegna I, et al. Association between D-Dimer levels and mortality in patients with coronavirus disease 2019 (COVID-19): A systematic review and pooled analysis. *J Med Virol*. 2020; **45**(5):268–74. doi: [10.1016/j.jdmv.2020.05.003](https://doi.org/10.1016/j.jdmv.2020.05.003). [PubMed: [32862984](https://pubmed.ncbi.nlm.nih.gov/32862984/)]. [PubMed Central: [PMC7250752](https://pubmed.ncbi.nlm.nih.gov/PMC7250752/)].
42. Iba T, Levy JH, Levi M, Thachil J. Coagulopathy in COVID-19. *J Thromb Haemost*. 2020; **18**(9):2103–9. doi: [10.1111/jth.14975](https://doi.org/10.1111/jth.14975). [PubMed: [32558075](https://pubmed.ncbi.nlm.nih.gov/32558075/)]. [PubMed Central: [PMC7323352](https://pubmed.ncbi.nlm.nih.gov/PMC7323352/)].
43. Shimura T, Kurano M, Kanno Y, Ikeda M, Okamoto K, Jubishi D, et al. Clot Waveform of APTT Has Abnormal Patterns in Subjects with COVID-19. *Research Square*. 2020; **Preprint**. doi: [10.21203/rs.3.rs-43405/v1](https://doi.org/10.21203/rs.3.rs-43405/v1).
44. Magro G. Cytokine Storm: Is it the only major death factor in COVID-19 patients? Coagulation role. *Med Hypotheses*. 2020; **142**:109829. doi: [10.1016/j.mehy.2020.109829](https://doi.org/10.1016/j.mehy.2020.109829). [PubMed: [32428809](https://pubmed.ncbi.nlm.nih.gov/32428809/)]. [PubMed Central: [PMC7217113](https://pubmed.ncbi.nlm.nih.gov/PMC7217113/)].
45. Wang J, Saguner AM, An J, Ning Y, Yan Y, Li G. Dysfunctional Coagulation in COVID-19: From Cell to Bedside. *Adv Ther*. 2020; **37**(7):3033–9. doi: [10.1007/s12325-020-01399-7](https://doi.org/10.1007/s12325-020-01399-7). [PubMed: [32504450](https://pubmed.ncbi.nlm.nih.gov/32504450/)]. [PubMed Central: [PMC7274265](https://pubmed.ncbi.nlm.nih.gov/PMC7274265/)].
46. Fox SE, Akmatbekov A, Harbert JL, Li G, Quincy Brown J, Vander Heide RS. Pulmonary and cardiac pathology in African American patients with COVID-19: an autopsy series from New Orleans. *Lancet Respir Med*. 2020; **8**(7):681–6. doi: [10.1016/S2213-2600\(20\)30243-5](https://doi.org/10.1016/S2213-2600(20)30243-5). [PubMed: [32473124](https://pubmed.ncbi.nlm.nih.gov/32473124/)]. [PubMed Central: [PMC7255143](https://pubmed.ncbi.nlm.nih.gov/PMC7255143/)].
47. Xu P, Zhou Q, Xu J. Mechanism of thrombocytopenia in COVID-19 patients. *Ann Hematol*. 2020; **99**(6):1205–8. doi: [10.1007/s00277-020-04019-0](https://doi.org/10.1007/s00277-020-04019-0). [PubMed: [32296910](https://pubmed.ncbi.nlm.nih.gov/32296910/)]. [PubMed Central: [PMC7156897](https://pubmed.ncbi.nlm.nih.gov/PMC7156897/)].
48. Long H, Nie L, Xiang X, Li H, Zhang X, Fu X, et al. D-Dimer and Prothrombin Time Are the Significant Indicators of Severe COVID-19 and Poor Prognosis. *Biomed Res Int*. 2020; **2020**:6159720. doi: [10.1155/2020/6159720](https://doi.org/10.1155/2020/6159720). [PubMed: [32596339](https://pubmed.ncbi.nlm.nih.gov/32596339/)]. [PubMed Central: [PMC7301188](https://pubmed.ncbi.nlm.nih.gov/PMC7301188/)].
49. Becker RC. COVID-19 update: Covid-19-associated coagulopathy. *J Thromb Thrombolysis*. 2020; **50**(1):54–67. doi: [10.1007/s11239-020-02134-3](https://doi.org/10.1007/s11239-020-02134-3). [PubMed: [32415579](https://pubmed.ncbi.nlm.nih.gov/32415579/)]. [PubMed Central: [PMC7225095](https://pubmed.ncbi.nlm.nih.gov/PMC7225095/)].
50. Weitz JI, Fredenburgh JC. Factors XI and XII as Targets for New Anticoagulants. *Front Med (Lausanne)*. 2017; **4**:19. doi: [10.3389/fmed.2017.00019](https://doi.org/10.3389/fmed.2017.00019). [PubMed: [28286749](https://pubmed.ncbi.nlm.nih.gov/28286749/)]. [PubMed Central: [PMC5323386](https://pubmed.ncbi.nlm.nih.gov/PMC5323386/)].
51. Chilimuri S, Sun H, Alemam A, Mantri N, Shehi E, Tejada J, et al. Predictors of Mortality in Adults Admitted with COVID-19: Retrospective Cohort Study from New York City. *West J Emerg Med*. 2020; **21**(4):779–84. doi: [10.5811/westjem.2020.6.47919](https://doi.org/10.5811/westjem.2020.6.47919). [PubMed: [32726241](https://pubmed.ncbi.nlm.nih.gov/32726241/)]. [PubMed Central: [PMC7390589](https://pubmed.ncbi.nlm.nih.gov/PMC7390589/)].

**Table 1.** Characteristics of Included Studies <sup>a</sup>

No	Author	Study Design	Hospital	Town, Country	Period	Samples (n)	Samples with a Lab Value	Male (%)	Age (y)	HTNo. (%)	CVD (%)	DM (%)	Study Quality
1	Zhang 2020 (14)	Retro	Wuhan Pulmonary Hospital	Wuhan, China	February 7-March 27, 2020	53 (13 vs. 40)	aPTT 42(10 vs. 32), PT 53(40 vs. 13), Platelet 53(40 vs. 13)	N/A	N/A	N/A	N/A	N/A	Fair
2	Yan 2020 (15)	Retro	Tongji Hospital	Wuhan, China	January 10-February 24, 2020	193 (108 vs. 85)	48 (39 vs. 9)	76.9 vs. 33.3	70.5 ± 10 vs. 64.7 ± 7.3	52.8 vs. 18.8	25 vs. 4.7	36.1 vs. 10.6	Good
3	Tang 2020 (16)	Retro	Tongji Hospital	Wuhan, China	Jan 1 - Feb 3 2020	449 (134 vs. 315)	449 (134 vs. 315)	67.1 vs. 56.5	68.7 ± 11.4 vs. 63.7 ± 12.2	N/A	N/A	N/A	Good
4	Wu 2020 (17)	Retro	Jinyintan Hospital	Wuhan, China	Dec 25, 2019 - Jan 26, 2020	84 (44 vs. 40)	84 (44 vs. 40)	65.9 vs. 77.5	67.6 ± 12 vs. 49.03 ± 12.69	36.4 vs. 17.5	9.1 vs. 2.5	25 vs. 12.5	Good
5	Tang 2020 (13)	Retro	Tongji Hospital	Wuhan, China	Jan 1 - Feb 3 2020	183 (21 vs. 162)	183 (21 vs. 162)	76.19 vs. 50.61	64.0 ± 20.7 vs. 52.4 ± 15.6	N/A	N/A	N/A	Good
6	Fan 2020 (18)	Retro	Jinyintan Hospital	Wuhan, China	Dec 30, 2019 - Feb 16, 2020	73 (47 vs. 26)	73 (47 vs. 26)	68.09 vs. 65.38	65.46 ± 9.74 vs. 46.23 ± 12.01	44.68 vs. 11.54	14.89 vs. 0	21.28 vs. 7.69	Good
7	Li 2020 (19)	Retro	Wuhan Fourth Hospital	Wuhan, China	Jan 25 - Feb 26, 2020	74 (14 vs. 60)	74(14 vs. 60)	78.6 vs. 55	72.33 ± 6.59 vs. 61.67 ± 12.91	71.4 vs. 41.7	28.6 vs. 3.3	21.4 vs. 18.3	Good
8	Satici 2020 (20)	Retro	Gaziosmanpasa Research and Training Hospital	Istanbul, Turkey	April 2 - May 1, 2020	681 (55 vs. 626)	681 (55 vs. 626)	60 vs. 50.2	65.8 ± 12 vs. 56.1 ± 15.8	50.9 vs. 32.9	14.5 vs. 8.6	41.8 vs. 26.8	Good
9	Du 2020 (21)	Pros	Wuhan Pulmonary Hospital	Wuhan, China	Dec 25, 2019 - Feb 7, 2020	179 (21 vs. 158)	179 (21 vs. 158)	47.6 vs. 55.1	70.2 ± 7.7 vs. 56 ± 13.5	61.9 vs. 28.5	57.1 vs. 10.8	28.6 vs. 17.1	Good
10	Pan 2020 (22)	Retro	Union Hospital, Tongji Medical College, Huazhong University of Science and Technology	Shanghai, China	Jan 27-Mar 19, 2020	124 (89 vs. 35)	124 (89 vs. 35)	75.3 vs. 51.4	69 (61-73) vs. 65 (49-77)	52.8 vs. 42.9	14.6 vs. 17.1	21.3 vs. 17.1	Good
11	Chen 2020 (12)	Retro	Tongji, Hospital	Shanghai, China	Jan 13-Feb 12, 2020	274 (113 vs. 161)	274 (113 vs. 161)	73 vs. 55	68.0 (62.0-77.0) vs. 51.0 (37.0-66.0)	48 vs. 24	14 vs. 4	21 vs. 14	Good
12	Gil 2020 (11)	Retro	Montefiore Medical Center/ University Hospital for Albert Einstein College of Medicine, Moses Campus	New York, USA	Mar 20-31, 2020	217 (70 vs. 147)	217 (70 vs. 147)	67.1 vs. 53.7	68.71 ± 12.44 vs. 57.71 ± 15.56	74.3 vs. 61.2	N/A	45.7 vs. 33.3	Fair
13	Alshukry 2020 (23)	Retro	Jaber Al-Ahmad Hospital	Kuwait City, Kuwait	Feb 24-May 24, 2020	417 (60 vs. 357)	88 (60 vs. 22)	90 vs. 68.2	54.20 ± 11.09 vs. 52.32 ± 13.51	46.7 vs. 22.7	21.7 vs. 4.5	40.0 vs. 22.7	Fair
14	Ayed 2020 (24)	Retro	Jaber Al-Ahmad Al Sabah Hospital	Kuwait City, Kuwait	Mar 1-Apr 30, 2020	103 (45 vs. 47)	92 (45 vs. 47)	91 vs. 79	56 (48-63) vs. 51 (40-61)	51.1 vs. 23.4	17.8 vs. 6.5	51.1 vs. 30.4	Good
15	Shi 2020 (25)	Retro	Renmin Hospital of Wuhan University	Wuhan, China	before February 15, 2020	101 (48 vs. 53)	101 (48 vs. 53)	58.3 vs. 60.4	72.0 (59.0-78.0) vs. 71.0 (59.0-81.0)	56.3 vs. 60.4	18.8 vs. 26.4	18.8 vs. 22.6	Fair
16	Luo 2020 (26)	Retro	Renmin Hospital of Wuhan University	Wuhan, China	Jan 30-Feb 25, 2020	403 (100 vs. 303)	PLT: 403 (100 vs. 303)	57 vs. 44.9	71 (65-80) vs. 49 (37-62)	60 vs. 17.5	16 vs. 6.6 (CAD)	25 vs. 10.6	Good
17	Zhang 2020 (27)	Retro	Wuhan No.1 Hospital	Wuhan, China	Dec 25, 2019 - Feb 15, 2020	48 (17 vs. 31)	PLT: 48 (17 vs. 31)	70.6 vs. 67.7	78.65 ± 8.31 vs. 66.16 ± 13.66	70.6 vs. 64.5	23.5 vs. 29.0 (CAD)	29.4 vs. 16.1	Fair
18	Paranipe 2020 (28)	Retro	Mount Sinai Hospital	New York, USA	Feb 27-Apr 2, 2020	1078 (310 vs. 768)	PLT:1008 (282 vs. 726); PT: 446 (142 vs. 304); aPTT: 442 (140 vs. 302)	61.6 vs. 56.8	75 (64-85) vs. 59 (45-72)	45.2 vs. 30.3	26.8 vs. 10.9	33.9 vs. 19.7	Fair
19	Hu 2020 (29)	Retro	Tongji Hospital	Wuhan, China	Jan 28-Mar 11, 2020	183 (68 vs. 115)	183 (68 vs. 115)	73.53 vs. 49.57	68.44 ± 9.94 vs. 60.54 ± 13.19	44.12 vs. 37.39	N/A	20.59 vs. 18.26	Good
20	Fu 2020 (30)	Retro	Third Batch of Chongqing Medical Aid Team	Wuhan, China	February 4-February 16, 2020	85 (14 vs. 71)	85 (14 vs. 71)	78.57 vs. 53.52	67(50.75-74.25) vs. 62(55-70)	50 vs. 33.8	28.57 vs. 11.23	28.57 vs. 12.68	Good
21	Luo 2020 (31)	Retro	Eastern Campus of Renmin Hospital of Wuhan University	Wuhan, China	Jan 30-Feb 20, 2020	298 (84 vs. 214)	298 (84 vs. 214)	60.7 vs. 46.3	71 (64-80) vs. 51 (37-63)	58.3 vs. 17.3	15.5 vs. 6.1	21.4 vs. 12.6	Good
22	Wang 2020 (32)	Retro	Renmin Hospital	Wuhan, China	Jan 1-Feb 6, 2020	339 (65 vs. 274)	339 (65 vs. 274)	60 vs. 46.4	76 (70-83) vs. 68 (64-74)	50 vs. 38.8	32.8 vs. 11.7	17.2 vs. 15.8	Good
23	Yang 2020 (33)	Retro	Wuhan Jin Yin-tan hospital	Wuhan, China	Dec 24, 2019-Jan 26, 2020	52 (32 vs. 20)	52 (32 vs. 20)	66 vs. 70	64.6 ± 11.2 vs. 51.9 ± 12.9	N/A	9 vs. 10	22 vs. 10	Good
24	Zhou 2020 (34)	Retro	Jinyintan Hospital and Wuhan Pulmonary Hospital	Wuhan, China	December 29, 2019-Jan 31, 2020	191 (54 vs. 137)	PLT: 191(54 vs. 137); PT: 182(54 vs. 128)	70 vs. 59	69 (63-76) vs. 52 (45-58)	48 vs. 23	24 vs. 1	31 vs. 14	Good
25	Wang 2020 (35)	Retro	Sino-French New City Branch of Tongji Hospital	Wuhan, China	Jan 28-Mar 4, 2020	199 (24 vs. 175)	199 (24 vs. 175)	66.7 vs. 49.1	69.5 (64.5-82.75) vs. 64.0 (51.0-71.0)	50.0 vs. 37.9	8.3 vs. 12	37.5 vs. 18.9	Good

26	Sai 2021 (36)	Retro	Leishenshan Hospital	Wuhan, China	Feb 24-April 5, 2020	47 (15 vs. 32)	47 (15 vs. 32)	46.7 vs. 71.9	70.64 ± 12.33 vs. 69.67 ± 12.91	46.7 vs. 56.3	20 vs. 15.6	40 vs. 37.5	Good
27	Peiró 2021 (37)	Retro	Joan XXIII University Hospital	Tarragona, Spain	Mar 16-May 15, 2020	196 (37 vs. 159)	196 (37 vs. 159)	62.2 vs. 59.1	76.5 (68.5-82.5) vs. 61.5 (51.5-75.5)	64.9 vs. 39.6	18.9 vs. 7.6	35.1 vs. 20.8	Good
28	Velasco-Rodriguez 2021 (38)	Retro	4 hospitals in Madrid	Madrid, Spain	Feb 27-Apr 17, 2020	2070 (393 vs. 1677)	2070 (393 vs. 1677)	20.92 vs. 79.08	81 (72-87) vs. 63 (51-75)	27.75 vs. 72.25	31.49 vs. 68.51	29.1 vs. 80.9	Good
29	Violi 2021 (39)	Pros	University hospitals located in Rome (2 centers), Latina, Perugia, and Chieti	Italy	Mar 1-31, 2020	373 (75 vs. 298)	373 (75 vs. 298)	72 vs. 59	75.3 ± 13.9 vs. 65.5 ± 17.0	61 vs. 51	22 vs. 13	25 vs. 15	Good
30	Gayam 2021 (40)	Retro	inner-city teaching hospital Brooklyn	New York, USA	Mar 1-Apr 9, 2020	408 (132 vs. 276)	408 (132 vs. 276)	32.9 vs. 67.1	71 (62-80) vs. 63 (53-73)	64.9 vs. 39.6	37.04 vs. 62.92	40.91 vs. 59.09	Good

Abbreviations: CAD, coronary artery disease; CVD, cardiovascular disease; DM, diabetes mellitus; HTN, hypertension; Pros, prospective; Retro, retrospective; N/A, not available.

<sup>a</sup> Data are presented as non-survivors vs. survivors.