



HASIL VALIDASI DAN PENILAIAN
KARYA ILMIAH DOSEN FAKULTAS KEDOKTERAN GIGI UNIVERSITAS AIRLANGGA
(MEDIA PUBLIKASI KARYA ILMIAH : JURNAL ILMIAH INTERNASIONAL)

Nomor : **S3** /UN3.1.2. **S.g** / **PJ** /2023

A. Identitas Karya Ilmiah

- Judul Jurnal Ilmiah (Artikel) : **Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein, and Secretory Immunoglobulin A (sIgA) in Rattus norvegicus with Stunted Growth**
- Jumlah penulis : 10 (sepuluh) orang
- Status Pengusul : Penulis Ke-1
- Identitas Jurnal Ilmiah :
- a. Nama Jurnal : European Journal of Dentistry
 - b. Nomor ISSN: **1305-7456**
 - c. Volume, Nomor, bulan, tahun : e-first, Oktober, 2022
 - d. Penerbit : Georg Thieme Verlag
 - e. DOI artikel : 10.1055/s-0042-1755558
 - f. Alamat web Jurnal : <https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0042-1755558>
 - g. Terindeks di Scimagojr/Thomson Reuter ISI Knowledge atau di :
Scimago) **Q1 (SJR) : 0,62, H.Indeks : 37.,Coverage : 2011 on going**

- B. Kategori Publikasi Jurnal Ilmiah (beri tanda pada kategori yang tepat) :
- Jurnal Ilmiah Internasional Bereputasi (SJR > 0,10)
 - Jurnal Ilmiah Internasional Bereputasi (SJR < 0,10)
 - Jurnal Ilmiah International terindeks di Web of science clarivate analytics / kelompok emerging sources citation indeks (tidak terindeks SJR)

C. Hasil Validasi Ketua Departemen

Telah diperiksa dan divalidasi dengan baik, dan sampai pernyataan ini dibuat sebagai karya ilmiah **original / plagiat***, sehingga kami turut bertanggung jawab bahwa karya ilmiah tersebut telah memenuhi syarat kaidah ilmiah, norma akademik, dan norma hukum, sesuai dengan Peraturan Menteri Pendidikan Nasional Nomor 17 Tahun 2010 tanggal 16 Agustus 2010 tentang Pencegahan dan Pananggulangan Plagiat di Perguruan Tinggi.

Namun demikian, apabila di kemudian hari ternyata terbukti bahwa karya ilmiah tersebut merupakan karya Ilmiah Plagiat, maka akan menjadi tanggung jawab mutlak penulis tersebut di atas, baik secara perdata maupun pidana.

Demikian surat pernyataan ini saya buat untuk dipergunakan sebagaimana mestinya

Surabaya, 1 Maret 2023
Ketua Departemen,


Nama : Prof. Dr. Soegeng Wahlyuo, drg, MKes,
SpKGA., Supsp KKA(K)
NIP : 1954111019810301003

* Coret salah satu

Form Penilaian Kualitas Karil dan Kesesuaian Bidang Ilmu			
Profil Sinta : Link Sinta https://sinta.kemdikbud.go.id/profile			
A	Identitas Karya Ilmiah		
1	Judul : Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein, and Secretory Immunoglobulin A (sIgA) in Rattus norvegicus with Stunted Growth		
2	Nama Penulis : Udijanto Tedjosongko , Sindy Cornelia Nelwan, Soegeng Wahlujo, Mega Moeharyono Puteri, Ardianti Maartrina Dewi, Retno Pudji Rahayu, Ilvana Ardiwirastuti, Puspita Ayuningtyas, Regina Ayu Pramudita, Aisyah Marwah,		
3	Nama Jurnal : European Journal of Dentistry		
B	Peng-index : cimago Q1 SJR 0,62 (2021)		
C	<table border="1"> <tr> <td>Relevansi kompetensi dosen dengan substansi karya ilmiah</td> <td> <ol style="list-style-type: none"> 1. Artikel ini membahas tentang Analisis Komposisi Saliva: Paratiroid Protein Terkait Hormon, Protein Total, dan Secretory Immunoglobulin A (sIgA) di Rattus norvegicus dengan Stunting Pertumbuhan. 2. Artikel ini bertujuan untuk mengetahui protein total, secretory immunoglobulin A (sIgA) dan kadar protein terkait hormon paratiroid (PTHrP) dalam air liur tikus dengan pertumbuhan terhambat. 3. Artikel ini sesuai dengan bidang keahlian pengusul yaitu cariology. 4. Tidak ada keterkaitan dengan naskah Disertasi pengusul yang berjudul: <i>Initial acquisition and transmission of Mutans Streptococci in children at day nursery</i> </td> </tr> </table>	Relevansi kompetensi dosen dengan substansi karya ilmiah	<ol style="list-style-type: none"> 1. Artikel ini membahas tentang Analisis Komposisi Saliva: Paratiroid Protein Terkait Hormon, Protein Total, dan Secretory Immunoglobulin A (sIgA) di Rattus norvegicus dengan Stunting Pertumbuhan. 2. Artikel ini bertujuan untuk mengetahui protein total, secretory immunoglobulin A (sIgA) dan kadar protein terkait hormon paratiroid (PTHrP) dalam air liur tikus dengan pertumbuhan terhambat. 3. Artikel ini sesuai dengan bidang keahlian pengusul yaitu cariology. 4. Tidak ada keterkaitan dengan naskah Disertasi pengusul yang berjudul: <i>Initial acquisition and transmission of Mutans Streptococci in children at day nursery</i>
Relevansi kompetensi dosen dengan substansi karya ilmiah	<ol style="list-style-type: none"> 1. Artikel ini membahas tentang Analisis Komposisi Saliva: Paratiroid Protein Terkait Hormon, Protein Total, dan Secretory Immunoglobulin A (sIgA) di Rattus norvegicus dengan Stunting Pertumbuhan. 2. Artikel ini bertujuan untuk mengetahui protein total, secretory immunoglobulin A (sIgA) dan kadar protein terkait hormon paratiroid (PTHrP) dalam air liur tikus dengan pertumbuhan terhambat. 3. Artikel ini sesuai dengan bidang keahlian pengusul yaitu cariology. 4. Tidak ada keterkaitan dengan naskah Disertasi pengusul yang berjudul: <i>Initial acquisition and transmission of Mutans Streptococci in children at day nursery</i> 		
D	<table border="1"> <tr> <td>Kesesuaian antara lingkup / subjek area jurnal dengan karya ilmiah yang diusulkan</td> <td> <ol style="list-style-type: none"> 1. Alamat Web Jurnal : https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0042-1755558 2. Kebenaran ISSN/ISBN : 1305-7456 3. Termasuk "Predatory" tidak (jurnal; penerbit) : tidak masuk pada predatory 4. Syarat komposisi Editor Board : 22 Negara 5. Syarat kontributor penulis artikel : Penulis pertama sekaligus corespondensi 6. Keberkalaan penerbitan : 4 terbitan pertahun 7. Subjek area dan katagori jurnal : Dentistry </td> </tr> </table>	Kesesuaian antara lingkup / subjek area jurnal dengan karya ilmiah yang diusulkan	<ol style="list-style-type: none"> 1. Alamat Web Jurnal : https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0042-1755558 2. Kebenaran ISSN/ISBN : 1305-7456 3. Termasuk "Predatory" tidak (jurnal; penerbit) : tidak masuk pada predatory 4. Syarat komposisi Editor Board : 22 Negara 5. Syarat kontributor penulis artikel : Penulis pertama sekaligus corespondensi 6. Keberkalaan penerbitan : 4 terbitan pertahun 7. Subjek area dan katagori jurnal : Dentistry
Kesesuaian antara lingkup / subjek area jurnal dengan karya ilmiah yang diusulkan	<ol style="list-style-type: none"> 1. Alamat Web Jurnal : https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0042-1755558 2. Kebenaran ISSN/ISBN : 1305-7456 3. Termasuk "Predatory" tidak (jurnal; penerbit) : tidak masuk pada predatory 4. Syarat komposisi Editor Board : 22 Negara 5. Syarat kontributor penulis artikel : Penulis pertama sekaligus corespondensi 6. Keberkalaan penerbitan : 4 terbitan pertahun 7. Subjek area dan katagori jurnal : Dentistry 		
E	<table border="1"> <tr> <td>Kepastian tidak ada pelanggaran integritas akademik</td> <td> <ol style="list-style-type: none"> 1. Indikasi plagiasi (lihat check similarity) : 18% Belum ada link turnitin 2. Fabrikasi : tidak ada 3. Falsifikasi : tidak ada 4. Praktek kepalsuan : tidak ada </td> </tr> </table>	Kepastian tidak ada pelanggaran integritas akademik	<ol style="list-style-type: none"> 1. Indikasi plagiasi (lihat check similarity) : 18% Belum ada link turnitin 2. Fabrikasi : tidak ada 3. Falsifikasi : tidak ada 4. Praktek kepalsuan : tidak ada
Kepastian tidak ada pelanggaran integritas akademik	<ol style="list-style-type: none"> 1. Indikasi plagiasi (lihat check similarity) : 18% Belum ada link turnitin 2. Fabrikasi : tidak ada 3. Falsifikasi : tidak ada 4. Praktek kepalsuan : tidak ada 		
	Nilai pengusul (penulis pertama dan corespondensi 60%) =		
	Nilai pengusul (penulis pertama / penulis corespondensi masing - masing 40%)		
	Nilai lainnya sesuai PO PAK 2019 dan suplemennya		



Surabaya,
Penilai Angka Kredit 1

Nama :
NIP :
Bidang Ilmu :



Title: Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth

Files

View	Size	Ext	Date	Type	Name
	1MB	pdf	2022-06-09 08:07:01	Author Contribution Form	EJD_Author_Contribution_Form sign all.pdf
	34kB	docx	2022-06-09 08:07:58	Submission statement	col_disclosure _ fulfilled.docx
	64kB	docx	2022-06-09 07:40:35	Highlighted manuscript	REVISI JURNAL EJD 06062022 _2_.docx
	61kB	docx	2022-06-09 08:01:15	Manuscript	Revision Ilvana EJD not highlighted.docx
	16kB	docx	2022-06-09 07:58:29	Response to reviewers	REBUTTAL LETTER _ Ilvana EJD.docx
	42kB	jpg	2022-06-09 07:46:37	Figure	Figure_1_Body_length.jpg
	48kB	jpg	2022-06-09 07:47:29	Figure	Figure_2_Body_weight.jpg
	42kB	jpg	2022-06-09 07:47:49	Figure	Figure_3_Saliva_volume.jpg
	37kB	jpg	2022-06-09 07:48:08	Figure	Figure_4_PTHrP.jpg
	37kB	jpg	2022-06-09 07:48:29	Figure	Figure_5_SiGA.jpg
	34kB	jpg	2022-06-09 07:48:46	Figure	Figure_6_total_protein.jpg
	14kB	docx	2022-06-09 07:42:56	Title Page (including all author details & affiliations)	RPS31 _ Title Page Ilvana.docx





udjiyanto tedjosasongko <tedjosasongko.fkg03@gmail.com>

Manuscript: EJD-2022-5-2 - (2097) - Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth

3 pesan

Dr. Necdet Adanir <necdetan@gmail.com>

8 Mei 2022 17.39

Kepada: "tedjosasongko.fkg03@gmail.com" <tedjosasongko.fkg03@gmail.com>

Manuscript: EJD-2022-5-2 - (2097) - Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth

Date submitted: 2022-05-01

Dear Dr. Tedjosasongko

Thank you very much for submitting the above manuscript to European Journal of Dentistry.

Before we send your manuscript to reviewers for peer-review, please confirm that you agree with the conditions below:

-We want to avoid the unwarranted withdrawal of submitted articles in order to avoid wasting the time of editors, section editors, referees, and editorial staff. Therefore, before submitting the article, all authors should carefully read the author instruction and check the manuscripts are accurate and error-free. In addition, all authors should follow the publication ethics.

-Due to journal policy, after the article has been accepted for publication, you cannot add or delete any author name or you cannot change the sequences of names, even if you submit your consent form signed by all authors

-It is unacceptable to withdraw an article from the EJD because it is being accepted or published by another journal.

-In case the article is accepted, please confirm your willingness and ability to pay the Article Processing Charge (900 EURO).

Please do not hesitate to contact us if you have any questions.

Sincerely,

Dr. Necdet Adanir, DDS, PhD.

Editor-in-Chief, European Journal of Dentistry

Associate Professor, Department of Restorative Dentistry

College of Dentistry, King Faisal University

Al Ahsa, KSA, 31982

necdetan@gmail.com



udjianto tedjosasongko <tedjosasongko.fkg03@gmail.com>

Manuscript: EJD-2022-5-2 - (2027) - Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growthudjianto tedjosasongko <tedjosasongko.fkg03@gmail.com>
Kepada: "Dr. Neccdet Adanir" <necdetan@gmail.com>

12 Mei 2022 20:07

Dear Editor-in-Chief, European Journal of Dentistry

Dr. Neccdet Adanir, DDS, PhD.,

Thank you for your email. We agree with the conditions offered by EJD.

We will wait for further instructions from you.

Best regards

Udjianto Tedjosasongko, drg, Ph.D, Sp.KGA (K)

Department of Pediatric Dentistry

Faculty of Dental Medicine

Universitas Airlangga

Jl. Prof. Dr. Moestopo No 47, 60132, Surabaya-Indonesia

(+62 31) 5030255

Email: udjianto@fkg.unair.ac.id; udjianto2022@gmail.com

[Kutipan teks disembunyikan]

Konfirmasi revisi 1 (14 Mei 2022)

12/5/22, 9:13 AM

Gmail - Manuscript: EJD-2022-5-2 - (2097) - Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Pro...



udjiyanto tedjosasongko <tedjosasongko.fkg03@gmail.com>

Manuscript: EJD-2022-5-2 - (2097) - Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth

udjiyanto tedjosasongko <tedjosasongko.fkg03@gmail.com>

14 Mei 2022 19:09

Kepada: "Dr. Necdet Adanir" <necdethan@gmail.com>

Dear Dr Dr. Necdet Adanir, DDS, PhD. of Editor-in-Chief, European Journal of Dentistry,

It is with deep Thank you for accepting our manuscript for further processing so that it can be submitted to the European Journal of Dentistry, journal later.

We sincerely apologise for the inconvenience and extra work, due to certain situations we require a letter of accepted by the end of June 2022, is it possible for our manuscript entitled " Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth" to be accelerated in the review process

Sincerely,
Thank you

[Kutipan teks disembunyikan]

Revisi Tahap Akhir (14 Juni 2022)

12/6/22, 9:15 AM

Gmail - EJD-2022-5-2/R1 RESUBMISSION - (2097) Accept manuscript



udjianto tedjosasongko <tedjosasongko.fkg03@gmail.com>

EJD-2022-5-2/R1 RESUBMISSION - (2097) Accept manuscript

European Journal of Dentistry <ejd@manuscriptmanager.net>

14 Juni 2022 02:08

Balas Ke: Nejdethan <necdethan@gmail.com>

Kepada: tedjosasongko.fkg03@gmail.com

Manuscript: EJD-2022-5-2/R1 RESUBMISSION - (2097) - Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth

Date submitted: 2022-06-09

Dear Dr. Tedjosasongko

It is a pleasure to inform you that your manuscript is now acceptable for publication in European Journal of Dentistry. Proofs of your manuscript and Copyright Transfer agreement details will be sent by the production team in due course.

Thank you,

Sincerely,

Dr. Nejdethan, DDS, PhD.
Editor-in-Chief, European Journal of Dentistry
Associate Professor, Department of Restorative Dentistry
College of Dentistry, King Faisal University
Al Ahsa, KSA, 31982
necdethan@gmail.com

YOUR SIGN IN INFORMATION

Website: <https://www.manuscriptmanager.net/nejd>

Email: tedjosasongko.fkg03@gmail.com

Forgot password or not signed in before?

Click the URL below to create/reset your password.

https://www.manuscriptmanager.net/sLib/v4/retrieve_pw.php?paramScreen=0azopRtInuBkcVBUX/w14E3vTdV/z4zNEbh5Mss/w64=

Instruksi Pembayaran Setelah Accepted (22 Juni 2022)

12/6/22, 9:15 AM

Gmail - EJD-2022-5-2/R1 RESUBMISSION - (2097) Accept manuscript



udjiyanto tedjosasongko <tedjosasongko.fkg03@gmail.com>

EJD-2022-5-2/R1 RESUBMISSION - (2097) Accept manuscript

Dr. Necdet Adanir <necdethan@gmail.com>
Kepada: "tedjosasongko.fkg03@gmail.com" <tedjosasongko.fkg03@gmail.com>

22 Juni 2022 03.07

Dear Dr Tedjosasongko,

Greetings from European Journal of Dentistry!

Congratulations on the acceptance of your manuscript "Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (SigA) in Rattus norvegicus With Stunted Growth" for publication in Journal European Journal of Dentistry (EJD). The production of your manuscript will begin soon with Thieme Publishers.

Attached you will find the open-access payment form (with APC payment details) for your completion. Please complete, sign, and return the form within 3 working days so that the production of your manuscript can continue in an efficient manner.

Please note that;

-The Article Processing Fee (APF) invoiced to **Estonia** or authors that from the **European Union (EU)** but **do NOT have a valid VAT number** are subject to **20% VAT**.

-EU institutions and organizations that pay the fee on behalf of authors can **avoid payment of 20% VAT** by **providing their VAT registration number**.

-**Outside the EU**, individuals and organizations should **NOT** add the **20% VAT**.

Regards,

Dr. Nejdeth Adanir, DDS, PhD.

Editor-in-Chief, European Journal of Dentistry

Associate Professor - Department of Restorative Dentistry

Coordinator, Department of Restorative Dentistry

King Faisal University, College of Dentistry,

[Kutipan teks disembunyikan]

[Kutipan teks disembunyikan]

https://www.manuscriptmanager.net/sLib/v4/retrieve_pw.php?paramScreen=0azopRtfinuBkcVBUx/w14E3vTdV/z4zNEbh5Mss/w64=

Pegiriman Bukti Pembayaran (24 Juni 2022)

12/6/22, 9:25 AM

Gmail - (tanpa subjek)



udjianto tedjosasongko <tedjosasongko.fkg03@gmail.com>

(tanpa subjek)

1 pesan


udjianto tedjosasongko <tedjosasongko.fkg03@gmail.com>

24 Juni 2022 05:50

Kepada: sudesha.roy@thieme.in

Dear EJD. Here we sent the receipt our manuscript use paypal puspitaayuningtyas as Udjianto Tedjosasongko

2 lampiran

 EJD_open access form Sign.pdf
275K

 PayPal EJD.pdf
87K

Konfirmasi Galley Proff (20 Agustus 2022)

12/8/22, 9:33 AM

Gmail - Galley proof - EJD-22-5-2097



udjiyanto tedjosasongko <tedjosasongko.fkg03@gmail.com>

Galley proof - EJD-22-5-2097

udjiyanto tedjosasongko <tedjosasongko.fkg03@gmail.com>
Kepada: sudeshna.roy@thieme.in, thieme.j@thomsondigital.com


20 Agustus 2022 09:33

Dear Project Manager, Sudeshna Roy

Here we attached the galley proof for my manuscript.
Sorry for being late.
Thank you.

2 lampiran

 COI_Disclosure_EJD_Tedjosasongko.docx
96K

 EJD-2252097-sign.pdf
1698K

Konfirmasi Publish Online (20 Agustus 2022)

Your eProof is now available for EJD 2252097

2 messages

Thieme| EPS <thieme.j@thomsondigital.com>

Thu, Aug 4, 2022 at 12:09 PM

To: "udjanto@fkg.unair.ac.id" <udjanto@fkg.unair.ac.id>

Cc: "Dr. Necedet Adanir" <necedethan@gmail.com>, "Roy, Sudeshna" <sudeshna.roy@thieme.in>

European Journal of Dentistry

Published by Thieme Medical Publishers

Article Production Number: 2252097

Article Title: Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein, and Secretory Immunoglobulin A (sIgA) in Rattus norvegicus with Stunted Growth

Username : LFIFU

Password : 15371

Dear Author:

Welcome to the Thieme Medical Journals Production eProofing System, which allows authors to receive the page proofs of their articles as electronic files. eProofs are PDF files generated from the typesetting of your article. You must have Adobe Acrobat Reader or Acrobat Exchange software installed on your computer to use PDF files. Acrobat Reader is a free download from the Internet. If you do not have Adobe Acrobat Reader or Acrobat Exchange installed on your computer, go to <http://www.adobe.com/prodindex/acrobat/readstep.html> to download the newest version of the software.

To eProof your article:

1. Download the Article Page Proof file and eProof Support Document by double-clicking on the link below.
2. You will be asked for a username and password to open the Article Page Proof file. This information appears at the top of this e-mail message. Both the username and password are case sensitive.
3. Save the downloaded file to a local directory on your computer's hard drive.

Link to your article and eProof Support Documents:

Article Page Proof:

<http://202.54.251.91:8085/download.aspx?p=EJD-2252097> (link to necessary forms followed by the actual article)

4. Open the file with Adobe Acrobat Reader and print it out or use Tools>Comment & Markup to access editing tools.
5. Proofread the proofs for information accuracy. Double-check figures and tables. Be sure to respond to all queries on the page proofs. All queries are listed on the last page of the proof. Use a pen to mark changes directly on printed proofs; please remember to write as clearly as possible. When reviewing your page proofs please keep in mind that a professional copyeditor edited your manuscript to comply with the presentational style requirements for the journal.
6. Fill out and sign all forms.

Your article production number is noted at the top of this message, please refer to it on all correspondence.

You have three options for returning your marked proofs and forms (within 72 hours, please):

*Option 1 (preferred): Return your materials via email to Sudeshna Roy, Project Manager, sudeshna.roy@thieme.in.

*Option 2: Return your materials via fax to: Sudeshna Roy, Project Manager, Fax: +91-120-4556649.

Analysis of Saliva Composition: Parathyroid Hormone-Related Protein, Total Protein and Secretory Immunoglobulin A (sIgA) in *Rattus norvegicus* With Stunted Growth

ABSTRACT

Objective: This study aimed to determine total protein, sIgA and PTHrP levels in the saliva of rats with stunted growth. **Methods:** Experimental laboratory research with a pre-and post-test control group design was conducted. Seventeen albino rats (*Rattus norvegicus*) were divided into the control group (eight rats) and the treatment group (nine rats). Rats in the treatment group were exposed to Aflatoxin B1 (AFB1) 5µg/kg orally for five weeks. Anthropometry data (body length, body weight) and saliva of *R. norvegicus* were collected. The levels of PTHrP and sIgA in the saliva were measured using an ELISA kit for rats and the Bradford test for total protein and analyzed using SPSS 25.0. **Results:** Aflatoxin caused stunted growth in rats in the treatment group. There was a significant difference in body length, salivary flow, PTHrP, sIgA and total protein in the treatment group compared with the control group. The average rat's body length change in the control group was (6.4 ± 1.1 mm/5 weeks), while in the treatment group, the change was (3.7 ± 0.9 mm /5 weeks). There was no significant weight gain in the treatment group compared to the normal group. The average values of PTHrP, sIgA and total protein in the control group were \bar{x} 0.9 pmol/L, \bar{x} 18 g/ml, and \bar{x} 0.7 m./L respectively, while in the treatment group, they measured \bar{x} 0.4 pmol/L, \bar{x} 10.7 g/mL, and \bar{x} 0.5 mg/L, respectively. **Conclusion:** The present study showed that salivary flow, PTHrP, sIgA and total protein levels in the saliva were significantly lower in stunted rats compared with normal rats.

Keywords: Stunting, PTHrP, sIgA, Total Protein

INTRODUCTION

Caries and stunting are major health problems in Indonesia. According to the 2018 National Health Research (RISKESDAS), the prevalence of caries in Indonesia is high, affecting 45.3% of the population.¹ Stunting impacts 22% of children under the age of five globally. Southeast Asia has the highest rate of stunting worldwide (34.4%), where one in every three children under the age of five has stunted growth.² Indonesia is one of four Southeast Asian countries with the highest rates of stunting,³ with a prevalence of 31.8%. Dental caries are caused by multiple factors, including an increase in pro-inflammatory cytokines, a decrease in the amount of saliva and changes in the saliva composition.⁴ Such changes can be triggered by conditions associated with malnutrition, such as stunting.⁵

Stunting has multiple causes, including heredity, inadequate breastfeeding, inadequate nutritional intake (macro nutrition and micronutrients), hormonal disorders, infectious diseases, poor water sanitation hygiene, poverty, and an unhealthy lifestyle. This condition causes environmental enteric dysfunction (EED) and protein energy malnutrition (PEM).^{6,7} If stunting conditions are not prevented in the first 1,000 days of life, there is a risk of linear bone growth disorders and height attention deficit (HAD) in adults and adolescents.⁸

PEM is caused by an imbalance between dietary energy intake and the physiological energy expenditure required by every cell in the body. In PEM, disruptions in the maintenance of the availability of energy for basal cell metabolism and nutrients can impair tissue synthesis and tissue repair, and physiological dysregulation of the endocrine system.^{9,10} PEM and EED can disrupt the process of endochondral ossification, fibroblast proliferation and growth hormones, causing growth hormone (GH, IGF-1), thyroid hormone and Parathyroid Hormone (PTH) to be suppressed and resisted.¹¹

The condition of the oral cavity is also affected by stunting.⁵ Salivary gland hypofunction and reduced salivary flow are caused by EED and PEM in stunted children.¹² Compared with normal children, children with stunted growth have a higher incidence of dental caries, reduced salivary flow and delayed tooth eruption. Dysfunction of the salivary glands can cause decreased saliva flow in stunted children.^{13,14} Dysfunction of an organ is caused by a decrease in the organ's basal metabolism. Deficiencies in energy and protein play a role in this dysfunction.⁹ The total serum protein in children with stunted growth can be calculated to assess protein levels.¹⁵ The whole composition of saliva, including levels of sIgA, total protein, and PTHrP, may alter as a result

of these situations. Dental caries occurs due to a reduction in antibody function. The antibody immunoglobulin A, which is released in saliva as Secretory Immunoglobulin A (sIgA), helps prevent caries. Reduced sIgA levels in stunted children can lead to caries because the reduced amount affects the function of blocking bacterial binding, colonization, and bacterial metabolism disturbance.¹⁶ Tooth eruption is influenced by various factors, including Parathyroid Hormone-related Protein (PTHrP), which acts as a signal between hormones in the dental follicle.¹⁷ Serum and saliva analysis can identify hormone levels in children with stunted growth. A decrease in PTHrP indicates the rate of oral cavity growth and development and the rate of eruption.¹⁸

Measuring total protein, sIgA and PTHrP in the blood as a means of determining stunting is an invasive method. Using saliva is easier and less invasive compared with taking blood samples. In addition, saliva has long been recognized that its ultrafiltration from serum.¹⁹ Salivary composition analysis will be carried out using an animal model as a form of initial research. The *Rattus Norvegicus* was chosen as the study's experimental animal since it is one of the larger rodents that can be used in stunting experiments. It has also been used in previous studies. The biggest rats were selected to take into consideration the maximum amount of saliva stimulation and saliva production that can be taken to analyze. Aflatoxin substances will be exposed to animal models (*Rattus Norvegicus*). Previous research has proven that exposure to aflatoxin substances induces stunting in both humans and rats.²⁰ This study aimed to determine total protein, sIgA and PTHrP levels in the saliva of rats with stunted growth. For further study, salivary composition could be used to predict stunting in children. The caries rate in stunted children can be assessed by using sIgA analysis. Also, Growth and development of the child's oral cavity can be assessed using total protein and PTHrP.

Formatted: Highlight

Formatted: Highlight

MATERIAL & METHODS

Experimental laboratory research with a pre- and post-test control group design was conducted. The research was conducted at the Universitas Airlangga Research Center Laboratory, Faculty of Dental Medicine with the ethical research clearance assessment (No 536/HRECC.FODM/IX/2021). Seventeen albino rats (*R. norvegicus*) aged 3 to 4 weeks were divided into treatment group and a control group.

Stunted rat modeling

Nine *Rattus Novergicus* were used in each group (treatment and control group). One rat died during the research process, leaving eight in the control group and ten in the treatment group. The anthropometry of both groups (body length and body weight) was measured under isoflurane vaporized inhalation sedation. Body length was measured from farthest the point of the tip of the nose to the tip of the anus with a digital caliper, and body weight was measured using a digital scale. The treatment group was exposed to Aflatoxin B1 (AFB1) (Fermentex, Israeli) 5µg/kg orally for five weeks to induce stunted growth. The dose for each rat is calculated using the rat's weight. Oral intubation was used to give powder AFB1 (1.25mg/mL) dissolved in Dimethyl Sulfoxide (DMSO) solution. The suspension was administered orally, around 5 mL with a 20-gauge intubation needle and monitored for 5 weeks. Anthropometric measurements were taken following an experiment in the rats' fifth week of life.¹⁸

Formatted: Highlight

Saliva collection

Stimulated saliva was collected by injecting 0.5 mg/kg intramuscular pilocarpine (Cendo Carpine from Cendo Pharmaceutical Industries, Indonesia). The stimulated saliva collection was conducted in the sublingual cavity of the oral cavity for 5–15 minutes with a micropipette. Saliva was stored in sterile tubes in a styrofoam box with an ice bath at -4°C for transfer, then centrifuged at for 10 minutes, and the saliva was stored in the freezer at -80°C. The collected saliva was then centrifuged and analyzed.²¹

Formatted: Highlight

PTHrP, sIgA, and total protein measurement

PTHrP levels were measured using the Rat Parathyroid Hormone Related Protein (PTHrP) ELISA Kit (PT Biozotix Indonesia, Surabaya, with catalogue number DZ08184330-EB). The Rat Secretary Immunoglobulin A (sIgA) ELISA Kit (PT Biozotix Indonesia, Surabaya, catalogue number DZ08185320-EB) was used to measure the level of sIgA. The ELISA procedures were following ELISA kits manufacturers' protocols. While the Bradford test was used to calculate the total protein, the test was conducted using Sigma-Aldrich with catalogue number P0834-10X1ML.

Formatted: Highlight

Measurement of PTHrP and sIgA levels using ELISA. Briefly, 100 µL of saliva was put into each well plate and then incubate for 90 minutes at 37 °C. Samples were added to 100 µL of Biotinylated Detection rat's antibody and incubated for 60 minutes at 37 °C and aspirated. The next step Streptavidin-HRP was added to each well plate and incubated for 30 minutes at 37 °C. Ninety µL of TMB substrate solution was added and incubated at 37 °C for 15 minutes before adding 50 µL of stop solution. The sample solution was then read out on an ELISA

reader with a wavelength of 450 nm. The result is read as an absorbance value (Optical Density = OD), as a form of absorbance unit used as a standard for PTHrP and sIgA levels.²²

Measurement of total protein content begins with centrifugation of the sample at 3000 rpm for 5 minutes. Saliva was taken with a micropipette as much as 10 μ and placed on a block of fluid blocks, and one block was added as a control. The 10 μ L saliva samples were then mixed with 200 μ L of Bradford's reagent standard solution and the sample was placed on a microplate using a multichannel pipette. After 30 seconds of mixing with a plate shaker, the solution was incubated at room temperature for 10 minutes. The total protein concentration was determined by observing the return of brown to blue. The absorbance of the color change was then examined on a microplate reader with a wavelength of 595 nm. The total protein concentration was determined using the Bradford assay.²³

Statistical Analysis

The obtained results were statistically analyzed using an independent T-test to assess differences in body length, volume saliva, PTHrP levels, sIgA levels, and total protein levels between treatment and control groups. The Wilcoxon sign rank test was used to analyze differences in body length change, because the distribution was not normal in the control group. The level of significance was set at $p < 0.05$. The Shapiro-Wilk test was used to assess normality, and Levene's test was used to assess the homogeneity of variance. The statistical analysis was performed using IBM SPSS Statistics version 25.0 (IBM Corp.) for Windows, released 2018 in New York.

Formatted: Highlight

RESULTS

Based on statistical analysis between control and treatment group of 5-weeks rats showed that the body length gain in the treatment group (3.7 \pm 0.9 mm) was significantly ($p < 0.05$) lower than the control group (6.4 \pm 1.1 mm) (Figure 1). On the other hands, the results of body weight gain showed there was no significantly difference. The average body weight gain in the treatment rats were 61.2 \pm 18.4 gram, while in control rats were 75.3 \pm 29.2 gram (Figure 2). In salivary volume analysis, the results showed on decreasing in salivary volume significantly ($p < 0.05$) between treatment group (0.4 \pm 0.1 ml) and control group (0.7 \pm 0.1 ml). The stunted rats (treatment group) had a lower volume saliva compared with the normal rats (control group) (Figure 3). These

Formatted: Highlight

results indicated that under stunting condition decreased body weight, body length, and salivary volume compared with healthy condition.

Based on statistical analysis, PTHrP levels, sIgA levels and total protein levels in saliva treatment group were significantly lower ($p < 0.05$) than control group. In the control group, the average values of PTHrP, sIgA and total protein were 0.9 pmol/L, 18 g/mL, and 0.7 mg/L, respectively. In the treatment group, PTHrP, sIgA and total protein levels were 0.4 pmol/L, 10.7 g/mL, and 0.5 mg/L, respectively (Figure 4,5,6).

DISCUSSION

Aflatoxin is a toxic chemical produced by metabolism of the fungi *Aspergillus flavus* and *A. parasiticus*, which are commonly found in tropical and subtropical climates and occur in corn, spices, nuts and in the milk of animals that feed on these foods. Aflatoxin B1 (AFB1), aflatoxin B2 (AFB2), aflatoxin G1 (AFG1) and aflatoxin G2 (AFG2) are the four principal kinds of aflatoxin compounds, with AFB1 being the most toxic. These substances are processed in the liver and are carcinogenic, with the ability to induce hepatocellular carcinoma.²⁴ Aflatoxin can also cause gastrointestinal disease, diarrhea, immune system problems and problems with growth and development. This is because aflatoxin disrupts the microflora balance in the intestine, promoting intestinal inflammation, disrupting the villi in the intestine and interfering with carbohydrate, fatty acid, amino acid and vitamin absorption and metabolism.²³ This is supported by Zhou et al. (2018), who showed that rats exposed to AFB1 at various doses exhibited gastrointestinal problems and stunting.¹⁸ Children's growth is also stunted by the effect of AFB1. This was confirmed by Alamu et al. (2020), who demonstrated elevated serum levels of AFB1 in children with stunted growth²⁵. As the mechanism and effects of aflatoxin are similar to the etiological incidence of stunting in children in underdeveloped countries with tropical climates, we chose to use aflatoxin to elicit stunted growth in the rats in our study. There was a $.7 \pm 0.9$ mm-5 weeks difference in body length between the treatment and control rats, as well as a significant body length difference between the two groups, with the treatment rats experiencing growth problems and subsequent stunting.

PEM can be caused by disturbances in the absorption and metabolism of macronutrients and micronutrients in the intestines, which results in an imbalance in carbohydrate and protein intake. Clinical disorders, such as kwashiorkor and marasmus, are caused by acute or severe PEM, whereas long-term PEM

causes stunting.⁹ Immune system disorders, gastrointestinal disorders, cardiovascular disorders, respiration disorders, neurology disorders, hematology disorders and PEM accompanied by micronutrient deficiencies (calcium, phosphate and vitamins A, C and D) can interfere with the odontogenesis process, increasing the risk of caries, delayed eruption and impaired salivary glands.^{11,26} The results showed that rats exposed chronically to AFB1 cause shorter body length compared to control rats. PEM conditions that occurred in the intervention rats were accompanied by decreased levels of total protein in the saliva; hormonal abnormalities, including decreased levels of PTHrP; and decreased antibodies in salivary secretions (sIgA).

The difference in total protein levels between the treatment and control groups was significant in the present study ($p < 0.05$), indicating protein deficiency and the presence of PEM in the rats with stunted growth. The total protein was measured to determine the total quantity of protein in the serum and plasma cells, with a 60% albumin and 40% globulin composition noted. Globulin and albumin are made in the liver and are commonly used to evaluate malnutrition. Serum albumin decreases in the event of an increase in systemic inflammation, followed by an increase in IL-6 and TNF-cytokines, reduced liver function, nephrotic syndrome and protein-losing enteropathy through the gastrointestinal system.² According to Abudlahi et al. (2018) and Raval et al. (2020), there is a decrease in serum total protein and albumin in undernourished children, which is consistent with our findings of a decrease in total protein in the saliva.^{15,27} This suggests a reduction in total protein, which is also reflected in the composition of the saliva.

Changes in saliva composition in rats with stunted growth were also observed in relation to sIgA levels. The salivary glands release sIgA, which is an immunoglobulin. The stunted rat group experienced a significant decrease ($p < 0.05$) in sIgA due to thymus gland atrophy and increased systemic inflammation. PEM conditions and deficiencies of micronutrients, such as zinc, magnesium, and phosphate, which are required for thymus gland growth, cause thymus gland atrophy. Micronutrient deficiency has a negative impact on the size of the thymus.²⁸ Meanwhile, PEM causes salivary gland hypofunction and results in decreased adrenoceptor density and salivary flow. PEM further decreases the production of immunoglobulins in the saliva of stunted rats, particularly sIgA, as was evident in our study.

We noted a significant decrease in salivary PTHrP ($p < 0.05$) in the treatment mice. This is consistent with Gentile and Chiarelli (2021), who showed that a decrease in serum PTHrP correlated with stunted growth.¹⁸

Decreases not only occur in the serum but are also found in salivary PTHrP as an illustration of serum. PTHrP causes stunting because PTHrP's function is to maintain chondrocyte hyperplasia in endochondral ossification so that bone width can be maintained.²⁹ PEM in stunting causes gland hypofunction and suppresses growth hormone release through chronic systemic inflammation.²⁹ Some rats in the stunting group in the present study gained weight. Differences in body weight before and after treatment between the control and treatment groups were identified, but the difference was not significant ($p > 0.05$). Stunted children are more likely to gain weight and become overweight. Armijos and Caseres (2020) and Al Taira et al. (2021) showed that stunted children are at risk of overweight condition.^{30,31} EED, liver damage and vitamin D deficiency in stunted conditions are all contributing factors.³² A decrease in serum 25 hydroxyvitamin D(25(OH)D) is caused by vitamin D deficiency. Vitamin D controls adipogenesis in adipose tissue and plays a role in glucose and lipid metabolism. As vitamin D is required for bone growth homeostasis, a deficiency of the vitamin causes stunted growth. Obesity results from inadequate adipogenesis, which causes fat deposits in cells, tissues and the subcutaneous tissue.³³

CONCLUSION

The present study showed that salivary flow, PTHrP, sIgA and total protein levels of saliva were significantly lower in rats with stunted growth compared with normal rats.

FUNDING SOURCE

The financial support by the Faculty of Dental Medicine, Universitas Airlangga for the program Implementation of Internal Research Group Grants as Leading Research Faculty Program in 2020, Number 346/UN3/2020, March 27, 2020

ACKNOWLEDGMENTS

The authors would like to thank the Faculty of Dental Medicine, Universitas Airlangga, for their invaluable support.

CONFLICT OF INTEREST

All author declares that there was no conflict of interest associated with the present study.

REFERENCES

1. Riset Kesehatan Dasar (RISKESDAS). No Title. Has Utama Ris Kesehat Dasar 2018. Published online 2018. https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-riskesdas2018_1274.pdf.
2. Keller U. Nutritional laboratory markers in malnutrition. *J Clin Med*. 2019;8(6). doi:10.3390/jcm8060775.
3. WHO. Title levels and trends in child malnutrition. Published online 2020. <https://www.who.int/publications-detail-redirect/9789240025257>.
4. Folayan MO, Arije O, El Tantawi M, et al. Association between early childhood caries and malnutrition in a sub-urban population in Nigeria. *BMC Pediatr*. 2019;19(1):19-21. doi:10.1186/s12887-019-1810-2.
5. Achmad H, Ramadany S, Fajriani, et al. A review of stunting growth in children: Relationship to the incidence of dental caries and its handling in children. *Syst Rev Pharm*. 2020;11(6):230-235. doi:10.31838/srp.2020.6.36.
6. Danaei G, Andrews KG, Sudfeld CR, et al. Risk Factors for Childhood Stunting in 137 Developing Countries: A Comparative Risk Assessment Analysis at Global, Regional, and Country Levels. *PLoS Med*. 2016;13(11):1-18. doi: 10.1371/journal.pmed.1002164.
7. Mayasari D, Indriyani R, Ikkom B KF., Faktor Risiko dan Pencegahannya Stunting, Risk Factors and Prevention. *J Kesehat dan Agromedicine*. 2018; 5:5:540-5.
8. Millward DJ. Nutrition, infection and stunting: The roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. *Nutr Res Rev*. 2017;30(1):50-72. doi:10.1017/S0954422416000238.
9. Vieira KA, Bastos CM, Vitor MGC, et al. Use of low-level laser therapy on children aged 1 to 5 years with energy-protein malnutrition. *Med U S*. 2018;97(17):1-5. doi:10.1097/MD.00000000000010538.
10. Lynch RJM. The primary and mixed dentition, post-eruptive enamel maturation and dental caries: a review. *Int Dent J*. 2013;63 Suppl 2:3-13. doi:10.1111/idj.12076.
11. Reddy V. Protein energy malnutrition; an overview. *Prog Clin Biol Res*. 1981;77(1):227-235. doi: 10.33545/26164485.2021.v5.i1f.341.

12. Singh N, Bansal K, Chopra R, Kamal C, Dharmani K. Association of Nutritional Status on Salivary Flow Rate, Dental Caries Status and Eruption Pattern in Pediatric Population in India. Published online 2018:78-82. doi: 10.4103/IJDS.IJDS.
13. Raval H, Rao A, Chauhan H. Estimation of serum albumin and serum total protein levels in children with protein energy malnutrition. 2020;3(1):76-78. International Journal of Paediatrics and Geriatrics 2020;3(1):76-78. doi: <https://doi.org/10.33545/26643685.2020.v3.i1b.62>.
14. Soesilawati P, Notopuro H, Yuliati Y, Ariani MD, Firdausi MAB. The role of salivary sIgA as protection for dental caries activity in Indonesian children. Dovepress Journal. Published online 2019:11 291-295.
15. Choukroune C. Tooth eruption disorders associated with systemic and genetic diseases: clinical guide. J Dentofac Anom Orthod. 2017;20(4):402. doi:10.1051/odfen/2018129.
16. Gentile C, Chiarelli F. Rickets in Children: Biomedicine Journal: An Update. 2021; 23. doi: <https://doi.org/10.3390/biomedicine9070738>.
17. Khurshid Z, Zafar M, Khan E, Latif M. Human saliva can be a diagnostic tool for Zika virus detection. J. of Infect. and Pub. Health 2019;12:601-604. doi: <https://doi.org/10.1016/j.jiph.2019.05.004>.
18. Zhou J, Tang L, Wang JS. Assessment of the adverse impacts of aflatoxin B1 on gut-microbiota dependent metabolism in F344 rats. Chemosphere. 2019; 217:618-628. doi: 10.1016/j.chemosphere.2018.11.044.
19. Matsuzaki K, Sugimoto N, Islam R, Hossain ME, Sumiyoshi E, Katakura M, Shido O., Salivary immunoglobulin a secretion and polymeric ig receptor expression in the submandibular glands are enhanced in heat-acclimated rats, Int. J. Mol. Sci., vol. 21, no. 3, 2020, doi: 10.3390/ijms21030815.
20. Alhajj M, Farhana A. Enzyme Linked Immunosorbent Assay. [Updated 2022 Feb 2]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK555922/>.
21. R. pour Nouroozi, "Determination of Protein Concentration Using Bradford Microplate Protein Quantification Assay," Int. Electron. J. Med., vol. 4, no. 1, pp. 11–17, 2015, doi: 10.31661/iejm158.
22. Benkerroum N. Aflatoxins: Producing-Molds, Structure , Health Issues and Incidence in Southeast Asian and Sub-Saharan African Countries. Published online 2020. Int. J. Environ. Res. Public Health 2020, 17,1215; doi:10.3390/ijerph17041215

23. Liew W pui pui, Mohd-redzwan S. Gut Microbiota Profiling of Aflatoxin B1-Induced Rats Treated with *Lactobacillus casei* Shirota. *Toxins Journal*. Published online 2019:1-16. doi:10.3390/toxins11010049.
24. Alamu EO, Gondwe, T Akello J, Maziya-Dixon B & Mukanga M. Relationship between serum aflatoxin concentrations and the nutritional status of children aged 6–24 months from Zambia, *Int. J. of Food Sci. and Nutrition*, 2020;71:5, 593-603, DOI:10.1080/09637486.2019.1689547.
25. Nabwera HM, Bernstein RM, Agbla SC, et al. Hormonal Correlates and Predictors of Nutritional Recovery in Malnourished African Children. *Journal of Tropical Pediatrics* (October 2017):364-372. doi:10.1093/tropej/fmx075.
26. Abdullahi SM, Yakubu AM, Bugaje MA, Akuyam SM. Serum total protein and albumin levels among malnourished children aged 6- 59 months in Zaria. *Niger J Paediatric* 2018;45(1):15-18. doi: <http://dx.doi.org/10.4314/njp.v45i1.4>.
27. Johanne M, Rytter H, Namusoke H, et al. Correlates of thymus size and changes during treatment of children with severe acute malnutrition: a cohort study. *BMC Pediatrics*. Published online 2017:1-13. doi:10.1186/s12887-017-0821-0.
28. Ağirdil Y. The growth plate: a physiologic overview. *EFORT Open Rev* 2020; 5:498-507. DOI: 10.1302/2058-5241.5.190088.
29. Campisi SC, Carducci B, Söder O, Bhutta ZA. The Intricate Relationship between Chronic Undernutrition, Impaired Linear Growth and Delayed Puberty: Is 'catch-up' growth possible during adolescence? *Off Res - Innocenti Work Pap.* 2018; WP-2018-12(July):1-31. <https://www.researchgate.net/publication/326579247>
30. Hajri T, Angamarca-Armijos V, Caceres L. Prevalence of stunting and obesity in Ecuador: A systematic review. *Public Health Nutr.* 2021;24(8):2259-2272. doi:10.1017/S1368980020002049.
31. Al-Taiar A, Alqaoud N, Sharaf Alddin R, et al. Stunting and Combined Overweight with Stunting among Schoolchildren in Kuwait: Trends over a 13-Year Period. *Med Princ Pract.* 2021;30(6):515-521. doi:10.1159/00051853.
32. Millward DJ. Nutrition, infection and stunting: The roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. *Nutr Res Rev.* 2017;30(1):50-72. doi:10.1017/S0954422416000238.

33. Knuth MM, Mahapatra D, Jima D, et al. Vitamin D deficiency serves as a precursor to stunted growth and central adiposity in zebrafish. *Sci Rep.* 2020;10(1):1-13. doi:10.1038/s41598-020-72622-2.

FIGURE CAPTION(S)

Figure 1. The differences in length of rats in the control groups and treatment groups.

*indicated significantly difference between groups

Formatted: Highlight

Figure 2. The differences in weight of rats in the control groups and treatment groups.

Figure 3. The salivary flow differences of rats in the control groups and treatment groups.

*indicated significantly difference between groups

Formatted: Highlight

Figure 4. The difference in average PTHrP, between the control and treatment groups

Figure 5. The difference in average sIgA, between the control and treatment groups.

Figure 6. The difference in average Total Protein concentrations between the control and treatment groups