

# The Benefits of the Combination of Vitamin D3, K2 Supplements, and UV-B Exposure for Increasing Bone Density A Simple Solution for Bone Health

*by Sindy Cornelia Nelwan*

---

**Submission date:** 13-Jun-2022 08:59PM (UTC+0800)

**Submission ID:** 1856034115

**File name:** or\_Increasing\_Bone\_Density\_A\_Simple\_Solution\_for\_Bone\_Health.pdf (748.26K)

**Word count:** 3778

**Character count:** 20478

## The Benefits of the Combination of Vitamin D3, K2 Supplements, and UV-B Exposure for Increasing Bone Density: A Simple Solution for Bone Health

Sindy Cornelia Nelwan<sup>1\*</sup>, Udjianto Tedjosasongko<sup>1</sup>, Satiti Kuntari<sup>1</sup>, Daniel Haryono Utomo<sup>2</sup>, Tania Saskianti<sup>1</sup>, Mega Moeharyono Puteri<sup>1</sup>, Devi Dharmawan<sup>1</sup>, Yufita Fitriani<sup>1</sup>, Pradita Agung Kurnia<sup>1</sup>, Amalia Ramadhani Mufida<sup>1</sup>, Nadhia Zahria Fajrin<sup>1</sup>, Retno Pudji Rahayu<sup>3</sup>, Nunthawan Nowwarote<sup>1,4</sup>

1. Department of Pediatric Dentistry, Faculty of Dental Medicine, Universitas Airlangga, Surabaya-Indonesia.

2. Department of Dental Forensic, Faculty of Dental Medicine, Universitas Airlangga, Surabaya-Indonesia.

3. Department of Oral Pathology and Maxillofacial, Faculty of Dental Medicine, Universitas Airlangga, Surabaya-Indonesia.

4. Centre de Recherche des Cordeliers, INSERM UMRS 1138, Molecular Oral Pathophysiology, Université de Paris, Sorbonne Université, Paris-France.

### Abstract

Bones and teeth require nutrients to maintain optimal bone density. Environmental and habitual factors affect 20-40% of bone density in addition to several nutrients such as vitamin D, especially for UV-B exposures which are essential for bone growth.

Research on the impact of nutrition on bone strength has historically geared towards minerals, vitamin D, protein, and vitamin K. This study aimed to examine the role of vitamin D3, K2 supplements, and UV-B exposure on bone density, reflected by osteoblast cell formation. Pre- and post-experimental laboratory studies were conducted to Wistar rats (*Rattus norvegicus*), which were divided into six groups. As much as 0.00045 mg/day of vitamin D and 0.81 mcg/day of K2 were administered. Besides, 290-315 nm of UV-B was administered 3 times a week for 25 minutes each. With the HE (hematoxylin eosin) test, the level of osteoblast cell was calculated after 21 days of treatment.

Descriptive test results showed that the highest mean score was obtained from the vitamin D3+ K2 group. The ANOVA test result showed sig < 0.05 (p < 0.05), which indicated a significant difference. This research shows that the combination of vitamin D3 and K2 significantly increased osteoblast cell formation.

28

Experimental article (J Int Dent Med Res 2021; 14(4): 1453-1458)

Keywords: Vitamin D3, vitamin K2, osteoblast, bone density, human and health.

Received date: 01 July 2021

Accept date: 26 October 2021

### Introduction

One of the most common metabolic conditions worldwide, both in developed and developing countries, is vitamin D deficiency.<sup>1</sup> Vitamin D deficiency is a global problem and impacts developed and developing countries, in addition to subtropical and temperate regions. Vitamin D deficiency in Asians of all ages may be disregarded. Vitamin D deficiency seldom occurs in areas with abundant sunshine.<sup>2</sup> It is an essential nutrient for optimal health and bone

growth.<sup>3</sup> Vitamin D deficiency has been found to be prominent in several countries at rates of 5.9% (US), 7.4% (Canada), and 13% (Europe). Many countries have reported very high incidences of low vitamin D. The South East Asian Nutrition Survey (SEANUTS) found that, in Indonesia, vitamin D deficiency was discovered in 49.3% of children aged 2.0-12.9 years (analysis data).<sup>4,5</sup>

Vitamin D is primarily supplied endogenously, and it has been found that 90% needed for humans comes from exposure to the sun.<sup>6</sup> UV-B light (290-315 nm) irradiation of the skin from direct exposure to sunlight is the main vitamin D source for humans.<sup>1</sup> Vitamin D is among the molecules responsible for bone metabolism. It plays an important part in bone synthesis, where it is responsible for increasing calcium's absorption rate as the primary mineral in bones.<sup>3,6</sup>

#### \*Corresponding author:

Sindy Cornelia Nelwan,  
Department of Pediatric Dentistry, Faculty of Dental Medicine,  
Universitas Airlangga, Surabaya-Indonesia.  
E-mail: sindy-c-n@fkg.unair.ac.id

The World Health Organization (WHO) acknowledged vitamin D deficiency as a public health problem in March 2020 and attributed it to the coronavirus disease 2019 (COVID-19). The virus transmitted from animals to humans. The novel coronavirus spread out in late 2019, and it was caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) as a part of the subfamily  $\beta$ -coronaviruses. It shares 79.5% of SARS-CoV's genetic sequence. The disease resulting from SARS-CoV-2 is coronavirus disease 2019 (COVID-19).<sup>7</sup> This virus has swiftly spread across the globe and caused the outbreak of a highly infectious respiratory disease. Various countries then began to implement COVID-19 protocols in accordance with WHO recommendations such as handwashing, avoiding of crowd or in-person meeting, social distancing, and limitation in activities outside of the house. Isolation procedures set by the government include self-isolation for individuals, communities, and even entire cities. Countries have implemented large-scale social restrictions and even lockdowns. As a result, many offices, both government and private, have implemented "work from home" for their employees.<sup>8</sup> These lifestyle changes have caused a rise in indoor activities and instead decrease sunlight exposure among children and adolescents.<sup>9</sup> The outbreak of COVID-19 has also caused notable changes in child's day to day life. Most in-person class meetings have been substituted with home-schooling and online learning activities. In other words, all schools instruct students to 'stay at home'; as a result, children might have reduced sunlight exposure.<sup>10,11</sup>

Beside vitamin D, previous studies have found that supplementation of vitamin K may be advantageous for the metabolism and quality maintenance of bone, particularly when it comes to improving density. Vitamin K is needed for the regulation of calcium intake in the human body. Vitamin K assists the integration of calcium into bone. There are three proteins that depend on vitamin K in bone: protein S, osteocalcin [bone gamma-carboxyglutamic acid (GLA) protein], and matrix GLA protein.<sup>12</sup>

Combining vitamin D and K will have desired effects on calcium homeostasis that improves bone quality. Vitamin D increases the calcium absorption rate. Vitamin K regulates calcium which promotes calcification of bone and

activate osteocalcin to promote the buildup of calcium in bones and teeth. Vitamin K2 also transports calcium into muscle to construct bones and keeps it in the right place.<sup>3</sup>

Previous studies suggest that vitamin D increases concentrations of bone protein dependent on vitamin K and triggers in vitro bone formation with the stimulation of osteoblast-specific gene expression (osteocalcin) controlled by 1.25(OH)D at a transcriptional level through the responsive element of 1.25(OH)D within the promoter of the osteocalcin gene. The effect of vitamin K of bone mineralization varies due to plasma 25(OH)D concentration.<sup>13</sup> Observational studies are in line with the hypothesis that bone mineralization may be supported by ideal vitamin D and K concentrations.<sup>13</sup>

Bone is a mineralized connective tissue made up of four different types of cells: osteocytes, bone lining cells, osteoblasts, and osteoclasts. Osteoblasts play an essential role in bone formation, turnover, and tissue repair. Osteoblasts have three functional stages in vivo and in vitro: bone matrix synthesis/maturation, mineralization, proliferation.<sup>14,15</sup> Bone formation requires some minerals, ions, and vitamins D and K for the formation of collagen and crystals, metabolism of bone and cartilage, and/or homeostasis of phosphate and Ca. The abnormalities of bone happen because of micro damage associated with lack of nutrients. With that said, nutrients are necessary for bone and teeth to grow and develop.<sup>16</sup>

## Materials and methods

This was an in vivo experimental laboratory study using osteoblast cells on 48 white rats (*Rattus norvegicus*). The inclusion criteria were 50-200 grams of male Wistar rats (2-3 months old) which were generally in good condition and adapted for seven days. As much as 1000 IU of Vitamin D3 (Doctor's Best, US) and 45 mcg of Vitamin K2 (Doctor's Best, US) supplements were administered to the rats once a day. Besides the vitamins, the rats were also given 290-315 nm UV-B exposure (Phillips) for 25 minutes, three times a week. These 48 white rats (*Rattus norvegicus*) were split into six group for the experiment:

- Group I : Control group
- Group II : UV-B exposure
- Group III : Vitamin D3 and K2 supplements

Group IV : UV-B exposure, vitamins D3 and K2 supplements

Group V : K2 supplements

Group VI : UV-B exposure + K2 supplements

#### Procedures

The technique used was extraction of the rats' incisors to find osteoblast cells from bone healing remedies after tooth extraction. Test animals that were in the adaptation process were given food, water, and libitum with husks being replaced every other day. They were given intraperitoneal anesthesia using ketamine combined with 0.1 mL/10 g body weight (BW) xylazine. After the anesthesia was administered, the tooth extraction began. The incisor areas were sterilized with iodine and then the left lower incisors were extracted using forceps.<sup>17</sup> Then, intervention was given for 21 days. The results were collected from alveolar bone healing areas post-extraction. The osteoblasts cells were obtained by performing an HPA examination under the microscope.

#### Research Ethics

This study has obtained research ethical approval from the Commission of Ethical Clearance, Faculty of Dental Medicine, Universitas Airlangga with the Ethics Code of 371/HRECC.FOOM/III/2020.

#### Results

The samples showed the total amount of osteoblast cell deposition. The samples comprised of six groups with a total of six rats in each group. The highest osteoblast level was found in Group III (Vit D3+Vit K2), followed by the D3+K2+UV group, the Vit K2+UV group, the Vit K2 group, the UV group, and finally the control group (Group I) (see Figure 1).




Figure 1. Mean of the osteoblast cell deposition in each group.

The statistical analysis with the SPSS 24.0 showed that the ANOVA test resulted significant differences for post-treatments groups ( $p \leq 0.05$ ) with 95% Confidence Interval (see Figure 2).




Figure 2. Osteoblast cell deposition in each group.

Histopathological images of osteoblast deposition from each group can be seen below.




Figure 3. (A) Control, (B) UV-B, (C) Vitamin D3 + K2, (D) Vitamin D3 + K2 + UV-B, (E) Vitamin K2, (F) Vitamin K2 + UV-B.

#### Discussion

Bone is a type of mineralized connective tissue that contains four types of cells: osteoclasts, bone-lining cells, osteoblasts, and

osteocytes. Osteoblasts come from mesenchymal stromal cell (MSC) progenitors and present themselves during the process of active bone formation. Osteoblasts have an integral place in bone physiology due to their role in the formation of bone, turnover, tissue repair, controlling bone remodeling, and regulation of phosphate homeostasis. The maturation or differentiation of osteoblastic cells occurs in a sequential succession beginning with osteoprogenitors followed by pre-osteoblasts, osteoblasts, and finally osteocytes. Osteoblasts go through three functional stages in vivo and in vitro: proliferation, bone matrix synthesis or maturation, and mineralization. The membrane expression of certain function-related proteins, known as markers, has been studied on precursor cells during differentiation.<sup>14,15,18</sup>

Bone quality can be measured based on mineral composition, size, shape, collagen content, and remodeling process. Osteoblasts and osteoclasts play a role in bone apposition and resorption, respectively. This constant reconstruction of tissue is known as remodeling. The cells involved in the remodeling process include progenitor cells, osteoblast, osteocytes, and osteoclast. Bone mineral content and quality determine bone strength. Bone strength weakens with abnormalities in bone construction, such as bone matrix protein deterioration and bone micro-architecture, high or low bone-turnover rate, and buildup of micro-damage. These conditions can worsen even more due to insufficient nutrients. Nutrients are necessary for the bone and teeth to grow and develop. Bone formation requires several minerals for bone-forming (Mg, Zn, P, Ca), ions (e.g. citrate, Cu, carbonate, and Mn), and vitamins (e.g. vitamins C, D, K) in charge of the formation of crystal and collagen, the metabolism of cartilage and bone, and/or homeostasis of Ca and phosphate.<sup>19-22</sup>

Vitamin D has exponentially increased as a result of a worldwide prevalence of vitamin D deficiency (VDD) in this pandemic.<sup>23</sup> Vitamin D has three sources: UVB radiation-dependent endogenous production, dietary supplements, and nutritional source. This study observed the osteoblast levels and obtained optimal intakes of vitamin D and K2 doses and UVB irradiation.

<sup>3</sup>Vitamin D has many effects on osteoblast cells. Active metabolite vitamin D (1,25(OH)2D3) can affect human osteoblast growth and differentiation; stimulate bone formation,

mineralization, and osteogenic differentiation from human MSC to the osteoblast lineage; inhibit adipocyte formation by way of Wnt pathway stimulation; control remodeling through induction of NF- $\kappa$ B ligand's receptor activator; regulate phosphate homeostasis by increasing FGF23; affect energy metabolism through osteocalcin (BGLAP) stimulation; and improve the bone's response to mechanical loads through f mitogen-activated protein kinase signaling stimulation. It can also encourage the formation of osteoclast in co-cultures of osteoblastic and hematopoietic cells in mice. Osteoblastic cells express RANKL and OPG, thereby controlling osteoclast generation. After activation, vitamin D binds to the vitamin D receptor (VDR), a representative receptor for the steroid receptor family, which mediates the homeostasis of calcium and phosphate. It has been demonstrated that vitamin D can act directly on the growth and materialization of bone, as well as in bone remodeling.<sup>18,24-26</sup>

<sup>5</sup> Vitamin K behaves like a cofactor in the carboxylation of glutamic acid (Glu) to Gla. It is also the metabolically active form of osteocalcin, which is able to join and release calcium in the extracellular matrix. Vitamin K2 also directly impacts bone cells, encouraging osteoblast genesis and inhibiting osteoclast differentiation. Vitamin K2 could bond to the steroid and xenobiotic receptor (SXR), thus causing increased expression of multiple bone matrix elements. Low vitamin K intake and high undercarboxylated OC (unOC) levels are linked to a higher possibility for bone fragility. Previous studies by Sato et al. and Ambro'zewicz et al. showed MK-7 to have the highest bioavailability and the most notable impact on OC carboxylation in human and enhanced osteoblast proliferation.<sup>27-29</sup>

<sup>8</sup> The administration of the combination of vitamin D and K is thought to have favorable effects on the homeostasis of calcium, improve bone quality, and lower the risk of fractures. Vitamin D encourages production of proteins dependent on vitamin K, while vitamin K triggers bone metabolism proteins. This study reviewed the impact of vitamin D3, K2 supplements, and UVB radiation on osteoblast differentiation. The vitamin D3 and K2 supplement combination produced the highest amount of osteoblast compared to just vitamin D3 or K2 on their own. This is line with a study by Ballegoijen<sup>13</sup> that

showed the combination of vitamin D and K<sub>2</sub> induced important biochemical changes in bone. Another study showed that vitamin D increases concentrations of vitamin K-dependent bone protein, bone cell parameters in murine osteoblast cell lines and human primary osteoblasts, and triggers the formation of bone *in vitro* with osteoblast-specific gene expression stimulation.<sup>27-30</sup>

Ultraviolet irradiation is the primary vitamin D synthesis source in the skin. UVB irradiation increases vitamin D levels and stimulates osteoblast genes. This study showed the combination of D<sub>3</sub>+K<sub>2</sub> and UVB irradiation had lower osteoblast levels than the combination of D<sub>3</sub> + K<sub>2</sub>. However, this study found the UVB radiation wavelength around 280-320 nm. Morita et al. reported the highest production of vitamin D was at a UVB radiation wavelength of 282 nm, while not at 320nm.<sup>6</sup> Another study by Lancaster et al. reported that the addition of K<sub>2</sub> +1.25D to osteoblasts led to an increase in bone mineralization, however it did not consistently shift all the osteoblast maturation parameters related to bone formation.<sup>15</sup> Further studies should evaluate the wavelength of UVB radiation.<sup>30</sup>

## Conclusions

The combination of vitamin D<sub>3</sub>, K<sub>2</sub> supplements, and UV-B (290-315 nm) increases osteoblast as a bone formation marker.

## Acknowledgements

The authors would like to thank the Pediatric Dentistry Department, Faculty of Dental Medicine, and Biochemistry Department of the Faculty of Medicine at Universitas Airlangga for their technical support to this study. The authors would also like to express our gratitude to the Directorate of Research, Technology, and Higher Education of the Republic of Indonesia for giving us research grant with Grant Number of 623/UN3.14/PT/2020.

## Declaration of Interest

The authors report no conflict of interest.

## References

- Abulmeaty MMA. Sunlight exposure vs . vitamin D supplementation on bone homeostasis of vitamin D deficient rats. Clin Nutr Exp 2017;11:1-9.
- Nimithpong H, Holick MF. Prevalence of Vitamin D Deficiency in Asia Vitamin D status and sun exposure in Southeast Asia. Dermatoendocrinol 2013;5(1):34-7.
- Walaa Fikry Elbossaty. Significant influence for vitamin K on metabolic disease according to positive effect on levels of both vitamin D<sub>3</sub> and calcium.pdf. Egypt: Archives of Biotechnology and Biomedicine: Heighten Science Publication; 2018: 008-11.
- Ernawati F, Budiman B. Status vitamin D terkini anak indonesia usia 2, 0-12, 9 Tahun. Gizi Indonesia 2015;38(1):73-80.
- Amrein K, Scherkl M, Hoffmann M, et al. Vitamin D deficiency 2.0: an update on the current status worldwide. Eur J Clin Nutr 2020;74(11):1498-513.
- Morita D, Nishida Y, Higuchi Y, et al. Short-range ultraviolet irradiation with LED device effectively increases serum levels of 25(OH)D. J Photochem Photobiol B Biol 2016;164:256-63.
- Alghazaly AS, Moussa RM. Deep Insights of COVID-19: Perception of Current Infection and Anticipation of Potential Immunity. J Int Dent Med Res 2020;14(1):367-75.
- Mungkasa O. Bekerja dari Rumah (Working From Home/WFH): Menuju Tatanan Baru Era Pandemi COVID 19. J Perenc Pembang Indones J Dev Plan 2020;4(2):126-50.
- Roh YE, Kim BR, Choi WB, Kim YM, Cho MJ, Kim HY, et al. Vitamin D deficiency in children aged 6 to 12 years: Single center's experience in busan. Ann Pediatr Endocrinol Metab 2016;21(3):149-54.
- Laureano ICC, Farias L, Goncharuk-Khomyn M, Cavalcanti AL, Yavuz Y. Mental Health of Dentists during the COVID-19 Pandemic: A Critical Literature Review. J Int Dent Med Res 2021;14(1):192-202.
- Moore SA, Faulkner G, Rhodes RE, et al. Impact of the COVID-19 virus outbreak on movement and play behaviours of Canadian children and youth: A national survey. Int J Behav Nutr Phys Act 2020;17(1):1-11.
- Kuang X, Liu C, Guo X, Li K, Deng Q, Li D. The combination effect of vitamin K and vitamin D on human bone quality: A meta-analysis of randomized controlled trials. Food Funct 2020;11(4):3280-97.
- Ballegooijen AJ Van, Pilz S, Tomaschitz A, Grübler MR, Verheyen N. Review Article The Synergistic Interplay between Vitamins D and K for Bone and Cardiovascular Health: A Narrative Review. Hindawi Int J Endocrinol 2017;1:1-12.
- Florencio-Silva R, Rodrigues Da G, Sasso S, Sasso-Cerri E, Simões MJ, Cerri PS. Biology of Bone Tissue: Structure, Function, and Factors That Influence Bone Cells. 2015.
- Manzano-Moreno FJ, Ramos-Torrecillas J, Melguizo-Rodríguez L, Illescas-Montes R, Ruiz C, García-Martínez O. Bisphosphonate modulation of the gene expression of different markers involved in osteoblast physiology: Possible implications in bisphosphonate-related osteonecrosis of the jaw. Int J Med Sci 2018;15(4):359-67.
- Prentice A, Schoenmakers I, Laskey MA, de Bono S, Ginty F, Goldberg GR. Symposium on 'Nutrition and health in children and adolescents' Session 1: Nutrition in growth and development Nutrition and bone growth and development: A meeting of the Nutrition Society hosted by the Irish Section was held on 14-16 June 2006 at University College Cork, Cork, Republic of Ireland. Proceedings of the Nutrition Society 2006;65(4):348-60.
- Khoswanto C. A new technique for research on wound healing through extraction of mandibular lower incisors in Wistar rats. European Journal of Dent 2019;13(02):235-7.
- van de Peppel J, Franceschi RT, Li Y, van der Eerden BC. Vitamin D regulation of osteoblast function. InVitamin D. Academic Press; 2018:295-308.
- Prahasanti C, Subrata LH, Saskianti T, Suardita K, Emawati DS. Combined hydroxyapatite scaffold and stem cell from human exfoliated deciduous teeth modulating alveolar bone regeneration via regulating receptor activator of nuclear factor-K<sub>b</sub> and osteoprotegerin system. Iran J Med Sci 2019;44(5):415-21.

20. Susanto A, Padjadjaran U. The Effect of the Application of HA-TCP Bone Graft towards Gingival Crevicular Fluid Osteocalcin in the Treatment of Periodontal Infrabony Defects. *J Int Dent Med Res* 2020;13(4):12–7.
21. Tungare S, Paranjpe AG. Diet and Nutrition To Prevent Dental Problems [Internet]. StatPearls. StatPearls Publishing; 2019. Available at: "<https://europepmc.org/article/nbk/nbk534248>" Accessed May, 24, 2021.
22. Prentice A, Schoenmakers I, Ann Laskey M, de Bono S, Ginty F, Goldberg GR. Symposium on 'Nutrition and health in children and adolescents' Session 1: Nutrition in growth and development Nutrition and bone growth and development. *Proc Nutr Soc* 2006;65(04):348–60.
23. Botelho J, Machado V, Proença L, Delgado AS, Mendes JJ. Vitamin D deficiency and oral health: A comprehensive review. *Nutrients* 2020;12(5).
24. van de Peppel J, van Leeuwen JPTM. Vitamin D and gene networks in human osteoblasts. *Front Physiol* 2014;5:1–10.
25. Stein SH, Tipton DA. Vitamin D and its impact on oral health--an update. *J Tenn Dent Assoc* 2011;91(2):30–3.
26. Zafalon RVA, Ruberti B, Rentas MF, Amaral AR, Vendramini THA, Chacar FC, et al. The role of vitamin D in small animal bone metabolism. *Metabolites* 2020;10(12):1–21.
27. Ambrożewicz E, Muszyńska M, Tokajuk G, Grynkiewicz G, Žarković N, Skrzypkowska E. Beneficial Effects of Vitamins K and D3 on Redox Balance of Human Osteoblasts Cultured with Hydroxyapatite-Based Biomaterials. *Cells* 2019;8(4):325.
28. Schröder M, Riksen EA, He J, Skallerud BH, Møller ME, Lian AM, et al. Vitamin K2 Modulates Vitamin D-Induced Mechanical Properties of Human 3D Bone Spheroids In Vitro. *JBMR Plus* 2020;4(9):1–13.
29. Sato T. Vitamin K2 and bone quality. *Vitam Trace Elem S* 2013;6:2167–0390.
30. Lancaster CE, Harrison RE. Effects of Vitamin D, K1, and K2 Supplementation on Bone Formation by Osteoblasts In Vitro: A Meta-analysis. *J Biom Biostat* 2017;8(4):10-4172.

# The Benefits of the Combination of Vitamin D3, K2 Supplements, and UV-B Exposure for Increasing Bone Density

## A Simple Solution for Bone Health

ORIGINALITY REPORT



PRIMARY SOURCES

- 1 Feng Wei, Zheng Wang, Jiajian Wang, Huafeng Xu, Haizhou Zhou. "Serum vitamin D levels among children aged 0–12 years in the First Affiliated Hospital of Harbin Medical University, China", Journal of Public Health, 2018  
Publication 1 %
- 2 Submitted to Universitas Airlangga  
Student Paper 1 %
- 3 Xiaotong Kuang, Chunxiao Liu, Xiao-fei Guo, Kelei Li, Qingxue Deng, Duo Li. "The combination effect of vitamin K and vitamin D on human bone quality: a meta-analysis of randomized controlled trials", Food & Function, 2020  
Publication 1 %
- 4 [www.msdmanuals.com](http://www.msdmanuals.com)  
Internet Source 1 %

5	Internet Source	1 %
6	ijms.sums.ac.ir Internet Source	1 %
7	www.readkong.com Internet Source	1 %
8	ntuopen.ntnu.no Internet Source	1 %
9	academic.oup.com Internet Source	1 %
10	content.sciendo.com Internet Source	1 %
11	Repository.Unej.Ac.Id Internet Source	1 %
12	jurnal.unitri.ac.id Internet Source	1 %
13	cyberleninka.org Internet Source	1 %
14	David Buntoro Kamadjaja, Zefry Zainal Abidin, Riska Diana, Ikhram Kharis et al. "In Vivo Analyses of Osteogenic Activity and Bone Regeneration Capacity of Demineralized Freeze-Dried Bovine Bone Xenograft: A Potential Candidate for Alveolar Bone Fillers", International Journal of Dentistry, 2021	<1 %

- 15 [www.mdpi.com](http://www.mdpi.com) <1 %  
Internet Source
- 16 [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov) <1 %  
Internet Source
- 17 "Handbook of vitamin D in human health",  
Wageningen Academic Publishers, 2013 <1 %  
Publication
- 18 Pierre Antoine Faye, François Poumeaud,  
Federica Miressi, Anne Sophie Lia et al. "Focus  
on 1,25-Dihydroxyvitamin D3 in the Peripheral  
Nervous System", Frontiers in Neuroscience,  
2019 <1 %  
Publication
- 19 [Www.mdpi.com](http://Www.mdpi.com) <1 %  
Internet Source
- 20 [e-journal.unair.ac.id](http://e-journal.unair.ac.id) <1 %  
Internet Source
- 21 Sindy Cornelia Nelwan, Ricardo Adrian  
Nugraha, Anang Endaryanto, Frisma Dewi et  
al. "Effect of scaling and root planing on level  
of immunoglobulin E and immunoglobulin G  
in children with gingivitis and house-dust mite  
allergy: A pilot randomised controlled trial ",  
Singapore Dental Journal, 2020 <1 %  
Publication

22	citeseerx.ist.psu.edu Internet Source	<1 %
23	docplayer.info Internet Source	<1 %
24	www.aging-us.com Internet Source	<1 %
25	John M. Pettifor. "Nutritional Rickets", Pediatric Bone, 2012 Publication	<1 %
26	Melissa Crooks, Stephen Bendall. "Parathyroid hormone and vitamin D: from bench to bedside", Orthopaedics and Trauma, 2021 Publication	<1 %
27	Www.dovepress.com Internet Source	<1 %
28	ir.unimas.my Internet Source	<1 %
29	pure.uva.nl Internet Source	<1 %
30	statperson.com Internet Source	<1 %
31	www.vdd.de Internet Source	<1 %
32	Klaus Eder, Sarah M. Grundmann. "Vitamin D in dairy cows: metabolism, status and	<1 %

functions in the immune system", Archives of Animal Nutrition, 2022

Publication

---

- 33 Sasidharanpillai Sabeena, Nagaraja Ravishankar, Sudandiradas Robin, Sabitha Sasidharan Pillai. "The impact of COVID-19 pandemic on bronchiolitis (lower respiratory tract infection) due to respiratory syncytial virus: A systematic review and meta-analysis", Cold Spring Harbor Laboratory, 2022 <1 %
- Publication
- 
- 34 Tomoko Sakai, Tokumitsu Shirai, Tsutomu Oishi. "Vitamins K and D deficiency in severe motor and intellectually disabled patients", Brain and Development, 2020 <1 %
- Publication
- 
- 35 [bjsm.bmjjournals.org](http://bjsm.bmjjournals.org) <1 %
- Internet Source
- 
- 36 [papyrus.bib.umontreal.ca](http://papyrus.bib.umontreal.ca) <1 %
- Internet Source
- 
- 37 [pubannotation.org](http://pubannotation.org) <1 %
- Internet Source
- 
- 38 [www.dovepress.com](http://www.dovepress.com) <1 %
- Internet Source
- 
- 39 [www.repository.cam.ac.uk](http://www.repository.cam.ac.uk) <1 %
- Internet Source
-

40

[www.researchgate.net](http://www.researchgate.net)

Internet Source

<1 %

41

Xiaotong Kuang, Chunxiao Liu, Xiaofei Guo, Kelei Li, Qingxue Deng, Duo Li. "The combination effect of vitamin K and vitamin D on human bone quality: a meta-analysis of randomized controlled trials", Food & Function, 2020

Publication

<1 %

42

Adriana J. van Ballegooijen, Stefan Pilz, Andreas Tomaschitz, Martin R. Grüberl, Nicolas Verheyen. "The Synergistic Interplay between Vitamins D and K for Bone and Cardiovascular Health: A Narrative Review", International Journal of Endocrinology, 2017

Publication

<1 %

43

Daigo Morita, Yoshitoshi Higuchi, Kazuya Makida, Taisuke Seki, Kunihiro Ikuta, Naoki Ishiguro, Yoshihiro Nishida. "Effects of ultraviolet irradiation with a LED device on bone metabolism associated with vitamin D deficiency in senescence-accelerated mouse P6", Heliyon, 2020

Publication

<1 %

Exclude quotes

On

Exclude matches

Off

Exclude bibliography On

# The Benefits of the Combination of Vitamin D3, K2 Supplements, and UV-B Exposure for Increasing Bone Density

## A Simple Solution for Bone Health

---

### GRADEMARK REPORT

---

FINAL GRADE

/100

GENERAL COMMENTS

Instructor

---

PAGE 1

---

PAGE 2

---

PAGE 3

---

PAGE 4

---

PAGE 5

---

PAGE 6

---