# E-ISSN: 1309-100X

# Journal of

International

Dental and Medical

Research



2021 - Vol. 14 - No. 2 http://www.jidmr.com



# **Download Cover page**

[http://www.jidmr.com/journal/wpcontent/uploads/2021/07/0\_1\_14\_21\_Cover-1.pdf]

**Current Issue of JIDMR** 

Table of Contents 2021 Vol.14–No.2

[http://www.jidmr.com/journal/wpcontent/uploads/2021/07/0\_2\_14\_21\_Table\_of\_Contents-1.pdf]

# DENTISTRY

#### EXPERIMENTAL ARTICLE

1. Alendronate Associated with Bovine Bone Graft in Bone Defect Repair: A Histomorphometric Study

Douglas Bertazo Musso, Condrado Dias do Nascimento Neto, Natália Marreco Weigert, Stela Maris Wanderley Rocha, Robson Almeida de Rezende, Elizabeth Pimentel Rosetti, Rossiene Motta Bertollo, Martha Chiabai Cupertino Castro, Daniela Nascimento Silva

Pages 467-473

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/1-

D21\_1461\_Daniela\_Nascimento\_Silva\_Brazil-2.pdf]

#### EXPERIMENTAL ARTICLE

A Internet of Olivies Managementicity Orienticational Hadina Data Hadrah Last Fridmant Adda d Inte

2. Effect of Silver Nanoparticles Synthesized Using Betel Leaf Extract Added into Orthodontic Adhesive on the Bracket's Tensile Bond Strength

Yanuarti Retnaningrum, Ananto Ali Alhasyimi

Pages 474-480

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/2-

FD21\_1497\_-Ananto\_Ali\_Alhasyimi\_Indonesia-2.pdf]

#### **EXPERIMENTAL ARTICLE**

3. Reliability of Two Electronic Shade-Matching Devices

Ali A. Razooki Al-Shekhli, Isra'a Al Aubi

Pages 481-484

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/3-

D21\_1452\_Ali\_A\_Razooki\_Al\_Shekhli\_UAE-2.pdf]

#### **EXPERIMENTAL ARTICLE**

4. Polishing of zirconia reinforced lithium silicate press ceramics. An in vitro study

Elena Vasileva, Angelina Vlahova, Ilian Hristov, Stoyan Yankov, Zlatina Tomova, Zhivko Georgiev

Pages 485-488

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/4-

D21\_1446\_Stoyan\_Yankov\_Bulgaria-2.pdf]

#### **EXPERIMENTAL ARTICLE**

5. Property Test of Phosphate and Hydroxyl Groups from Lates Carcarifer Fish Scale as a Candidate for Synthetic Hydroxyapatite using the Ftir Method

Dian Agustin Wahjuningrum, Setyabudi, Anuj Bhardwaj, Syania Edinda Febriyanti, Nadia Liliani Soetjipta, Latief Mooduto

Pages 489-493

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/5-

D20\_1363\_DIAN\_AGUSTIN\_WAHJUNINGRUM\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

6. Effects of Different Prophylaxis Procedures on Titanium Implant Fixture: A Scanning Electron Microscopy Study

Zul Fahmi Bahari, Raja Azman Raja Awang, Akram Hassan

Pages 494-499

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/6-

D21\_1451\_Akram\_Hassan\_Malaysia.pdf]

#### **EXPERIMENTAL ARTICLE**

7. Pressure absorbability between polymethyl-methacrylate and thermoplastic nylon denture base materials

Elis Crystal, Hubban Nasution, Ika Andryas, Putri Welda Utami Ritonga, Siti Wahyuni, Ricca Chairunnisa, Ariyani Dallmer

Pages 500-504

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/7-

D21\_1474\_Hubban\_Nasution\_Indonesia.pdf]

#### EXPERIMENTAL ARTICLE

8. Evaluation of the Changes Created by Endosteal Implants Installed at Different Lengths, Angles and Diameters on the Maxilla and Mandible Using Three-Dimensional Modeling and Finite Elements Stress Analysis

Nedim Güneş, Rezzan Güner

Pages 505-513

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/8-

D21\_1442\_Nedim\_Gunes\_Turkey.pdf]

#### **EXPERIMENTAL ARTICLE**

9. Mechanical Evaluation of Anadara Granosa Scaffold with Various Gelatin Concentrations for Bone Regeneration

Meinar Nur Ashrin, Widyasri Praningrum, Fitria Rahmitasari, Teofilus Timon Lirungan, Ryski Dea Citra Anindita, Rima Parwati Sari

Pages 514-518

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/9-

D20\_1245\_Meinar\_Nur\_Ashrin\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

10. Antibacterial Differences Effect between Purple Leaves (Graptophyllum Pictum (L) Griff.) 70% And 96% Ethanol Extract Against Aggregatibacter Actinomycetemcomittans Bacteria

Tuti Kusumaningsih, Sidarningsih, Adi Andito Putra, Mohammed Aljunaid

Pages 519-524

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/10-

D20\_1304\_Mohammed\_Ahmed\_Aljunaid\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

11. Viability of Nigella sativa Toothpaste with SLS Compared Non-SLS on Fibroblast Cell Culture

Ernie Maduratna Setiawatie, Desi Sandra Sari, Badai Septa Wahyudadi, Eka Fitria, Shafira Kurnia, Lambang Bargowo, Maria Apriliani Gani

Pages 525-528

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/11-

D20\_1339\_Ernie\_Maduratna\_Setiawatie\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

12. Difference in Porosity Value of Mata Kucing Gum Dammar and Batu Gum Dammar

Amira Khoirunnisaa Asrorie, Elin Karlina, Kosterman Usri

Pages 529-533

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/12-

D21\_1443\_Elin\_Karlina\_Indonesia.pdf]

#### EXPERIMENTAL ARTICLE

13. Compressive Strength and Morphological Evaluation of a-Tricalcium Phosphate Based on Light-Activated Pulp Capping Material

Hendra Dian Adhita Dharsono, Elfira Megasari, Arief Cahyanto

Pages 534-537

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/13-

D21\_1445\_Arief\_Cahyanto\_Indonesia.pdf]

EXPERIMENTAL ARTICLE

14. Pressure Transmission of Thermoplastic Nylon Denture Base Using Denture Teeth with Different Cuspal Angulations

Christ Angel Bayu Nababan, Hubban Nasution, Ika Andryas

Pages 538-542

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/14-

D21\_1450\_Hubban\_Nasution\_Indonesia.pdf]

#### EXPERIMENTAL ARTICLE

15. The Expression of Tumor Necrosis Factor Alpha and Alkaline Phosphatase Due to Induction of Combination Calcium Hydroxides and Propolis

Nanik Zubaidah, Ira Widjiastuti, Nirawati Pribadi, Fresynandia Karyneisa Putri, Reyz Pasenda Mulyadi,

Felina Lucia Charyadie, Khusnul Khotimah

Pages 543-548

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/15-

D20\_1355\_Nanik\_Zubaidah\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

16. The Effect of Exposure Calcium Carbonat from Blood Cockle (Anadara Granosa) Shells to the Expression of the NF- $\kappa\beta$  on Dentin Pulp Complex

Widya Saraswati, Nina Dhaniar, Dian Agustin Wahjuningrum, Nunik Nuraini, Anuj Bhardwaj

Pages 549-553

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/16-D20\_1366\_Dian\_Agustin\_Wahjuningrum\_Indonesia.pdf]

**EXPERIMENTAL ARTICLE** 

#### 17. Accuracy of Two Electronic Dental Spectrophotometers

Ali A. Razooki Al-Shekhli, Isra'a Al Aubi

Pages 554-558

#### Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/17-

D21\_1453\_Ali\_A\_Razooki\_Al\_Shekhli\_UAE.pdf]

18. Antibacterial Activity of Red Pine (Pinus densiflora) and Sumatran Pine (Pinus merkusii) Leaf Extracts against Oral Pathogens

Dewa Made Wedagama, Dian Agustin Wahjuningrum, Ari Subiyanto, Fami Widya Pangestika, Kirana Guspiari, Setyabudi Goenharto, Velayutham Gopikrishna

Pages 559-562

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/18-

D21\_1472\_Dian\_Agustin\_Wahjuningrum\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

19. The Effect of Papaya Seeds Extracts Nanoliposomes Administration on Osteoclasts Number of Diabetic Periodontitis Animal Model

Ratih Pusporini, Khusnul Munika Listari, Yuli Nugraeni, Lukman Hakim Hidayat, Maria Elizabeth Indriyani Togu Ito

Pages 563-568

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/19-

D20\_1359\_Ratih\_Pusporini\_Indonesia.pdf]

#### EXPERIMENTAL ARTICLE

20. Handling Property Improvement of Nano Calcium Hydroxide from Indonesian Limestone with Different Solvent Vehicles

Ira Artilia, Atia Nurul Sidiqa, Myrna Nurlatifah Zakaria, Arief Cahyanto

Pages 569-573

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/20-D20\_1368\_Myrna\_Nurlatifah\_Zakaria\_Indonesia.pdf]

#### EXPERIMENTAL ARTICLE

21. Effect of Concentration Differences of Snail Mucus Gel (Achatina Fulica) on Collagen Density and Wound Closure Rate in Wistar Rat Skin Punch Biopsy Wounds

Antonius Surya Soetijono Putra, Rahardjo, Cahya Yustisia Hasan, Tri Wahyu Pangestiningsih

Pages 574-579

Full Text

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/21-D20 1369 Cahya Yustisia Hasan Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

22. The Expression of HSP-60 and MMP-8 on Orthodontic Tooth Movement in the Alveolar Bone after Sodium Fluoride Topical Administration

Rina Sutjiati, Sulistiyani, Rudy Joelijanto, Dwi Priyatmoko, Herniyati, Leliana Sandra Deviade, Atha RamadhonaYaniar, ShobrinaWahyuni

Pages 580-584

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/22-

D20\_1372\_Rina\_Sutjiati\_Indonesia-1.pdf]

**EXPERIMENTAL ARTICLE** 

00 laftinenna of Plinedida an Danskana-Kastine Via the Daliman ladinaad ( inid Daarimaa

23. Influence of Fluoride on Remineralization via the Polymer-Induced Liquid-Precursor Process on Dentine Hardness

Cut Thysa, Nilakesuma Djauharie, Ratna Meidyawati, Chaira Musytaka

Pages 585-590

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/23-

D20\_1384\_Cut\_Thysa\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

24. Expression of COX-2 on Oral Ulcer Healing with Mangosteen Rind Paste

Lanny Sunarjo, Supriyana, Diyah Fatmasari

Pages 591-594

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/24-

D20\_1385\_Lanny\_Sunarjo\_Indonesia.pdf]

#### **EXPERIMENTAL ARTICLE**

25. BMP4 SNP Rs17563 T>C Gene Polymorphism on Non-Syndromic Cleft Lip/Palate in an Indonesian Population

Mala Kurniati, Agung Sosiawan, RM. Coen Pramono, Harianto Notopuro, Indah Nuraini, Qurrota A'yun

Pages 595-599

Full Text

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/25-

D21\_1388\_Mala\_Kurniati\_Indonesia-1.pdf]

#### EXPERIMENTAL ARTICLE

26. The Effect of Ultrasonic Activation on Push-Out Bond Strengths of Two Calcium Silicate-Based Sealers to the Root Canal Wall

Stiza Tanita, Anggraini Margono, Dewa Ayu Nyoman Putri Artiningsih

Pages 600-605

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/26-

D21\_1399\_Stiza\_Tanita\_Wiranatakusumah\_Indonesia-1.pdf]

#### EXPERIMENTAL ARTICLE

27. A Simulation of Fracture Resistance and Stress Distribution of Endocrown in Different Depth of Pulp Chamber and Modification: Finite Element Analysis

Hilma Fitria Zulfa Noor, Trimurni Abidin, Rasinta Tarigan, Indra

Pages 606-612

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/27-

D21\_1406\_Hilma\_Fitria\_Zulfa\_Noor\_Indonesia-1.pdf]

#### **EXPERIMENTAL ARTICLE**

28. Osteoblast on Porous HA-TCP Scaffold Derived from Blood Cockle Shells Synthesis: In Vivo Study

Widyasri Prananingrum, Sularsih, Meinar Nur Ashrin, Syamsulina Revianti, Rima Parwati Sari

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/28-

D21\_1411\_Widyasri\_Prananingrum\_Indonesia-1.pdf]

#### **EXPERIMENTAL ARTICLE**

29. OPG and RANKL Expression in Osteoblast Culture after Application of Osphronemus Gourami Fish Scale Collagen Peptide

I Komang Evan Wijaksana, Chiquita Prahasanti, Lambang Bargowo, Rika Mutiasari Sukarsono, Agung Krismariono

Pages 618-622

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/29-D21\_1420\_Chiquita\_Prahasanti2\_Indonesia-1.pdf]

#### **EXPERIMENTAL ARTICLE**

30. Demineralized Freeze-dried Bovine Bone Xenograft Granules as Alveolar Bone Substitutes: A Profile Study

Liska Barus, Virna Septianingtyas, Pramudya Bagas Febriadi, I Made Hendra, Arina Farmalabitta Annis, RM Haffiyan Satria, Natalia Ika Wibisono, Ellen Satya Pratiwi, Anindita Zahratur Rasyida, Indra Mulyawan, Andra Rizqiawan, Ni Putu Mira Sumarta, Coen Pramono Danudiningrat, David Buntoro Kamadjaja, Muhammad Subhan Amir

Pages 623-628

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/30-

D21\_1422\_Muhammad\_Subhan\_Amir\_Indonesia-1.pdf]

#### EXPERIMENTAL ARTICLE

31. Effect of Contraception on the Expression of Cytokeratin 1 in Epithelial Cells of the Palatal Mucosa and Salivary Estrogen

Juni Handajani, Urfa Tabtila, Swastiana Eka Yunita

Pages 629-632

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/31-

D21\_1426\_Juni\_Handajani\_Indonesia-1.pdf]

#### CLINICAL ARTICLE

32. Histological Evaluation of Caries–Treated Teeth Following Clinical Visual and Tactile Inspection

Asfizahrasby Mohd Rasoul, Faizah Abdul Fatah, Aisyah Binti Mohd Soufi, Wan Husna Izzati Wan Hussin

Pages 633-638

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/32-

D20\_1227\_Asfizahrasby\_Mohd\_Rasoul\_Malaysia.pdf]

#### CLINICAL ARTICLE

33. Dental Hypnosis Effectiveness to Cortisol Levels as Dental Anxiety Biomarker and Its Correlation with QoL

Gilang Yubiliana, Ardini S. Raksanagara, Sri Susilawati

Pages 639-644

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/33-

D20\_1319\_Gilang\_Yubiliana\_Indonesia-1.pdf]

#### **CLINICAL ARTICLE**

34. Study and Analysis of Patients' Psychophysiological Characteristics of Post-Prosthetic Inflammatory Complications at Dental Implantation

Yuliya A. Makedonova, Dmitriy V. Mikhalchenko, Rodion A. Kudrin, Viktoriya N. Naumova, Valeriy F. Mikhalchenko, Lyudmila M. Gavrikova, Svetlana V. Stavskaya

Pages 645-653

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/34-

D21\_1410\_Yuliya\_A\_Makedonova\_Russia-1.pdf]

#### CLINICAL ARTICLE

35. Effectiveness of Mangosteen (Garcinia Mangostana L.) Peel Gel on the MMP-8 Levels in Chronic Periodontitis Patients after Scaling and Root Planing

Ina Hendiani, Dyah Nindita Carolina, Steffi Triany Arnov, Nunung Rusminah, Amaliya Amaliya, Agus Susanto, Ira Komara

Pages 654-659

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/35-

D20\_1376\_Amaliya\_Amaliya\_Indonesia-1.pdf]

#### **CLINICAL ARTICLE**

36. Perception and Attitude regarding the Relevance of Tooth Morphology Carving Exercises: Malaysian Undergraduate Dental Students Perspective

Anitha Krishnan Pandarathodiyil, Priyadarshini HR, Sulinda Daud, Mohamad Nurul Islam, Elise Monerasinghe

Pages 660-665

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/36-

D20\_1380\_-Anitha\_Krishnan\_Pandarathodiyil\_Malaysia-3.pdf]

#### **CLINICAL ARTICLE**

37. Dental Caries Experience and Associated Factors Among 12-year-old Schoolchildren in East Jakarta, Indonesia

Armasastra Bahar, Herialdi Hardan Permana, Risqa Rina Darwita, Febriana Setiawati, Atik Ramadhani, Anton Rahardjo, Diah Ayu Maharani

Pages 666-670

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/37-

D21\_1435\_Diah\_Ayu\_Maharani\_Armasastra\_Bahar\_Indonesia-1.pdf]

#### **CLINICAL ARTICLE**

38. The Role Of TNF-A in Saliva and Gingival Fluid in Patients with Chronic Periodontitis and Type 2 Diabetes Mellitus

Bunjaku V, Popovska M, Todoroska S, Rusevska B, Cana A, Spasovski S, Spasovska-Gjorgovska A

Pages 0/1-0/9

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/38-

D21\_1458\_Sashka\_Todoroska\_Macedonia-1.pdf]

#### **CLINICAL ARTICLE**

39. The Relationship between Mandibular Cortical width and Age in Elderly Indonesian Women

Stevie Kristianti, Bramma Kiswanjaya, Menik Priaminiarti, Hanna H Bachtiar Iskandar

Pages 680-685

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/39-

D20\_1377\_Bramma\_Kiswanjaya\_Indonesia-1.pdf]

CLINICAL ARTICLE

40. Prevalence of Malocclusion and Orthodontic Treatment Need in Children with Autism

Elih Sayuti, Deni Sumatri Latif, Melinda Aziz, Inne Suherna Sasmita

Pages 686-690

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/40-

D21\_1389\_Elih\_Sayuti\_Indonesia-1.pdf]

CLINICAL ARTICLE

41. Prevalence of Dental Anxiety Among Transgender Women in Malaysia and its Associated Factor

Abdul Hadi Said, Farah Natashah Mohd, Khairunnisa Abu Zarim, Ruziantee Ibrahim, Samsul Draman

Pages 691-695

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/41-

D21\_1400\_Farah\_Natashah\_Mohd\_Malaysia-1.pdf]

#### CLINICAL ARTICLE

42. Craniofacial Temperature Differences between Permanent and Temporary Residents in Arctic Zone Through Infrared Thermographic Analysis

Abdillah Imron Nasution, Mikhail Nikolaevich Pankov

Pages 696-703

Full Text PD

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/42-

D21\_1429\_Abdillah\_Imron\_Nasution\_Indonesia-1.pdf]

CLINICAL ARTICLE

43. Perception of Repaired Cleft Lip Aesthetics among Professionals, Laypersons and Patients with Cleft Using Three-Dimensional Images

Siti Adibah Othman, Mabel Low

Pages 704-709

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/43-

D21\_1402\_Siti-Adibah\_Othman\_Malaysia.pdf]

#### **CLINICAL ARTICLE**

44. The Ocumulation between the Fearland Onel Health Knowledge Balated to Dantel

44. The Correlation between the Fear Level and Oral Health Knowledge Kelated to Dental Treatment During the COVID-19 Pandemic Outbreak

Liza Meutia Sari, Liana Rahmayani, Poppy Andriany, lin Sundari, Dina Keumala Sari

Pages 710-716

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/44-

D20\_1378\_Liza\_Meutia\_Sari\_Indonesia-1.pdf]

#### CLINICAL ARTICLE

45. The Emotional Impact of the Coronavirus Disease 2019 (COVID-19) Pandemic on the Dental Students During the Lockdown Time

Kamis Gaballah

Pages 717-721

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/45-

D21\_1427\_Khamis\_Gaballah\_UAE-1.pdf]

#### **CLINICAL ARTICLE**

46. The Prevalence of Microorganism in Paediatric Angular Cheilitis Patients

Wilda Hafny Lubis, Nurdiana, Mirzan Hasibuan

Pages 722-725

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/46-

D21\_1390\_Wilda\_Hafny\_Lubis\_Indonesia-1.pdf]

#### CLINICAL ARTICLE

47. Evaluation of Hypothermic and Analgesic Effects of Local Anesthetics Based on Non-Contact Thermography and Registration of Evoked Responses

Yuriy Vasil'ev, Grand, Renata Meylanova, Vadim Paterikin, Sergey Rakita, Zinaida Aymaletdinova, Hadi Darawsheh, Vasiliy Troitskiy, Aleksandr Aleksandrov, Vera Laptina

Pages 726-735

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/47-

D21\_1433\_Yuriy\_Vasil\_ev\_Russia.pdf]

#### CLINICAL ARTICLE

48. The Effect of Topical Application of 3% Binahong (Anredera cordifolia (Ten) Steenis)) Leaves Extract Gel on the Radiographic Bone Density in Post-Extraction Socket

Olivia Avriyanti Hanafiah, Diana Sofia Hanafiah, Rahmi Syaflida

Pages 736-741

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/48-

D21\_1409\_Olivia\_Afriyanti\_Hanafiah\_Indonesia-2.pdf]

#### CLINICAL ARTICLE

49. Association of Headache with Myogenous and Arthrogenous type of Temporomandibular Joint Disorders

Junaid Ahmed, Anu Sara Jacob, Nanditha Sujir, Nandita Shenoy, Almas Binnal

Pages /42-/45

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/49-

D21\_1393\_Nanditha\_Sujir\_India.pdf]

#### CLINICAL ARTICLE

50. Soft Tissue Recurrence of Ameloblastoma after Mandibular Resection

Yosaphat Bayu Rosanto, Poerwati Soetji Rahajoe

Pages 746-749

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/50-

D21\_1424\_Poerwati\_Soetji\_Rahajoe\_Indonesia.pdf]

CLINICAL ARTICLE

51. Modified Gustafson's Method for Age Estimation from Premolars: A Study Employing Dental Panoramic Tomographs

Donni Sonjaya, Phrabhakaran Nambiar, Haslinda Ramli, Aspalilah Alias

Pages 750-756

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/51-

D21\_1408\_Aspalilah\_Alias\_Malaysia.pdf]

CLINICAL ARTICLE

52. Qualitative Study of Perception of COVID-19 Prevention among Dental Healthcare Personnel using the Health Belief Model

Goalbertus, Ella Nurlaela Hadi

Pages 757-762

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/52-

D21\_1431\_Goalbertus\_Indonesia-2.pdf]

#### **CLINICAL ARTICLE**

53. Predisposing Factors for Post-Operative Complications of Mandibular Resection and Reconstruction with Plates

Lilies Dwi Sulistyani, Hananto Anggoro Wiryawan, Andrianto Soeprapto, Vera Julia, Eky Nasuri

Pages 763-767

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/53-

D21\_1477\_Rani\_Lilies\_Dwi\_Sulistyani\_Indonesia-1.pdf]

CASE REPORT

54. A Surgeon–Friendly BSSO by the Novel Modification of Low Z Plasty: Approach Focus and Case Report: A Case Report

Narissaporn Chaiprakit, Chanekrid Oupadissakoon, Awiruth Klaisiri, Siripatra Patchanee

Pages 768-772

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/54-

D21\_1460\_Awiruth\_Klaisiri\_Thailand.pdf]

CASE REPORT

FF. One and Findule Olecule Heline Medified VV Bushback Technisme & One Barret



**EXPERIMENTAL ARTICLE** 

60. Stress-Protected Effect of Torasemide in Acute Immobilization Stress in Rats



M21\_1425\_Purwo\_Sri\_Rejeki\_Indonesia-1.pdf]

#### **CLINICAL ARTICLE**

63. Combined Method of Treatment of Dentists in the Early Stages of Osteochondrosis of the Cervical Spine

Zhandarov K.A, Ogarev E.V, Chekanov M.S, Vasil'ev Yu.L, Meylanova R.D, Kryuchko P.V, Dydykin S.S

Pages 825-834

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/63-

M21\_1397\_Yuriy\_Vasil\_ev\_Zhandarov\_K\_A\_Russia..pdf]

#### **CLINICAL ARTICLE**

64. Biofeedback Exercise and its Relation to Pelvic Floor Muscle Strength: An Experiment at 3 Weeks and 6 Weeks Postpartum

Eighty Mardiyan Kurniawati, Maria Diah Zakiyah, Rwahita Satyawati Dharmanta, Gatut Hardianto, Hari Paraton, Nur Anisah Rahmawati

Pages 835-840

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/64-

FM21\_1438\_Eighty\_Mardiyan\_Kurniawati\_Indonesia-3.pdf]

#### **CLINICAL ARTICLE**

65. The Degree of Pineal Gland Calcification in the Aged People is Associated with Changes in the Internal Structure

Ivan I. Starchenko, Ruslana M. Grinko, Anastasiia D. Shkodina, Borys M. Filenko, Nataliia I. Vynnyk, Nataliia V. Roiko, Serhiy A. Proskurnya, Svitlana M. Sovhyria, Valentyna V. Cherniak, Victoriia I. Babenko

D---- 044 044

Pages 841-844

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/65-

M21\_1464\_Borys\_Filenko\_Ukraine.pdf]

#### CLINICAL ARTICLE

66. Determinant Factors that has Associated with Incidence of Postpartum Blues in the one of Primary General and Maternity Clinic in East Java, Indonesia

Lelly Aprilia Vidayati, Hamimatus Zainiyah

Pages 845-848

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/66-

M21\_1468\_Lelly\_Aprilia\_Vidayati\_Indonesia-1.pdf]

CLINICAL ARTICLE

67. Correlation Between VEGF and EGFR Expression in Urothelial Carcinoma of Bladder

Anny Setijo Rahaju, Arifa Mustika, Priangga Adi Wiratama, Leonita Agustina Hambalie, Novalia Guntarno, Lukman Hakim, Doddy M. Soebadi

Pages 849-854

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/67-

M21\_1455\_Arifa\_Mustika\_Indonesia.pdf]

CLINICAL ARTICLE

68. Analysis of Sibling Pair Relationships of Balineses Indonesia, Using 12 STR Loci for Human Identification Process

Abdul Hadi Furqoni, Retno Palupi, Ahmad Yudianto, Agung Sosiawan, Ni Wajan Tirthaningsih, Faith Fore, Dewi Setyowati

Pages 855-859

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/68-

M21\_1469\_Agung\_Sosiawan\_Indonesia.pdf]

REVIEW

69. Compliance with Accreditation and Standardization of Point of Care Testing – From Vision to Action

Rubina Lone, Shiefa Sequeira, Nisha Shantakumari

Pages 860-864

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/69-

M21\_1403\_Nisha\_Shantakumari\_UAE.pdf]

REVIEW

#### 70. Gastroesophageal Reflux Disease: Facts and Myths

Titong Sugihartono, Muhammad Miftahussurur, Rentha Monica Simamora, Kuntaman Kuntaman, Yudith Annisa Ayu Rezkitha, Yoshio Yamaoka

Pages 865-874

Full Text PDF

[http://www.jidmr.com/journal/wp-content/uploads/2021/07/70-

M21\_1428\_Muhammad\_Miftahussurur\_Indonesia.pdf]



💆 🛞

Journal of International Dental and Medical Research

# **Editorial Board of JIDMR**

Prof. Dr. Izzet YAVUZ Editor-in-Chief and General Director

# **Advisory Board**

Prof. Dr. Refik ULKU Editor for Medicine Prof. Dr. Zulkuf AKDAG Editor for Biomedical Research

Prof. Dr. Ozkan ADIGUZEL Associate Editor

Gajanan Kiran KULKARNI (CANADA) Betul KARGUL (TURKEY) Diah Ayu MAHARANI (INDONESIA) Francisco Cammarata-Scalisi (Venezuela) Myroslav Goncharuk-Khomyn (UKRAINE) Ferranti WONG (UK) Zeki AKKUS (TURKEY) Michele CALLEA (ROME, ITALY) Zelal ULKU (TURKEY) Moschos A. PAPADOPOULOS (GREE Lindawati S KUSDHANY (INDONESIA Yasemin YAVUZ (TURKEY) Yuliya MAKEDONOVA (RUSSIA) Nik Noriah Nik HUSSEIN (MALAYSIA)

# **Editorial Board**

Abdel Fattah BADAWI (EGYPT)	Guvenc BASARAN (TURKEY)	Nezahat AKPOLAT (TURKEY)
Abdurrahman ONEN (TURKEY)	Guven ERBIL (TURKEY)	Nihal HAMAMCI (TURKEY)
Ahmet YALINKAYA (TURKEY)	Halimah AWANG (MALAYSIA)	Nik Noriah Nik HUSSEIN (MALAYSIA)
Ahmet DAG (TURKEY)	Halit AKBAS (TURKEY)	Nicola Pranno (ROME)
Ali Al-ZAAG (IRAQ)	Heloisa Fonseca MARAO (BRAZIL)	Nurten AKDENIZ (TURKEY)
Ali BUMIN (TURKEY)	Hilal TURKER (TURKEY)	Nurten ERDAL (TURKEY)
Ali FADEL (EGYPT)	Huseyin ASLAN (TURKEY)	Orhan TACAR (TURKEY)
Ali GUR (TURKEY)	Igor BELYAEV (SWEDEN)	Ozant ONCAG (TURKEY)
Ali Riza ALPOZ (TURKEY)	Ilhan INCI (ZURICH)	Ozgur UZUN (TURKEY)
Ali Riza Tunçdemir (TURKEY)	llker ETIKAN (TURKEY)	Ozkan ADIGUZEL (TURKEY)
Allah Bakhsh HAAFIZ (USA)	Isil TEKMEN (TURKEY)	Rafat Ali SIDDIQUI (PAKISTAN)
Alpaslan TUZCU (TURKEY)	Isin ULUKAPI (TURKEY)	Refik ULKU (TURKEY)

#### Alpen ORTUG (TURKEY)

Armelia Sari WIDYARMAN (INDONESIA)

Ashish AGGARWAL (INDIA)

Ayse GUNAY (TURKEY)

Aziz YASAN (TURKEY)

Awiruth KLAISIRI (THAILAND) Balasubramanian MADHAN (INDIA)

Benik HARUTUNYAN (ARMENIA)

Betul KARGUL (TURKEY)

Betul URREHMAN (UAE)

Bugra OZEN (TURKEY)

Carlos Menezes AGUIAR (BRAZIL)

Cemil SERT (TURKEY)

Chiramana SANDEEP (INDIA)

Christine Bettina STAUDT (SWITZERLAND)

Cihan AKGUL (TURKEY)

Claudia DELLAVIA ( ITALY )

Diah Ayu MAHARANI (INDONESIA)

Dinesh Rokaya (NEPAL)

Edoardo BAUNER (ROMA)

Emmanuel Joao N. Leal da SILVA (BRAZIL)

Emin Caner TUMEN (TURKEY) Emrullah BAHSI (TURKEY)

Ertunc Dayı (TURKEY)

Fadel M. ALI (EGYPT)

Fahinur ERTUGRUL (TURKEY)

Feral OZTURK (TURKEY)

Feridun BASAK (TURKEY)

Ferranti WONG (UNITED KINGDOM)

Feyzi Çelik (TURKEY)

Feyzullah Uçmak (TURKEY)

Figen SEYMEN (TURKEY)

Filippo BATTELLI (ITALY)

Filiz Acun KAYA (TURKEY)

Flavio Domingues Das NEVES (BRAZIL)

Folakemi OREDUGBA (NIGERIA)

Kemal CIGDEM (TURKEY) Kemal NAS (TURKEY) Kewal KRISHAN (INDIA) King Nigel MARTYN(HONG KONG, CHINA) Kursat ER (TURKEY) Levent ERDINC (TURKEY) Luca TESTARELLI (ROME) Lucianne Cople MAIA (BRAZIL) Luciane Rezende COSTA (BRAZIL) Marri Sai ARCHANA (INDIA) Manoj KUMAR (INDIA) Marcelo Rodrigues AZENHA (BRAZIL) Marcia Cancado FIGUEIREDO (BRAZIL) Marco MONTANARI (ITALY) Margaret TZAPHLIDOU (GREECE) Maria Elisa Oliveira dos SANTOS (BRAZIL) Medi GANIBEGOVIC (BOSNIA and HERZEGOVINA) Mehmet DOGRU (TURKEY) Mehmet Emin ERDAL (TURKEY) Mehmet Sinan DOGAN (TURKEY) Mehmet Zulkuf AKDAG (TURKEY) Meral ERDİNC (TURKEY) Michele CALLEA (ITALY) Mohamed TREBAK (USA) Mohammad Khursheed Alam (KSA) Mohammad SUHRON (INDONESIA) Mohammed Mustahsen URREHMAN (UAE) Moschos A. PAPADOPOULOS (GREECE) Mostaphazadeh AMROLLAH (IRAN) M.S. Rami REDDY (INDIA) Muhammad FAHIM (INDIA) Mukadder ATMACA (TURKEY) Murat AKKUS (TURKEY) Murat SOKER (TURKEY) Mustafa KELLE (TURKEY)

Jalen DEVECIOGLU KAMA (TURKEY)

Sabiha Zelal ULKU (TURKEY) Sabri BATUN (TURKEY) Sadullah KAYA (TURKEY) Saul Martins PAIVA (BRAZIL) Sedat AKDENIZ (TURKEY) Seher GUNDUZ ARSLAN (TURKEY) Selahattin ATMACA (TURKEY) Selahattin TEKES (TURKEY) Serdar ERDINE (TURKEY) Serdar ONAT (TURKEY) Sergio Adriane Bezerra DE MOURA (BRAZIL) Serhan AKMAN (TURKEY) Sertac PEKER (TURKEY) Seyed Amir Danesh SANI (USA) Seyit Burhanedtin ZINCIRCIOGLU (TURKEY) Shailesh LELE (INDIA) Sinerik N. AYRAPETYAN (ARMENIA) Smaragda KAVADIA (GREECE) Sossani SIDIROPOULOU (GREECE) Stefano Di CARLO (ROME) Sunit Kr. JUREL (INDIA) Stephen D. SMITH (USA) Susumu TEREKAWA (JAPAN) Suha TURKASLAN (TURKEY) Suleyman DASDAG (TURKEY) Taskin GURBUZ (TURKEY) Ufuk ALUCLU (TURKEY) Ugur KEKLIKCI (TURKEY) Xiong-Li YANG (CHINA) Vatan KAVAK (TURKEY) Yasar YILDIRIM (TURKEY) Yasemin YAVUZ (TURKEY) Yavuz SANISOGLU (TURKEY) Yu LEI (USA) Yuri LIMANSKI (UKRAINE) Zafer C. CEHRELI (TURKEY)

Francesca De ANGELIS (ITALY)	Mustafa ZORTUK (TURKEY)	Zeki AKKUS (TURKEY)
Gaetano PAOLONE (ITALY)	Muzeyyen YILDIRIM (TURKEY)	Zuhal KIRZIOGLU (TURKEY)
Gajanan Kiran KULKARNI (CANADA)	Neval Berrin ARSERIM (TURKEY)	Zurab KOMETIANI (GEORGIA)
Gamze AREN (TURKEY)		
Gauri LELE (INDIA)		
Gonul OLMEZ (TURKEY)		
Gulsen YILMAZ (TURKEY)		
Gulten UNLU (TURKEY)		

Design:TwTDizayn

www.jidmr.com

www.journalofinternationaldentalandmedicalresearch.com

💆 🙍

## Correlation Between VEGF and EGFR Expression in Urothelial Carcinoma of Bladder

Anny Setijo Rahaju<sup>1,2,3,4</sup>, Arifa Mustika<sup>5</sup>\*, Priangga Adi Wiratama<sup>2,4</sup>, Leonita Agustina Hambalie<sup>2</sup>, Novalia Guntarno<sup>2</sup>, Lukman Hakim<sup>4,6</sup>, Doddy M. Soebadi<sup>4,6</sup>

- 1. Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia.
- 2. Department of Anatomical Pathology, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia.
- 3. Universitas Airlangga Hospital, Surabaya, Indonesia.
- 4. Dr. Soetomo General Academic Hospital, Surabaya, Indonesia.
- 5. Department of Anatomy, Histology, and Pharmacology, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia.
- 6. Department of Urology, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia.

## Abstract

Bladder cancer is the ninth malignancy of the genitourinary system in the world. Urothelial cell carcinoma is the commonest histological type. There are no good therapeutic options to date. Vascular endothelial growth factor (VEGF) is a growth factor that is essential to stimulate angiogenesis. Tumor growth relies on angiogenesis and determines the therapy. The epidermal growth factor receptor (EGFR) is known as a tyrosine kinase transmembrane receptor. EGFR is involved in the regulation of VEGF. Several researches have shown that EGFR stimulation induces VEGF expression. Therefore, this research was conducted to analyze the relationship between VEGF and EGFR, as the basis of therapy using anti-VEGF and anti-EGFR. An observational research was conducted on 53 formalin fixed paraffin-embedded tissue from Radical Cystectomy patients urothelial carcinoma of bladder which was at Dr. Soetomo General Academic Hospital Surabaya, Indonesia during 2010 - 2019. Immunohistochemistry was conducted using VEGF and EGFR antibodies. Significant positive correlation was seen between EGFR and VEGF expression in bladder urothelial carcinoma. VEGF and EGFR expression can use as the basis of therapy using anti-VEGF and anti-EGFR in bladder urothelial carcinoma.

Clinical article, (J Int Dent Med Res 2021; 14(2): 849-854) Keywords: Urothelial carcinoma of Bladder, VEGF, EGFR Received date: 14 March 2021

# Accept date: 24 April 2021

### Introduction

Urothelial cancer is one of the top ten most general types of cancer of the genitourinary system worldwide <sup>2,3</sup> with roughly 430,000 cases and ranks 13th in terms of yearly cancer deaths <sup>3</sup>. Bladder cancer also ranks 7th for the most common malignancy in men, with men having respective incidence and mortality rates four times higher than women globally <sup>2</sup>. In 2018, it was predicted that there would be over 80,000 recent cases of bladder cancer identified in USA, with over 15.000 deaths <sup>4</sup>. Cigarette smoking is known as the main risk factor for bladder cancer. In the United States, approximately 50% of bladder

\*Corresponding author: Arifa Mustika, Division of Pharmacology and Therapy, Department of Anatomy, Histology, and Pharmacology, Faculty of Medicine Universitas Airlangga, JI Moestopo 47 Surabaya, Indonesia E-mail : arifa-m@fk.unair.ac.id

cancer cases are related to smoking in both sexes, other than water contaminant and exposure to chemical<sup>2</sup>.

Tumor growth determines the therapy and prognosis of a patient. Angiogenesis, a process where new blood vessels form and distribute nutrients and oxygen to highly proliferative tumor cells, can strongly affect the growth of tumor <sup>5</sup>. Vascular endothelial growth factor (VEGF) is the angiogenic component that is important to stimulate angiogenesis and tumor growth factors. The significance of the VEGF expression has been recognized and researched in different types of cancer. Various researches have investigated the function of VEGF in bladder cancer development and invasion 6-8.

А tyrosine kinase transmembrane receptor, Epidermal growth factor receptor (EGFR), heavily affects carcinogenesis <sup>9</sup>. It is overexpressed in many tumors, such as head and neck, colon, lung, breast, kidney, bladder and prostate cancer<sup>9</sup> VEGF released from

Volume · 14 · Number · 2 · 2021

tumor cells stimulates the proliferation and sprouting of endothelial cells <sup>10</sup>. The significance of the VEGF expression has been investigated in various types of cancer. Several researches have investigated the role of VEGF in bladder cancer progression and invasion <sup>6–8</sup>.

EGFR is embroiled in the control of VEGF. Several researches have shown that EGFR stimulation induces VEGF expression Biological agents alone or combined with other cytotoxic therapies targeting EGFR and VEGF pathways are proven to show clinical benefits in various cancers in humans. Inhibition of VEGFrelated pathways is suspected to effect the mechanism of action agents that target EGFR. However, over activation of VEGF expression, which is independent of EGFR signaling, could result in tumor resistance towards anti-EGFR therapy <sup>12,13</sup>. Therefore, this study analyzes the role and the relationship between EGFR and VEGF in bladder cancer, as the basis of therapy using anti-VEGF and anti-EGFR.

# Materials and methods

An analytic observational study was done on 53 paraffin-embedded tissues fixed in formalin from Radical Cystectomy (RC) patiens urothelial carcinoma of bladder which were at Dr. Soetomo General Academic Hospital's Anatomical Pathology Laboratory at Surabaya Indonesia during 2010 - 2019. Immunohistochemistry was conducted using VEGF and EGFR antibodies, measured and statistically analyzed to find the correlations between VEGF and EGFR in urothelial carcinoma of bladder.

# Immunohistochemistry Staining

A 4µm cut of paraffin block, was sectioned into slides, each deparaffinized three times for 5 minutes with xylol, and rehydrated using graded alcohol for 2 minutes each. In order to reduce nonspecific staining caused by peroxidized block, hydrogen peroxide was used to incubate the slides for 10-15 minutes. Antigen retrieval was carried out using microwave treatment in sodium citrate buffer in pH 6.0 at 95°C for 45 minutes, then background sniper was applied (Biogear -Excell Block). Slides were incubated overnight with monoclonal antibodies for VEGF (C-1 - sc 7269 dilutions 1:200; Santa Cruz Biotechnology) and EGFR (0.N.268: sc-71034; dilution 1:100; Santa Cruz Biotechnology), and washed in phosphates buffer saline. It was followed by a

secondary antibody (Biogear Universal HRP Excell Stain System – Biogear, BDK-HES125) for 10 minutes at room temperature and DAB chromogen for 5-15 minutes. Slides then were counterstained with Meyer's hematoxillin and dehydrated with 95% alcohol. We use human placental tissue as a positive control for EGFR while human liver tissue as a positive control for VEGF.

Evaluation of Immunohistochemistry Expression

The expression of VEGF and EGFR was evaluated by two pathologists using Olympus CX41RF light microscopes in the blinded fashion and documented using Olympus DP2-BSW. The VEGF expression was interpreted in accordance with the intensity and percentage in the cytoplasm of tumor cells. The percentage of tumor cell positively stained was determine by counting the tumor cell that had the highest immunoreactivity, as 0 (< 10%); 1 (≥10% -≤25%); 2 (>25% - <50%) and 3 (≥ 50%). The staining intensity was scored as 1; 2; 3 for weak, moderate, and strong. Then intensity and percentage scores were summed and considered as total score 0-2 (negative), total score 3-4 (positive), and 5-6 (strongly positive) <sup>14</sup>.

EGFR expression was evaluated on the percentage of membranous and cytoplasmic and the intensity of tumor cells staining as follows: 0 for no positive cells; 1(1-25%); 2(26-50%); 3(51-75%); and 4(>75%). The staining intensity for EGFR was scored as 0 (absent), 1 (weak), 2 (moderate), and 3 (strong). Then, the calculation of the final score was done by multiplying the score of staining intensity and percentage of stained cells. The negative group had a score of 0, weak had a score of 1-4, moderate had a score of 5-8 and strong had a score of 9-12<sup>9</sup>.

# Results

Four hundred and three patients were obtained from ten years the medical record. There is fifty-three Radical Cystectomy patients urothelial carcinoma of bladder. SPSS v 25.0 was used to calculate statistical analyses and Spearman's test was employed to analyze the correlation between VEGF and EGFR with significance level of p<0.05. The correlation between EGFR and VEGF expression in bladder urothelial carcinoma was significant positive correlation  $r_s = 0.418$ ; p=0.002 (p<0.05), (Table 1, 2, Figure 1).

 $Volume \cdot 14 \cdot Number \cdot 2 \cdot 2021$ 

Variable	Score		
VEGF	Negative	(Score 0-2)	10
	Positive	(Score 3-4)	18
	Strong positive	(Score 5-6)	25
	Total		53
EGFR	negative	(Score 0)	16
	weak	(Score 1-4)	28
	moderate	(Score 5-8)	7
	Strong	(Score 9-12)	2
	Total		53

Table	1.	Immunohistochemistry	of	VEGF	and
EGFR.					

Correlation between	EGFR and VEGF
<i>r</i> <sub>s</sub>	0.418*
р	0.002
n	53

**Tabel 2.** Spearman Test of Correlation between EGFR and VEGF in bladder urothelial cell carcinoma.  $*\alpha < 0.05$ , considered as significant.



**Figure 1.** VEGF expression, 400 HPF (A.Weak, B.Moderate, and C.Strong); EGFR expression, 400 HPF (D. Weak, E. Moderate, and F. Strong).

# Discussion

VEGF positive immunoreaction was observed as a brown color staining localized in the cytoplasm, and EGFR expressed was found at the plasma membrane and/or cytoplasm of the cell. A significant positive correlation was found between VEGF and EGFR expression in bladder urothelial carcinoma ( $r_s = 0.273$ ; p=0.048).

Of all samples (53 samples), 43 samples

(81.1%) were positive for VEGF, indicating that most of the samples expressed VEGF, which means that it has the opportunity to do therapy with anti-VEGF. VEGF is an angiogenic factor that is important to stimulate angiogenesis and tumor growth factors <sup>6–8</sup>. The growth of tumor is heavily affected by angiogenesis, which is the formation of blood vessels that distribute nutrients and oxygen to higly proliferate tumor cells <sup>5</sup>.

VEGF, a member of a gene family, is known to be one of the main regulators of pathological and physiological angiogenesis <sup>15,16</sup>. Several studies found that VEGF is highly expressed in various cases of tumors in humans <sup>16–18</sup>.Initially, the expression of VEGFR-2 was prefominantly found in endothelial cells while VEGF-A expression was detected in various tumor cell lines <sup>16,19</sup>. VEGF released from tumor stimulates the proliferation and sprouting of endothelial cells <sup>10</sup> Although angiogenesis induction may cater the tumor with more nutrients and oxygen at first, the utmost response is insufficient. This is due to the continuously remodeled vasculature of tumor that is tortuous and leaky, which causes irregular blood flows <sup>10</sup>. The significance of VEGF expression has been investigated in various types of cancer. Various researches have investigated the role of VEGF in the progression and invasion of bladder cancer<sup>6-8</sup>

There are several factors that can regulate VEGF expression, including hypoxia, free radicals, pH imbalance, and nutrient deficiencies <sup>20</sup>. Tumor cells express hypoxiainducible factors (HIF) to compensate for hypoxia, nutrient deficiency and escape tumor necrosis. This will activate the transcription of over 40 genes, such as VEGF <sup>7</sup>. In accordance with a previous study, there was a positive correlation between VEGF and HIF-1 $\alpha$  immunoreactivities (P<0.001) in urothelial carcinoma <sup>21</sup>. VEGF and VEGF receptor transcription is directly activated by HIF-1 $\alpha$  by binding hypoxia response element (HRE) and performs a crucial role during tumor formation and normal growth <sup>22</sup>.

The prognostic value of VEGF-A tissue expression in urothelial bladder cancer still remains unanswered. It was discovered that high levels of VEGF-A were related to higher reccurance rates and lower survival rates <sup>23–25</sup>, however several researches had contradicting results <sup>6,8</sup>. In vitro studies revealed that the inhibition of angiogenesis effectively decreases

invasion and proliferation of UBC, leading to further research on angiogenesis-targeted agents <sup>8</sup>. The growth of several tumor cell lines were successfully inhibited using anti-VEGF antibody treatment, which implies that blocking VEGF alone may inhibit angiogenesis thus suppress the growth of tumor <sup>16</sup>. Recent researches reveal that VEGF-targeted therapies have the ability to alter the interaction between tumor cells and their environment by transforming tumor cells to have a more metastatic and aggressive phenotype. This section highlights several tissues for which there are currently no clear solutions but which consideration when therapeutic warrant strategies. Methods to observe the response to anti-angiogenic therapy in vivo and several antiangiogenic treatments for cancer are presently approved by the FDA<sup>10</sup>.

It is apparent that the anti-tumor effects of multi-kinase inhibitors have the ability to both block signaling in tumor cells and other types of cells and also block angiogenic signaling pathways. The importance of understanding in vivo performance of anti-angiogenic drugs and also finding possible combinations of drugs is a crucial step to produce better results and improve the success of anti-angiogenic therapies. However, at this moment there are no validated biomarkers that can determine the suitablility of angiogenic therapy for different cases of cancer patients <sup>10,26</sup>. It is essential to conduct further research to discover new markers that are suitable to measure the efficacy of antiangiogenic strategies <sup>10</sup>.

Of all samples (53 samples), 37 samples (69.9%) were positive for EGFR, indicating that most of the samples expressed EGFR. This means that it has the opportunity to do therapy with anti-EGFR. As it is currently known, EGFR is a tyrosine kinase transmembrane receptor that plays an important role in carcinogenesis <sup>1,9</sup> It is overexpressed in many tumors, such as lung, head and neck, colon, breast, prostate, bladder and kidney cancer <sup>9</sup>. EGFR is a tyrosine kinase receptor that is a part of the HER/erbB family <sup>27</sup>.

The structure of this membrane-spanning glycoprotein includes a cytoplasmic domain containing the tyrosine kinase domain, a region of hydrophobic transmembrane and an essential extracellular ligand-binding domain. Increased activitiy or disregulation of EGFR signaling pathways and EGFR overexpression are suggested mechanisms, by which malignant

phenotype may confer with the presence of EGFR <sup>13,28,29</sup>.

It is hypothesized that the increase of EGFR-mediated signaling can cause a cell to shift into a state of unregulated and continuous cell proliferation, thus increasing the mass of tumor due to the high number of malignant cells. In agreement with this, expression or overexpression of EGFR is found in various types of solid tumor <sup>13,29</sup>.

The activation of EGFR pathways is associated to several mechanisms crucial in tumor progression, including proliferation, transformation, cell survival and metastasis, migration, adhesion, motility and differentiation <sup>13,27</sup>. Various solid tumors are known to express EGFR, some of the many include non-small cell lung cancer (NSCLC), pancreatic, colon. pancreatic, head and neck, ovarian, glioblastoma, breast and bladder<sup>13,30</sup>. EGFR expression was significantly linked with poor clinical outcome, tumor progression and high tumor stage<sup>1</sup>. EGFR inhibitors have clear antiproliferative and anti-angiogenic effects 31 Recently, it was revealed that prior chemotherapy rendered patients with muscleinvasive TCC to be resistant to EGFR family inhibitors as well. Nevertheless, family of EGFR inhibitors may work well in those groups of patients in whom no prior chemotherapy has been given, and EGFR is over expressed <sup>28</sup>. The EGFR score has a statistically significant association with prognostic factors like grade of tumor, size of tumor, presence of Cancer Insitu (CIS) and shape of stalk but not with age, gender, stage, muscle invasion and number of tumors. Overexpression of EGFR in TCC of bladder makes this receptor a good therapeutic target <sup>1</sup> It is for various reasons that underlie anti-EGFR therapy in tumors.

In solid tumors, EGFR and VEGF pathways appear to be related, specifically with respect to angiogenesis. TGF-a and EGF encourage the expression of VEGF by way of EGFR activation in cell culture models. In addition to that, these pathways also have pro-angiogenic properties <sup>13,30,32</sup>. Evidence has shown that tumor-associated endothelial cells express EGFR <sup>13,33</sup> and that aberrant EGFR expression correlates with poor prognosis <sup>13,30</sup>. There is a possibility that angiogenesis is modulated by the EGFR pathway which up-regulates VEGF or other key mediators in

Volume · 14 · Number · 2 · 2021

angiogenesis <sup>13,32</sup>. However, the inhibition of EGFR does not block VEGF, which allows angiogenesis to occur around the tumor, thus induces tumor growth <sup>13</sup>.

There is a close relationship between VEGF and EGFR. EFGR expression causes upregulation of VEGF signaling. Meanwhile, VEGF up-regulation independent of EGFR signaling shows contribution to resistance to EGFR inhibition. As a result, inhibiting both VEGF and EGFR pathways may show effects in overcoming resistance to EGFR inhibition and improving the efficacy of anti-tumor <sup>13</sup>.

Two crucial factors that affect the dissemination and growth of tumors are EGFR and VEGF. The VEGF and EGFR pathways are closely associated and share similar downstream signaling pathways <sup>34</sup>. In addition, VEGF expression is driven by EGF, which is a growth factor and also a key EGFR ligand <sup>35</sup>. EGFR and VEGF play a crucial function in the growth and progression of tumors through the exertion of direct and indirect impacts on tumor cells <sup>34</sup>. Biological agents administered alone or combined with standard cytotoxic therapies that target the EGFR and VEGF pathways have shown positive benefits in various types of human cancers. The inhibition VEGF-related pathways is suspected to have effect on the action mechanism of agents that target EGFR <sup>30</sup>. However, over activation of VEGF expression independent of EGFR signaling is suspected to cause tumor resistance to anti-EGFR therapy <sup>12,13</sup>. These various reasons are in accordance with the results of this research, which states that there is a relationship between EGFR and VEGF in bladder urothelial carcinoma. So that, it can be considered a combination therapy between anti-VEGF and anti-EGFR.

There is a relation between EGFR and VEGF signaling pathways. VEGF is the main mediator in angiogenesis and the over expression of VEGF may stimulate resistance to EGFR. However, inhibiting EGFR does not directly inhibit angiogenesis. Because of this, needed anti-VEGF agent is to prevent angiogenesis from occuring. So, an anti-VEGF agent should be used together with any treatement that requires anti-EGFR agent. Many agents that target EGFR or VEGF used in combination with standard chemotherapy regimens have shown positive results and has been regulatory approved for cancer therapy.

 $Volume \cdot 14 \cdot Number \cdot 2 \cdot 2021$ 

The combination of EGFR and VEGF inhibitors with other therapies may contribute in overcoming tumor resistance mechanisms, thus result in better therapeutic outcomes <sup>13</sup>.

The regulation of cancer integrity and permeability that depends on the intravastation sustaining intratumoral vessels on VEGF can be reflected in increased benefits in the combination of anti-EGFR therapies and anti-VEGF agents that are now mainly used as a treatment for latestage cancers.

Results in this study suggest that EGFR/IL-8/ neutrophil MMP-9/VEGF pathway is a valid axis that has the ability to compromise intratumoral vasculature during anticancer therapy <sup>36</sup>. HER2 and EGFR are therapeutic targets that have shown promising results and are currently under investigation and futher research in bladder cancer. However, potential mechanisms of resistance and the selection of most appropriate strategies to this approach need to be futher researched as it still remains unclear <sup>37</sup>.

The main limitation of this research is the low number of patients from only one hospital and no analysis of their current condition.

# Conclusions

In summary, this study revealed an important correlation between EGFR and VEGF in bladder urothelial cancer.

# Acknowledgements

We additionally thank the Director of Dr. Soetomo General Academic Hospital, Surabaya, Indonesia.

# **Declaration of Interest**

The authors declare no conflicts of interest.

### References

- 1. Barua SK, Das N, Baruah SJ, et al. Correlation of epidermal growth factor receptor score with prognostic variables in transitional cell carcinoma of urinary bladder among northeastern Indian population. *Int Surg J.* 2018;5(9):3083. doi:10.18203/2349-2902.isj20183727
- Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. CA Cancer J Clin. 2018;68(6):394-424. doi:10.3322/caac.21492

- Antoni S, Ferlay J, Soerjomataram I, Znaor A, Jemal A, Bray F. Bladder Cancer Incidence and Mortality: A Global Overview and Recent Trends. *Eur Urol.* 2017;71(1):96-108. doi:10.1016/j.eururo.2016.06.010
- 4. Siegel RL, Miller KD, Jemal A. Cancer Statistics , 2018. *CA Cancer J Clin.* 2018;68(1):7-30. doi:10.3322/caac.21442.
- Magalhães A, Dias S. Angiogenesis Vessels Recruitment by Tumor Cells. 2019:141-157. doi:10.1007/978-3-030-11812-9\_8
- Kopparapu PK, Boorjian SA, Robinson BD, et al. Expression of VEGF and Its receptors VEGFR1/VEGFR2 is associated with invasiveness of bladder cancer. *Anticancer Res.* 2013;33(6):2381-2390.
- 7. Bronsert P, Werner M. Pathology of tumor angiogenesis. *Tumor* Angiogenes A Key Target Cancer Ther. 2019:253-274. doi:10.1007/978-3-319-33673-2\_6
- Fus ŁP, Górnicka B. Role of angiogenesis in urothelial bladder carcinoma. *Cent Eur J Urol.* 2016;69(3):258-263. doi:10.5173/ceju.2016.830
- Li W, Wang Y, Tan S, et al. Overexpression of epidermal growth factor receptor (EGFR) and HER-2 in bladder carcinoma and its association with patients' clinical features. *Med Sci Monit*. 2018;24:7178-7185. doi:10.12659/MSM.911640
- Weis SM, Cheresh DA. Tumor angiogenesis: Molecular pathways and therapeutic targets. *Nat Med.* 2011;17(11):1359-1370. doi:10.1038/nm.2537
- Guéguinou M, Gambade A, Félix R, et al. Lipid rafts, KCa/ClCa/Ca2 + channel complexes and EGFR signaling: Novel targets to reduce tumor development by lipids? *Biochim Biophys Acta - Biomembr.* 2015;1848(10):2603-2620. doi:10.1016/j.bbamem.2014.10.036
- Vallböhmer D, Zhang W, Gordon M, Yang DY, Yun J, Press OA. Molecular Determinants of Cetuximab Efficacy. 2021;23(15):3536-44. doi:10.1200/JCO.2005.09.100
- Tabernero J. The role of VEGF and EGFR inhibition: Implications for combining Anti-VEGF and Anti-EGFR Agents. *Mol Cancer Res.* 2007;5(3):203-220. doi:10.1158/1541-7786.MCR-06-0404
- Al-bassam SS., Kadhim H., Khashman B. Possible association of vascular endothelial growth factor with grades of breast cancer. *New Iraqi J Med*. 2013;9(3):82-84.
- 15. Ferrara N. History of Discovery. 2009:2008-2010. doi:10.1161/ATVBAHA.108.179663
- Ferrara N. Pathways mediating VEGF-independent tumor angiogenesis. *Cytokine Growth Factor Rev.* 2010;21(1):21-26. doi:10.1016/j.cytogfr.2009.11.003
- Ellis LM, Hicklin DJ. VEGF-targeted therapy: mechanisms of anti-tumour activity. 2008;8(august). doi:10.1038/nrc2403
- Oncology M, Francisco SS. Vascular Endothelial Growth Factor: Basic Science and. 2004;25(4):581-611. doi:10.1210/er.2003-0027
- 19. Ferrara N. VEGF and the quest for tumour angiogenesis factors. 2002;2(October).
- Wang F, Xu P, Xie KC, Chen XIAF, Li CY, Huang Q. Effects of tumor microenviromental factors on VEGF expression. 2013:539-544. doi:10.3892/br.2013.115
- 21. Gu ME. Evaluation of relationship between HIF-1 a immunoreactivity and stage , grade , angiogenic profile and proliferative index in bladder urothelial carcinomas. 2010:103-107. doi:10.1007/s11255-009-9590-5
- 22. Yang Y, Sun M, Wang L, Jiao B. Cellular Biochemistry. 2013;974(September 2012):967-974. doi:10.1002/jcb.24438
- Sun YW, Xuan Q, Shu QA, et al. Correlation of tumor relapse and elevated expression of survivin and vascular endothelial growth factor in superficial bladder transitional cell carcinoma. 2013;12(2):1045-1053.
- 24. Fauconnet S, Lascombe I. Expression analysis of VEGF-A and VEGF-B: Relationship with clinicopathological parameters in bladder cancer. 2009;(June). doi:10.3892/or
- Yang CC, Chu KC, Yeh WM. The expression of vascular endothelial growth factor in transitional cell carcinoma of urinary bladder is correlated with cancer progression. Urol Oncol Semin Orig Investig. 2004;22(1):1-6. doi:10.1016/S1078-1439(03)00015-2

Volume · 14 · Number · 2 · 2021

- 26. Jain RK, Duda DG, Willett CG, et al. therapy. 2011;6(6):327-338. doi:10.1038/nrclinonc.2009.63.Biomarkers
- 27. Yarden Y, Sliwkowski MX. UNTANGLING THE ErbB SIGNALLING NETWORK. 2001;2(February).
- 28. Mooso BA, Vinall RL, Mudryj M, Yap SA, White RW, Ghosh PM. HHS Public Access. 2016;193(1):19-29. doi:10.1016/j.juro.2014.07.121.The
- 29. Laskin JJ, Sandler AB. Epidermal Growth Factor Receptor Inhibitors in Lung Cancer Therapy. 2004.
- 30. Ellis LM. Epidermal growth factor receptor in tumor angiogenesis. 2004;18:1007-1021. doi:10.1016/j.hoc.2004.06.002
- Kassouf W, Dinney CPN, Brown G, et al. Uncoupling between Epidermal Growth Factor Receptor and Downstream Signals Defines Resistance to the Antiproliferative Effect of Gefitinib in Bladder Cancer Cells. 2005;2(22):10524-10536. doi:10.1158/0008-5472.CAN-05-1536
- 32. Perrotte P, Matsumoto T, Inoue K, et al. Advances in Brief Antiepidermal Growth Factor Receptor Antibody C225 Inhibits Angiogenesis in Human Transitional Cell Carcinoma Growing Orthotopically in Nude Mice 1. 1999;5(February):257-264.
- 33. Kim S, Uehara H, Karashima T, Shepherd DL, Killion JJ, Fidler IJ. Blockade of Epidermal Growth Factor Receptor Signaling in Tumor Cells and Tumor-associated Endothelial Cells for Therapy of Androgen-independent Human Prostate Cancer Growing in the Bone of Nude Mice 1. 2003;9(March):1200-1210.
- 34. Herbst RS, Johnson DH, Mininberg E, et al. Phase I / II Trial Evaluating the Anti-Vascular Endothelial Growth Factor Monoclonal Antibody Bevacizumab in Combination With the HER-1 / Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Erlotinib for Patients With Recurrent Non – Small-Cell Lun. 2021;23(11). doi:10.1200/JCO.2005.02.477
- Niu G, Wright KL, Huang M, et al. Constitutive Stat3 activity upregulates VEGF expression and tumor angiogenesis. 2008;(December 2001):2000-2008. doi:10.1038/sj/onc/1205260
- Minder P, Zajac E, Quigley JP, Deryugina EI. EGFR Regulates the Development and Microarchitecture of Intratumoral Angiogenic Vasculature Capable of Sustaining Cancer Cell Intravasation. *Neoplasia (United States)*. 2015;17(8):634-649. doi:10.1016/j.neo.2015.08.002
- 37. Mora Vidal R, Regufe da Mota S, Hayden A, et al. Epidermal Growth Factor Receptor Family Inhibition Identifies P38 Mitogen-activated Protein Kinase as a Potential Therapeutic Target in Bladder Cancer. *Urology*. 2018;112:225.e1-225.e7. doi:10.1016/j.urology.2017.10.041.