

DAFTAR PUSTAKA

- Acar, JF. and Goldstein, FW. 1998. Consequence of Increasing resistance to Antimicrobial Agents. *Clin Infect Dis*; 27 (Suppl 1):S125-130.
- Adrian, PV., Koornhof, HJ., Wylie, BA. 1993. Trimethoprim Resistance in South African Isolates of Aerobic Gram-Negative. *Faecal Flora. Eur. J. Clin. Microbiol. Infect. Dis.*; 12(12):916-921.
- Allard, J.D. and Bertrand, K.P. 1992. Membrane topology of the pBR322 tetracycline resistance protein. TetA-PhoA gene fusions and implications for the mechanism of TetA membrane insertion. *J. Biol. Chem.* :267(25):17809-17819.
- Amsyari, F. (1986). Pencemaran Hidup Lingkungan manusia. Prinsip Masalah Pencemaran Lingkungan. Percetakan Ghalia Indonesia: 48-62.
- Arason, VA., Kristinsson, KG., Sigurdsson, JA., Stefandottir, G., Moldstad, S. and Gudmundsson, S. 1996. Do Antimicrobials increase the carriage rate of penicillin resistant pneumococci in Children ?. Cross sectional prevalence study. *BMJ*; 313 (7054): 387-391.
- Balganesh, M., L. Arrigoni, and Setlow, JK. (1986). Plasmid to Chromosome Gene Transfer in *Haemophilus influenzae* During Growth. *J. Bacteriol.*; 168(1), Oct.: 458-9.
- Baron, E.J., Peterson, L.R. and Finegold, S.M. 1994. Bailey and Scott's Diagnostic Microbiology, Ninth Ed. CV. Mosby, Toronto.
- Barron A, May G, Bremer E and Villarejo M. 1986. Regulation of envelope protein composition during adaptation to osmotic stress in *Escherichia coli*. *J. Bacteriol.*; 167(2):433-8.
- Bennett, P.M. 1992. Transposable elements. In: Lederberg, J. *Encyclopedia of Microbiology*; 4, S-Z:311-325.
- Bentley, D.W., Hahn, J.J. and Lepper, M.H. 1970. Transmission of chloramphenicol-resistant *Staphylococcus epidermidis*. Epidemiologic and laboratory studies. *J. Infect. Dis.*; 122(5):365-375.
- Brent R and Ptashne M. 1981. Mechanism of action of the *lexA* gene product. *Proc Natl Acad Sci USA*; 78, 7:4204-8.

- Bonnassie, S., Burini, J.F., Oreglia, J., Trautwetter, A., Patte, J.C. and Sicard, A.M. 1990. Transfer of Plasmid Bacteria to *Brevibacterium lactofermentum* by Electrotransformation. *J. Gen. Microb.*; 136:2107-12.
- Burman, L.G., Haeggman, S., Kuistila, M., Tullus, K. and Huovinen, P. 1992. Epidemiology of Plasmid-Mediated β -Lactamases in Enterobacteria in Swedish Neonatal Wards and Relation to Antimicrobial Therapy. *Antimicrob. Agents Chemother.*; 36(5):989-992.
- Burns, J.L. and Clark, D.K. 1992. Salicylate-Inducible antibiotic resistance in *Pseudomonas cepacia* associated with absence of a pore-forming outer membrane protein. *Antimicrob. Agents Chemother.*; 36(10):280-2285.
- Campbell, I.G. and Mee, B.J. 1987. Mapping trimethoprim resistance genes from epidemiologically related plasmids. *Antimicrob. Agents Chemother.* ;31(9):1440-1441.
- Chaslus-Dancla, E., Pohl, P., Meurisse, M., Marin, M. and Lafont, J.P. 1991. High genetic homology between plasmids of human and animal origins conferring resistance to the aminoglycosides gentamicin and apramycin. *Antimicrob. Agents Chemother.*; 35(3):590-593.
- Christie, P.J. and Dunny, G.M. 1984. Antibiotic selection pressure resulting in multiple antibiotic resistance and localization of resistance determinants to conjugative plasmids in Streptococci. *J. Infect. Dis.*; 149(1):74-82.
- Clairoux, N., Picard, M., Brochu, A., Rousseau, N., Gourde, P., Beauchamp, D., Parr, T.R. Jr, Bergeron, M.G., and Malonin, F. 1992. Molecular basis of the non beta lactamase mediated resistance to beta lactam antibiotics in strain of *Haemophilus influenzae* isolated in Canada. *Antimicrob. Agents Chemother.*; 36(7):1504-1513.
- Cooksey, R.C. 1991. Mechanism of resistance to antibacterial agents. In: Balows A, Haudeer WJ, Herrmann KL, Isenberg HD, Shadomy HJ (Eds). *Manual of Clinical Microbiology*, Fifth Ed., Chapter 109, American Society for Microbiology, Washington DC:1099-1104.
- Damato, J.J., Eitzman, D.V. and Boer, H. 1974. Persistence and dissemination in the community of R factors of nosocomial origin. *J. Infect. Dis.*; 129(2):205-209.
- Davis, B.D. 1982. Contributions to biology from studies on bacterial resistance. In: Mitsuhashi S (Ed). *Drug Resistance in Bacteria, Genetic, Biochemistry and Molecular Biology*. Japan Scientific Societies, Tokyo, Thieme-stratton Inc. New York:327-332.

- Davis, B.D., Dulbecco, R., Eisen, H.N. and Ginsberg, H.S. 1990. Chemotherapy. Chapter 10. Microbiology, Fourth Ed. Herper & Row Publisher, Singapore:201-228.
- Dawson-Saunders, B. and Trap, R.G. 1994. Probability and related topics. Basic & Clinical Biostatistics, Second Ed, Chapter 5 Lange Medical Book:64-81.
- DeGuglieimo,MA., CG. George, and WE. Kloos. (1991). Selection of Colony, Plasmid and Virulence Variants of Staphylococcus epidermidis NRC853 during Growth in Continous Culture Exposed to Erythromycin. *Appl. Env. Microb.*; 57(4): 1018-25.
- Dever, L.A. and Dermody, T.S. 1991. Mechanisms of bacterial resistance to antibiotics. *Arch. Intern. Med.*;151(5): 886-895.
- Farrar Jr, WE. 1983. Molecular Analysis of Plasmids in Epidemiologic Investigation. *J. Infect. Dis.*; 148(1):1-6.
- Flaherty, J.F. and Gambertoglio, J.G. 1990. Antibiotic. In: Williams, R.L., Brater, D.C., Mordenti, J. Rational Therapeutic. A Clinical pharmacologic guide for the health professional. Marcel Dekker Inc. New York:465-522.
- Fukukawa, K., Hayashida, S. 1993. Gene component responsible for discrete substrate specificity in the metabolism of biphenyl (bph operon) and toluene (tod operon). *J. Bacteriol.*; 175:5224-32.
- Galiis, H.A. 1980. Microbial ecology and normal flora of the human body. In: Joklik WK, Willet HP, Amos BD. Zinsser Microbiology, 17th Ed. Appleton Century Crofs, New York:522-531.
- Giamarellou, H. And Antoniadou, A. 1997. Antibiotic resistance: Origins, evolution, selection and spread. *Ciba Foundation Symposium* 207, Wiley Chichester:76-92.
- Goldman, D.A., Durbin Jr, W A. and Freeman, J. 1981. Nosocomial infection in a Neonatal Care Unit. *J. Infect. Dis.*; 144(5):449-459.
- Grant, AJ. and Pittard, J. 1974. Incompatibility Reactions of R Plasmids Isolated from *Echerichia coli* of Animal Origin. *J. Bacteriol.*; 120(1):185-190.
- Guggenbichler, J.P. and Kofler, J. 1984. Influence of third generation cephalosporins on aerobic intestinal flora. *J. Antimicrob. Chemother.*;14 Suppl.B:67-70.
- Guiney Jr, D.G. 1984. Promiscuous transfer of drug resistance in Gram negative bacteria. *J. Infect. Dis.*; 149(3): 320-329.

- Hansen, L.M., McMurry, L.M., Levy, S.B. and Hirsh, D.C. 1993. A new tetracycline resistant determinant, TetH, from *Pasteurella multocida* specifying active efflux of tetracycline. *Antimicrob. Agents Chemother.*;37(12):2699-2705.
- Hardy, K. 1986. *Bacterial Plasmids*, Second Ed. American Society for Microbiology.
- Hotta, K., Ishikawa, J., Ogata, T. and Mizuno, S. 1992. Secondary amino glycoside producing strains of *Streptomyces*. *Gene*;115(1-2):113-117.
- Hudson, RE. And Michod, RE. 1992. Genetic Transformation, Evolution. In: Lederberg, J. (Eds). *Encyclopedia of Microbiology*, Academic Press Inc., Vol. 2, D-L:289-297.
- Itoh, K. and Freter, R. 1989. Control of *Escherichia coli* populations by a combination of indigenous Clostridia and Lactobacilli in gnotobiotic mice and continuous-flow culture. *Infect. Immun.*;57(2):559-565.
- Jallat, C., Darfeuille-Michaud, A., Girardeau, J.P., Rick, C. and Joly, B. 1994. Self transmissible R plasmids encoding CS31A among human *Escherichia coli*, strains isolated from diarrheal stool. *Infect. Immun.*;62(7): 2865-2873.
- Janas. 1984. Infeksi Nosokomial. Dalam: Soerachmad, S., Sutoto, K. Josodipoero. *Kumpulan Makalah Penataran Isolasi Penderita Penyakit Menular*. DepKes RI, Jakarta:21-36.
- Kinjo, T., Minamata, N., Sugiyana, M. and Sugiyama, Y. 1992. Comparison of antimicrobial resistant *Escherichia coli* in wild and captive Japanese serows. *J. Vet. Med. Sci.*; 54(5):821-827.
- Kitzis, M.D., Billot-Klein, D., Goldstein, F.W., Williamson, R., van Nhien, G.T., Carlet, G., Acar, J.F. and Gutmann, L. 1988. Dissemination of the novel plasmid-mediated beta lactamase inhibitors. *Antimicrob. Agents Chemother.*; 32(1):9-14.
- Komatsu, T., Ohta, M., Kido, N., Arakawa, Y., Ito, H. and Kato, N. 1991. Increased resistance to multiple drugs by introduction of the *Enterobacter cloacae* romA gene into OmpF porin-deficient mutant of *Escherichia coli* K-12. *Antimicrob. Agents Chemother.*;35(10):2155-2158.
- Kucers, A., Bennett, NM. 1982. *The use of antibiotics*. Fourth Ed., William Henemann. Medical Books, London: 172-245
- Kunin, C.H., Hua, T.H., Guerrant, R.L. and Bakaletz, L.O. 1994. Effect of salicylate, bismuth, osmolytes, and tetracycline resistance on expression of fimbriae by *Escherichia coli*. *Infect. Immun.*;62(6):2178-2186.

- Kuntaman, Rachman, N., Ghozali, E.W. and Yuwono, T.A. 1996 (1). Pola penggunaan obat antimikroba dan non antimikroba di ruang rawat inap Lab./UPF. Ilmu Kedokteran Jiwa RSUD Dr. Soetomo Surabaya. *Media IDI Cabang Surabaya*; 21(1):22-25.
- Kuntaman, Rachman, N. dan Hardjowijoto, S. 1996 (2). Pola penggunaan antimikroba di ruang rawat inap Bedah Urologi RSUD. Dr. Soetomo Surabaya. *Majalah Teknologi Kedokteran Indonesia*; XI(1):6-12.
- Kuntaman. 1997. Profil kekebalan bakteri flora usus sebagai petunjuk tingkat penggunaan antimikroba di lingkungan. Lembaga Penelitian Universitas Airlangga.
- Kuntaman. 1999. Daya tumbuh sel transforman *Escherichia coli* DH5 α pada media Luria Bertani dan macConkey. *Media IDI Cabang Surabaya*; 1 24(1): 4-6.
- Lambert, T., Gerband, G. and Courvalin, P. 1988. Transferable amikasin resistance in *Acinetobacter* spp. Due to a new type of 3'-Aminoglycoside phosphotransferase. *Antimicrob. Agents Chemother.*; 32(1):15-19.
- Lan, C. and Igo, MM. 1998. Differential expression of the OmpF and OmpC Porin Protein in *Escherichia coli* K-12 Depends upon the Level of Active OmpR. *J. Bacteriol.*; 180(1): 171-174.
- Little JW, Mount DW and Yanisch-Perron CR. 1981. Purified *lexA* protein is a repressor of the *recA* and *lexxA* genes. *Proc Natl Acad Sci USA*, July; 78(7):4199-4203.
- Massova, I. And Mobashery, S. 1998. Kinship and Diversification of Bacterial penicillin Binding Proetins and β -lactarnases. *Antimicrob. Agents Chemother.*; 42(1): 1-17.
- Miller, J.H. 1992. The Lac System. A Sort course in bacterial genetics. A Laboratory manual and handbook for *Escherichia coli* and related bacteria. Unit 3, Cold Spring Harbor Laboratory Press. Printed in the United States of America: 19-80.
- Minshull. 1995. Cleaning Up our own Backyard: developing new catabolic pathways to degrade pollutants. *Chemistry & Biology*, December; 2:775-80.
- Munaf, S. 1992. Pola Penggunaan antibiotika di empat puskesmas Kotamadya Palembang dan dua Puskesmas di dua Kabupaten, Provinsi Sumatra Selatan. *MKI*; 43(9):507-511.
- Munro, S. 1992. Disk Diffusion Susceptibility testing. In: Isenberg, HD. *Clinical Microbiology Procedure Handbook*. American Society for Microbiology, Washington DC, Vol 1:5.1.1-5.1.29.

- Nakata, Y, Tang, X and Yokohama, K. 1997. Preparation of Competent Cells for High Efficiency Plasmid transformation of *Escherichia coli*. In: Cowell IG and Austin CA (Eds). *Methods in Molecular Biology*, Vol 69, Humana Press Inc, Totowa, New Jersey:129-137.
- Nikaido, H. (1982). The Role of Outer Membrane Permeability in the Sensitivity and Resistance of Gram Negative Organisms to Antibiotics. In: Mitsuhashi, S. (ed) *Drug Resistance in Bacteria* : Genetic, Biochemistry, and Molecular Biology. Yapan Scientific Societies Press, Tokyo, Thieme Stratton Inc. New York : 317 - 324.
- Nordheim A, Hashimoto-Gotoh T and Timmis KN. 1980. Location of two relaxation nick sites in R6K and Single sites in pSC101 and RSF1010 close to origins of vegetative replication: Implication for conjugal transfer of plasmid deoxyribonucleic acid. *J. Bacteriol.*; 144(3):923-32.
- Normark, S., Edlund, T., Grundstrom, T., bergstrom, S. And Wolf-Watz, H. 1977. *Escherichia coli* K-12 Mutants Hyperproducing Chromosomal Beta-Lactamase by Gene repetition. *J. Bacteriol.*; 132(3): 912-922.
- Nordstrom K, Molin S and Light J. 1984. Control of replication of plasmid: Genetic, Molecular Biology and Physiology of the plasmid R1 system. *Plasmid*; 12: 71-90.
- Norstrom, K., Burman, LG. And Eriksson-Grenberg, KG. 1970. Resistance of *Escherichia coli* to Penicillins. VIII. Physiology of Class II Ampicillin resistant Mutant. *J. Bacteriol.*; 101(3):659-668.
- Ogawara, H. (1982). Biochemical mechanism of β -lactam resistance in *Streptomyces*. In: Mitsuhashi, S. (ed). *Drug Resistance in Bacteria* : Genetic, Biochemistry, and Molecular Biology. Yapan Scientific Societies Press, Tokyo, Thieme Stratton Inc. New York :265-268.
- Okamoto, M.P., Nakahiro, R.K., Chin, A., Bedekian, A. and Gill, M.A. 1994. Cefepime: a new fourth generation cephalosporin. *Am. J. Hosp. Pharm.*; 51(4):463-477.
- Ou JT and Anderson TF. 1970. Role of pili in bacterial conjugation. *J. Bacteriol.*; 102(3):648-54.
- Parent, R. and Roy, P.H. 1992. The Chloramphenicol acetyl transferase gene of Tn2424: a new breed of cat. *J. Bacteriol.*; 174(3):2891-2897.
- Pena, C., Pujol, M., Ardanuy, C., Ricart, A., Pallares, R., Linares, J., Ariza, J. And Gudiol, F. 1998. Epidemiology and Successful Control of Large Outbreak Due to

- Klebsiella pneumoniae* Producing Extended Spectrum β -lactamases. *Antimicrob. Agents Chemother.*; 42(1): 53-58.
- Praseno. 1994. Hilangnya resistensi Antibiotik Secara spontan pada Beberapa Kuman Gram negatif: Instabilitas Plasmid R. *MKI*; 6(3): 4-6.
- Reynaud, A., Federighi, M., Licois, D., Guillot, J.F. and Joly, B. 1991. R Plasmid in *Escherichia coli* O103 coding for colonization of the rabbit intestinal tract. *Infect. Immun.*;59(6):1888-1892.
- Rice, L.B., Marshall, S.H. and Carias, L.L. 1992. Tn5381, a conjugative transposon identifiable as a circular form in *Enterococcus faecalis*. *J. Bacteriol.*;174(22):7308-7315.
- Ringertz, S., Bellete, B., Karlsson, I., Ohman, G., Gedebou, M. and Kronvall, G. 1990. Antibiotic Susceptibility of *Escherichia coli* isolates from inpatients with urinary tract infections in hospital in Addis Ababa and Stockholm. *Bull. WHO*; 68(1):61-68.
- Rolinson, G.N. 1991. Evolution of beta lactamase inhibitors. *Surg. Gynaecol. Obstet.*; 172 (Suppl.):11-16.
- Russei, AD. And Chopra, I. 1990. Understanding Antibacterial Action and Resistance. Ellis Horwood Ltd, Singapore.
- Sahm, D.F. and Washington II, J.A. 1991. Antibacterial susceptibility test: Dilution methods. In: Balows A, Hausler Jr WJ, Herrman KL, Isenberg HD, Shadomy HJ (Eds). Manual of Clinical Microbiology, Chapter 110, Fifth Ed. American Society for Microbiology, Washington DC:1105-1116.
- Sambrook, J., Fritsch, E.R. and Maniatis, T. 1989. Extraction and purification of plasmid DNA. Molecular Cloning. A Laboratory Manual. Second Ed. Cold Spring Harbor Lab.Press, USA:1.21-1.35.
- Senerva, D., Mutanda, L.N., Gathuma, J.M. and Olsvik, O. 1991. Antimicrobial resistance of enteropathogenic *Escherichia coli* Strains from a nosocomial outbreak in Kenya. *APMIS*;99:728-734.
- Sjahrodji, A.M. 1990. Nosocomial infections in the neonatal intensive care unit Department of Child Health, Dr. Hasan Sadikin General Hospital, Bandung. *Paediatrica Indonesiana*;30:191-197.
- Sloan, J., McMurry, L.M., Lyras, D., Levy, S.B. and Rood, J.I. 1994. The *Clostridium perfringens* Tet P determinant comprises two overlapping genes: tetA(P), which mediates active tetracycline efflux, and tetB(P) which is related to the ribosomal

- protection family of tetracyclin resistance determinant. *Mol. Microbiol.*;11(2):403-415.
- Snedecor, G.W. and Cochran, W.G. 1980. Sampel surveys. Statistical Methods, Seventh Ed. Chapter 7 & 21, The Iowa State University Press. Ames, Iowa USA:107-134 & 434-459.
- Soegijanto, S. (1998). Disease and the use of antibiotic pattern in Department of Child Health Dr. Soetomo Hospital Surabaya. *Folia Medica Indonesiana*, Year XXXIV, No. 3: 1-4.
- Srikumar, R., Kon, T., Gotoh, N. and Poole, K. 1998. Expression of *Pseudomonas aeruginosa* Multidrug Efflux Pump MexA-MexB-OprM and MexC-MexD-OprJ in a Multidrug-sensitive *Escherichia coli* strain. *Antimicrob. Agents Chemother.*; 42(1): 65-71.
- Struelens, MJ. 1998. The Epidemiology of Antimicrobial resistance in hospital acquired infection: Problems and Possible Solutions. *BMJ*; 317:652-4.
- Stryer L. 1988. Biochemistry, Third Ed., Chapter 28. WH Freeman and Co., New York: 680-702.
- Subagyo, B., Karim, A. 1985. Pola mikroba hasil isolasi di RSUD Dr. Soetomo. Seminar Infeksi Nosokomial. Surabaya 17 Oktober.
- Surbakti, R. 1990. Hasil sementara survei infeksi nosokomial di 10 rumah sakit pendidikan di Indonesia Tahun 1987. Simposium-Lokakarya Nasional Pengendalian Infeksi Nosokomial.
- Tenover, F.C., LeBlanc, D.J. and Elvrum, P. 1987. Cloning and expression of a tetracyclin resistance determinat from *Campylobacter jejuni* in *Escherichia coli*. *Antimicrob. Agent Chemother.*;31(9):1301-1306.
- Tenover, FC. and Hughes, JM. 1996. The Challenges of Emerging Infectious Diseases. Development and Spread of Multiple-Resistant Bacterial Pathogens. *JAMA*; 275(4): 300-304.
- Tiruneh, M. 1990. Plasmid mediated drug resistance in Enterobacteriaceae at Gondar Hospital. *East Afr. Med. J.*: 260-263.
- Tullus, K., Berglund, B., Fryklund, B., Kuhn, I. and Burman, L.A. 1988. Epidemiology of fecal strains of the Enterobacteriaceae in 22 neonatal wards and influence of antibiotic policy. *J. Clin. Microb.*;26(6): 1166-1170

- Tullus, K., Berglund, B. and Burman, L.G. 1990. Emergence of cross-resistance to beta-lactam antibiotics in fecal *Escherichia coli* and *Klebsiella* Strains from neonates treated with ampicillin or cefuroxime. *Antimicrob. Agent Chemother.*;34(2):361-362.
- Utji, R. (1998). Antibiotic resistance in Jakarta. *4th Nasional Congress of The Indonesian Society for the Study of Tropical Medicine and Infectious Diseases With Infectious Diseases Society of the Netherlands and Flanders*. Semarang, November 20th-23rd.
- van der Waaij, D. 1990. The Digestive tract as a control endogenous source of bacterial and fungal infections ; The importance of maintaining colonization resistance. Infection in hospitalized patients. *Dutch Foundation For Post Graduate course in Indonesia*, FK-Unair-RSUD Dr. Soetomo November 19-21:31-40.
- van der Waaij,D., de Vries, J.M.B. and van der Wees, J.E.C.L. 1971. Colonization resistance of the digestive tract in conventional and antibiotic treated mice. *J. Hyg. Cam.*;69:405-411.
- Wegener, HC., Aarestrup, FM., Jensen, LB., Hammerun, AM. And Flemming, B. 1999. Use of Antimicrobial Growth Promoters in Food Animals and *Enterococcus faecium* resistance to Therapeutic Antimicrobial drugs in Europe. *Emerging Infectious Diseases*; 5(3).
- Winans SC and Walker GC 1. 1985. Conjugal transfer system of the IncN plasmid pKM101. *J. Bacteriol.* ; 161(1):402-10.
- Woodford, N., Morrison, D., Cookson, B. and George, R.C. 1993. Comparison of high level gentamicin-resistant *Enterococcus faecium* isolates from different continents. *Antimicrob. Agents Chemother.* ;37(4):681-684.
- Woodruff WA, Parr Jr TR, Hancock REW, Hanne LF, Nicas TI and Iglewski BH. 1986. Expression in *Escherichia coli* and function of *Pseudomonas aeruginosa* outer membrane porin protein F. *J. Bacteriol.*;162(2): 473-9.
- Yamaguchi, K. 1995. Clinical experience with a new oral third generation cephalosporin with expanded coverage of *Staphylococcus aureus*. Symposium 'The role of cefdimir (oral cephalosporin) as to day's antibiotic regiment for community acquired infections. Surabaya, 2 September.
- Yan W, Taylor DE. 1991. Characterization of erythromycin resistance in *Campylobacter coli*. *Antimicrob. Agents Chemother.* ; 35(10):1989-96.

Yao, J.D.C. and Moellering Jr, R.C. 1991. Antibacterial agents. In: Balows A, Haudeer WJ, Herrmann KL, Isenberg HD, Shadomy HJ (Eds). *Manual of Clinical Microbiology*, Fifth Ed., Chapter 108, American Society for Microbiology, Washington DC: 1065-1090.