

Vol. 11 No. 1 (2022): (Available online : 1 April 2022)

ORIGINAL ARTICLE

The role of neutrophil-to-lymphocyte ratio (NLR) and platelet-to-lymphocyte ratio (PLR) in determining the prognosis of patients with testicular cancer (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2977>)

Syah Mirsya Warli, David Ralph Lienhardt Ringoringo, Bungaran Sihombing, Ginanda Putra Siregar, Fauriski Febrian Prapiska

ORIGINAL ARTICLE

Bacteriuria in pregnancy in Sanglah Hospital: a descriptive study (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3155>)

I Wayan Megadhana, Dewa Gede Sidan Pradnyandita, Putu Doster Mahayasa, I Gusti Ngurah Harry Wijaya Surya

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3155/2057\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3155/2057)

ORIGINAL ARTICLE

Risk factors for disability in leprosy patients: a cross-sectional study (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3311>)

Silvani Geani, Rahmadewi, Astindari, Cita Rosita Sigit Prakoeswa, Sawitri, Evy Ervianti, Budi Utomo, Medhi Denisa, Novianti Rizky Reza, Bagus Haryo Kusumaputra, Regitta Indira Agusni, Putri Hendria Wardhani, Muhammad Yulianto Listiawan

Online First: Apr 9, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3311/2008\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3311/2008)

ORIGINAL ARTICLE

Changes in plasma levels of IL-6 and D-dimer in high-risk thrombosis cancer patients undergoing chemotherapy (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3162>)

Budi Setiawan, Amelia KW Manurung, Alif Adlan Zulizar, Widi Budianto, Tri Wahyu Sukarnowati, Eko Adhi Pangarsa, Damai Santosa, Rahajuningsih Dharma Setiabudy, Catharina Suharti

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2977/2021\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2977/2021)

ORIGINAL ARTICLE

Increasing dental and oral health knowledge through health promotion of demonstration (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3114>)

Sunanto Sunanto, Erna Handayani

Online First: Apr 22, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3114/2041\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3114/2041)

ORIGINAL ARTICLE

Predictive factors and the relationship between the early detection of osteoporosis and pathological fractures in Indonesian menopausal women (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3258>)

Supriyatningsih, Meiky Fredianto, Muhammad Arifuddin, Amalia Rizki Hanif, Salwa Nabilah Cholfa, Sulistiari Retnowati, Ima Rismawati

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3258/2107\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3258/2107)

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3162/2092\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3162/2092)

ORIGINAL ARTICLE

Dealing with tests and treatments for HIV, syphilis, and hepatitis B infection to prevent mother-to-child transmission (MTCT) from a tertiary hospital in Indonesia (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3376>)

Maya Wardiana, Cita Rosita Sigit Prakoeswa, Sawitri Sawitri, Rahmadewi Rahmadewi, Linda Astari, Budi Prasetyo, Budiono Budiono, Afif Nurul Hidayati

Online First: Apr 22, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3376/2040\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3376/2040)

ORIGINAL ARTICLE

Analysis of Isocitrate Dehydrogenase (IDH) expression in astrocytoma patients: cases of South Sulawesi, Indonesia (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3078>)

Olivia Desty Sabunga, Cahyono Kaelan, Upik Anderiani Miskad, Andi Alfian Zainuddin, Ni Ketut Sungowati, Muhammad Husni Cangara

Online First: Apr 8, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3078/2006\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3078/2006)

ORIGINAL ARTICLE

Absolute Neutrophil Count as Predictor Hematopoietic Recovery in Acute Lymphoblastic Leukemia in Remission Induction Phase Chemotherapy
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3185>)

Malayana Rahmita Nasution, Putri Chadijah Tampubolon, Irma Sari Nasution

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3185/2063>)

ORIGINAL ARTICLE

Relationship between CD4 levels and mucocutaneous manifestations in HIV-AIDS patients at Dr. Soetomo General Academic Teaching Hospital, Surabaya, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3416>)

Citra Dwi Harningtyas, Damayanti, Maylita Sari, Muhammad Yulianto Listiawan, Diah Mira Indramaya, Linda Astari, Budi Utomo, Dwi Murtiastutik, Setyana Widyantari, Astindari, Afif Nurul Hidayati

Online First: Apr 13, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3416/2023>)

ORIGINAL ARTICLE

Correlation between sociodemographic and attitude of Malang citizens about self medication on urticaria
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3097>)

Erna Sulistyowatia, Dewi Martha Indria, Yohanita Nilam Sari

ORIGINAL ARTICLE

Factors that influence on Islamic caring behavior
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3107>)

Yanis Kartini, Nursalam Nursalam, Ahsan, Imamatul Faizah, Ratna Yunitasari

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3107/2051>)

ORIGINAL ARTICLE

Comparison of serum and vitreous TGF- β 1 levels in proliferative diabetic retinopathy with and without panretinal photocoagulation laser therapy
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3225>)

Habibah Setyawati Muhiddin, Rosmiaty Zainal Abidin, Budu ., Junaedi Sirajuddin, Itzar Chaidir Islam, Andi Muhammad Ichsan

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3225/2058>)

ORIGINAL ARTICLE

Effects of audio-visual affirmations on toddlers tantrum behavior
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3112>)

Nanik Handayani, Esty Puji Rahayu

Online First: Apr 19, 2022 |

Online First: Apr 17, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3097/2029>)

ORIGINAL ARTICLE

The effect of metformin on autophagy by LC3 expression in Type 2 Diabetes Mellitus (T2DM) human skeletal muscle cell culture
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3203>)

Jongky Hendro Prajitno, Agung Pranoto, Robert Dwitama Adiwino, Soebagijo Adi Soelistijo

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3203/2043>)

ORIGINAL ARTICLE

Antiproliferation and Apoptosis Effect of Cisplatin and Nanocurcumin on Ovarian Cancer SKOV3 Cell
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2937>)

Sigit Purbadi, Muhammad Yusuf, Wawaimuli Arozal, Aroem Naroeni, Hariyono Winarto, Andi Darma Putra, Gilbert Elia Sotarduga

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2937/2048>)

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3112/2038>)

ORIGINAL ARTICLE

Change in ratio levels of KIM-1 / urine creatinine and increase serum creatinine levels in human immunodeficiency virus (HIV) patients receiving tenofovir-based antiretroviral (ARV) combination therapy
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3249>)

I Dewa Gede Teguh Krisna Murti, I Ketus Agus Somia, I Gde Raka Widiana

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3249/2112>)

ORIGINAL ARTICLE

The outcome of hypospadias surgery and it's advanced treatment in Arifin Achmad General Hospital in January 2019 – December 2020
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3287>)

Tu Bagus Odih Rhomdani Wahid, Tania Nugrah Utami, Rizka Annisa Harahap

Online First: Apr 26, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3287/2042>)

ORIGINAL ARTICLE

Evaluating Low Values of Early Diastolic Velocity (e') as a Predictor of Major Cardiovascular Events in Patients with Acute Myocardial Infarction
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3360>)

Vianney Tedjamulia, Ida Bagus Rangga Wibhuti, Ida Sri Iswari, Ketut Badjra Nadha

Online First: Apr 30, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3360/2056\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3360/2056)

ORIGINAL ARTICLE

The prevalence and characteristics of perineal rupture during vaginal delivery at Sanglah General Hospital and Regional Hospitals in Bali from January 2018 until December 2019 period
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3067>)

I Wayan Megadhana, I Gede Suputra Indrawan, I Nyoman Hariyasa Sanjaya, Made Bagus Dwi Aryana

Online First: Apr 30, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3067/2044\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3067/2044)

ORIGINAL ARTICLE

Diphtheria's Outbreak Control in Blitar District
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3093>)

Gamasiano Alfiansyah, Selvia Juwita Swari, Maya Weka Santi

Online First: Jun 16, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3093/2027\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3093/2027)

(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3105>)

Nur Ainiyah, Erika Martining Wardani, Difran Nobel Bistara, Yurike Septianingrum, Andikawati Fitriyani, Firdaus

Online First: Apr 18, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3105/2030\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3105/2030)

ORIGINAL ARTICLE

Clinical and radiological profiles of metastatic brain tumor in Indonesia: A study at Dr. Soetomo Hospital, Surabaya
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3222>)

Nur Akbaryan Anandito, Djohan Ardiansyah

Online First: Apr 14, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3222/2014\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3222/2014)

ORIGINAL ARTICLE

The effect of workload and length of work on the occurrence of fatigue in workers in the informal industry
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3110>)

Merry Sunaryo, Ratna Ayu Ratriwardhani

Online First: Apr 19, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3110/2036\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3110/2036)

ORIGINAL ARTICLE

Exploring the role of the combination of propolis and vitamin D3 on VCAM-1 and Caspase-3 expression in preventing atherosclerosis in chronic kidney disease rats
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3194>)

Darmawan Ismail, Bambang Purwanto, Brian Wasita, Supomo, Ketut Putu Yasa, Soetrisno

Online First: Mar 29, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3194/2003\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3194/2003)

ORIGINAL ARTICLE

Relationship between plasma adiponectin levels and cellulite
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3634>)

Sari Indriyani, Imam Budi Putra, Nelva Karmila Jusuf

Online First: Apr 30, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3634/2141\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3634/2141)

ORIGINAL ARTICLE

Combination of diabetic Foot Spa and Sauna Bathing Therapy Decreases the Level of Blood Glucose

ORIGINAL ARTICLE

The difference of platelet-white blood cell ratio in severe preeclampsia and normotensive pregnancy
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3246>)

Nisrina Aisyah Nur Safirani, Faizah Fulyani, Putri Sekar Wiyati, Besari Adi Pramono

Online First: Apr 18, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3246/2055\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3246/2055)

ORIGINAL ARTICLE

The effect of Epigallocatechin-3-Gallate (EGCG) combined with low dose sorafenib in apoptosis and Platelet-Derived Growth Factor Receptor (PDGFR) expression in hepatocellular carcinoma rats
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2985>)

Emilia Rosita, Sigit Adi Prasetyo, Ignasius Riwanto, Wahyuni Lukita Atmodjo

Online First: Apr 13, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2985/2020\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2985/2020)

ORIGINAL ARTICLE

Relationship of age, body mass index (BMI), physical activity, salt intake, and stress with high blood pressure among rural dwellers in Kudat, Sabah
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3115>)

Khalid Mokti, Syed Sharizman Syed Abdul Rahime

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3115/2045>)

ORIGINAL ARTICLE

Mitomycin C, curcumin, and fibrin glue inhibit the cell proliferation and expression of TGF- β in human pterygium fibroblast
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3315>)

Muhammad Abdurrauf, Ferdian Ramadhan, Nurwasis, Ismi Zuhria, Betty Agustina Tambunan, Hari Basuki Notobroto, Budi Surahman, Evelyn Komaratih

Online First: Apr 14, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3315/2016>)

ORIGINAL ARTICLE

The clinical pictures of COVID-19 pediatric patients in dr. R. Soedarsono Regional General Hospital, Pasuruan, East Java, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3046>)

Peter Prayogo Hsieh, Hans Kristian, Allison Joseasta Marsya Permana, Monique Wongsodiharjo, Pramita Anindya Nugraheni, Pherenice Charisti, Wienta Diarsvitri

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3046/2061>)

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3187/2115>)

ORIGINAL ARTICLE

Clinical improvement of patients with moderate-to-severe psoriasis treated with methotrexate at Dr. Soetomo General Hospital, Surabaya, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3417>)

Made Putri Hendaria, Afif Nurul Hidayati, Evy Ervianti, Muhammad Yulianto Listiawan, Damayanti, Irmadita Citrashanty, Sylvia Anggraeni, Menul Ayu Umborowati, Budi Utomo, Cita Rosita Sigit Prakoeswa

Online First: Apr 21, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3417/2024>)

ORIGINAL ARTICLE

Features of COVID-19 adult patients and the treatment in Indonesia: a retrospective cohort study
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2810>)

Dwi Aris Agung Nugrahaningsih, Eko Purnomo, Siswanto, Reviono, Alfi Yasmina, Muh Darwin Prenggono, Nanang Miftah Fajari, Mohammad Rudiandiyah, Harsini, Rul Afiyah Syarif, Eti Nurwening Sholikhah

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2810/2083>)

ORIGINAL ARTICLE

The efficacy of probiotics supplementation on the lipid profiles of obese adolescents : a randomized trial
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3163>)

I Putu Gede Karyana, Ni Luh Sri Apsari, I Wayan Dharma Artana, I Ketut Suarta, Putu Veny Kartika Yantie, Ni Nyoman Metriani Nesa, I Gusti Ngurah Sanjaya Putra, Soetjningsih

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3163/2089>)

ORIGINAL ARTICLE

Hematology profile of under five years old children suffered from acute diarrhea at Idaman Banjarbaru Hospital, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2668>)

Harapan Parlindungan Ringoringo, Jun Rahmawati Surya Mentari, Roselina Panghiyangan, Edi Hartoyo, Rahmiati Lao

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2668/2185>)

ORIGINAL ARTICLE

Role of malnutrition inflammation score and interleukin-6 on quality of life of regular hemodialysis patients
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3187>)

Ni Wayan Sri Wardani, I Gde Raka Widiana, Yenny Kandarini

Online First: Apr 30, 2022 |

ORIGINAL ARTICLE

Comparison of effects and differences in duration between exposure to conventional cigarette smoke and electronic cigarette vapors on changes in the number of hippocampal pyknotic pyramidal cell
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3098>)

Richard Wijaya, Poppy Kristina Sasmita, Iskandar Rahardjo Budianto, Tena Djuartina

Online First: Apr 8, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3098/2007>)

ORIGINAL ARTICLE

The effectiveness of mindfulness based stress reduction and sama vritti pranayama on reducing blood pressure, improving sleep quality and reducing stress levels in the elderly with hypertension
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3108>)

Iis Noventi, Umdatus Sholihah, Siti Nur Hasina, Lono Wijayanti

Online First: Apr 19, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3108/2034>)

ORIGINAL ARTICLE

Characteristics of COVID-19 patients with malignancies comorbidity in Sanglah General Hospital, Bali, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2972>)

Ida Ayu Jasminarti Dwi Kusumawardani, I Wayan Angga Suamerta Putra, Ni Wayan Candrawati

Online First: Apr 30, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2972/2053>)

ORIGINAL ARTICLE

Early detection of elevated liver function test in drug-resistant tuberculosis with short term therapy and individual therapy
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3113>)

Fahmi Dimas Abdul Azis, Hamidah Nurlaila

Online First: Apr 20, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3113/2039>)

ORIGINAL ARTICLE

The relationship of tumor necrosis factor alpha levels and neutrophils with skin wound age caused by sharp trauma
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3250>)

M. Husni Cangara, Indah Wulan Sari, Berti Julian Nelwan, Cahyono Kaelan, Gunawan Arsyadi

Online First: Apr 30, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3250/2106>)

ORIGINAL ARTICLE

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2503/2059>)

ORIGINAL ARTICLE

Profile of melasma patients in dermatology and venerology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3182>)

Apriliin Krista Devi, Budi Utomo, Diah Mira Indramaya, Muhammad Yulianto Listiawan, Sawitri, Dwi Murtiastutik, Cita Rosita Sigit Prakoeswa

Online First: Mar 28, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3182/2004>)

ORIGINAL ARTICLE

Correlation between antenatal magnesium sulfate (MgSO₄) total dose and delivery time interval with umbilical cord blood brain-derived neurotrophic factor (BDNF) levels as a neuroprotection strategy in preterm birth
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2788>)

Muhammad Adrianes Bachnas, Sri Sulistyowati, Uchti Akbar

Online First: Apr 18, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2788/2033>)

ORIGINAL ARTICLE

Analysis of RGB range value on fingernail image for detecting diabetes mellitus risk

Factors predicting clinical outcome during hospitalization after pericardiocentesis in Sanglah General Hospital, Bali, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2999>)

Rani Paramitha Iswari Maliawan, I Gede Bagus Bhaskara Wijaksana, I Gusti Ayu Wijayanti Permatasari, Dewa Putu Wisnu Wardhana, Hendy Wirawan, I Gusti Ngurah Putra Gunadhi

Online First: Mar 29, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2999/2000>)

ORIGINAL ARTICLE

The role of revascularization on short-term Heart Rate Variability (HRV) and Signal Averaged Electrocardiogram (SAECG) in Stable Coronary Artery Disease (CAD)
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3147>)

Janry Pangemanan, Agnes Lucia Panda, Victor Giovannie Xaverison Rooroh, Evan Jim Gunawan

Online First: Apr 30, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3147/2067>)

ORIGINAL ARTICLE

Methylenetetrahydrofolate reductase (MTHFR) C677T polymorphism rather than homocysteine increase the risk of ischemic stroke-associated executive dysfunction
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2503>)

Herpan Syafii Harahap, Muhammad Akbar, Andi Kurnia Bintang, Jumraini Tammasse, Andi Alfian Zainuddin

Online First: Apr 30, 2022 |

(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3096>)

Ima Kurniastuti, Ary Andini, Sabrina Ifahdini Soraya

Online First: Apr 17, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3096/2028>)

ORIGINAL ARTICLE

Self-acceptance of patients that received hemodialysis
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3106>)

Lono Wijayanti, Erika Martining Wardani, Difran Nobel Bistara, Siti Nur Hasina, Iis Noventi

Online First: Apr 18, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3106/2031>)

ORIGINAL ARTICLE

Ondansetron and metoclopramide: a comparative analysis of effectiveness and cost in hospitalized patients with hyperemesis gravidarum
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3223>)

Lonah, Purwastyastuti, Nafrialdi, Irwinda R, Via Dolorosa Halilintar

Online First: Apr 30, 2022 |

 Abstract

 pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3223/1996>)

ORIGINAL ARTICLE

User interface design of Be-Health application for children's learning with a gamification approach
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3111>)

Muhammad Wahyudi, Herwanda Ayu Destania, Rochmat Rizky Alfandi, Tri Sagirani

Online First: Apr 19, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3111/2037\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3111/2037)

ORIGINAL ARTICLE

Development of patient safety learning module based on problem based learning for nursing students at the College of Health Sciences
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3248>)

Ni Nyoman Gunahariati, I Made Sutajaya, Ida Bagus Putu Arnyana, I Gede Sudirtha

Online First: Apr 8, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3248/2005\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3248/2005)

ORIGINAL ARTICLE

The relationship between diabetes distress and HbA1C level in type 2 diabetes mellitus therapy patients: a systematic review
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2986>)

Zefo Kiyosi Wibowo, Sony Wibisono Mudjanarko, Khairina Khairina

ORIGINAL ARTICLE

Bioinformatics assessment on the potential of Lipoteichoic Acid (LTA) of Lactic Acid Bacteria (LAB) as topical therapy for inflammatory skin diseases
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3025>)

Radityastuti, Anang Endaryanto, Ingrid Suryanti Surono, Mohamad Amin, Cita Rosita Sigit Prakoeswa

Online First: Mar 28, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3025/1999\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3025/1999)

ORIGINAL ARTICLE

The effect of antihypertensive monotherapy and combination on blood pressure in stroke patients
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2076>)

Ema Pristi Yunita, Saffana Qolby Mayana, Zamroni Afif

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2076/2081\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2076/2081)

ORIGINAL ARTICLE

Comparison of prognostic models for severe burn patients in an Indonesian tertiary hospital: retrospective study
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3378>)

Eunice Geraldine Oenarta, Agus Roy Rusly Hariantana Hamid, I Gusti Putu Hendra Sanjaya, I Made Suka Adnyana, Tjokorda Gede Bagus Mahadewa, I Wayan Harimawan Agustinus

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2986/2064\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2986/2064)

ORIGINAL ARTICLE

Effect of proteasome inhibitor on serum 8-OHdG and aortic SOD2 in a rat model of atherosclerosis
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3126>)

ismawati ismawati, Ilhami Romus, Mukhyarjon, Jihan Salsabilqis, Nadia Wulandari

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3126/2050\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3126/2050)

ORIGINAL ARTICLE

Patient preferences for surgery or non-surgery for the treatment of clavus and callus at Dr. Soetomo General Academic Hospital, Surabaya, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3264>)

Arisia Fadila, Iskandar Zulkarnain, Muhammad Yulianto Listiawan, Budi Utomo, Maylita Sari, Irmadita Citrashanty, Bagus Haryo Kusumoputro

Online First: Apr 18, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3264/2032\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3264/2032)

Online First: Apr 11, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3378/2019\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3378/2019)

ORIGINAL ARTICLE

The relationship between catheter placement and the incidence of urinary tract infections in Condong Catur Hospital, Yogyakarta
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3091>)

Kusbaryanto Kusbaryanto, Diana

Online First: Apr 17, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3091/2026\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3091/2026)

ORIGINAL ARTICLE

Soil worms (*Lumbricus rubellus*) as feed additives for piglets' growth, blood profile and immunomodulators
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3190>)

Anak Agung Gde Oka Dharmayudha, Ida Bagus Komang Ardana, Ketut Budiassa, I Made Merdana, I Wayan Nico Fajar Gunawan

Online First: Apr 15, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3190/2025\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3190/2025)

ORIGINAL ARTICLE

Depot Medroxyprogesterone acetate reduces spermatogonia cells and spermatid cells in the seminiferous tubules of male mice
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3459>)

Bagus Komang Satriyasa, I Gusti Ayu Widiyanti, I.B.G. Fajar Manuaba

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3459/2077>)

ORIGINAL ARTICLE

A structural model of Mapalus culture, health behavior and coronary artery disease incidence in the Minahasa ethnic community in North Sulawesi Province
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2814>)

Jeini Ester Nelwan, Oksfriani Jufri Sumampouw, Adisti Aldegonda Rumayar, Franckie Maramis, Odi Roni Pinontoan, Ester Musa, Jansje Ticoalu, Edi Widjajanto

Online First: Mar 29, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2814/2001>)

ORIGINAL ARTICLE

A comparison of walking ability between the dynamic hip screw and cephalomedullary nailing fixations in intertrochanteric femur fracture
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3207>)

Karya Triko Biakto, Idrus Andi Paturusi, Harry Supratama Azis, Luky Tandio Putra, Jorvin Kurniawan

Online First: Apr 30, 2022 |

(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3244>)

Sri Andreani Utomo, Abdul Hafid Bajamal, Yuyun Yueniwati Prabowowati Wadjib, Irwan Barlian Immadoel Haq, Vivid Umu Varidha, Dyah Fauziah

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3244/2047>)

ORIGINAL ARTICLE

The potential effect of intradermal Botulinum Toxin Type-A (BTA) injection to increase extended random skin flap survival
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3026>)

Caroline Fiona, Iswinarno Doso Saputro, Agus Santoso Budi

Online First: Jan 4, 2022 |

Abstract

PDF (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3026/pdf>)

ORIGINAL ARTICLE

Persistence of anti-Salmonella O9 IgM as measured by Tubex® TF may contribute to the over-diagnosis of typhoid fever in endemic areas
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3035>)

I Wayan Adi Pranata, Aly Diana, Marco R Heryanto, Nurhayati Lukman, Herman Kosasih, Hofiyya Djauhari, Deni PR Butarbutar, Susana Widjaja, Bachtli Alisjahbana

Online First: Jan 30, 2022 |

Abstract

PDF (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3035/pdf>)

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3207/2046>)

ORIGINAL ARTICLE

Seroprevalence SARS-CoV-2 among the academic population of Universitas Gadjah Mada Yogyakarta
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2946>)

Osman Sianipar, Umi Solekhah Intansari, Tri Ratnaningsih, Arum Tri Wahyuningsih, Fuad Anshori, Alfin Harjuno Dwiputro, Adika Zhulhi Arjana

Online First: Apr 30, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2946/2049>)

ORIGINAL ARTICLE

Early menarche, menstrual duration with dysmenorrhea in adolescents in Surabaya
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3109>)

Nety Mawarda Hatmanti, Yurike Septianingrum, Afita Riah, Firdaus, Ima Nadatien, Siti Maimunah

Online First: Apr 19, 2022 |

Abstract

pdf (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3109/2035>)

ORIGINAL ARTICLE

The role of apparent diffusion coefficient in differentiating typical from atypical meningioma

ORIGINAL ARTICLE

The effect of ACTH4-10Pro8-Gly9-Pro10 on neurotrophin-3 expression in Sprague Dawley rat on acute spinal cord injury
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3143>)

Made Gemma Daniswara Maliawan, Eko Agus Subagio, Budi Utomo, Muhammad Arifin Parenrengi, Asra Al Fauzi, I Ketut Sudiana

Online First: Feb 4, 2022 |

Abstract

PDF (<https://www.balimedicaljournal.org/index.php/bmj/article/view/3143/pdf>)

ORIGINAL ARTICLE

High level of highly sensitivity c-reactive protein levels (hs-CRP) as a risk factor for preterm delivery
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2966>)

Marthin Kolelupun, I Gede Putu Surya, I Nyoman Hariyasa Sanjaya, Tjok Gde Agung Suwardewa, I Wayan Megadhana, I Gede Mega Putra, I Nyoman Gede Budiana, I Wayan Artana Putra

Online First: Feb 8, 2022 |

Abstract

PDF (<https://www.balimedicaljournal.org/index.php/bmj/article/view/2966/pdf>)

ORIGINAL ARTICLE

Retrospective Study on Very Early Relapse of Childhood Acute Lymphoblastic Leukemia at a Reference Centre in Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2495>)

Nur Melani Sari, Namira Assyfa Nurazizah, Ronny Lesmana, Nur Suryawan, Susi Susanah

Online First: Feb 11, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2495/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2495/pdf)

ORIGINAL ARTICLE

C-Reactive Protein (CRP)/Albumin Ratio (CAR) pre-treatment as a predictive factor of radiological response after neoadjuvant chemotherapy in Locally Advanced Rectal Cancer (LARC) patients at Dr. Soetomo General Hospital, Surabaya, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3004>)

Fariza Hakim Rio Branco, Tomy Lesmana

Online First: Feb 14, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3004/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3004/pdf)

ORIGINAL ARTICLE

Identification of PST 10 bacterial isolate with α -hemolysis characteristic isolated from pig's tonsil
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3180>)

Hamong Suharsono, I Wayan Suardana, Rizki Kusuma Putri

Online First: Feb 18, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3180/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3180/pdf)

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3158/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3158/pdf)

ORIGINAL ARTICLE

Characteristic of testicular torsion and predictors of testicular salvage: A retrospective study
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3157>)

Alfryan Janardhana, Besut Daryanto, Budi Suwarno, Arif Rahman Nurdianto

Online First: Feb 25, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3157/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3157/pdf)

ORIGINAL ARTICLE

A novel scoring system to predict postoperative mortality after colorectal cancer surgery: a retrospective cohort study
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2988>)

Anita Hartono, Tomy Lesmana

Online First: Mar 9, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2988/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2988/pdf)

ORIGINAL ARTICLE

ORIGINAL ARTICLE

Correlation between Urea Creatinine Ratio (UCR) and lipid profile in COVID-19 patients
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2945>)

Indranila Kustarini Samsuria, Ariosta Ariosta, Untung Sujianto

Online First: Feb 21, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2945/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2945/pdf)

ORIGINAL ARTICLE

The variability of temperature, rainfall, humidity and prevalence of dengue fever in Manado City
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2722>)

Odi Roni Pinontoan, Oksfriani Jufri Sumampouw, Jansje Ticoalu, Jeini Ester Nelwan, Ester Cendrawati Musa, Joy Sekeeon

Online First: Feb 21, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2722/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2722/pdf)

ORIGINAL ARTICLE

Clinical presentation of maternal death with COVID-19 in rural tertiary care center: A retrospective-descriptive Study
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3158>)

Devita Kurniawati, Budi Prasetyo, Hanindito Pandu, Arif Rahman Nurdianto

Online First: Feb 22, 2022 |

Aqueous Humour Malondialdehyde Level as Oxidative Stress Marker In Types Of Glaucoma
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2599>)

Maharani Maharani, Puspita Kusuma Dewi, Riski Prihatningtias, Arief Wildan, Trilaksana Nugroho, Edward Kurnia Setiawan Limijadi, Fifin L. Rahmi

Online First: Mar 14, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2599/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2599/pdf)

ORIGINAL ARTICLE

CD44 expression as a potential favorable marker for prognosis in mucoepidermoid carcinoma of salivary gland
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2793>)

Stella Marleen, Lisnawati Rachmadi, Diah Rini Handjari, Kusmardi Kusmardi

Online First: Mar 22, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2793/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2793/pdf)

ORIGINAL ARTICLE

TNF- α serum Level between SARS-CoV-2 Infected Pregnant women with normal pregnant women in RSUD Dr. Soetomo Surabaya
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3377>)

Margaretha Claudhya Febryanna, Manggala Pasca Wardhana, Muhammad Ilham Aldika Akbar, Arif Rahman Nurdianto

Online First: Mar 23, 2022 |

[Abstract](#) [PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3377/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3377/pdf)

ORIGINAL ARTICLE

Combination effect of methotrexate with Narrowband Ultraviolet B (NB-UVB) phototherapy in psoriasis vulgaris patients in dermatology and venerology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3071>)

Emma Hidayati Sasmito, Iskandar Zulkarnain, Muhammad Yulianto Listiawan, Diah Mira Indramaya, Linda Astari, Budi Utomo, Afif Nurul Hidayati

Online First: Mar 24, 2022 |

[Abstract](#) [PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3071/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3071/pdf)

ORIGINAL ARTICLE

Application of Moringa Oleifera leaves extract cream inhibits paw edema in white male Wistar rat (*Rattus norvegicus*) induced by carrageenan 1%
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3384>)

I Gusti Nyoman Darmaputra, I Gusti Ayu Sattwika Pramita, Ketut Kwartantaya Winaya

Online First: Mar 28, 2022 |

[Abstract](#) [PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3384/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3384/pdf)

REVIEW

Human umbilical cords mesenchymal stem cells for kidney diseases
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3085>)

Dianita Halimah Harahap, Gampo Alam Irdam

Online First: Mar 29, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3085/2002\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3085/2002)

REVIEW

Medical Management of Kidney Stones: a review
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3343>)

Jody Felizio, Widi Atmoko

Online First: Mar 28, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3343/1998\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3343/1998)

REVIEW

Medical education system in Coronavirus Disease 2019 (COVID-19) pandemic: what has been changed from the past era?
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3159>)

Ida Bagus Amertha Putra Manuaba, I Gede Putu Supadmanaba, I Gusti Ayu Sri Darmayani, Dwijo Anargha Sindhughosa, Made Violin Weda Yani

Online First: Jan 25, 2022 |

[Abstract](#) [PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3159/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3159/pdf)

Soffy Enggar, Budi Widodo

Online First: Apr 15, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3259/2015\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3259/2015)

CASE REPORT

The severe adverse event in a locally anesthetized circumcision: A case report of a breath-holding spell
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3379>)

Syifa Fauziah Fadhly, Irfan Wahyudi, Gerhard Reinaldi Situmorang, Arry Rodjani

Online First: Apr 11, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3379/2018\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3379/2018)

CASE REPORT

Diagnosing and treating Patent Foramen Ovale (PFO) from various manifestations in adults: case series
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2779>)

Todung Donald Aposan Silalahi, Christopher Surya Suwita, Rosaria Oktafiani Darmawan, Benita Rosalie

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2779/2052\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2779/2052)

CASE REPORT

Gastrointestinal bleeding as a life-threatening complication of liver abnormality in a Turner syndrome patient
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3259>)

CASE REPORT

Uncommon presentation of COVID-19 in ophthalmology: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3006>)

Cisca Kuswidyati, Klarissa Chrisalim, Andre

Online First: Apr 8, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3006/1997\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3006/1997)

CASE REPORT

Profuse haematochezia related to Crohn's disease: a rare case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3204>)

Dilly Niza Paramita, Budi Widodo, Heriyawati Heriyawati

Online First: Apr 9, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3204/2010\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3204/2010)

CASE REPORT

Turner syndrome and tuberculosis in adolescent: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3243>)

Nyoman Titamarita Trisnawan, Florencia Christina Sindhu, Peter Prayogo Hsieh, Arya Putri Ratnasari, Alberto Afrian, Ancelia Limantara, Han's Christian, Made Ratna Dewi, I Wayan Bikin Suryawan

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3243/2062\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3243/2062)

CASE REPORT

Fatality in a pregnant woman with COVID-19 after a cesarean section: A case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3301>)

Edy Parwanto, Reza Aditya Digambiro, Erdiyan Astato, Assangga Guyansyah

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3301/2060\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3301/2060)

CASE REPORT

Diagnostic challenges in Waldenström macroglobulinemia: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3160>)

Stella Pravita, Ugroseno Yudho Bintoro, Putu Niken Ayu Amrita

Online First: Apr 8, 2022 |

A single-stage reconstruction on giant scrotal lymphedema: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2907>)

David Ralph Lienhardt Ringoringo, Ramlan Nasution, Kharisma Prasetya Adhyatma

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2907/2022\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2907/2022)

CASE REPORT

Neonatal varicella: a rare case
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3060>)

Nanda Earlia, Wahyu Lestari, Fitri Dewi Ismida, Annisa Amalia, Aqil Yuliawan Tasrif, Mikyal Bulqiah, Dea Silvia Ramadana

Online First: Apr 30, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3060/2068\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3060/2068)

CASE REPORT

Diagnostic problems and management of pituitary gigantism leading to ischemic stroke and atrial myxoma in young adult patient: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3171>)

Nabilah, Sony Wibisono, Libriansyah, Joni Wahyuhadi, Muhammad Reza Arifianto

Online First: Apr 14, 2022 |

[Abstract](#) [pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3171/2013\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3171/2013)

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3160/2009\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3160/2009)

CASE REPORT

Diagnostic problem on patient with tuberculous colitis mimicking Crohn's disease
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3370>)

Asep Harirohman, Herry Purbayu

Online First: Apr 14, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3370/2017\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3370/2017)

CASE REPORT

Neurotic excoriation: A case report and literature review
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3195>)

Keiko Yolanda Gunardi, Shannaz Nadia Yusharyahya, Irma Bernadette Sitohang

Online First: Apr 30, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3195/1995\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3195/1995)

CASE REPORT

CASE REPORT

Advanced MRI prediction of meningioma histopathological classification: a literature review and case presentations
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3100>)

Sri Andreani Utomo, Abdul Hafid Bajamal, Yuyun Yueniwati PW, Irwan Barlian Immadoel Haq, Dyah Fauziah, Eunike Serfina Fajarini

Online First: Feb 5, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3100/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3100/pdf)

CASE REPORT

A patient with Type 2 Diabetes Mellitus (T2DM) with Fournier gangrene: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2957>)

Mike Christanti, Jongky Hendro Prajitno, Rio Yudistira Christanto

Online First: Feb 18, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2957/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2957/pdf)

CASE REPORT

A severe COVID-19 patient with diabetes mellitus getting dexamethasone with depression disorders: a case report
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2962>)

Ammar Ammar, Musofa Rusli

Online First: Feb 21, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2962/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2962/pdf)

CASE REPORT

The similarity of a desmoid tumor with parasitic leiomyoma: a very rare case report and literature review
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/3044>)

Hasanuddin Hasanuddin, Derevie Hendryan

Online First: Feb 21, 2022 |

[Abstract](#)

[PDF \(https://www.balimedicaljournal.org/index.php/bmj/article/view/3044/pdf\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/3044/pdf)

RESEARCH LETTER

An increase in inflammatory cells related to the increase incidence of colitis and colorectal cancer
(<https://www.balimedicaljournal.org/index.php/bmj/article/view/2842>)

Agung Ary Wibowo, Andrian Sitompul, Alfi Yasmina, Ika Kustiyah Oktaviyanti, Ardik Lahdimawan, Essy Dwi Damayanthi

Online First: Apr 30, 2022 |

[Abstract](#)

[pdf \(https://www.balimedicaljournal.org/index.php/bmj/article/view/2842/2072\)](https://www.balimedicaljournal.org/index.php/bmj/article/view/2842/2072)



(<https://balimedicaljournal.org/index.php/bmj/>)

Published by:
(<http://www.discoversys.ca/>)

For Indonesian Physician Forum and Indonesia College of Surgeons, Indonesia

[Bali Medical Journal, Bali-Indonesia](#)

[62 \(0369\) 225206](tel:62-0369-225206)

[62 \(0369\) 225206](tel:62-0369-225206)

administrator@balimedicaljournal.org (<mailto:administrator@balimedicaljournal.org>)

[Contact \(/index.php/bmj/pages/view/contact\)](/index.php/bmj/pages/view/contact)

[Journal Information \(/index.php/bmj/pages/view/journalinfo\)](/index.php/bmj/pages/view/journalinfo)

[Editorial Board \(/index.php/bmj/pages/view/editorialboard\)](/index.php/bmj/pages/view/editorialboard)

[Abstracting & Indexing \(/index.php/bmj/pages/view/indexing\)](/index.php/bmj/pages/view/indexing)

[Privacy Statement \(http://discoversys.ca/privacy.html\)](http://discoversys.ca/privacy.html)

[Home \(/index.php/bmj/index\)](/index.php/bmj/index)

[Last Issue \(/index.php/bmj/issue/current\)](/index.php/bmj/issue/current)

[Archive \(/index.php/bmj/issue/archive\)](/index.php/bmj/issue/archive)

[Author Guidelines \(/index.php/bmj/pages/view/authorguidelines\)](/index.php/bmj/pages/view/authorguidelines)

[Open-Access Licence \(/index.php/bmj/pages/view/OAllicence\)](/index.php/bmj/pages/view/OAllicence)

Copyright © 2008-2022 DiscoverSys Inc (<http://discoversys.ca/>). All rights reserved.



WEB OF SCIENCE™

(https://mjl.clarivate.com/search-results?issn=2089-1180&hide_exact_match_fl=true&utm_source=mjl&utm_medium=share-by-link&utm_campaign=search-results-share-this-journal)



ELSEVIER
Scopus

(<https://www.scopus.com/sourceid/21101024217>)

DOAJ DIRECTORY OF
OPEN ACCESS
JOURNALS

(<https://doaj.org/toc/2302-2914>)



(<https://sinta3.kemdikbud.go.id/journals/profile/2513>)

[Full Indexing List \(https://balimedicaljournal.org/index.php/bmj/pages/view/indexing\)](https://balimedicaljournal.org/index.php/bmj/pages/view/indexing)

[In Press \(https://balimedicaljournal.org/index.php/bmj/issue/view/30\)](https://balimedicaljournal.org/index.php/bmj/issue/view/30)

[Submit An Article \(https://balimedicaljournal.org/index.php/bmj/login\)](https://balimedicaljournal.org/index.php/bmj/login)

[Scopus Citedness \(https://balimedicaljournal.org/index.php/bmj/pages/view/scopus\)](https://balimedicaljournal.org/index.php/bmj/pages/view/scopus)

Home (<https://www.balimedicaljournal.org/index.php/bmj/index>) > Editorial Board & Reviewer

Editor-in-Chief

Prof. Dr. Sri Maliawan, SpBS (http://www.baliroyalhospital.co.id/halaman_staff.php?ditail=229)

(Scopus ID (<https://www.scopus.com/authid/detail.uri?authorId=15738530400>)), (Google scholar (<https://scholar.google.co.id/citations?user=qVJ57aYAAAAJ&h>

srimaliawan@unud.ac.id / maliawans@yahoo.com

Department of Neuro Surgery, Udayana University

Sanglah General Hospital

Bali - Indonesia

Associate Editor

Prof. Putra Manuaba, M.Phil (<http://profpuma.weebly.com/>)

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=8412278400>), (Google Scholar (<https://scholar.google.com/citations?user=jnmT14kPWNC&h>

putramanuaba@unud.ac.id / putramanuaba28@yahoo.com

Biomedicine Postgraduate Program, Udayana University

Bali - Indonesia

Prof. Ketut Suwiyoga, SpOG (<http://www.scopus.com/results/authorNamesList.url?sort=count-f&src=al&sid=01CAC4E9A2FB056A0A90221C03EC65FE.FZg2OD>

NAME%28EQUALS%28Suwiyoga%29%29&st1=Suwiyoga&orcidId=&selectionPageSearch=anl&reselectAuthor=false&activeFlag=false&showDocument=false&r

(Scopus ID (<https://www.scopus.com/authid/detail.uri?authorId=54080784800>))

suwiyoga@unud.ac.id

Faculty of Medicine, Udayana University, Sanglah Hospital Denpasar, Bali-Indonesia

Editorial Board for Regional America

Ankit Sakhuja, M.B.B.S., F.A.C.P., F.A.S.N. (http://www.med.umich.edu/intmed/nephrology/STAFF/sakhuja_a1.htm)

(Scopus ID (<http://www.scopus.com/authid/detail.url?authorId=16744977200>))

asakhuja@med.umich.edu

Nephrology and Hypertension Cleveland Clinic (United States)

Editorial Board for Regional Australia

Professor John Svigos, AM

MBBS; DRCOG; CBioEth; FRCOG; FRANZCOG

(<http://www.womenshealthspecialists.com.au/jsvigos.html>)

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=6603773825>)

john@svigos.com.au (<mailto:john@svigos.com.au>)

Discipline of Obstetrics & Gynaecology

Faculty of Health & Medical Sciences

University of Adelaide, South Australia

dr Deasy Ayuningtyas Tandio MPH-MBA (<http://orcid.org/0000-0001-7847-2831>).

(OrcidID) (<https://orcid.org/0000-0001-7847-2831>)

deasytandio@yahoo.com

James Cook University Australia Master of Public Health Master Of Business Administration, Indonesia

Editorial Board for Regional Europa

Prof. Harald Hoekstra

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=36038081900>)

jsvigos@iprimus.com.au

Universitair Medisch Centrum Groningen, Division of Surgical Oncology, Groningen the Netherland

Editorial Board for Regional Asia

Prof Huang Qin (<http://accu.cqu.edu.cn/web/eallprof/559.jhtml>)

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=7409535321>)

qhuang@cqu.edu.cn

Chairman Dept. of Neurosurgery, Guangdong 999 Hospital Guangzhou China

Assoc. Prof. Mohammad Amin Bahrami

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=55524082200>)

aminbahrami1359@gmail.com

Head of healthcare management department, Shahid Sadoughi University of Medical Sciences, Yazd,Iran

Dr. Tanveer Beg, PhD

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=6505772852>)

tbmirza@jazanu.edu.sa

Assistant Professor, Department of Biology, Faculty of Science, Jazan University, Jazan, Saudi Arabia.

Editorial Board Members

Prof. Andi Asadul Islam

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=55504893500>), (Google Scholar) (<https://scholar.google.co.id/citations?user=vWs1RdMAAAJ>);

undee@med.unhas.ac.id

Faculty of Medicine Hasanudin University, Makasar-Indonesia

Prof. Dr. dr. Abdul Hafid Bajamal, Sp.BS

(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=57192378862>)

hfbajamal@gmail.com

Faculty of Medicine Airlangga University, Surabaya-Indonesia

Dr. dr. I Wayan Sudarsa, Sp.B(K) Onk, FINACS, FICS.

(Scopus ID (<https://www.scopus.com/authid/detail.uri?authorId=57205145862>)), (Google Scholar (<https://scholar.google.co.id/citations?hl=id&user=SdInHKWA>))

dr. I.B. Amertha P. Manuaba, SKed, MBIomed. (<https://scholar.google.co.id/citations?user=KzCQgA0AAAAJ&hl=en>)
(Scopus ID) (<https://www.scopus.com/authid/detail.uri?authorId=57195520004>), (Google Scholar) (<https://scholar.google.co.id/citations?user=KzCQgA0AAAAJ&hl=en>)
AmerthaManuaba@gmail.com / Amertha_Manuaba@unud.ac.id
Faculty of Medicine, Universitas Udayana, Indonesia

Editorial inquiries to be addressed to:

email 1: editorbalimedicaljournal@gmail.com (mailto:editor@balimedicaljournal.org)

email 2: editor@balimedicaljournal.org (mailto:editor@balimedicaljournal.org)



WEB OF SCIENCE™ (https://mjl.clarivate.com/search-results?issn=2089-1180&hide_exact_match_fl=true&utm_source=mjl&utm_medium=share-by-link&utm_campaign=search-results-share-this-journal)



ELSEVIER
Scopus

(<https://www.scopus.com/sourceid/21101024217>)

DOAJ DIRECTORY OF
OPEN ACCESS
JOURNALS

(<https://doaj.org/toc/2302-2914>)



(<https://sinta3.kemdikbud.go.id/journals/profile/2513>)

Full Indexing List (<https://balimedicaljournal.org/index.php/bmj/pages/view/indexing>)

In Press (<https://balimedicaljournal.org/index.php/bmj/issue/view/30>)

Submit An Article (<https://balimedicaljournal.org/index.php/bmj/login>)

Scopus Citedness (<https://balimedicaljournal.org/index.php/bmj/pages/view/scopus>)

Profile of melasma patients in dermatology and venerology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia



Aprilin Krista Devi¹, Budi Utomo², Diah Mira Indramaya¹, Muhammad Yulianto Listiawan¹, Sawitri¹, Dwi Murtiastutik¹, Cita Rosita Sigit Prakoeswa^{1*}

ABSTRACT

Background: Melasma is characterized by symmetrical brownish macules with well-defined borders. The etiology of melasma is still unknown, but factors that are thought to influence include genetic predisposition, ultraviolet radiation, hormonal factors, thyroid disorders, use of cosmetics, and drugs. This study aimed to determine the epidemiological data, evaluate risk factors, management, and follow-up in new melasma patients.

Methods: The medical records of patients with melasma attending Dermatology and Venereology Outpatient Clinic over a 4-year period from 2015 to 2018 were analyzed retrospectively for this descriptive, observational study. Data were analyzed using SPSS version 23 for Windows.

Results: This study found 739 new melasma patients from January 2015 to December 2018, with the proportion of women 734 patients (99.3%) more than men only 5 patients (0.7%). The age of most patients who were treated was 46-55 years in 320 patients (43.3%), with the highest age of onset being 37-45 years in 308 patients (41.7%). About 561 patients (75.9%) had a melasma duration of more than 1 year. The most common job of melasma patients was housewives in 366 patients (49.5%). The most frequent risk factor for melasma was ultraviolet radiation in 258 patients (34.9%). The most common melasma was malar type in 482 patients (65.2%) and mixed melasma in 617 patients (83.4%). The most widely administered therapy was sunscreen in 735 patients (99.5%) and Tretinoin 0.05% in 235 patients (31.8%). Most patients did not make repeat visits as many as 448 patients (60.6%).

Conclusion: The most common disease in women of childbearing age with ultraviolet radiation is the most precipitating risk factor. The low number of patient repeat visits can be caused by a lack of doctor education or a lack of patient adherence to treatment due to chronic and recurrent diseases.

Keywords: Melasma, Epidemiology, Risk Factors, Therapy, Human and Disease.

Cite This Article: Devi, A.K., Utomo, B., Indramaya, D.M., Listiawan, M.Y., Sawitri., Murtiastutik, D., Prakoeswa, C.R.S. 2022. Profile of melasma patients in dermatology and venerology outpatient clinic Dr. Soetomo General Academic Hospital, Surabaya, Indonesia. *Bali Medical Journal* 11(1): 166-173. DOI: 10.15562/bmj.v11i1.3182

¹Department of Dermatology and Venereology, Faculty of Medicine Universitas Airlangga/Dr. Soetomo General Academic Hospital, Surabaya-Indonesia;

²Department of Public Health Sciences, Faculty of Medicine Universitas Airlangga, Surabaya-Indonesia;

*Corresponding author:
Cita Rosita Sigit Prakoeswa;
Department of Dermatology and Venereology, Faculty of Medicine Universitas Airlangga/Dr. Soetomo General Academic Hospital, Surabaya-Indonesia;
cita-rosita@fk.unair.ac.id

Received: 2022-01-24

Accepted: 2022-03-19

Published: 2022-03-28

INTRODUCTION

Melasma is a hyperpigmentation disorder often experienced by millions of people worldwide. Melasma manifestations are symmetrical brownish macules with a well-defined border, especially in the forehead, zygomatic area, upper lip, nose, and chin.¹ The etiology of melasma is still unclear. Factors that influence include ultraviolet radiation, genetic predisposition, hormonal factors, thyroid disorders, drugs, cosmetics, and stress, but the most contributing factor to melasma is sun exposure.² UV light induces reactive oxygen species (ROS) by activating nitric oxide and causing melanogenesis. A positive family history of melasma confirms the hypothesis of a

genetic predisposition. Hormonal factors have a role in melasma pathogenesis; there is an increased prevalence of melasma in pregnancy, oral contraceptives, and hormonal therapy.³

Melasma is estimated to be around 0.25-4% of all skin diseases in Indonesia.⁴ The diagnosis of melasma is usually made clinically because of its characteristic appearance. The use of Woods lamp, dermoscopy, and Reflectance Confocal Microscopy (RCM) can assist in melasma classification into epidermal, dermal, mixed, and indeterminate subtypes.⁵ Research evaluating the current treatment for melasma is still inadequate and the available treatments are still unsatisfactory.⁶ Most existing treatments

can temporarily relieve melasma, but the condition usually recurs. Many factors influence the occurrence and recurrence of melasma, so a complete history is needed regarding the risk factors that cause and trigger melasma again.

A retrospective study on the profile of melasma patients had previously been carried out in 2012-2014 at the Cosmetic Division of the Dermatology and Venereology Outpatient Clinic Dr. Soetomo General Academic Hospital Surabaya.⁷ This research will continue a retrospective study of the profile of new melasma patients for the period January 2015 to December 2018. This retrospective study will provide an overview of new melasma patients in 2015-2018, evaluate

the risk factors of melasma, the treatment given to melasma patients, as well as repeat visits so that it is expected to provide advice to improve the management of melasma patients in the Cosmetic Division of the Dermatology and Venereology Outpatient Clinic Dr. Soetomo General Academic Hospital Surabaya.

METHODS

The research design used in this study was a retrospective descriptive study in patients diagnosed with melasma at the Cosmetic Division Dermatology and Venereology Outpatient Clinic Dr. Soetomo General Academic Hospital Surabaya for 2015-2018. The sample of this study was calculated using total sampling sourced from secondary data for the period January 2015 – December 2018. The inclusions criteria were all patients recorded in medical records with a diagnosis of new melasma at the Dermatology and Venereology Outpatient Clinic Dr. Soetomo General Academic Hospital Surabaya for January 2015 – December 2018. The exclusions criteria were if the patient medical record was not found. The study data were entered into and analyzed using Statistical Package for Social Sciences (SPSS) version 23 for Windows. Clinical characteristics of participant (patients age, gender, employment status, melasma duration, follow-up frequency), characteristics of melasma lesion (melasma location, color of melasma, lesion size, wood lamp examination, diagnosis), risk factors, and therapy were summarized using descriptive statistics. The categorical data were presented using frequencies and proportions.

RESULTS

Melasma occurred in adults aged 17 to 25 years in 1 patient (0.1%), in adults aged 26-36 years in 60 patients (8.1%), in adults aged 37-45 years in 241 patients (32.6%), in adults aged 46-55 years in 320 patients (43.3%), in adults aged 56-65 years in 94 patients (12.7%), and occurred in more than 65 years in 23 patients (3.1%). Since the 2015-2018 visit, female patients visits were more than male. Total female patients visit were 734 patients (99.3%), and male

were 5 patients (0.7%) (Table 1).

Melasma occurred mostly in housewives as many as 366 patients (49.5%), private employees with 219 patients (29.7%), and civil servants at least 154 patients (20.8%). The most common duration of melasma was ≥ 1 year in 561 patients (75.9%) and less than 1 year in 178 patients (24%). Patients who made 1-time repeat visits were 127 patients (17.2%), 2 visits by 84 patients (11.4%), 3 visits by 34 patients (4.6%), 4 visits by 27 patients (3.7%), 5 visits by 16 patients (2.2%), and 6 visits by 3 patients (0.4%). Patients who did not make repeat visits were the most, as many as 448 patients (60.6%) (Table 1).

Malar was the most common location distribution of melasma as many as 482 patients (65.2%), followed by centrofacial 202 patients (27.63%), at least in the centrofacial and mandibular in 3 patients (0.4%) (Table 2). One participant may have more than one melasma location. The color of the most melasma lesions was light brown in 397 patients (53.7%), followed by dark brown in 319 patients (43.2%), blue-black brown in 16 patients (2.2%), the same as the surrounding

skin in 7 patients. (0.9%). The largest distribution of melasma lesion size was 0.1-2 cm in 335 patients (45.3%), followed by a lesion area of 2-4 cm in 290 patients (39.2%). The smallest distribution of melasma lesion size was <0.1 cm (5%). The size of the melasma lesion is the total area of the lesion on the face. From the results of Woods lamp examination, from all patients, 617 patients (83.4%) had lesions with well-defined and indistinct borders, 69 patients (9.3%) had lesions with well-defined borders and 53 patients (7.2%) with indistinct borders. If the Woods lamp shows a well-defined lesion, the melanin pigment is present in the epidermis. The most common type of melasma was mixed melasma in 617 patients (83.4%), epidermal melasma in 69 patients (9.3%), and dermal type melasma in 53 patients (7.2%) (Table 2).

Types of factors that most often caused melasma in subjects were sun exposure in 258 patients (34.9%), sun exposure and contraception in 128 patients (17.3%), sun exposure and family history in 97 patients (13.1%), at least only in gravidity as many as 1 patient (0.1%) (Table 3).

Table 1. The clinical characteristic of participants (N=739).

Variable	Year			
	2015 n (%)	2016 n (%)	2017 n (%)	2018 n (%)
Patient Age (Years Old)				
17-25	1 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
26-36	20 (7.4)	19 (10.3)	15 (7.9)	6 (6.3)
37-45	89 (33.1)	57 (30.8)	64 (33.7)	31 (32.6)
46-55	125 (46.5)	77 (41.6)	78 (41.1)	40 (42.1)
56-65	26 (9.7)	28 (15.1)	23 (12.1)	17 (17.9)
>65	8 (3)	4 (2.2)	10 (5.3)	1 (1.1)
Gender				
Male	1 (0.4)	2 (1.1)	1 (0.5)	1 (1.1)
Female	268 (99.6)	183 (98.9)	189 (99.5)	94 (98.9)
Employment status				
Housewife	129 (48.0)	86 (46.5)	94 (49.5)	57 (60)
Civil servant	79 (29.4)	31 (16.8)	32 (16.8)	12 (12.6)
Private employee	61 (22.7)	68 (36.8)	64 (33.7)	26 (27.4)
Melasma duration (Years)				
< 1	59 (21.9)	55 (29.7)	36 (18.9)	28 (29.4)
≥ 1	210 (78)	130 (70.2)	154 (81)	67 (70.5)
Follow-Up Frequency				
Once	50 (6.8)	33 (4.5)	21 (2.8)	23 (3.1)
Twice	27 (3.7)	14 (1.9)	30 (4.1)	13 (1.8)
Three times	9 (1.2)	10 (1.4)	9 (1.2)	6 (0.8)
Four times	8 (1.1)	7 (0.9)	11 (1.5)	1 (0.1)
Five times	6 (0.8)	6 (0.8)	1 (0.1)	3 (0.4)
Six times	1 (0.1)	1 (0.1)	1 (0.1)	0 (0)
None	168 (22.7)	114 (15.4)	117 (15.8)	49 (6.6)

In the Cosmetic Division of the Dermatology and Venereology Outpatient Clinic, Dr. Soetomo General Academic Hospital Surabaya, one melasma patient

can be given more than one type of therapy. The most given topical therapy was sunscreen in 735 patients (99.5%), Tretinoin 0.05% in 235 patients (31.8%),

Kligman formula and Tretinoin 0.025% in 155 patients (21%) and a combination of Kligman formula, tretinoin 0.025%, alpha hydroxy acid (AHA) 8% and vitamin C

Table 2. Characteristic of melasma lesion.

Variables	Year			
	2015 n (%)	2016 n (%)	2017 n (%)	2018 n (%)
Melasma location				
Centrofacial	77 (28.7)	56 (30.3)	41 (21.6)	28 (29.4)
Malar	149 (55.4)	124(67.0)	144 (75.8)	65 (68.4)
Mandibular	2 (0.7)	2 (1.1)	3 (1.6)	0 (0)
Centrofacial and mandibular	2 (0.7)	0 (0)	0 (0)	1 (1.1)
Malar and mandibular	24 (8.9)	3 (1.6)	2 (1.1)	1 (1.1)
Centrofacial, malar, and mandibular	15 (5.6)	0 (0)	0 (0)	0 (0)
Color of melasma				
Bluish black-brown	8 (3.0)	5 (2.7)	3 (1.6)	0 (0)
Light brown	140 (52)	109 (58.9)	99 (52.1)	49 (51.6)
Dark brown	120 (44.6)	69 (37.3)	84 (44.2)	46 (48.4)
Same as skin color	1 (0.4)	2 (1.1)	4 (2.1)	0 (0)
Lesion size (cm)				
< 0.1	10 (3.7)	9 (4.9)	17 (8.9)	1(1.1)
0.1-2	110 (40.9)	98 (53)	88 (46.3)	39 (41.1)
2-4	110 (40.9)	64 (34.6)	73 (38.4)	43 (45.3)
> 4	39 (14.5)	14 (7.6)	12 (6.3)	12 (12.6)
Wood lamp examination				
Indistinct border	20 (7.4)	13 (7)	12 (6.3)	8 (8.4)
Well-defined border	17 (6.3)	19 (10.3)	12 (6.3)	21 (22.1)
Well-defined and indistinct border	232 (86.2)	153 (82.7)	166 (87.4)	66 (69.6)
Diagnosis				
Mixed melasma	232 (86.2)	153 (82.7)	166 (87.4)	66 (69.5)
Dermal melasma	20 (7.4)	13 (7)	12 (6.3)	8 (8.4)
Epidermal melasma	17 (6.3)	19 (10.3)	12 (6.3)	21 (22.1)

Table 3. Risk factors of melasma patients in 2015 – 2018.

Risk Factors	Year			
	2015 n (%)	2016 n (%)	2017 n (%)	2018 n (%)
Gravity	0 (0.0)	0 (0)	1 (0.1)	0 (0.0)
Contraceptives	13 (1.8)	11(1.5)	3 (0.4)	5 (0.7)
Contraceptives, cosmetic	2 (0.3)	0(0)	1 (0.1)	2(0.3)
Contraceptives, cosmetic, family history	3 (0.4)	0(0)	1 (0.1)	0(0)
Contraceptives, family history	6 (0.8)	2 (0.3)	0(0)	1 (0.1)
Contraceptives, family history, gravity	2 (0.3)	0 (0)	0(0)	0(0)
Cosmetic	3 (0.4)	6 (0.8)	5 (0.7)	3 (0.4)
Family history	7 (0.9)	2 (0.3)	4 (0.5)	2 (0.3)
Family history, cosmetic	2 (0.3)	1 (0.1)	0 (0)	0 (0)
Sun exposure	70 (9.5)	66 (8.9)	79 (10.7)	43 (5.8)
Sun exposure, contraceptives	46 (6.2)	31 (4.2)	39 (5.3)	12 (1.6)
Sun exposure, contraceptives, cosmetic	10 (1.4)	13 (1.8)	3 (0.4)	1 (0.1)
Sun exposure, contraceptives, cosmetic, family history	1 (0.1)	1 (0.1)	1 (0.1)	0 (0)
Sun exposure, contraceptives, family history	21 (2.8)	10 (1.4)	6 (0.8)	4 (0.5)
Sun exposure, contraceptives, family history, gravity	1 (0.1)	0 (0.0)	0 (0)	0 (0)
Sun exposure, contraceptives, cosmetic, family history, gravity	1 (0.1)	0 (0.0)	0 (0)	0 (0)
Sun exposure, cosmetic	21 (2.8)	20 (2.7)	21 (2.8)	10 (1.4)
Sun exposure, cosmetic, family history	9 (1.2)	1 (0.1)	2 (0.3)	3 (0.4)
Sun exposure, drug	1 (0.1)	2 (0.3)	1 (0.1)	1 (0.1)
Sun exposure, family history	48 (6.5)	19 (2.6)	22 (3)	8 (1.1)
No data	2 (0.3)	0 (0.0)	1 (0.1)	0 (0.0)

Table 4. The therapy of melasma patients in 2015–2018.

Therapy	Year			
	2015 n (%)	2016 n (%)	2017 n (%)	2018 n (%)
Sunscreen	267 (36.1)	185 (25)	188 (25.4)	95 (12.9)
Tretinoin 0.025%	1 (0.4)	0 (0.0)	1 (0.5)	0 (0.0)
Tretinoin 0.025%, Vitamin C	2 (0.7)	14(7.6)	1 (0.5)	1(1.1)
Tretinoin 0.05%	12 (4.5)	81(43.8)	102 (53.7)	40 (42.1)
AHA 8%	0 (0.0)	0 (0.0)	0 (0.0)	0 (0)
Kligman	1 (0.4)	0 (0.0)	0 (0.0)	1(1.1)
Kligman, Vitamin C	1 (0.4)	0 (0.0)	1 (0.5)	1 (1.1)
Kligman, AHA 8%	2 (0.7)	0 (0.0)	0 (0.0)	10 (10.5)
Kligman, Tretinoin 0.025%	54 (20.1)	23 (12.4)	47 (24.7)	31 (32.6)
Kligman, Tretinoin 0.025%, Vitamin C	77 (28.6)	38 (20.5)	11 (5.8)	3 (3.2)
Kligman, Tretinoin 0.025%, Vitamin E	1 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
Kligman, Tretinoin 0.025%, AHA 8%	10 (3.7)	0 (0.0)	0 (0.0)	0 (0.0)
Kligman, Tretinoin 0.025%, AHA 8%, Vitamin C	104 (38.7)	24 (13)	20 (10.5)	2 (2.1)
Kligman, Tretinoin 0.025%, AHA 8%, Vitamin E	2 (0.7)	1 (0.5)	0 (0.0)	0 (0.0)
Kligman, Tretinoin 0.025%, AHA 8%, Vitamin A and E	1 (0.4)	0 (0.0)	1 (0.5)	0 (0.0)
AHA 8%, Tretinoin 0.025%	0 (0.0)	4 (2.2)	5 (2.6)	3 (3.2)
AHA 8%, Tretinoin 0.025%, Vitamin C	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
Vitamin A and E	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)

in 150 patients (20.3%). Oral therapy includes vitamin A, vitamin C, and vitamin E (Table 4).

DISCUSSION

This retrospective study in the Cosmetic Division of Dermatology and Venereology Outpatient Clinic Dr. Soetomo General Academic Hospital in 2015-2018 as many as 739 patients, namely 27.9% of all Cosmetic Dermatology Division patients and 7% of all Dermatology and Venereology Outpatients Clinic. The results of this study indicate that the number of new melasma patient visits in the Cosmetic Division for the 2015-2018 period decreased in 2016 (185 patients) and 2018 (95 patients) when compared to 2015 (269 patients), with a total of 739 patients over 4 years. This finding indicates a decrease in the average number of new melasma patients per year compared to a previous retrospective study at Dr. Soetomo General Academic Hospital in the 2012-2014 period with 869 patients within 3 years.⁷ The decrease in the number of melasma patient visits can be caused because melasma is a cosmetic problem not covered by the National Health System and, currently, several beauty clinics that offer various services for skin problems. Hence, patients likely prefer to seek treatment at a beauty clinic rather than a hospital.

Research shows that melasma is more dominant in women. The ratio of women to men with melasma is 9:1, but a recent multicenter study in Brazil with 953 melasma patients found a ratio of 39:1.⁶ A study in India with 312 melasma patients found a 4:1 ratio between women and men. In this study, new melasma patients were dominated by women, and the results of this study were the same as Asditya A et al. previous study, namely 98.6%.⁷

Melasma most often occurs in women of childbearing age, ranging in age from 17-45 years, although melasma can also occur in men.⁸ The youngest melasma patient was 19 years old and the oldest was 75 years old in this research. New melasma patients were commonly found in the 46–55-year age group. This is in accordance with this study; the onset of melasma was mostly at 37-45 years. Melasma onset is found earlier in light skin, whereas dark skin is associated with late-onset melasma.⁹ Melasma often occurs in adult women with darker skin (Fitzpatrick skin types III-IV) who live in intense sun exposure areas, so Fitzpatrick's skin type should be listed in the medical records of melasma patients.¹⁰

Study subjects with longer exposure to heat while cooking had more severe illness or higher Melasma Area and Severity Index (MASI) scores. There is a mild positive correlation between disease severity and duration of exposure to cooking heat. A

link between cooking or heat exposure at work and the severity of melasma was found by Sarkar and colleagues in their research. The melanogenic potential of the infrared and visible light spectrum is much lower than that of UVA and UVB, but some authors report worsening melasma after prolonged exposure to oven heat and high-intensity light.¹¹ In this research, housewives are the most suffering from melasma compared to other occupations. This is in accordance with the results of a previous study where new melasma patients have work types such as housewives, civil servants, or the private sector are listed, so this does not describe the patient's exposure to UV rays.¹¹ It is important to know the specific type of work, especially for evaluating melasma cases associated with outdoor activities, which are usually susceptible to exposure to sunlight.

The duration of having melasma is likely to affect the success of therapy. Sarkar R et al., suggested that chemical peels gave good results on epidermal melasma with a duration of less than 1 year.¹¹ About 561 patients (75.9%) had melasma duration \geq 1 year in this research. This shows that in most patients, chemical peels will not give satisfactory results.

Most of the patients did not make repeat visits in this research. This shows the disobedience of patients or ignorance about melasma treatment which takes

quite a long time. A lack of knowledge about melasma can cause a one-time visit or because they can't wait for melasma to heal. Low visit rates may also occur due to lack of education provided by doctors, and it should be explained that evaluation of therapy is usually carried out after 2 months and may take longer, especially if the patient has moderate to severe melasma.

Melasma is generally a clinical diagnosis of symmetric reticulated hyper melanosis in three predominant facial patterns: centrofacial, malar, and mandibular.^{1,2} In one patient can be found more than one location of melasma. These data are in accordance with research by Asditya A et al., which states that the most common melasma lesions are located in malar, but not in accordance with some literature which says that the most common location for melasma is centrofacial.⁷

The color assessment of melasma lesions is carried out during physical examination and can be clarified with dermoscopy. The color of the most melasma lesions in this study was light brown. This is different from Asditya's previous study, where dark brown was more abundant than other lesion colors.⁷ A dermoscopy study conducted by Nanjundaswamy and colleagues on 100 melasma patients found a significant relationship between dermoscopy analysis and color in melasma lesions. Epidermal melasma is associated with a light brown color of the lesions, dermal melasma is associated with a gray color, and mixed melasma is related to dark brown lesions.¹² If the lesion color is blue-black, it is necessary to consider other differential diagnoses such as exogenous ochronosis, especially if the patient has a history of using hydroquinone for a long time or using creams of unknown composition.¹³

The size of the melasma lesion is the total area of the lesion on the face. This data is also in accordance with a previous study where the size of melasma lesions of 0.1-2 cm was the most common found in this research.⁷ Based on the literature, there is no melasma classification based on this size. The size of the melasma lesion should be calculated based on the percentage of the area involved to facilitate the total MASI.

The type of melasma lesion is more accurately determined by Woods lamp than physical examination. Woods lamp examination helps identify the location of the melanin pigment in melasma lesions. A well-defined lesion indicates the pigment in the epidermis on a wood lamp. In contrast, melanin deposits are present in the dermis if the lesion appears with an indistinct border. The lesions that show both features are of mixed type. In this research, well-defined and indistinct boundaries were the most commonly found.

Epidermal melasma is histologically characterized by an increase in melanin in the epidermis.^{3,11} Epidermal melasma responds better to treatment than dermal and mixed types of melasma. Dermal-type melasma is less responsive to conventional therapy and characterized by melanin-laden macrophages, especially in the dermis, whereas mixed-type melasma partially responds to therapy.^{14,15} The most common types of melasma in this study were mixed-types in accordance with a previous study by Asditya A et al., in melasma patients at the Cosmetic Division of Dermatology and Venereology Dr. Soetomo General Academic Hospital Surabaya in 2012-2014.⁷ This suggests that most patients will likely respond partially to therapy.

The exact cause of melasma is unclear, but melasma is thought to be caused by various factors such as sun exposure, contraceptive use, pregnancy conditions, use of drugs or cosmetics, and genetic factors, which are described by a family history of melasma. In one patient, the influencing factor can be more than one.¹¹ In clinical and laboratory studies, UV light has been shown to trigger and exacerbate the condition. According to the literature, UVA and UVB play an important role in triggering melasma. Sun exposure is the most common factor causing melasma in new patients at the Cosmetic Division of the Dermatology and Venereology Dr. Soetomo General Academic Hospital Surabaya in 2015-2018. In the medical record of a new patient with melasma, only sun exposure was written as the triggering factor without the duration of sun exposure, so a complete history and recording of sun exposure (hours/

day) and history of sunscreen used before should be done. Visible light can induce pigmentation, so it is important to add a physical sunscreen to control melasma.¹¹

Sun exposure and contraception are the second most common cause of melasma in this research.¹⁶ Melasma is thought to arise from the use of the synthetic progestin levonorgestrel. Progesterone can stimulate melanogenesis in epidermal melanocytes. In contrast, other investigators suggested the prevention of melasma with a progesterone component in oral contraceptives because progesterone reduces melanocyte proliferation without a significant effect on tyrosinase activity.⁹ Women are affected more often, and the onset of melasma usually occurs after adolescence, during pregnancy, or while using oral contraceptives supports the fact that there is an association between melasma and hormonal activity. In addition, melasma prevalence decreases after menopause and rarely manifests before puberty-estrogen and progesterone increase tyrosinase activity. Levels of circulating luteinizing hormone are higher in male patients, whereas testosterone concentrations are lower in men with melasma when compared to controls, suggesting a role for mild testicular resistance.¹⁶ This is in accordance with the research of Filoni and colleagues, who stated that based on epidemiological data, melasma occurs in 11.3%-46% of individuals who use contraception in various countries.⁹ The types of contraception used by the patient included oral contraceptives, injections, implants, and spirals, but the type of contraception and the composition of the contents were not written in the medical record. If contraception is thought to be the trigger for melasma, it is advisable to do a complete record of the type of contraception and the contraceptive content used.

Sun exposure and family history were the third most common risk factors experienced in this study. The high incidence in melasma patients with a family history suggests that genetic factors are important in the development of melasma. Evidence from a study by Griffiths and colleagues among melasma patients, where 47% had a positive family history of melasma and first-degree relatives were

affected. The high incidence of melasma also occurs in Latin America, Hispanics, and Asia with Fitzpatrick III–V skin types.^{11,17} Melasma patients were found to have downregulation of the H19 gene in hyperpigmented and normally pigmented skin. Other related genes are those involved in melanin biosynthesis, the Gene Encoding Tyrosinase (TYR), tyrosinase-related proteins TRP1 and TRP2, and Microphthalmia-Associated Transcription Factor (MITF), which are responsible for transcriptional regulation.¹⁷ This research showed positive family history in 13.1% of melasma patients.

Sun exposure and cosmetics were the fourth most common risk factors suspected of triggering in this study. Cosmetics are thought to be a minor factor associated with melasma. Cosmetics that are believed to trigger melasma include those containing photoactive contaminants such as petrolatum mineral oil, some dyes, beeswax, para-phenylenediamine, and perfume ingredients.¹⁸ The cosmetics used by patients previously included facial soap, moisturizers, day or night creams obtained from doctors at the clinic, purchased online, and cosmetic products that could be bought freely in the market. Therefore, the names of cosmetic products that have been used or are being used by the patient should be recorded in the medical record. Cosmetics rarely cause melasma, but melasma patients have shown a high prevalence of contact sensitivity to cosmetics. When melasma is not associated with pregnancy, breastfeeding, or hormone therapy, Riehl melanosis and cosmetic contact sensitivity should be considered as etiologic factors. The use of vegetable oil (mustard oil) on the face can affect the appearance of pigmentation due to sun exposure, as it is a common photosensitizer in India.¹⁶

Melasma occurs in 75% of pregnancies and 26–29% of women report its onset during pregnancy. In the third trimester, the stimulus for melanogenesis occurs and can be explained by an increase in placental, ovarian, and pituitary hormones.¹⁶ A previous study found that 10.70% of melasma sufferers out of 224 pregnant women.¹¹ This study only reported 5 patients (0.6%) with pregnancy as a risk factor for melasma. This low rate

may be due to incomplete history taking regarding the early onset of melasma in patients who have had melasma for a long time or in patients unaware that melasma occurred during a previous pregnancy.

Drugs can also cause melasma. Photosensitizing drugs can activate melasma or preexisting dark lesions, and the mechanism could be similar to exacerbations after cosmetic procedures. In 10% of patients taking phenytoin, melasma-like pigmentation appears. This drug causes the dispersion of melanin granules and induces increased pigmentation in the basal epidermis.¹⁶ In this study, there were 5 people (0.7%) with drug use as a factor influencing the occurrence of melasma. 3 data from medical records did not mention the name of the drug, while 2 other medical records mentioned the use of euthyrox and chloroquine as triggers for melasma. Euthyrox drug may not be a drug that triggers the occurrence of melasma but occurs because of thyroid disorder of the patient. Chloroquine is one of the antimalarial agents that can cause drug-induced pigmentation in 25% of patients receiving antimalarial therapy.¹⁹

Sunscreen is used in the treatment of and as protection against pigmentary disorder. Several studies document the role of visible light in inducing pigmentation in individuals with darker skin types. Chemical and mineral broad-spectrum sunscreens (zinc oxide and titanium dioxide) do not provide optimal protection from visible light. Sunscreens that offer better protection against visible light contain iron oxide in concentrations above 3%.²⁰ Sunscreen was the most widely used therapy in new melasma patients in this study. This follows Perdoski guidelines where every melasma patient must use a sunscreen with SPF 30. At the same time, Grimes and colleagues recommend using a broad-spectrum sunscreen every day with an SPF of 50 or higher. Sunscreen is applied in the morning and can be reapplied every two to three hours when outdoors.

Tretinoin is a retinoid that targets multiple melanin synthesis and dispersion pathways in the skin and has been widely used in several studies on melasma. Griffiths and colleagues compared a

0.1% tretinoin cream with a vehicle over a 40-week. Sixty-eight percent of the treatment group showed improvement. The therapeutic effect was not seen for 24 weeks and 88% of the treatment group experienced side effects from this high concentration of Tretinoin.²¹ In our research, Tretinoin 0.05% was the second most widely used therapy after sunscreen. Based on the PERDOSKI guidelines, this therapy is appropriate, where tretinoin 0.05–0.1% in creams and gels can be used as a topical therapy for melasma. Follow-up is done after 3 or 6 months.²² If there is an improvement, therapy can be continued, but if there is no improvement, other actions are recommended, such as peeling, laser, ESR mesotherapy, and others. Based on Grimes and colleagues' algorithm, therapy with Tretinoin is not used as a therapy for melasma. The use of 0.1% Tretinoin can improve melasma, but the improvement process is quite long.

Kligman formula is a combination cream consisting of 4% hydroquinone, 0.05% tretinoin, and 0.1% dexamethasone is safe and effective for melasma.^{21,22} The Kligman formula is usually used for 3 months to avoid side effects. A previous multicenter study and the randomized controlled trial concluded that the Kligman formula was more effective than multiple combinations of three active ingredients.²¹ Seventy-seven percent of patients achieved cure or near cure versus a maximum of 47% in the numerous combination group. 26% of patients taking the Kligman formula achieved a complete treatment within 8 weeks.²¹ Kligman formula and 0.025% tretinoin were the third most widely used therapy in this study. Based on the Perdoski guidelines, Tretinoin at a dose of 0.025% was not used as a topical therapy for melasma.²² Tretinoin was used at 0.5% and 0.01%, while the Kligman formula was not described as one of the therapies for melasma. Based on the Grimes algorithm, Tretinoin is not used as a topical therapy for melasma. At the same time, the Kligman formula is the first-line therapy for moderate (MASI 17–32.9) to severe (MASI 33–48) melasma.²²

RCT study evaluated GA cream as an adjuvant to 4% hydroquinone (HQ). This study compared five groups in which each group used 4% hydroquinone, and

the efficacy of adjunct drugs such as 10% GA and 0.01% hyaluronic acid was assessed. The efficacy of additional GA cream for HQ was not proven. Sarma and colleagues research concluded no evidence that recommends the use of GA cream in melasma.^{22,23} The combination of the Kligman formula, 0.025% tretinoin, AHA 8%, and vitamin C was the fourth most widely used therapy in new melasma patients in this study.²³ Based on the Perdoski guidelines, the Kligman formula and 0.025% tretinoin were not described as a treatment option in melasma.²² In comparison, AHA 8%, glycolic acid (GA) can be used as a topical therapy in melasma. Vitamin C or ascorbic acid is recommended as oral therapy in melasma when the pigmentation covers a wider area and extends to the dermis.

Chemical peels are a well-known modality of treatment and form the second-line of management in melasma and may be helpful in the improvement of its epidermal component. Chemical peeling agents used in the Cosmetic division for melasma are GA with concentrations of 20%, 35%, 50%, 70%, and Jessners solution, following the Perdoski guidelines.²² GA is usually used at concentrations of 20–70%, its absorption into the skin influenced by pH, concentration, and duration of application to the skin. Chemical peeling is usually used in combination with topical treatment.

Laser and light therapy are generally used as a second or third-line treatment when there is a failure with topical treatments. Neither of these second and third-line treatments is curative, and relapse may occur after discontinued treatment. Laser and light therapy have a role in the treatment of melasma.²⁴ These devices should be used with caution, especially among Asians, as the risk of post-inflammatory hyperpigmentation after treatment is quite high. Melasma can sometimes darken after laser and light treatments. Patients should be counseled and advised about the risk of complications. Laser and light therapy may be offered to melasma patients who are recalcitrant to topical medications. Laser and light therapy can be therapeutic options that benefit patients.^{24,25}

Response to treatment modalities

is usually assessed based on a decrease in the MASI score. The MASI score was calculated by adding the number of degrees of darkness severity (d) and homogeneity (h), multiplied by the value of the area involved (a), for each of the 4 facial areas: the forehead (f), right malar (rm), left malar (lm), and the chin (c). $MASI \text{ total score} = 0.3A(f)[D(f)+H(f)] + 0.3A(lm)[D(lm)+H(lm)] + 0.3A(rm)[D(rm)+H(rm)] + 0.1A(c)[D(c)+H(c)]$.²⁵ In this study, it was not possible to analyze the success of therapy because of limited data regarding MASI scores in medical record data.

The limitation of this study is study participants are restricted to only those that presented to the Dermatology Clinic, which may not reflect the exact general population due to its retrospective, observational, hospital-based study. Complete MASI score is needed in medical records, so patients' progression of melasma can be known and treated accurately.

CONCLUSION

The conclusion is the number of new melasma patients in the Cosmetic Division of the Dermatology and Venereology Dr. Soetomo General Academic Hospital Surabaya in 2015–2018 was 739 patients, with the highest number of women being 734 patients (99.3%), and the least being men as many as 5 patients (0.7%). The most recent work of melasma patients was housewives as many as 366 patients (49.5%). The risk factors found in this study were sun exposure as the most common risk factor for melasma in 258 patients (34.9%), followed by sun exposure and contraception in 128 patients (17.3%), sun exposure and family history in 97 patients (13.1%), as well as sun exposure and cosmetics in 72 patients (9.7%). The success of therapy cannot be carried out because an incomplete MASI score is obtained in the medical record. Evaluation of repeat visits found in this study showed that most patients did not make repeat visits as many as 448 people (60.6%).

CONFLICT OF INTEREST

There is no conflict of interest regarding the manuscript.

ETHICS CONSIDERATION

This study was obtained ethical clearance and approved by Clinical Research Unit from the Ethics Committee of Dr. Soetomo General Academic Teaching Hospital Surabaya (1759/KEPK/2020).

FUNDING

The authors are responsible for the study's funding without the involvement of grants, scholarships, or any other sponsorships.

AUTHOR CONTRIBUTIONS

All authors contribute to the study from the conceptual framework, data acquisition, data analysis until reporting the study results through publication.

REFERENCES

- Mahdalena, Jusuf NK, Putra IB. Melasma characteristic in hormonal contraceptive acceptors at Kelurahan Mangga Kecamatan Medan Tuntungan, Medan-Indonesia. *Bali Medical Journal*. 2018;7(3):645-649.
- Rajanala S, Maymone MBC, Vashi NA. Melasma pathogenesis: a review of the latest research, pathological findings, and investigational therapies. *Dermatol Online J*. 2019;25(10):13030/qt47b7r28c.
- Ogbechie-Godec OA, Elbuluk N. Melasma: an Up-to-Date Comprehensive Review. *Dermatol Ther (Heidelb)*. 2017;7(3):305-318.
- Murniastuti DS, Etnawati K, Pudjiati SR. The correlation between severity of melasma with facial wrinkles in Yogyakarta, Indonesia. *Dermatol Reports*. 2020;12(2):8390.
- Doolan BJ, Gupta M. Melasma. *Aust J Gen Pract*. 2021;50(12):880-885.
- Rajaratnam R, Halpern J, Salim A, Emmett C. Interventions for melasma (review). *Cochrane Library*. 2010;7(7):1-2.
- Asditya A, Sukanto H. Profile of melasma patients: a retrospective study. *Berkala Ilmu Kesehatan Kulit dan Kelamin*. 2017;29(3):220-227.
- Choubey V, Sarkar R, Garg V, Kaushik S, Ghunawat S, Sonthalia S. Role of oxidative stress in melasma: a prospective study on serum and blood markers of oxidative stress in melasma patients. *Int J Dermatol*. 2017;56(9):939-943.
- Filoni A, Mariano M, Cameli N. Melasma: How hormones can modulate skin pigmentation. *J Cosmet Dermatol*. 2019;18(2):458-463.
- Arrowitz C, Schoelermann AM, Mann T, Jiang LI, Weber T, Kolbe L. Effective Tyrosinase Inhibition by Thiamidol Results in Significant Improvement of Mild to Moderate Melasma. *J Invest Dermatol*. 2019;139(8):1691-1698.e6.
- Sarkar R, Jagadeesan S, Basavapura Madegowda S, Verma S, Hassan I, Bhat Y, et al. Clinical and epidemiologic features of melasma: a multicentric cross-sectional study from India. *Int J Dermatol*. 2019;58(11):1305-1310.

12. Nanjundaswamy BL, Joseph JM, Raghavendra KR. A clinicodermoscopic study of melasma in a tertiary care centre. *Pigment International*. 2017;4(2):98-103.
13. Tekgöz E, Akıncioğlu E, Çınar M, Yılmaz S. A case of exogenous ochronosis associated with hydroxychloroquine. *Eur J Rheumatol*. 2018;5(3):206-208.
14. Cestari T, Arellano I, Hexsel D, Ortonne JP; Latin American Pigmentary Disorders Academy. Melasma in Latin America: options for therapy and treatment algorithm. *J Eur Acad Dermatol Venereol*. 2009;23(7):760-772.
15. Sarkar R, Arora P, Garg VK, Sonthalia S, Gokhale N. Melasma update. *Indian Dermatol Online J*. 2014;5(4):426-35.
16. Kwon SH, Na JI, Choi JY, Park KC. Melasma: Updates and perspectives. *Exp Dermatol*. 2019;28(6):704-708.
17. Aishwarya K, Bhagwat PV, John N. Current concepts in melasma-a review article. *J Skin Sex Transm Dis*. 2020;2(1):13-17.
18. Lee AY. Recent progress in melasma pathogenesis. *Pigment Cell Melanoma Res*. 2015;28(6):648-660.
19. Nahhas AF, Braunberger TL, Hamzavi IH. An Update on Drug-Induced Pigmentation. *Am J Clin Dermatol*. 2019;20(1):75-96.
20. Fatima S, Braunberger T, Mohammad TF, Kohli I, Hamzavi IH. The Role of Sunscreen in Melasma and Postinflammatory Hyperpigmentation. *Indian J Dermatol*. 2020;65(1):5-10.
21. McKesey J, Tovar-Garza A, Pandya AG. Melasma Treatment: An Evidence-Based Review. *Am J Clin Dermatol*. 2020;21(2):173-225.
22. PERDOSKI. Panduan praktek klinis bagi dokter spesialis kulit dan kelamin di Indonesia. PERDOSKI. 2017:273-76.
23. Sarma N, Chakraborty S, Poojary SA, Rathi S, Kumaran S, Nirmal B, et al. Evidence-based Review, Grade of Recommendation, and Suggested Treatment Recommendations for Melasma. *Indian Dermatol Online J*. 2017;8(6):406-442.
24. Zhang Y, Zheng X, Chen Z, Lu L. Laser and laser compound therapy for melasma: a meta-analysis. *J Dermatolog Treat*. 2020;31(1):77-83.
25. Pandya AG, Hynan LS, Bhore R, Riley FC, Guevara IL, Grimes P, et al. Reliability assessment and validation of the Melasma Area and Severity Index (MASI) and a new modified MASI scoring method. *J Am Acad Dermatol*. 2011;64(1):78-83.



This work is licensed under a Creative Commons Attribution