

## DAFTAR PUSTAKA

- Alberts B, Bray D, Lewis J, Raff M, Roberts K, Watson JD, 1994. **Molecular biology of the cell**. 3<sup>rd</sup> edition, New York: Garland Publishing Inc, pp. 1255-1274.
- Allcock HR, Lampe FW, 1990. **Contemporary polymer chemistry**. 2<sup>nd</sup> edition, New Jersey: Prentice Hall Englewood Cliffs, pp. 13,24, 577-580.
- Attin T, Vataschiki M, Hellwig E, 1996. Properties of resin modified glass-ionomer restorative materials and two polyacid modified resin composite materials. **Quint Int** 27: 203-209.
- Babie E, 1986. **The practice of social research**. 4<sup>th</sup> edition, California: Wadsworth Pub Co
- Basker RM, Hunter AM, Highet AS, 1990. A severe asthmatic reaction to polymethyl methacrylate denture base resin. **Br Dent J** 169: 250-251.
- Benjamini E, Leskowitz S, 1991. **Immunology a short course**. 2<sup>nd</sup> edition, Singapore: John Wiley & Sons, pp. 25-39
- Billmeyer FW, 1984. **Textbook of polymer science**. 3<sup>rd</sup> edition, Singapore: John Wiley & Sons, pp. 25-26, 49-50, 413, 444.
- Blanchet LJ, Bowman DC, Mc Reynolds HD, 1982. Effects of methyl methacrylate monomer vapors on respiration and circulation in unanesthetized rats. **J Prosth Dent** 48: 344-348.
- Brian FG, Manly, 1994. **Multivariate statistical method**. New York: Chapman & Hall.
- Casarett LJ, Doull J, 1991. **Toxicology, the basic science of poisons**. 4<sup>th</sup> edition, New York Pergamon Press, pp. 12-13, 127-129.
- Chinn JA, Sauter JA, Phillips RE, Kao WJ, Anderson JM, Hanson SR, Ashton TR, "Blood and tissue compatibility of modified polyester: thrombosis, inflammation, and healing", **J Biomed Mater Res**, 39:130-140, January 1998 (journal on-line); didapat dari <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?uid=9429104&form=6&db=m&Dopt=b>; diakses 11 January 1998. (Abstrak)
- Cole AS, Eastoe JE, Geary CP, Hayes ML, 1977. **Biochemistry and oral biology**. 2<sup>nd</sup> edition Singapore: Toppan Co Ltd, pp. 131-135.

- Combe EC, 1992. **Notes on dental materials**. 6<sup>th</sup> edition, London: Churchill Livingstone, pp 11, 56, 61, 90, 157-160.
- Cook RJ, 1991. Response of the oral mucosa to denture wearing. **J Dent** 19: 135-147.
- Cowd MA, 1991. **Kimia polimer**. Bandung: penerbit ITB, hal.2.
- Craig RG, 1997. **Restorative dental materials**. 7<sup>th</sup> edition, St Louis: CV Mosby Co, pp.130-134,137,246,500-504, 508.
- Davy KW, Braden M, 1991. Residual monomer in acrylic polymers. **Biomat J** 12: 540-544.
- Devlin H, Watts DC, 1984. Acrylic allergy ?. **Br Dent J** 157: 272-275.
- Dorman DC, Haschek WM, 1991. Fatal propylene glycol toxicosis in a horse. **J Am Vet Med Assoc**, 198:1643-1644.
- Edgerton M, Levine MJ, 1993. Biocompatibility. Its future in prosthodontic research. **J Prosth Dent**, 69:406-415. 157
- Edgerton M, Tabak LA, Levine MJ, 1987. Saliva a significant factor in removable prosthodontic treatment. **J Prosth Dent**,: 272-275.
- Fabro S, Shull G, Brown NA, 1982. The relative teratogenic index and teratogenic potency proposed components of developmental toxicity risk assessment. **Teratog Carcin Mutagen** 2: 61-76.
- Fechner A, 1986. **Intraocular lenses**. New York: Thieme Inc, pp. 47-48.
- Fukazawa M, Matsuya S, Yamane M, 1987. Mechanism for erosion of glass-ionomer cements in an acidic buffer solution. **J Dent Res** 66: 1770-1774.
- Gan S, Setiabudi R, Syamsudin U, Bustami Z, 1987. **Farmakologi dan terapi**. Edisi ke 3, Jakarta: Gaya Baru, hal. 19-21.
- Gebelein CG, 1985. **Medical applications ; Applied polymer science**. New York: American Chem Soc, pp. 535-542.
- Giunta JL, Grauer I, Zablotsky N, 1979. Allergic contact stomatitis caused by acrylic resin. **J Prosth Dent** 42: 188-190.
- Glantz PO, 1998. Biomaterial considerations for the optimized therapy for the edentulous predicament. **J Prosth Dent** 79: 90-92.

- Gritter RJ, Bobbitt JM, Schwarting AE, 1991. **Pengantar kromatografi**. Bandung: Penerbit ITB, hal. 1-5,13-15.
- Hammesfahr PD, "Biocompatible resins in dentistry", **J Biomater Appl** 1(3):373-381, January 1987 (journal on-line); didapat dari <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?uid=3333406&form=6&db=m&Dopt=b>; diakses 11Jan. 1998 (abstr).
- Harrison A, Huggett R, 1992. Effect of the curing cycle on residual monomer levels of acrylic resin denture base polymers. **J Dent** 20: 370-374.
- Harsini, 1989. Penambahan alumina atau silika gel ke dalam serbuk polimer resin akrilat heat cured terhadap kekuatan impak, transversa dan kekerasannya. **Tesis**. Surabaya: Universitas Airlangga.
- Herfindal ET, Hirschman JL, 1990. **Clinical pharmacy and therapeutics**. Baltimore: The Williams & Wilkins Co, pp. 24—33.
- Hensten-Pettersen A, Jacobsen N, 1990. The role of biomaterials as occupational hazards in dentistry. **Int Dent J** 40: 159-166.
- Hochman N, Zalkind M, 1997. Hypersensitivity to methyl methacrylate: mode of treatment. **J Prosth Dent** 77: 93-96.
- Holmes AR, Cannon RD, Shepherd MG, 1992. Mechanism of aggregation accompanying morphogenesis in *Candida albicans*. **Oral Microbiol Immunol** 7: 32-37.
- Hurzeler MB, Quinones CR, Hutmacher D, Schupbach P, "Guided bone regeneration around dental implants in the atrophic alveolar ridge using a bioresorbable barrier. An experimental study in the monkey", **Clin Oral Implants Res** 8(4):323-331, August 1997 (journal on-line); bisa didapat dari <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?uid=9586480&form=6&db=m&Dopt=b>; diakses 18 Maret 1998. (Abstrak)
- Kallus T, 1984. Evaluation of the toxicity of denture base polymers after subcutaneous in guinea pigs. **J Prosth Dent** 52: 126-134.
- Kanerva L, Estlander T, Jolanki R, Tarvainen K, 1993. Occupational allergic contact dermatitis caused by exposure to acrylates during work with dental prostheses. **Contact Dermatitis** 28: 268-275.
- Kawaguchi M, Takahashi Y, Fukushima T, Habu T, 1996. Effect of light-exposure duration on the amount of leachable monomers from light-activated reline material. **J Prosth Dent**, 75: 183-187.

- Kluwe WM, McConnell EE, Huff JF, Haseman JK, Douglas JF, Hartwell WV, 1982. Carcinogenicity testing of phthalate esters and related compounds by the national toxicology program and the national cancer institute. **Environ Health Perspect**, 45: 129-133.
- Koeman JH, 1987. **Pengantar umum toksikologi**. Yogyakarta: Gadjah Mada University Press, hal. 2.
- Kohavi D, Klinger A, Steinberg D, Sela MN, 1995. Adsorption of salivary proteins onto prosthetic titanium components. **J Prosth Dent** 74: 531-534.
- Lefebvre CA, Schuster GS, 1994. Biocompatibility of visible light-cured resin systems in prosthodontics. **J Prosth Dent** 71: 178-185.
- Lekovic V, Klokkevold PR, Kenney EB, Dimitrijelic B, Nedic M, Weinlaender M, "Histologic evaluation of guided tissue regeneration using four barrier membranes: a comparative furcation study in dogs", **J Periodontol** 69(1): 54-61, January 1998 (journal on-line); didapat dari <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?uid=9527562&form=6&db=m&Dopt=b>; diakses pada Mei 1998. (Abstrak)
- Macdonald F, Ford CHJ, 1997. **Molecular biology of cancer**. 1<sup>st</sup> edition, Oxford UK: Information Press Ltd. pp. 1-6.
- Male D, 1991. **Immunology an illustrated outline**. 2<sup>nd</sup> edition, London: Gower Medical Pub, pp. 21-22, 41, 91-99.
- Marsh P, Martin M, 1984. **Oral microbiology**. 2<sup>nd</sup> edition, Washington: American Society for Microbiology, pp. 2-5.
- Messersmith PB, Obrez A, Lindberg S, 1998. New acrylic resin composite with improved thermal diffusivity. **J Prosth Dent** 79: 278-284.
- Minagi S, Miyake Y, Inagaki K, Tsuru H, Suginaka H, 1985. Hydrophobic interaction in *Candida tropicalis* adherence to various denture base resin materials. **J Prosth Dent Infect Immun** 47: 11-13.
- Moeliono AM, 1990. **Kamus besar bahasa Indonesia**. Edisi ke 3, Jakarta: Balai Pustaka, h. 242,441,570,582, 1024-1053.
- Nadarajah V, Cohen RE, Neiders ME, Aguirre A, 1996. Cellular inflammatory responses to implanted dental materials. **J Prosth Dent** 75: 552-561.

- Newman TR, 1972. **Plastics as an art form**. Rev edition, Philadelphia: Chilton Book Co, pp. 28-31, 99.
- Ngatidjan, 1991. **Metode laboratorium dalam toksikologi**. Yogyakarta: Pusat Antar Universitas - Universitas Gadjah Mada.
- Nikawa H, Iwanaha H, Hamada T, 1992. An in vitro evaluation of simplified quantitative diagnostic aids for detection of *Candida albicans*. **Dent J Prosth** 68: 629-633.
- Nissengard RJ, Newman MG, 1994. **Oral microbiology and immunology**. 2<sup>nd</sup> edition, Philadelphia: WB Saunders Co, pp. 41-46, 320-324.
- Pagniano RP, Johnston WM, 1993. The effect of unfilled resin dilution on composite resin hardness and abrasion resistance. **J Prosth Dent** 70:214-218.
- Pearl RG, Rice SA, 1989. Propylene -glycol -induced pulmonary hypertension in sheep. **Pharmacol**, 39: 383-389.
- Phillips MJ, Poucell S, Patterson J, Valencia P, 1987. **The liver: An atlas and text of ultra-structural pathology**. New York: Raven Press, pp.159,161.
- Phillips RW, 1991. **Skinner's science of dental materials**. 9<sup>th</sup> edition, Philadelphia: WB Saunders Co, pp. 17, 42, 57, 159-165, 168-169, 177, 208, 218.
- Pine SH, Hendrickson JB, Cram DJ, Hammond GS, 1980. **Organic chemistry**. 4<sup>th</sup> edition, New York: McGraw-Hill Book Co, pp. 28, 865-869.
- Quinn DA, Robinson D, Hales CA, 1990. Intravenous injection of propylene glycol causes pulmonary hypertension in sheep. **J Appl Physiol** 68: 1415-1420.
- Rached RS, Toledo BE, Okamoto T, Ampaio JE, Orrico SR, Marcantonio RA, 1992. Reaction of the human gingival tissue to different suture materials used in periodontal surgery. **Braz Dent J** 2: 103-113.
- Reynolds JEF, (ed) 1994. **Martindale - The extra pharmacopoeia**. Singapore: Info Access and distribution Pte Ltd.
- Sadamori S, Shigeto N, Hamada T, Okuda K, 1990. A method of determining residual monomer in acrylic resin using methyl ethyl keton. **Austr Dent J** 35: 509-513.
- Salim S, Sadamori S, Hamada T, 1992. The dimensional accuracy of rectangular acrylic resin specimens cured by three denture base processing methods. **J Prosth Dent** 67: 879-881.

- Sastrohamidjojo H, 1982. **Kromatografi**. Yogyakarta: Universitas Gadjah Mada, h. 1-3.
- Saunders KJ, 1988. **Organic polymer chemistry**. 2<sup>nd</sup> edition, London: Chapman & Hall, pp. 226-231.
- Sears JK, Touchette NW, Darby JR, 1985. **Plasticisers; Applied polymer science**, New York: American Chemical Society, pp.611,639.
- Short RD, Johannsen FR, Levinskas GJ, Rodwell DE, Schardein JL, 1986. Teratology and multigeneration reproduction studies with maleic anhydride in rats. **Fundam Appl Toxicol**, 7: 359-366.
- Singh AR, Lawrence WH, Autian J, 1972. Teratogenicity of phthalate esters in rats. **J Pharma Scie** 61:51-55.
- Siswomihardjo W, 1993. Uji biokompatibilitas bahan polimer poliester dengan embrio ayam. **Penelitian mandiri**. Tidak dipublikasikan, Yogyakarta: Univ. Gadjah Mada.
- Siswomihardjo W, 1994. Manipulasi poliester EBP-2421 untuk basis gigitiruan. **Penelitian mandiri**. Tidak dipublikasikan. Yogyakarta: Universitas Gadjah Mada.
- Soeprapto, Sunarintyas S, 1995. Perlekatan koloni *Candida albicans* pada permukaan lempeng gigitiruan resin akrilik. **Maj Ked Gigi** 28: 127-129.
- Stanford JW, 1980. Recommended standard practices for biological evaluation of dental materials. **Int Dent J** 30:140-180.
- St Germain HA, Meiers JC, "Surface roughness of light - activated glass - ionomer cement restorative materials after finishing", **Oper Dent** 21(3):103-109, May 1996 (journal on-line); didapat dari <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?uid=9002869&form=6&db=m&Dopt=b>; diakses pada Mei 1998. (Abstrak)
- Stipho HD, 1998. Effect of glass fiber reinforcement on some mechanical properties of autopolymerizing polymethyl methacrylate. **J Prosth Dent**, 79: 580-584.
- Tamamoto M, Miyake Y, Fujita Y, Siginaka H, Hamada T, 1986. Frequency and distribution of *Candida* species from denture wearers. **Hir J Med Scie** 35:39-43.
- Tosti A, Guerra L, Vincenzi C, Peluso AM, 1993. Occupational skin hazards from synthetic plastics. **Toxicol Ind Health**, 9: 493-502.
- Tron VA, Sauder DN, 1991. **Allergic contact dermatitis**. Jordon RE (ed): Immunologic diseases of the skin. California: Appleton & Lange, pp. 253-255.

- Tsuchiya H, Hoshino Y, Tajima K, Takagi N, 1994. Leaching and cytotoxicity of formaldehyde and methyl methacrylate from acrylic resin denture base materials. **J Prosth Dent**, 71:618-624.
- Urban J, 1993. Experimental evaluation of using polyester prosthesis of various textures for alloplasty in cruciate ligaments of the knee. **Polim Med** 23:45-67.
- Van Hoogstraten IMW, 1992. Oral induction of immune tolerance for nickel and chromium prevention of allergic contact hypersensitivity. **Thesis**. Amsterdam: Free University.
- Van Nieuw Amerongen A, 1988 **Ludah dan kelenjar ludah**. Yogyakarta: Gadjah Mada University Press, hal. 15-21.
- Van Noort R, 1994. **Introduction to dental materials**. London: Mosby, pp. 2-3, 39-40, 90-95, 183-184.
- Verran J, Maryan C, 1997. Retention of *Candida albicans* on acrylic resin and silicone of different surface topography. **J Prosth Dent**, 77:535-539.
- Vilaplana J, Romaguera C, Cornellana F, 1994. Contact dermatitis and adverse oral mucous membrane reactions related to the use of dental prostheses. **Contact Derm** 30: 80-84.
- Warfinge G, Larsson A, 1991. Immunocytochemical analysis of early focal cellular infiltrates in experimental oral contact hypersensitivity. **Acta Derm Venereol**, 71: 377-383
- Weaver RE, Goebel WM, 1980. Reactions to acrylic resin dental prostheses. **J Prosth Dent** 43: 138-141.
- Wiltshire WA, Ferreira MR, Ligthelm AJ, 1996. Allergies to dental materials. **Quintess Int** 27: 513-520.
- Windholz M, (ed), 1984. **The merck index**. 9<sup>th</sup> ed., Rahway USA: Merck & Co. Inc.
- Winter GD, Leray JL, De Groot K, (ed) , 1980. **Evaluation of biomaterials**. New York: John Wiley & Sons. Pp 381-383.
- Yustina AAS, 1996. Reaksi hipersensitivitas kontak terhadap merkuri (Hg) pada tikus Wistar. **Tesis**. Yogyakarta: Program Pascasarjana Universitas Gadjah mada.
- Zaki HS, Ketzan KJ, Carrau RL, 1995. Hypersensitivity to temporary soft denture liners, a clinical report. **J Prosth Dent**, 73: 1-3.