The Role of Static Magnetic Healing Abutment in Osteoblastic Differentiation to Reduce Marginal Crestal Bone Loss

Leonard Christiaan Nelwan,¹ Sindy Cornelia Nelwan,^{2*} Asti Meizarini,³ Nunthawan Nowwarote^{2,4}

- 1. Doctoral Program in Dentistry, Faculty of Dental Medicine, Universitas Airlangga, Surabaya Indonesia
- 2. Department of Pediatric Dentistry, Universitas Airlangga, Surabaya Indonesia
- 3. Department of Dental Material, Faculty of Dental Medicine, Universitas Airlangga, Surabaya Indonesia
- 4. Centre de Recherche des Cordeliers, INSERM URMS 1138, Molecular Oral Pathophysiology, Universite de Paris, Sorbonne Université, Paris France

Abstract

Dental implantation successfully can be made if the implant, bone, and soft tissue are integrated to increase patient satisfaction. Marginal crestal bone loss, if once occurring, will directly affect the longevity of dental implants; thus, it causes implant failure. Static magnetic field (SMF) has always been a great interest in dentistry as it has been used for various purposes in prosthodontics including prosthesis and overdentures. The use of SMF as healing abutment is under investigation.

This study investigated how SMF can reduce marginal crestal bone loss after dental implant placement. Functioning the static magnetic field (SMF), canonical Wnt ligands can be upregulated, and phosphorylation of GSK-3 β and total β -catenin expression in osteoblasts are promptly stimulated. SMF activated the Wnt/ β -catenin signaling pathway to invigorate the osteoblastic differentiation. SMF-activated Wnt-Fzd-LRP5/6 binding events can accumulate β -catenin intracellularly and phosphorylate GSK3, which activates MAPK and NF- $\kappa\beta$ for osteoblastogenic gene and Runx2 transcription.

Therefore, SMFs positively affect bone healing and periodontal regeneration. Static magnetic healing abutment plays a role in increasing osteoblastic differentiation; hence, it reduces marginal crestal bone loss.

Review (J Int Dent Med Res 2022; 15(2): 896-898)

Keywords: Static magnetic field, marginal crestal bone loss, magnetic healing abutment, Wntsignaling, osteoblastic differentiation, patient satisfaction.Received date: 15 January 2022Accept date: 02 March 2022

Accept date: 02 March

Introduction

Marginal crestal bone loss after dental implant placement may represent a threat to implant longevity. It has occurred to 5-10% of patients. During the first year of dental implantation failure, peri-implant bone loss exceeds 1.0 mm. A year after, it is more than 0.2 mm.^{1,2}

One factor that affects bone loss and determines the implant success is osseointegration in which the bone and soft tissue are integrated with the implant surface.

*Corresponding author: Sindy Cornelia Nelwan Faculty of Dental Medicine, Universitas Airlangga St. Mayjen Prof. Dr. Moestopo No. 47. Surabaya, Indonesia. E-mail : <u>sindy-c-n@fkg.unair.ac.id</u> Osseointegration is a sequential four phases of wound healing process which includes hemostasis, inflammatory phase, proliferative phase, and remodeling phase. The hemostasis occurs within minutes to hours, inflammatory phase in hours to days, proliferative phase in days to weeks, and the remodeling phase in about 3 weeks and even years.^{3,4}

Mechanical bonding trigger could osseointegration with human bone as particles and ions crack and release on surrounding tissues. Titanium (Ti) particles, well-established cause biomaterials for dental implants. inflammation apart from progressive bone loss.⁵ Recent research supports this finding by stating that titanium particles activate proinflammatory cytokines. Imbalanced cytokine levels released by the particles may resolute inflammation besides leading to alveolar bone and soft tissue loss.6

 $Volume \cdot 15 \cdot Number \cdot 2 \cdot 2022$

Journal of International Dental and Medical Research ISSN 1309-100X	
http://www.jidmr.com	

Static magnetic field (SMF) is an effort in dentistry to find an alternative material to help bone growth and healing. In several animal studies, there are no adverse effects reported from magnetic implant placement.⁷ Siadat et al.⁸ mentioned that SMF can stabilize the implant and reduce bone loss as the bone healing occurs in some first weeks; while the implant stability quotient values obtained with SMF was greater than non-magnetic group.⁹ This review aimed to investigate further the role of SMF in reducing marginal bone loss by increasing osteoblastic differentiation.

Reviews

With the static magnetic field (SMF), canonical Wnt ligands prominently increased. Similarly, the GSK-3 β phosphorylate and β -catenin is expressed in osteoblasts. The osteoblastic differentiation also occurs due to the simulating SMF which also activates the Wnt/ β -catenin signaling pathway.¹⁰ The signaling molecule Wnt passes through both β -catenin-dependent canonical and independent noncanonical pathways when the osteoblast differentiation is going on.^{11,12,13}

Two cytokines expressed by osteoblastlineage cells are significant to osteoclast differentiation in addition to colony-stimulating factor-1 (CSF-1). The cytokines can bind with the receptor activator of nuclear factor kß ligand (RANKL). Osteoblasts constitutively express CSF-1, while RANKL expression is inducible there, especially for bone resorption-stimulating factors e.g., 1α,25 dihydroxy vitamin D₃ (1,25D₃), interleukin (IL)-11, as well as parathyroid hormone. Like RANK (RANKL receptor), CSF-1 receptor (CSF-1r) is the product of osteoclast precursors which then diverge into osteoclasts. Osteoblasts can produce a soluble decoy receptor for RANKL, Osteoprotegerin (Opg) which blocks the RANKL-RANK interaction by inhibiting osteoclastogenesis.11,14,15

SMF stimulates the proliferation of mesenchymal stem cells, and in turn, activates Wnt/ β -catenin signalling. Skeletal development and osteoblast differentiation are two processes affected by the pathway. Wnt binding to its receptors may inhibit GSK-3 β , stabilize, and accumulate β -catenin. The β -catenin is then translocated to the nucleus. The members of the

T-cell factor/lymphoid enhancer factor family of transcription factors interact with each other in the nucleus. This process activates Wnt downstream target genes.¹¹

The MAPK and NF- $\kappa\beta$ had an essential role in cell differentiation. SMF-activated Wnt-Fzd-LRP5/6 binding intracellularly accumulated β -catenin and phosphorylates GSK3. The phosphorylation activates MAPK and NF- $\kappa\beta$ for osteoblastic gene and Runx2 transcription. Therefore, SMFs prompt good effects on bone healing, not to mention periodontal regeneration.^{14,16}

In osteoclast genesis, NO mediating cell fusion of pre-osteoclasts could be generated due to inducible NO synthase expression. Cell differentiation is more vigorous as the NO pathway is being stimulated. Whether or not NO is involved needs to be investigated further, especially in the osteoclastogenic responses to SMF.

Conclusions

Static magnetic healing abutment is likely to increase osteoblastic differentiation; hence, it reduces marginal crestal bone loss.

Declaration of Interest

The authors declare that there are no conflicts of interest.

References

- Qian J, Wennerberg A, Albrektsson T. Reasons for marginal bone loss around oral implants. Clin Implant Dent Relat Res. 2012;14(6):792-807.
- Klimecs V, Grishulonoks A, Salma I, et al. Bone loss around dental implants 5 years after implantation of biphasic calcium phosphate (HAp/βTCP) granules. J Healthch Eng. 2018:1-7.
- Mavrogenis AF, Dimitriou R, Parvizi J, Babis GC. Biology of implant osseointegration. J Musculoskelet Neuronal Interact. 2009; 9(2): 61-71.
- Terheyden H, Lang P, Bierbaum S, Stadlinger B. Osseointegration – communication of cells. Clin Oral Impl Res. 2011; 00: 1-9.
- Costa RC, Souza J, Cordeiro JM, et al. Synthesis of bioactive glass-based coating by plasma electrolytic oxidation: Untangling a new deposition pathway toward titanium implant surfaces. J Colloid Interface Sci. 2020; 579: 680-98.
- Berryman Z, Bridger L, Hussaine HM, Rich AM, Atieh M, Tawse-Smith A. Titanium particles: An emerging risk factors for peri-implant bone loss. Saudi Dent J. 2020; 32:283-92.
- Zhang J, Ding C, Ren L, Zhou Y, Shang P. The effects of static magnetic fields on bone. Prog Biophys Mol Biol. 2014; 114:146-52.
- Siadat H, Bassir SH, Alikhasi M, Shayesteh YS, Khojasteh A, Monzavi A. Effect of static magnetic fields on the osseointegration of immediately placed implants: A randomized

Volume · 15 · Number · 2 · 2022

controlled clinical trial. Implant Dent. 2012; 21:491-5.

- Gujjalapudi M, Anam C, Mamidi P, Chiluka R, Kumar G, Bibinagar R. Effect of magnetic field on bone healing around endosseous implants – An in vivo study. J Clin Diag Res. 2016; 10: ZF01-ZF04.
- Kim EC, Park J, Kwon IK, Lee SW, Park SJ, Ahn SJ. Static magnetic fields promote osteoblastic/cementoblastic differentiation in osteoblasts, cementoblasts, and periodontaol ligament cells. J Periodontal Implant Sci. 2017; 47:273-91.
- Maeda K, Takahashi N, Kobayashi Y. Roles of Wnt signals in bone resorption during physiological and pathological states. J Mol Med. 2013; 91:15-23.
- Muharram RA, Danudiningrat CP, Soesilawati P, Amir MS, Gofur ARP, Citrasari AH. The Effects of Ag+ Ion in Osteoblast Cell Proliferation (In Vitro Study). Journal of International Dental and Medical Research. 2021;14(4):1419-24
- Pranaringrum W, Sularsih, Ashrin MN, Revianti S, Sari RP. Osteoblast on Porous HA-TCP Scaffold Derived from Bleed Cockle Shells Synthesis: In Vivo Study. Journal of International Dental and Medical Research. 2021;14(2):613-7
- 14. Wijaksana IKE, Prahasanti C, Bargowo L, Sukarsono RM, Krismariono A. OPG and RANKL Expression in Osteoblast Culture after Application of Osphronemus Gourami Fish Scale Collagen Peptide. Journal of International Dental and Medical Research. 2021;14(2):618-22
- Choorak N, Amornsettachai P, Chuenjitkuntaworn B, Suphangul S. Dimensional Change of Peri-implant Soft Tissue Following Immediate Implant Placement and Customized Healing Abutment in Posterior Teeth. Journal of International Dental and Medical Research. 2021;14(1):273-9
- Zhang J, Meng X, Ding C, Xie L, Yang P, Shang P. Regulation of osteoclast differentiation by static magnetic fields. Electromagn Biol Med. 2016:1-12.