

PAPER • OPEN ACCESS

2nd International Conference on Tropical and Coastal Region Eco Development 2016

To cite this article: 2017 *IOP Conf. Ser.: Earth Environ. Sci.* **55** 011001

View the [article online](#) for updates and enhancements.



ECS

Connect with decision-makers at ECS

Accelerate sales with ECS exhibits, sponsorships, and advertising!

▶ Learn more and engage at the 244th ECS Meeting!

Published in IOP Proceeding Series: 2nd International Conference on Tropical and Coastal Region Eco Development (ICTCRED) 2016

PREFACE

The 2nd International Conference on Tropical and Coastal Region Eco Development (ICTCRED) 2016 was held by Research and Community Services Institute, Diponegoro University, Indonesia in Bali during 25-27 October 2016. Bali, the god island amid pleasant surroundings, was a delightful place for this conference. The 165 research papers were presented both by oral and poster presentation, and the conference had delivered many fruitful discussions and exchanges that contributed to the success of the conference. Among these papers, we selected 72 papers through intensive review by scientific committee. Participants from 10 countries made the conference truly international in scope and the presentations were split into two main conference areas, i.e., tropical life sciences and Coastal Region Developments. There were 7 plenary lectures covering the different areas of the conference: Prof. Ocky Karna Radjasa (Ministry of Research, Technology and Higher Education) talked on Policy on Coastal Research in Indonesia, Prof. Ambariyanto (Diponegoro University) on Update in Coastal Development, Prof. Makoto Tsuchiya (University of the Ryukyus – Japan) on Coral Reef Ecosystem, Prof. Peter Gell (Federation University of Australia – Australia) on Pollution and Coastal Environmental Changes in Tropical Region, Prof. Johan C. Winterwerp (TU Delft, Netherlands) on Restoring eroding mangrove-mud coasts through Building with Nature. These plenary speakers have given significant scientific contributions to the conference.

Participants have delivered their talks of valuable research outputs which are varies from extracting valuable compounds from marine environment and convert them to specialty products. During the presentation, marine products and their processing were also elaborated with developments in oceanography technology, coastal environment management and policies. These topics were more fruitful when researches in social science and its developments especially at the coastal area were also presented. These wide range of topics have colorized this conference.

Finally, it is appropriate that we record our thanks to our fellow members of the Organizing Committee and of the Scientific Committee for their work in maintaining high quality of papers and in encouraging participation from those areas. We are also indebted to those who served as chairman of Institute of Research and Community Services, Diponegoro University and Ministry of Research, Technology and Higher Education for their financial supports. Without their support, the conference could not have been the success that it was. We also acknowledge the authors themselves, without whose expert input there would have been no conference. The continuing success of this conference series means that planning can now proceed with confidence for the same event in 2017.

Guest Editors

Hadiyanto,
Chair of Scientific Committee



Scientific Committee/Editor

Hadiyanto (*Diponegoro University, Indonesia*)
Makoto Tsuchiya (*University of the Ryukyus, Japan*)
Heru Susanto (*Diponegoro University, Indonesia*)
Muhammad Mukhlisin (*Semarang State Polytechnic, Indonesia*)
Jamari (*Diponegoro University, Indonesia*)
Hussein Gasem (*Diponegoro University, Indonesia*)
Ambariyanto (*Diponegoro University, Indonesia*)
Muhammad Zainuri (*Diponegoro University, Indonesia*)
Muhammad Ali (*Mataram University*)
Sultana MH Faraz (*Diponegoro University, Indonesia*)
Gerard Pals (*Vrije Universiteit Amsterdam, Netherland*)
Randi Hagerman (*University of California Davis, United States*)
Flora Tassone (*University of California Davis, United States*)
Herawati Sudoyo (*Eijkman Institute, Indonesia*)
Ocky Karna Rajasa (*MRTHE, Indonesia*)
Craig Starger (*Colorado State University, United States*)
CN Ravishankar (*Central Institute of Fisheries Technology, India*)
Agus Sabdono (*Diponegoro University, Indonesia*)
Maria Barbosa (*Wageningen University, Netherland*)
Yasuhiro Igarashi (*Japan*)
Irwandi Jaswir (*IUM, Malaysia*)
Michio Hidaka (*University of the Ryukyus, Japan*)

Organizing Committee

Munawar A Riyadi	Chair
Tri Indah Winarni	Co-Chair of TLS
Diah Permata Wijayanti	Co-Chair of CRED
Eko Susanto	Secretary
Desrina	Proceeding
Muh. Arfan	Publication

This conference has been conducted by Institute of Research and Community Services, Diponegoro University, Indonesia 25-27 October 2016

PAPER • OPEN ACCESS

Peer review statement

To cite this article: 2017 *IOP Conf. Ser.: Earth Environ. Sci.* **55** 011002

View the [article online](#) for updates and enhancements.

An advertisement banner with a dark blue background. On the left, a hand points towards a glowing globe. The globe is surrounded by a network of white icons representing people and connections. In the center, the ECS logo is displayed in white. To the right of the logo, the text 'Connect with decision-makers at ECS' is written in yellow. Below this, the text 'Accelerate sales with ECS exhibits, sponsorships, and advertising!' is written in white. At the bottom right, a yellow play button icon is followed by the text 'Learn more and engage at the 244th ECS Meeting!' in yellow.

Connect with decision-makers at ECS

Accelerate sales with ECS exhibits, sponsorships, and advertising!

▶ Learn more and engage at the 244th ECS Meeting!

Peer review statement

All papers published in this volume of *IOP Conference Series: Earth and Environmental Science* have been peer reviewed through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.



Table of contents

Volume 55

2017

◀ Previous issue Next issue ▶

2nd International Conference on Tropical and Coastal Region Eco Development 2016 25–27 October 2016, Bali, Indonesia

Accepted papers received: 30 January 2017

Published online: 01 March 2017

Open all abstracts

Preface

OPEN ACCESS 011001
2nd International Conference on Tropical and Coastal Region Eco Development 2016

✚ Open abstract  View article  PDF

OPEN ACCESS 011002
Peer review statement

✚ Open abstract  View article  PDF

Papers

OPEN ACCESS 012001
Past and Future Ecosystem Change in the Coastal Zone

P Gell

✚ Open abstract  View article  PDF

OPEN ACCESS 012002
Conserving endangered marine organisms: causes, trends and challenges

Ambariyanto

✚ Open abstract  View article  PDF

OPEN ACCESS 012003
Population of *Aedes sp* in Highland of Wonosobo District and Its Competence as A Dengue Vector

Martini Martini, Bagoes Widjanarko, Retno Hestiniingsih, Susiana Purwantisari and Sri Yuliawati

✚ Open abstract  View article  PDF

OPEN ACCESS 012004
Nutritional value content, biomass production and growth performance of *Daphnia magna* cultured with different animal wastes resulted from probiotic bacteria fermentation

Vivi Endar Herawati, R A Nugroho, Pinandoyo and Johannes Hutabarat

✚ Open abstract  View article  PDF

OPEN ACCESS 012005
Symbiotic Fungus of Marine Sponge *Axinella sp.* Producing Antibacterial Agent

A Trianto, S Widyaniingsih, OK Radjasa and R Pribadi

✚ Open abstract  View article  PDF

OPEN ACCESS 012006
The Influence of Madden Julian Oscillation on the Formation of the Hot Event in the Western Equatorial Pacific

Anindya Wirasatriya, Denny Nugroho Sugianto and Muhammad Helmi

✚ Open abstract  View article  PDF

OPEN ACCESS 012007
Sediment Transport Model In Sayung District, Demak

Aris Ismanto, Muhammad Zainuri, Sahala Hutabarat, Denny Nugroho Sugianto, Sugeng Widada and Anindya Wirasatriya

✚ Open abstract  View article  PDF

OPEN ACCESS 012008
Resources Management Strategy For Mud Crabs (*Scylla spp.*) In Pemalang Regency

Aristi Dian Purnama Fitri, Herry Boesono, Agus Sabdono and Nadia Adlina

✚ Open abstract  View article  PDF

OPEN ACCESS 012009
Development of Spore Protein of *Myxobolus koi* as an Immunostimulant for Prevent of Myxobolus on Gold Fish (*Cyprinus carpio* Linn) by Oral Immunisation

Gunanti Mahasri

✚ Open abstract  View article  PDF

OPEN ACCESS 012010
The Effectiveness of Extracts Basil Leaves (*Ocimum sanctum* Linn) against *Saprolegnia sp.* by in Vitro

Sudarno, Muhammad Luthfi Hakim and Rahayu Kusdarwati

✚ Open abstract  View article  PDF

OPEN ACCESS 012011
Developing groundwater conservation zone of unconfined aquifer in Semarang, Indonesia

T T Putranto, W K Hidajat and N Susanto

✚ Open abstract  View article  PDF

OPEN ACCESS	012012
Understanding coastal processes to assist with coastal erosion management in Darwin Harbour, Northern Territory, Australia S.G. Tonyes, R.J. Wasson, N.C. Munksgaard, K.G. Evans, R. Brinkman and D.K. Williams + Open abstract View article PDF	
OPEN ACCESS	012013
Environmental and Risk Factors of Leptospirosis: A Spatial Analysis in Semarang City Silviana Nur Fajriyah, Ari Udiyono and Lintang Dian Saraswati + Open abstract View article PDF	
OPEN ACCESS	012014
Study of inundation events along the southern coast of Java and Bali, Indonesia (case studies 4-9 June 2016) I R Nugraheni, D P Wijayanti, D N Sugianto and A Ramdhani + Open abstract View article PDF	
OPEN ACCESS	012015
The Use of Water Exchange for Feeding Rate and Growth Promotion of Shortfin Eel <i>Anguilla bicolor bicolor</i> In Recirculating Water System N Taufiq-Spj, S Sunaryo, A Wirasatriya and D N Sugianto + Open abstract View article PDF	
OPEN ACCESS	012016
ASSOCIATION BETWEEN MACROMINERALS INTAKE AND CHANGES IN INTERNAL CAROTID ARTERY-INTIMA MEDIA THICKNESS IN POST ISCHEMIC STROKE PATIENTS Dwi Pudjonarko, Dodik Tugasworo and Rumintang Silaen + Open abstract View article PDF	
OPEN ACCESS	012017
Brain Gym To Increase Academic Performance Of Children Aged 10-12 Years Old (Experimental Study in Tembalang Elementary School and Pedalangan Elementary School Semarang) M G Marpaung, T P Sareharto, A Purwanti and D Hermawati + Open abstract View article PDF	
OPEN ACCESS	012018
Polymeric Membrane Made of Cellulose Isolated from Tropical Water Hyacinth Blended with Chitosan Titik Istirokhatun, Richa Rachmawaty, Metty Meriyani, Nur Rokhati and Heru Susanto + Open abstract View article PDF	
OPEN ACCESS	012019
Identification and Antibacterial Activity of Bacteria Isolated from Marine Sponge <i>Haliclona (Reniera)</i> sp. against Multi-Drug Resistant Human Pathogen Meezan Ardhanu Asagabaldan, D Ayuningrum, R Kristiana, A Sabdono, O K Radjasa and A Trianto + Open abstract View article PDF	
OPEN ACCESS	012020
COPE Method Implementation Program to Reduce Communication Apprehension Level in Full Day Junior High School Students A R Prasetyo + Open abstract View article PDF	
OPEN ACCESS	012021
Influence of ENSO and IOD to Variability of Sea Surface Height in the North and South of Java Island Ahmad Fadlan, Denny Nugroho Sugianto, Kunarso and Muhammad Zainuri + Open abstract View article PDF	
OPEN ACCESS	012022
The Roles of Macrobenthic Mollusks as Bioindicator in Response to Environmental Disturbance : Cumulative <i>k</i> -dominance curves and bubble plots ordination approaches Sapto P. Putro, Fuad Muhammad, Amalia Aininnur, Widowati and Suhartana + Open abstract View article PDF	
OPEN ACCESS	012023
The Effect of Early Mosquito Insecticides Exposure on Sprague Dawley Rat Testis: A Histopathological Feature Towards Malignancy? Tri Indah Winarni, Milzam Auzan Aziman, Anindyo Abshar Andar and Ika Pawitra + Open abstract View article PDF	
OPEN ACCESS	012024
Analysis of heavy metal content of Cd and Zn in ballast water tank of commercial vessels in Port of Tanjung Emas Semarang, Central Java Province A Tjahjono, A N Bambang and S Anggoro + Open abstract View article PDF	
OPEN ACCESS	012025
Proteomics study of extracellular fibrinolytic proteases from <i>Bacillus licheniformis</i> RO3 and <i>Bacillus pumilus</i> 2.g isolated from Indonesian fermented food Diana Nur Afifah, Ninik Rustanti, Gemala Anjani, Dahrul Syah, Yanti and Maggy T. Suhartono + Open abstract View article PDF	
OPEN ACCESS	012026
Screening Antibacterial Agent from Crude Extract of Marine-Derived Fungi Associated with Soft Corals against MDR- <i>Staphylococcus haemolyticus</i> A Sabdaningsih, O Cristianawati, M T Sibero, H Nuryadi, O K Radjasa, A Sabdono and A Trianto + Open abstract View article PDF	
OPEN ACCESS	012027
Exploration of Fungal Association From Hard Coral Against Pathogen MDR <i>Staphylococcus haemolyticus</i> O Cristianawati, O K Radjasa, A Sabdono, A Trianto, A Sabdaningsih, M T Sibero and H Nuryadi	

<p>+ Open abstract View article PDF</p> <p>OPEN ACCESS</p> <p>Isolation, Identification And Screening Antibacterial Activity from Marine Sponge-Associated Fungi Against Multidrug-Resistant (MDR) <i>Escherichia coli</i></p> <p>Mada Triandala Sibero, Aninditia Sabdaningsih, Olvi Cristianawati, Handung Nuryadi, Ocky Karna Radjasa, Agus Sabdono and Agus Trianto</p> <p>+ Open abstract View article PDF</p>	012028
<p>OPEN ACCESS</p> <p>Isolation, Characterisation and Antagonistic Activity of Bacteria Symbionts Hardcoral <i>Pavona</i> sp. Isolated from Panjang Island, Jepara Against Infectious Multi-drug Resistant (MDR) Bacteria</p> <p>D. Ayuningrum, R. Kristiana, M.A. Asagabaldan, A. Sabdono, O.K. Radjasa, H. Nuryadi and A. Trianto</p> <p>+ Open abstract View article PDF</p>	012029
<p>OPEN ACCESS</p> <p>Encapsulation of phycocyanin-alginate for high stability and antioxidant activity</p> <p>Hadiyanto, Meiny Suzery, Deny Setyawan, Dian Majid and Heri Sutanto</p> <p>+ Open abstract View article PDF</p>	012030
<p>OPEN ACCESS</p> <p>The Correlation of Upwelling Phenomena and Ocean Sunfish Occurrences in Nusa Penida, Bali</p> <p>C K Tito and E Susilo</p> <p>+ Open abstract View article PDF</p>	012031
<p>OPEN ACCESS</p> <p>Initial Study Of Potency Thermal Energy Using OTEC (Ocean Thermal Energy Conversion) As A Renewable Energy For Halmahera Indonesia</p> <p>Y O Andrawina, D N Sugianto and I Alifdini</p> <p>+ Open abstract View article PDF</p>	012032
<p>OPEN ACCESS</p> <p>Effect of Reaction Temperature on Biodiesel Production from <i>Chlorella vulgaris</i> using CuO/Zeolite as Heterogeneous Catalyst</p> <p>Dianursanti, M Delaamira, S Bismo and Y Muharam</p> <p>+ Open abstract View article PDF</p>	012033
<p>OPEN ACCESS</p> <p><i>Annona muricata</i> modulate brain-CXCL10 expression during cerebral malaria phase</p> <p>Kis Djamiatun, Sumia M A Matug, Awal Prasetyo, Noor Wijayahadi and Djoko Nugroho</p> <p>+ Open abstract View article PDF</p>	012034
<p>OPEN ACCESS</p> <p>SOCIO-ECONOMIC SPATIAL FOR THE SUSTAINABILITY OF THE ESTUARY ECOSYSTEM IN PELABUHANRATU COASTAL WEST JAVA</p> <p>L. Supriatna, J. Supriatna and D. Harmantyo</p> <p>+ Open abstract View article PDF</p>	012035
<p>OPEN ACCESS</p> <p>The Effect of One-to-one Counseling to Pregnant Women's Knowledge about Anemia in Semarang</p> <p>N P R Egryani, F Saktini, N Susilaningsih, V D Puspitasari and A R Gumay</p> <p>+ Open abstract View article PDF</p>	012036
<p>OPEN ACCESS</p> <p>Nutrient Content And Acceptability Of Snakehead-Fish (<i>Ophiocephalus Striatus</i>) And Pumpkin (<i>Cucurbita Moschata</i>) Based Complementary Foods</p> <p>Etika Ratna Noer, Aryu Candra and Binar Panunggal</p> <p>+ Open abstract View article PDF</p>	012037
<p>OPEN ACCESS</p> <p>Isolation and Identification of <i>Aeromonas hydrophila</i> and <i>Saprolegnia</i> sp. on Catfish (<i>Clarias gariepinus</i>) in Floating cages in Bozem Moro Krembangan Surabaya</p> <p>Rahayu Kusdarwati, Kismiyati, Sudarno, Hendi Kurniawan and Yudha Teguh Prayogi</p> <p>+ Open abstract View article PDF</p>	012038
<p>OPEN ACCESS</p> <p>The Thermocline Layer and Chlorophyll-a Concentration Variability during Southeast Monsoon in the Banda Sea</p> <p>Nikita Puspardini, Budi Prasetyo, Ambariyanto and Ita Widowati</p> <p>+ Open abstract View article PDF</p>	012039
<p>OPEN ACCESS</p> <p>Identification of wave energy potential with floating oscillating water column technology in Pulau Baai Beach, Bengkulu</p> <p>I Alifdini, D N Sugianto, Y O Andrawina and A B Widodo</p> <p>+ Open abstract View article PDF</p>	012040
<p>OPEN ACCESS</p> <p>Habitat characteristic of two selected locations for sea cucumber ranching purposes</p> <p>Retno Hartati, Agus Trianto and Widianingsih</p> <p>+ Open abstract View article PDF</p>	012041
<p>OPEN ACCESS</p> <p>Social Relation between Businessman and Community in Management of Intensive Shrimp Pond</p> <p>Indra Gumay Febryano, James Sinurat and Messalina Lovinia Salampessy</p> <p>+ Open abstract View article PDF</p>	012042
<p>OPEN ACCESS</p> <p>Designing Cognitive Intervention to Improve the Awareness Index of the Residents in the Landslide Area</p>	012043

OPEN ACCESS

Genetic diversity of the causative agent of ice-ice disease of the seaweed *Kappaphycus alvarezii* from Karimunjawa island, Indonesia

012044

E Syafitri, S B Prayitno, W F Ma'ruf and O K Radjasa

OPEN ACCESS

Capacity Building Resource Management Of Coastal Areas To Improve The Local Economic Based By Cross-Cutting Partnerships: Case Study on Panjang Beach Bengkulu City

012045

Titi Darmi

OPEN ACCESS

The Dynamics of Sea Surface Height and Geostrophic Current in the Arafura Sea

012046

Umaroh, Sutrisno Anggoro and Muslim

OPEN ACCESS

Vulnerability Assessment: The Role of Coastal Informal Settlement Growth to Social Vulnerability in Genuk Sub-District, Semarang City

012047

Sariffuddin, Khristiana Dwi Astuti, Gustika Farhaeni and Lutfiyatul Wahdah

OPEN ACCESS

Waves Induce Sediment Transport at Coastal Region of Timbuloko Demak

012048

Purnomo Hawati, Denny Nugroho Sugianto, Sutrisno Anggoro, Anindya Wirasatriya and Sugeng Widada

OPEN ACCESS

Potential impact of climate variability on respiratory diseases in infant and children in Semarang

012049

Budiyono, Rismawati, S P Jati and P Ginandjar

OPEN ACCESS

Early Childhood Environmental Education in Tropical and Coastal Areas: A Meta-Analysis

012050

D R Sawitri

OPEN ACCESS

Diatoms and Water Quality of Telaga Warna Dieng, Java Indonesia

012051

Tri Retnaningsih Soeprubawati, Sri Widodo Agung Suedy and Hadiyanto

OPEN ACCESS

Improvement of Stability and Antioxidant Activities by Using Phycocyanin - Chitosan Encapsulation Technique

012052

Meiny Suzery, Hadiyanto, Dian Majid, Deny Setyawan and Heri Sutanto

OPEN ACCESS

Sea Water Intrusion in Kaligawe Semarang Based on Resistivity Data

012053

Agus Setyawan, Najib, Yoga Aribowo, Agnis Trihadini, Dhana Hastuti, Fitra Ramdhani, Fajar Waskito, Ganap Febrika and Galang Virgiawan

OPEN ACCESS

In Search for Sustainable Coastal Management: A Case Study of Semarang, Indonesia

012054

Sudharto P Hadi

OPEN ACCESS

Effect of economic growth and environmental quality on tourism in Southeast Asian Countries

012055

Firmansyah

OPEN ACCESS

Isolation And Partial Characterization Of Bacteria Activity Associated With Gorgonian *Euplexaura* sp. Against Methicillin-Resistant *Staphylococcus aureus* (MRSA)

012056

R. Kristiana, D. Ayuningrum, M.A. Asagabaldan, H. Nuryadi, A. Sabdono, O.K. Radjasa and A. Trianto

OPEN ACCESS

Antioxidant and antibacterial activity of solid-liquid and enzyme-assisted extraction of phenolic compound from three species of tropical *Sargassum*

012057

M Puspita, M Deniel, I Widowati, O K Radjasa, P Douzenel, G Bedoux and N Bourgougnon

OPEN ACCESS

Low zinc serum levels and high blood lead levels among school-age children in coastal area

012058

Adriyan Pramono, Binar Panunggal, M.Zen Rahfiludin and Fronthea Swastawati

OPEN ACCESS

012059

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Physical characteristics of phycocyanin from spirulina microcapsules using different coating materials with freeze drying method

012060

E N Dewi, L Purnamayati and R A Kurniasih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

MJO (Madden-Julian Oscillation) Analysis of the Chlorophyll-a Distribution in Western Waters Bengkulu

012061

Y D Haryanto, N Fitrianti, A Hartoko, S Anggoro and M Zainuri

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Proximate Content of "Klekap" (Microphytobenthos and Their Associated Meiofauna) from Milk-Fish Pond

012062

Widianingsih, Muhammad Zainuri, Sutrisno Anggoro and Hermin Pancasakti Kusumaningrum

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Effects of Different Heat Processing on Fucoxanthin, Antioxidant Activity and Colour of Indonesian Brown Seaweeds

012063

Eko Susanto, A Suhaeli Fahmi, Tri Winarni Agustini, Septian Rosyadi and Ayunda Dita Wardani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Determination and Radiocarbon Dating of Marine Mollusc Fossils in Ancient Sea Shelf of Central Java Indonesia

012064

S Aisyah, D Pringgenies, A Hartoko, J T S Sumantyo and H Matsuzaki

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Sustainable Eco Coastal Development Through Corporate Social Responsibility (CSR) Program

012065

Arsi Rakhmanissazly, Yong Mursito Ardy and Abdullah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

The effect of ENSO to the variability of sea surface height in western Pacific Ocean and eastern Indian Ocean and its connectivity to the Indonesia Throughflow (ITF)

012066

H A Rejeki, Munasik and Kunarso

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Antioxidant activity of three microalgae *Dunaliella salina*, *Tetraselmis chuii* and *Isochrysis galbana* clone Tahiti

012067

Ita Widowati, Muhammad Zainuri, Hermien Pancasakti Kusumaningrum, Ragil Susilowati, Yann Hardivillier, Vincent Leignel, Nathalie Bourgougnon and Jean-Luc Mouget

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Study on the effect of different concentration of *Spirulina platensis* paste added into dried noodle to its quality characteristics

012068

T W Agustini, W F Ma'ruf, Widayat, B A Wibowo and Hadiyanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Study on Anticancer Activity of Extracts of Sponges Collected from Biak Water, Indonesia

012069

A. Trianto, A. Ridhlo, D.W. Triningsih and J. Tanaka

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

The Application of Ozone and Chitosan as Microbial Inhibitor Prawn Larvae Rearing

012070

Delianis Pringgenies, Muhammad Nur and Rosti Angelia

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Production of Chitosan from *Amusium sp* Scallop Shell Waste

012071

Nur Rokhati, Titik Istirokhatun, Dwi Titik Apriyanti and Heru Susanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

Achieving Research University: Indonesian Case

012072

Yos Johan Utama and Ambariyanto

[+ Open abstract](#) [View article](#) [PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

PAPER • OPEN ACCESS


The Effectiveness of Extracts Basil Leaves (*Ocimum sanctum* Linn) against *Saprolegnia* sp. by in Vitro

To cite this article: Sudarno *et al* 2017 *IOP Conf. Ser.: Earth Environ. Sci.* **55** 012010

View the [article online](#) for updates and enhancements.

You may also like

- [Saprolegniosis: dissemination in aquaculture and control methods](#)
E P Anokhina, A A Tolkacheva and O S Korneeva
- [Bactericidal coating of paper towels via sustainable biosynthesis of silver nanoparticles using *Ocimum sanctum* leaf extract](#)
Jaya Mary Jacob, Merin Sara John, Aleena Jacob et al.
- [Basil Leaves \(*Ocimum sanctum* linn.\) Extract Decreases Total Cholesterol Levels in Hypercholesterolemia Sprague Dawley Rats Model](#)
Nisya Ayu Rachmawati, Brian Wasita and Lilik Retna Kartikasari



The banner features the ECS logo on the left, a central portrait of M. Stanley Whittingham with a Nobel Prize medal, and a 'Register now!' button with a checkmark icon on the right. The background includes a photo of a conference audience and a person interacting with a futuristic interface.

ECS The Electrochemical Society
Advancing solid state & electrochemical science & technology

242nd ECS Meeting
Oct 9 – 13, 2022 • Atlanta, GA, US
Presenting more than 2,400 technical abstracts in 50 symposia

ECS Plenary Lecture featuring M. Stanley Whittingham,
Binghamton University
Nobel Laureate – 2019 Nobel Prize in Chemistry

Register now!

The Effectiveness of Extracts Basil Leaves (*Ocimum sanctum* Linn) against *Saprolegnia* sp. by in Vitro

Sudarno¹, Muhammad Luthfi Hakim² and Rahayu Kusdarwati³

¹Department of Fish Health Management and Aquaculture Faculty of Fisheries and Marine, Airlangga University- 031-5914151,

² Study Program Aquaculture Faculty of Fisheries and Marine, Airlangga University

³Department of Fish Health Management and Aquaculture, Faculty of Fisheries and Marine, Airlangga University

darnosudarno1@gmail.com

Abstract. *Saprolegnia* SP. is a fungi which is opportunistic and generally as a secondary pathogen on fish. *Saprolegnia* sp. infects epidermis tissue that begins at the head or fins and can spread over the entire surface of the body. The result of the using of chemicals to control infections of *Saprolegnia* spp. can cause pollution of the environment and harm the consumer. The purpose of this research was to determine the potential and the minimum concentration of extracts basil leaves (*Ocimum sanctum* Linn) as antifungi against the growth of *Saprolegnia* sp. by vitro. The research was held in Fish Quarantine Kelas I Juanda Suarabaya in January 2015. A positive result was obtained in the test of the effectiveness of basil leaves in inhibiting the growth of the fungus *Saprolegnia* sp. Concentration of the extract given to treatment 90% and 100% was able to inhibit the growth of *Saprolegnia* sp., indicated by the formation of the inhibitory zones at a concentration of treatment, and had the best results on the concentration of 100%.

1. Introduction

Fish disease is one of the serious problems that must be faced in the aquaculture business. One of the diseases that attack the fish cultivation is caused by fungus, *Saprolegnia* sp. [1]. This fungal infection can be triggered by several factors, one of which is the high fish density. Saprolegniasis is the disease in fish and fish eggs caused by *Saprolegnia* SP. or water molds. The infected fish show the presence of white patches on the body and there is a bloody wound observed on the gills and skin. These fungi attack may cause death in fish eggs or fish itself which is significantly harmful to the survival of the fish farming business. Many farmers and businessmen fish use a variety of chemicals such as formaldehyde or antibiotics in fish disease control. However, the use of chemicals and antibiotics is continuous with the dose or concentration that is not appropriate. It will cause a problem recently in the form of increased resistance to microorganisms against these materials. In addition, another issue is the danger posed to the environment surrounding it, the fish is concerned, and human consumption [2]. Therefore, it is an alternative way to control the disease. The use of medicinal plants is a safe way to inhibit microbial growth and to kill as well as to be environmentally friendly. One of them is by using plant basil leaves (*Ocimum sanctum* Linn). The part that can be used is part of the leaf. Basil leaves can be used as antifungi because it contains essential oils with a population amounting to 0.8 mg/100 g. The content of essential oil compounds in basil leaves



as methyl chavicol antifungi and linalool which reacts with the cell membrane and a significant reduction in the amount of ergosterol. Ergosterol is a vital component of fungal cell membranes that keep [3]. Other compounds in the basil leaves are alkaloids, tannins, flavonoids and saponins [4]. On the research that has been done from extracts of essential oils essential oil, kemangi leaves have antifungi activity against *Fusarium solani*, *Penicillium funiculosum*, *Trichoderma reesi*, and *Rhizomucor auricus* [5], and *Aspergillus fumigatus* and *Aspergillus niger* [6]. Based on the background, this research aims to discover the influence of extracts of basil leaves (*Ocimum sanctum* Linn) against the growth of the fungus *Saprolegnia* sp. in vitro.

2. Materials and Methods

The research was conducted in the laboratory of Fish Quarantine Kelas I Juanda Surabaya in January 2015.

2.1. Equipments and materials

2.1.1. Equipments

Equipment needed in this study are reaction tubes, racks of reaction tubes, petri dish, bunsen burners, ose, microscopes, scalpel, glass objects, cover glass, autoclave, hot plate, paper discs, a micropipette, pipette drops, mixer, erlenmeyer flask, measuring cup, haemocytometer, digital scales and Rotary vacuum evaporator.

2.1.2. Materials

Materials required are pure *Saprolegnia* sp. isolates obtained from the laboratory of Fish Quarantine Kelas I Juanda Surabaya, basil leaves (*Ocimum sanctum* L.), aquades, ethanol 96%, Formalin, Dimethyl sulfoxide (DMSO) 10% , Sabouraud Dextrose Agar (SDA), and antibiotics.

2.2. Media Preparation

Use of the media is very important for the isolation, identification or differentiation to get a suitable environment for the growth of fungi. Erlenmeyer flask is placed in an autoclave along with petri dish at a temperature of 121 ° C 1 atm pressure for 15 minutes. The SDA materials in liquid state included as many as 20 ml in each Petri dish.

2.3. Solvent extracts of basil leaves

Basil leaves extracts is diluted with the solvent Dimethyl sulfoxide (DMSO). The solvent DMSO used is concentrations of 10%, to make the solution 10 ml of DMSO is required 100% added to 90 ml of aquades [7]. Basil leaves is dried by Sun light for 3 days and mashed into powder of basil. Basil powder as much as 500 grams is macerated using ethanol 96% over the 3 x 24 hours in room temperature. Maceration is a way of extracting the most simple because the materials would be extracted simply dissolved in the solvent. Besides solvent used in the study is 96% ethanol. especially those that have antifungal properties. The solution obtained is then filtered using filter paper and then evaporated using a Rotary evaporator vacuum. The resulting extract is then diluted in accordance with the concentration 100% i.e. 5 ml ingredient extracts of basil, 90% i.e. 4.5 ml ingredients plus 0.5 ml of DMSO 10%, 80% i.e. 4 ml ingredients plus 1 ml of DMSO, 70% that is 3.5 ml ingredients coupled with 1.5 ml of DMSO, 60% that is 3 ml ingredients coupled with 2 ml of DMSO, 50% i.e. 2.5 ml ingredients coupled with 2.5 ml of DMSO, 40% IE 2 ml ingredients coupled with 3 ml of DMSO, 30% i.e. 1.5 ml 3.5 ml plus material of DMSO, 20% i.e. 1 ml ingredients coupled with 4 ml of DMSO, 10% i.e. 0.5 ml ingredients coupled with 4.5 ml of DMSO, control the positive i.e. 0.2 ml formalin and control the negative i.e. 5 ml DMSO.

2.4. Culture and identification of *Saprolegnia* sp.

Saprolegnia sp. obtained from laboratory stocks of Fish Quarantine Kelas I Juanda Surabaya reproduced by culturing mildew on SDA media. The process begins with the way of inoculating mushroom on one SDA media made by using a scalpel in aseptis.

The purification process begins by taking one type of colony using a scalpel on the old SDA media which has a similar color and texture then inoculated on SDA new media and incubated at temperatures of 25° C for 2-7 days to obtain pure isolates. After done, culture media of water for easy observation. Start with cutting edge of jelly that has a colony of mold approximately 0.5-1.0 cm using a scalpel blade set on fire and then move jelly piece to aquades in a petri dish and incubate for several days at temperatures of 25° C [8].

2.5. Yeast Suspension

Isolate pure fungi *Saprolegnia* SP. which has been cultured on the media of jelly to be moved in a tube. To get the suspension of mushrooms, spores calculation is done using haemocytometer. The density of spores at a minimum to be used is around 10^5 sel/ml [8].

2.6. The Effectiveness of Antifungal

Testing of the effectiveness of the disc diffusion method used antifungal. Testing is conducted to find out the minimum concentration of a solution of an antifungal that may inhibit the growth of mold. Paper disc diffusion method begins by soaking paper discs that will be used during CA. 10 minutes into the basil leaf extract with a concentration of 10%, 20%, 30%, 40%, 50%, 60%, 70%, 80%, 90% and 100% with a size paper discs of 6 mm, media control (-) is given a 10% DMSO. Then the study used the concentration of 0.4% in controls (+). Incubation is done at a temperature of 25 ° C for 48 hours. The magnitude of the clear zones produced antifungal potential comparable to that produced by the active substances contained in materials and measured using a ruler.

2.7. Data Analysis

Data research results are in the form of drag zone diameter growth of mold *Saprolegnia* sp. by basil leaves extracts antifungi (*Ocimum sanctum* Linn) and formalin 0.4%. The diameter of the zones of drag is the diameter of the area which is not covered by fungus around the paper discs with a diameter reduced paper discs.

3. Result and Discussion

3.1. Identification of *Saprolegnia* sp.

Identification process is done to ensure the truth against fungal isolates obtained from Fish Quarantine Hall class I Surabaya I that the fungus is a fungus *Saprolegnia* SP. Identification can be done by looking at the macroscopic and microscopically [9].

Identification of the fungus microscopically can be done by looking at the morphology of *Saprolegnia* sp. i.e. aseptat and Hypha, has tube-shaped, with a system of branching in sporangial (internal proliferation), and has two forms of zoospore (*dimorphic*), namely primary and secondary zoospore. Primary zoospore is pyriform-shaped with no flagellate. Secondary zoospore is cysts-shaped (reniform) like nuts with flagella and swim more strongly than primary zoospore. The characteristics of the suit stated by [10].

Macroscopically *Saprolegnia* sp. can be seen with the characteristics of a colony of white-yellowish with forms such as cotton. The growth of a colony is very fast (optimum at 15-30 ° C) [11]. Observation of

results of test extract potential basil leaves against the growth of *Saprolegnia* SP. is done by looking at the onset of drag that results from the zone mechanism of antifungi.

3.2. The Minimum Inhibitory Concentration (MIC)

Observation of results of test extract potential kemangi leaves against the growth of *Saprolegnia* SP. is done by looking at the onset of drag that results from the zone mechanism of antifungi in inhibiting the growth of fungus. The results obtained in this study demonstrate positive results because it occurs at concentrations inhibitory zones given. Basil leaf extract that is produced is able to inhibit the growth of *Saprolegnia* sp. It was indicated by the formation of the inhibitory zones at a concentration of 90% and 100% control in conjunction with the positive (+) in the form of a solution of formalin 0.4% which is able to inhibit the *Saprolegnia* sp. by 1 cm.

Table 1. The results of observations of the formation of the inhibitory zones basil leaves extracts against *Saprolegnia* sp.

No.	Concentration basil leaves extracts (%)	Inhibitory zone diameter (cm)
1.	10	0,0
2.	20	0,0
3.	30	0,0
4.	40	0,0
5.	50	0,0
6.	60	0,0
7.	70	0,0
8.	80	0,0
9.	90	0,8
10.	100	1,7
11.	K (-)	0,0
12.	K (+)	1,0

The results of the assay activity antifungi extracts of basil leaves (*Ocimum sanctum* Linn) against the fungus *Saprolegnia* sp. has been carried out in vitro. Antifungi activity test includes testing the Minimum Inhibitory Concentration (MIC) concentration of 10% up to 100% concentration. The method used is the method of diffusion paper discs that show Basil leaf extract has the ability to inhibit the growth of mold *Saprolegnia* sp. This can be seen with the formation of the zone around the mushroom paper drag discs, these results correspond to the positive (+) control as a comparison which is also visible for the presence of inhibitory zones around the paper discs.

The difference between the concentration of inhibitory power extracts are inoculated with the fungus and results positive control then, approaching the concentration of extract, basil leaves are considered capable of inhibiting the growth of *Saprolegnia* sp. [7]. The greater the concentration of the extract of the basil leaves, the greater the drag the extract power anyway against the growth of *Saprolegnia* sp. [12] state that the higher the concentration of extract, the bigger the death or inhibition of the growth of a fungus.

From the pictures the minimum inhibitory concentration test results show that the growth of *Saprolegnia* sp. colonies. Is white like cotton and dominions of the round. This is in accordance with [10] that the colony of *Saprolegnia* sp. is white with yellowish surface such as cotton, round and prominent. The growth of colonies of different sizes is due to the difference in concentration of the basil leaves extract that can inhibit the growth of *Saprolegnia* sp. the greater the concentration of extract the basil leaves, the smaller the size of the colony of *Saprolegnia* sp. or not even growing colonies.

Not growing colonies of fungus on the positive control containing 0, 2 ml formalin 10% proves that formaldehyde has the ability in inhibiting and killing the fungus. Formaldehyde (formalin) is highly reactive chemicals that interact with proteins, DNA, and RNA in vitro. Formaldehyde was chosen because according to [13] that formaldehyde is a versatile antimicrobial compounds, one of which can kill fungus. Formaldehyde is considered sporicidal based on its ability to penetrate into the inside of the mold spores. Formaldehyde also reacts extensively with nucleic acids [14].

While the growth of a colony of mold on negative control containing 5 ml of DMSO 10% indicates that the solvent DMSO does not affect the growth of mold. This is in accordance with [15], States that DMSO is not toxic and carcinogenic at concentrations of 5%-10% so that DMSO does not enter reacts with microbial testing.

Basil leaves were chosen because it has the active ingredient as antifungi. Content of active ingredients in basil leaves already examined to be able to fight fungi is essential oil, flavonoids, and saponins. On the research that has been done from extracts of essential oil of basil leaves, exposing the antifungi activity against *Fusarium solani*, *Penicillium funiculosum*, *Trichoderma reesi* and *Rhizomucor auricus* [5]. The active compounds that can inhibit and kill *Saprolegnia* sp. obtained from results of extraction using ethanol. Essential oils in basil leaves most of the lot contains ethyl p-metoksisinamat (EPMS) are generally insoluble in solvents of ethanol, ethyl acetate, methanol and heksan [16].

Flavonoid is compound of polar so that flavonoids are soluble in polar solvents such as ethanol, methanol, acetone, dimethyl sulfoksida (DMSO) and dimethyl fonfamida (DMF) [17]. According to [19] it is a secondary metabolite compound found in plants. Flavonoids found in plants are flavones and a flavonol. Besides flavonoids have compound genestein function to inhibit the cleavage of cell proliferation or mushrooms. These compounds bind to proteins on microtubules in the cell and disrupts the function of mitosis giving rise to inhibition of fungal growth. Influence of phenol compounds as an antifungal protein bonding denature is with the membranes of the cell so that the cell membrane Lysis and allowed the phenol to penetrate into the cell nucleus that cause fungi does not develop [18]. The Saponins are a work mechanism with antifungi that can form a complex with sterol that is lowering the surface tension of the membrane permeability of the cell membrane so that the sterol molds and yeasts [19]. This result in the cell walls becomes permeable and fungal cell structure is destroyed due to the antifungal compounds inhibiting ergosterol biosynthesis of sterols which is to maintain the integrity of the cell membrane of yeast [20].

4. Conclusion

Based on the results of this research, it can be concluded that solution of extracts of basil leaves (*Ocimum sanctum* Linn) has the potential of antifungi against *Saprolegnia* sp. Concentration of 90% (0.9 g/ml) with zone drag 0.8 cm and 100% (10 g/ml) with zone drag 1.7 cm from extracts of basil leaves is able to inhibit the growth of *Saprolegnia* sp. while formalin 0.4% as control (+) is able to inhibit the inhibitory zones with a 1 cm.

References

- [1] Subandi. 2010. Mikrobiologi. PT Remaja Rosdakarya. Bandung.
- [2] Sugianti, B. 2005. Pemanfaatan Tumbuhan Obat Tradisional dalam Pengendalian Penyakit Ikan. PPS-702 Institut Pertanian Bogor.
- [3] Kadian, R. and M. Parle. 2012. Therapeutic potential and phytopharmacology of tulusi. International Journal of Pharmacy & Life Sciences, 3(7): 1860.
- [4] Shafqatullah, M. Khurram, Asadullah, Khaliqurrehman and F. A. Khan. 2013. Comparative Analyses of *Ocimum santum* Stem and Leaves for Phytochemicals and Inorganic Constituents. Middle-East Journal of Scientific Research 13 (2): 236-240.
- [5] Dharmagadda, V. S. S., M. Tandonb, and P. Vasudevan. 2005. Biocidal activity of the essential oils of Lantana

- camara, *Ocimum sanctum* and *Tagetes patula*. *Journal of Scientific & Industrial Research*. 64 : 53-56.
- [6] Bansod, S. and M. Rai. 2008. Antifungal Activity of Essential Oils from Indian Medicinal Plants Against Human Pathogenic *Aspergillus fumigatus* and *A. Niger*. *World Journal of Medical Sciences* 3 (2) : 81 – 88.
- [7] Assidqi, K. 2012. Potensi Ekstrak Daun Patikan Kebo (*Euphorbia hirta*) Sebagai Antibakteri Terhadap *Aeromonas hydrophila* Secara In Vitro. Skripsi. Universitas Airlangga. Surabaya.
- [8] Yuasa K., Novita P., Meliya P., dan Edy B.K, 2003. Teknik Diagnosis Penyakit Ikan Budidaya Air Tawar di Indonesia. Japan International Cooperation Agency dan Panduan Diagnosis Penyakit Ikan. Balai Budidaya Air Tawar Jambi. Jambi. Hal. 52-53.
- [9] Ilyas, M. 2007. Isolasi dan Identifikasi Mikoflora Kapang pada Sampel Serasah Daun Tumbuhan di Kawasan Gunung Lawu, Surakarta, Jawa Tengah. *Biodiversitas*, 8 (2): 105-110
- [10] Irianto, A. 2005. Patologi Ikan Teleostei. UGM Press. Yogyakarta.
- [11] Neish, G.A., and Hughes, G.C. 1980. Diseases of fishes, Book 6, Fungal Diseases of Fishes. T.W.F. Publications, Neptune, New Jersey. 159 p.
- [12] Kosenda, L. 2009. Penampisan Senyawa Bioaktif dari Daun Jambu Biji (*Psidium guajava* L.) sebagai Anticandidiasis dan Profil Kromatografi Lapis Tipisnya. Skripsi. Fakultas Kedokteran dan Ilmu-Ilmu Kesehatan. Purwokerto.
- [13] Hastuti, S. 2010. Analisis Kualitatif dan Kuantitatif Formaldehid pada Ikan Asin di Madura. *Bangkalan. AGROINTEK*, 4 (2) : 132-137
- [14] McDonnell, G and A. Denver Russell. 1999. Antiseptics and Disinfectants: Activity, Action, and Resistance. *Clinical Microbiology Reviews*. pp. 153.
- [15] Akoes, H., William, R.W., Bela, U., Kent, M.W., Jan, C.D and Terrence, R.T. 2005. The Relationship of The Cryoprotectant Methanol and Dimethylsulfoxid and Hyperosmotic Extenders on Sperm Cryopreservation of Two North- American Sturgeon Species. *Aquaulture*, pp. 245-251
- [16] Barus, R. 2009. Amidasi Etil P-Metoksisinamat yang diisolasi Dari Kencur (*Kaempferia galangal* Linn). Tesis. Universitas Sumatera Utara. Medan.
- [17] Markham K.R. 1988. Cara Mengidentifikasi Flavonoid. Terjemahan Kosasih Padmawinata. ITB: Bandung
- [18] Sulistyawati, D. dan Mulyati, S. 2009. Uji Aktivitas Antijamur Infusa Daun Jambu Mete (*Ana cardium occidentale*, L.) terhadap *Candida albicans*. *Biomedika*. 2(1): 47-51.
- [19] Wulandari, A.R. 2012. Uji Daya Efektifitas Antifungi Ekstrak Biji Tanjung (*Mimusops elengi* Linn.) Terhadap Pertumbuhan *Candida albicans* Secara In Vitro Dengan Metode Difusi. Skripsi. Fakultas Kedokteran. Universitas Pembangunan Nasional "VETERAN". Jakarta.
- [20] Brennan B. and Leyden JJ. 1997. Overview of Topical Therapy for Common Superficial Fungal Infection and The Role of New Topical Agents. *Journal of American Academy of Dermatology Part 1*. Volume 36 : 2.