

Keterangan : Artikel dengan judul “Cultivation technique of Chanos chanos modular system and semi intensive at the center for brackish water aquaculture (BBPBAP) Jepara, Central of Java” dengan penulis : M Nisa dan K Kismiyati. Prosiding Internasional yang dipresentasikan oral pada 2nd International Conference on Fisheries and Marine Science 2019

Berikut Poster Acara 2nd International Conference on Fisheries and Marine Science 2019:



**2nd INTERNATIONAL CONFERENCE  
FISHERIES AND MARINE SCIENCES**



UNIVERSITAS AIRLANGGA  
Excellence with Morality

**26<sup>th</sup>  
SEPT 2019**

# CALL FOR PAPER

## Sustainable Development and Management in Fisheries and Marine Science

**KEYNOTE SPEAKER**



**Prof. Dean Jerry**  
James Cook University



**Prof. Hong Sung Yun**  
Pukyong National University

**TOPIC**

- 1) Aquaculture
- 2) Fish Feed and Nutrition
- 3) Fish Health and Fish Diseases
- 4) Fish Processing
- 5) Seafood Safety
- 6) Aquatic Resource and Environment
- 7) Fisheries Socio Economics
- 8) Marine Biotechnology
- 9) Health and Medicine

**IMPORTANT DATE**

**ABSTRACT SUBMISSION**  
25 April – 16 August 2019

**ANNOUNCEMENT ON ACCEPTED ABSTRACT**  
17 August 2019

**FULL PAPER SUBMISSION**  
2 - 26 September 2019

**PRESENTATION DATE**  
26 September 2019

**VENUE**

**MERCURE HOTEL**  
SURABAYA, INDONESIA

**CONTACT**

Dwi Yuli Pujastuti, S.Pi., M.P., M.Sc  
+628551812301  
incofms@fpk.unair.ac.id

**REVIEWER**

1. Prof. Dr. Sri Subekti, drh., DEA
2. Prof. Dr. Hari Suprpto, Ir., M.Agr.
3. Prof. Dr. Musa Najjah, Ph.D
4. Assoc. Prof. Sukree Hajisamae
5. Assoc. Prof. Wanmimoi Klaypradit
6. Assoc. Prof. Prapanak Srisapome
7. Dr. Laksmi Sulmartiwi, S.Pi., M.P
8. Dr. Ir. Gunanti Mahasri, S.Pi., M.Si
9. Dr. RB. Juni Triastuti, S.Pi., M.Si
10. Dr. Woro Hastuti Satyantini, Ir. M.Si

**REGISTRATION FEE**

REGISTRATION FEE	BEFORE 1 <sup>st</sup> JULY	AFTER 1 <sup>st</sup> JULY
Local Student	500.000 IDR	750.000 IDR
Local Participants (non-student)	1.000.000 IDR	1.250.000 IDR
International Student	1.000.000 IDR	1.250.000 IDR
International Participants (non-student)	1.500.000 IDR	1.750.000 IDR
General Expenses	750.000 IDR	750.000 IDR

**PAYMENT**

Name Putri Desi Wulan Sari  
Bank Mandiri  
Branch Surabaya RS Unair  
Account No. 142 00 16427238  
Swift Code BMRIDJJA


**PUBLISHED PAPER**

**IOP JFMR** 

icfm.fpk.conference.unair.ac.id

Pengiriman abstrak pada website incofims tanggal 16 Agustus 2019.

Letter of Acceptance (Submit Abstrak tanggal 27 Agustus 2019):



**ACCEPTANCE LETTER**

Surabaya, August 27, 2019

**Authors : M. Nisa, Kismiyati**  
**Code : 280**  
**Title : Cultivation Technique of Chanos Chanos Modular System and Semi Intensive at The Center for Brackish Water Aquaculture (BBPBAP) Jepara, Central Java.**

We are pleased to inform you that your **abstract** has been accepted by scientific committee of The 2<sup>nd</sup> International Conference on Fisheries and Marine Science

We encourage you to pay the submission fee before September 10, 2019 to the following bank account:

*Account: Putri Desi Wulan Sari*  
*Bank Name: Bank MANDIRI; Swift Code: BMRIIDJA*  
*Account Number: 142-00-16427238 Branch Name: RS UNAIR SURABAYA*

Please send your proof of your payment to email: [incofims@fpk.unair.ac.id](mailto:incofims@fpk.unair.ac.id) (cc to: [dwiyp@fpk.unair.ac.id](mailto:dwiyp@fpk.unair.ac.id)). Thank you.

Sincerely,



Dr. A. Shofy Mubarak  
Chief of The 2<sup>nd</sup> International Conference on Fisheries and Marine Science  
Web : <http://icfm.fpk.conference.unair.ac.id/icfm2019>  
Email : [incofims@fpk.unair.ac.id](mailto:incofims@fpk.unair.ac.id)  
Email : [shofy.ua@gmail.com](mailto:shofy.ua@gmail.com)

Submit Full Paper pada Website berakhir tanggal 26 September 2019 dan dipresentasikan oral pada tanggal 26 September 2019. Revisi artikel dikirim melalui email [incofims@fpk.unair.ac.id](mailto:incofims@fpk.unair.ac.id) ke [kismiyati@fpk.unair.ac.id](mailto:kismiyati@fpk.unair.ac.id) tanggal 30 Oktober 2019.

Bukti menerima email revisi (30 Oktober 2019) sebagai berikut :

280 Kotak Masuk x

**I** International Conference on Fisheries and M ... 30 Okt 2019, 21.19  
kepada miyati.59, saya


Dengan hormat,  
Sehubungan dengan akan disubmit dan publikasikan artikel “2<sup>nd</sup> International Conference on Fisheries and Marine Sciences (InCoFIMS)” dimohon pada Author/Correspondence untuk segera merevisi artikel yang telah ditelaah oleh review Mohon artikel yang telah direvisi dikirimkan kembali melalui email [incofims@fpk.unair.ac.id](mailto:incofims@fpk.unair.ac.id) paling lambat tanggal 03 November 2019 pukul 23.59 WIE

--

#Warm Regards

Secretariat  
(InCoFIMS) International Conference on Fisheries and Marine Sciences

*"Fisheries and Marine Science in Supporting Sustainable Development Goals (SDG's) Achievement"*







Faculty of Fisheries and Marine  
Universitas Airlangga  
Campus C Universitas Airlangga, Mulyorejo, Surabaya, East Java, Indonesia 60115

Contact  
Mail: [incofims@fpk.unair.ac.id](mailto:incofims@fpk.unair.ac.id)  
Tel: +62 31 5911451  
Fax: +62315965741

---

**4 Lampiran • Dipindai dengan Gmail**



07/03/2023, 11.44

**Cultivation Technique of *Chanos Chanos* Using Modular and Semi Intensive System at The Centre for Brackish Water Aquaculture (BBPBAP) Jepara, Central Java.**

Comment [G1]: It is true ?

**M. Nisa<sup>1</sup>, K. Kismiyati<sup>2</sup>**

Comment [G2]: ..... and .....

<sup>1</sup> Undergraduate student of Aquaculture, Programme Study Faculty of Fisheries And Marine,

Universitas Airlangga, Jl. Mulyorejo, Surabaya60113, East Java, Indonesia

<sup>2</sup> Department of Fish Health Management and Aquaculture, Faculty of Fisheries And Marine,

Universitas Airlangga, Jl. Mulyorejo, Surabaya60113, East Java, Indonesia

Comment [G3]: tidied up, please

\*Corresponding author: kismiyati@fpk.unair.ac.id

**Abstract.** Milkfish (*Chanos chanos*) is a commodity that has the highest increase in consumption value, which is 24.55%. Milkfish production centers in Indonesia have developed such as in East Java, South Sulawesi, West Java, Central Java, and Southeast Sulawesi (DJPB, 2015). The technology of enlargement and seeding has been mastered and developed in the community, for example modular, semi-intensive and intensive systems. The difference in the growth of modular and semi-intensive milkfish systems has been observed in the Center for Brackish Water Aquaculture (BBPBAP) Jepara, Central Java on 19 December 2018 until 19 January 2019. Since 1 month, milkfish was observed with long, heavy growth parameters, life velocity of milkfish, and water quality. Milkfish enlargement techniques are preparation of ponds, liming, fertilization, stocking of milkfish logs, management of water quality, pest and disease control, and harvesting. Based on observations made, the growth in length and weight of milkfish develops faster using semi-intensive systems compared to modular systems. The semi-intensive system also speeds up the harvest of milkfish, which are generally 6 months to 4 months.

Comment [G4]: centers?

Comment [G5]: use terms that are commonly used scientifically

Comment [G6]: in the abstract there must be no reference

Comment [G7]: eliminated

Comment [G8]: what the result and conclusion of this research ??

## 1. Introduction

Milkfish farming in Indonesia shows good prospects [1] that increased production by 9.75% from 2011-2015 with the highest production of 672,196 tons in 2015 [1]. The high production is in line with the shift of consumers in meeting the needs of animal protein from red meat to white meat (fish meat), even the contribution of fish protein to the consumption of animal protein in Indonesian people reaches 57% [3]. [4] Milkfish is a commodity that experienced the highest increase in consumption value in 2009-2013, which is 24, 55% [4].

Milkfish enlargement and hatchery technology has been mastered and developed in the community. Technically the use of technology is able to double production yields and the efficiency of production factors. In Indonesia, the cultivation technology that is developing is traditional (modular) and semi-intensive

Comment [G9]: cultivation or enlargement , please consistant

technology. Modular system is a way of maintenance by moving from one plot to another before harvest time in the hope that it will be able to optimize water quality and the availability of natural food continuously during [5]. The characteristics of semi-intensive shrimp ponds are that they have a pond area in a plot of 1-3 ha / plot in a rectangular shape. In the map is equipped with inlet and outlet channels. There is a diagonal caren that leads from the inlet and empties into the outlet channel on each plot [6].

**Comment [G10]:** What does it mean? During what?

Strategies to increase production, namely the regulation of the level of density, good environmental conditions, adequate feeding and the right density will increase fish growth. The main differences from the modular and semi-intensive systems are feeding, fish density, pond construction and milkfish growth. Therefore, this study was conducted to find out the techniques of milkfish enlargement directly and the differences in the growth of milkfish in the modular and semi-intensive systems at the Center for Brackish Aquaculture Fisheries (BBPBAP) Jepara.

## 2. Materials and Methods

### 2.1 Place and time

This study was conducted on December 17, 2018 - January 31, 2019 at BBPBAP, Jepara, Central Java.

### 2.2 Study Methods


The work method used in this study is to use the active participation method. Data is collected by observation, direct interviews with related parties, and literature study.

**Comment [G11]:** Not clear , explain starting from the materials and equipment, research methods, research procedures, what parameters, and data analysis


## 3. Results And Discussion

### 3.1 Water Quality Management

Water quality in milkfish enlargement ponds in BBPBAP Jepara is measured every day and then averaged every day. This measurement aims to determine water conditions and fluctuations that can affect the growth of milkfish. Water quality measurement data can be seen in Figure 1 and 2 below.



**Figure 1.** Morning water quality measurement results (06.30-07.00)



**Figure 2.** Afternoon water quality measurements results (17.30-18.00)

Salinity in modular ponds is higher than in semi-intensive systems because water changes are very rare. Increased rainfall in the second week resulted in dilution of pond water added and decreased salinity. [7] The good salinity for growth of milkfish ranges from 20-30 ppt. Salinity in modular and semi-intensive systems on average experiences the same fluctuations. The pH value obtained in milkfish ponds requires monitoring because according to [1], the acidity level of milkfish ponds ranges from 7.5 to 8.5. The pH of modular systems is on average higher than semi-intensive systems. [8] The added that daily fluctuations in pH less than 0.5 can cause physiological disorders, ammonia toxicity levels and the presence of natural food such as mosses, plankton, and kelekap.

Temperature in ponds of modular and semi-intensive systems is higher in the afternoon than in the morning because there is accumulation of heat during the day. The temperature in the modular system ponds is also higher than in semi-intensive systems. [9] Solar radiation, temperature, air, weather, and climate will influence the amount of water temperature. [10] The optimum temperature for milkfish cultivation is 29-30°C, with a threshold below 26°C and a range above 32°C. The dissolved oxygen content in the morning is lower in modular ponds than in semi-intensive ponds due to the accumulation of carbon dioxide. Carbon dioxide accumulation in modular ponds originating from milkfish and primary primary producers is dense while semi-intensive ponds are originated from milkfish and primary producers that

**Comment [G12]:** in the list of references, the seventh reference is about the disease, not in accordance with this statement

are not too dense. The conveyed the level of dissolved oxygen in water influenced by organisms in the area including plankton as primary productivity. Oxygen fluctuations between day and night in a waters are an indicator of the density of organisms including plankton as primary productivity[8].

### 3.2 Milkfish Growth

The growth of milk fish can be determined by sampling the length and weight which is done once every 16 days. Growth sampling is done by measuring the total length of milkfish manually using a ruler, then weighed one by one to determine the development of body weight. Sampling is carried out during maintenance and before harvest with the aim of determining the size of production and also plays a role in determining the price of fish produced. Milkfish Growth Sampling Data can be seen in the following Figure 3 and 4.




Figure 3. Sampling of Modular milkfish pond growth




Figure 3. Sampling of semi-intensive milkfish pond growth

The growth in length and absolute weight of milkfish in modular ponds is lower than in semi-intensive ponds because modular ponds do not use artificial feed (pellets) while the same density is 12,000 heads. The speed of growth depends on the amount of feed consumed, the amount of protein content contained in the feed, water quality, and other factors such as heredity, age and endurance and the ability of the

**Comment [G13]:** it needs to be added to the discussion about the relationship of water quality with the growth of milkfish

**Comment [G14]:** for data analysis you don't use statistical analysis, so it doesn't explain the length and weight is lower than .....

**Comment [G15]:** whether the pellet is natural feed???

fish to use feed. When protein is low, slow fish growth can occur[11]. Protein plays an important role in the preparation of fish tissue and organs [12]. Milkfish survival rate in modular and semi intensive ponds 83% lebih tinggi dari standart ketentuan 80% [13]. The low survival of a cultivation biota is influenced by several factors, one of which is inappropriate feed nutrition[14]. This is supported [15] which states that fish have a great immune system against disease as long as their body condition is not weakened by a cause.

**Comment [G16]:** What does it mean???

**Comment [G17]:** Add the composition of feed to the milkfish culture system in this study

Based on the growth sampling and milkfish enlargement techniques above, the modular and semi-intensive systems have a number of differences that can be seen in Table 1 below.

Table 1. Differentations of Modular and Semi Intensive system

Difference	Modular System	Semi Intensive System
Feed	-	+
Ferris wheel	-	+
Maintenance Duration	6 Month	3 Month
Pond construction	Traditional	HDPE plastic
Growth	Late	Fast

**Comment [G18]:** Data analysis in this study does not use statistical analysis, so it is not possible to distinguish between modular systems and enlargement

#### 4. Conclusion

Based on studies that have been carried out at BBPBAP Jepara, it can be concluded that:

1. Differences in modular and semi-intensive systems in terms of pellet use, pond construction, wheel availability, growth, and duration of maintenance.
2. Semi-intensive system is more effective to increase the growth of milkfish and shorten the duration of aquaculture.

**Comment [G19]:** Data analysis in this study does not use statistical analysis, so it is not possible to distinguish between modular systems and enlargement

#### 5. Suggestion

1. Further sampling is needed to obtain more diverse and valid data.
2. The density of milk fish in modular ponds needs to be reviewed.
3. We recommend that biosecurity around milkfish ponds be increased, because the location of the pond is directly adjacent to the residential areas.



## 5. References


**Comment [G20]:** Please add reference from international journal

- [1]Indonesia WWF. 2014. Milkfish Cultivation (*Chanos chanos*) on environmentally friendly ponds. WWF Indonesia. South Jakarta. p.1.
- [2]Ministry of Maritime Affairs and Fisheries. 2014. Performance Report of the Ministry of Maritime Affairs and Fisheries. Jakarta (ID): Ministry of Maritime Affairs and Fisheries. <https://kkp.go.id/kategori/179-LAKIP-KKP>. September 10, 2018. 18 pages.
- [3]Central Bureau of Statistics. 2014. National Socio-Economic Survey. [https://mikrodata.bps.go.id/mikrodata/index.php/catalog/631/related\\_citations?sort\\_by=title&sort\\_order=asc&](https://mikrodata.bps.go.id/mikrodata/index.php/catalog/631/related_citations?sort_by=title&sort_order=asc&). September 9, 2018.1 pg.
- [4]Ministry of Maritime Affairs and Fisheries. 2016. Performance Report of the Ministry of Maritime Affairs and Fisheries. Jakarta (ID): Ministry of Maritime Affairs and Fisheries. <https://kkp.go.id/kategori/179-LAKIP-KKP>. August 08, 2019. 18 pages.
- [5]Pasaribu, A. and A. Machluddin. 2001. Makassar IPPTP Assessment Report. Intensive Milkfish Cultivation Technology Study in South Sulawesi. Makassar. 138 things.
- [6] Prihatman, K. 2000. About Agricultural Cultivation: Soy. Deputy Minister of Research and Technology Field of Utilization and Correctional Sciences and Technology.
- [7]Mas'ud, F. 2011. Prevalence and Degree of *Dactylogyrus* sp. Infection in Milkfish Seed Gills (*Chanos chanos*) in Traditional Ponds Glagah Subdistrict, Lamongan Regency. Scientific Journal of Fisheries and Marine Affairs III (1): 27-40.
- [8]Mangampa M and Burhanuddin. 2014. Field Test of Polyculture Technology of Tiger Shrimp (*Penaeus monodon Fabr.*), Milkfish (*Chanos chanos Forsskal*) and Seaweed (*Gracilaria verrucosa*) in Tambak Village, Borimasunggu, Maros Regency. Journal of Fisheries Science. X (1): 30-36.
- [9]Boyd, CE. 2015 Water Quality. Switzerland: Springer
- [10]Atmomarsono, M and V. P. Nikijuluw. 2003. Investment Guide for Milkfish Commodities in Indonesia. Directorate of Fisheries and Maritime Affairs. Jakarta. 15 things. Central Bureau of Statistics. 2014. National Socio-Economic Survey. [https://mikrodata.bps.go.id/mikrodata/index.php/catalog/631/related\\_citations?sort\\_by=title&sort\\_order=asc&](https://mikrodata.bps.go.id/mikrodata/index.php/catalog/631/related_citations?sort_by=title&sort_order=asc&). September 9, 2018.1 pg.
- [11]Sabariah and Sunarto. 2009. Provision of Artificial Feed with Different Doses of Growth and Consumption of Semah Fish Seed Feed in Domestic Efforts. Indonesian Aquaculture Journal. 8 (1): 67-76. Shahid M, A Subhan, and R Armando. 2006. Polyculture of Organic Milkfish Cultivation. Jakarta: Self-help Spreaders.
- [12]Ambia, M et al. 2014. The Effect of Feeding with Different Protein Content on the Growth of Milkfish (*Chanos chanos*). North Sumatra.
- [13]Bank Indonesia. Milkfish Cultivation (Conventional Financing Patterns). Jakarta.
- [14]Kordi, M.G.H. 2009. Aquatic Cultivation Volume 2. PT Citra Aditya Bakti. Bandung.
- [15]Mutaqin, Z. 2006. The distribution patterns of pests and fish diseases caused by diseases and bacteria in several provinces in Indonesia. Essay. Bogar Agricultural Institute. Faculty of Veterinary Medicine. Bogor. (Published).



Bukti email artikel IOP Conference Series: Earth and Environmental Science 441 (2020) 012040 telah publish pada website (25 Februari 2020): <https://iopscience.iop.org/article/10.1088/1755-1315/441/1/012040>

International Conference on Fisheries and Marine Sciences Universitas Airlangga Inbox x

 **International Conference on Fisheries and Marine Sciences Universitas Airlangga** <incofims@fpk.unair.ac.id> 25 Feb 2020, 09:22 ☆ ↶ ⋮  
to me, Muhamad, Muhamad, nia.vardini, nurmalia, nine\_ayunin, ninis, nitaaditya50, nurkholifah, Nurulfatmawati343, olisuside\_fpk, Ratih, prayogo, putri, qurrota\_ayunin ▼

Dear Participants,

Greeting from Faculty of Fisheries and Marine, Universitas Airlangga, Surabaya

We are delighted to announce that the article has published in IOP volume 441.  
Please check the online version  
<https://iopscience.iop.org/issue/1755-1315/441/1>

We encourage you to join in the 3rd International conference on Fisheries and Marine this year. See you soon in September 2020.  
The detail announcement will be published soon


Thank you for your kind participation

--

#Warm Regards

Secretariat  
(InCoFIMS) International Conference on Fisheries and Marine Sciences

*"Fisheries and Marine Science in Supporting Sustainable Development Goals (SDG's) Achievement"*



Faculty of Fisheries and Marine  
Universitas Airlangga  
Campus C Universitas Airlangga, Mulyorejo, Surabaya, East Java, Indonesia 60115

Contact  
Mail: [incofims@fpk.unair.ac.id](mailto:incofims@fpk.unair.ac.id)  
Tel: +62 31 5911451  
Fax: +62315965741