

# Accuracy of Tooth Development as an Indicator of Dental Age Estimation for Children in Indonesia

*by* Arofi Kurniawan

---

**Submission date:** 22-Dec-2022 03:05PM (UTC+0800)

**Submission ID:** 1985780719

**File name:** Sinta\_05-2022\_Accuracy\_of\_Tooth\_Development.pdf (424.46K)

**Word count:** 2978

**Character count:** 15443

## Accuracy of Tooth Development as an Indicator of Dental Age Estimation for Children in Indonesia

Arofi Kurniawan,<sup>1</sup> Shintya R. A. Agitha,<sup>2</sup> An'nisaa Chusida,<sup>1</sup> Beta N. Rizky,<sup>1</sup> Beshlina F. W. R. Prakoeswa,<sup>1</sup> Salma Nailah,<sup>1</sup> Romario G. A. Singarimbun,<sup>1</sup> Mieke S. Margaretha<sup>1</sup>

<sup>1</sup>Department of Forensic Odontology, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia

<sup>2</sup>Faculty of Dentistry, Universitas Hang Tuah, Surabaya, Indonesia

Email: [arofi.kurniawan@fkg.unair.ac.id](mailto:arofi.kurniawan@fkg.unair.ac.id)

Received: March 18, 2022; Accepted: April 26, 2022; Published on line: May 2, 2022

**Abstract:** Dental age estimation methods have been developed in such a way as to fulfill various requirements of medico-legal, law enforcement, and victim identification in mass disasters. This study aimed to evaluate the accuracy of the Willems dental age estimation method for children in Indonesia. The estimated dental age (EDA) was assessed using the Willems method by two examiners. The statistical analysis was carried out using IBM® SPSS® Statistics version 23.0 (IBM, Armonk, New York, USA). The results obtained 92 panoramic radiographs ranging in age from 8 to 14 years from the Departments of Forensic Odontology and Radiology, Universitas Airlangga, Surabaya, Indonesia. The average chronological age (CA) of the subjects in this study was 11.30±1.43 years for boys and 11.65±1.55 years for girls. The overall mean differences between the CA and the EDA for boys and girls were -0.08±0.76 and -0.31±0.97. In this study, the mean age difference was more significant in girls than in boys. The difference in growth spurt timing between boys and girls may explain the difference in dental maturation, as girls begin their pubertal growth spurt about two years earlier than boys. In general, girls' dental development begins and ends earlier than boys'. In conclusion, the dental age estimation method proposed by Willems can be applied to boys, as there is no significant statistical difference. However, when applying this method to girls, a thorough analysis may be required.

**Keywords:** chronological age; dental age; forensic odontology; human rights; justice

### INTRODUCTION

Indonesia is a huge archipelagic country located in the ring of fire, which is prone to natural disasters. Because of its location, Indonesia is vulnerable to volcanic eruptions, earthquakes, floods, and tsunamis.<sup>1</sup> The National Board of Disaster Management (BNPB) reported that from January to December 2021, 5,402 disasters happened in Indonesia, with more than 700 people deaths and 14,915 injured.<sup>2</sup> With a population of over 250 million and a diversity of cultures and religions, an effective identification method will be required in the event of a mass disaster.<sup>3</sup> Age estimation is one method for simplifying human identification by categorizing victims based on their estimated ages.

Age estimation, on the other hand, is required in law enforcement, immigration cases, sports competitions, and marriage.<sup>4-6</sup>

The usefulness of teeth in estimating an individual's age is widely acknowledged in forensic fields. Age estimation is important in many aspects of human life, including social and legal aspects, research, dental treatment planning, and forensic sciences.<sup>7,8</sup> Many studies in forensic fields deal with the estimation of biological age in humans have been developed.<sup>9</sup> The most common methods rely on skeletal indicators<sup>10</sup> such as epiphyseal fusion,<sup>11</sup> hand-wrist bones,<sup>12</sup> sternoclavicular bones,<sup>13</sup> cranial sutures fusion and dental maturation.<sup>14</sup>

According to the previous study, the

radiograph of the hand-wrist and dental development is the most reliable method for assessing the biological age of children and juveniles.<sup>15</sup> Evaluation of tooth development is considered a reliable method for estimating ages, as maturational events associated with tooth formation are less variable, and mineralization of teeth is not affected by external factors, such as crowding, retention, or early extraction of deciduous teeth.<sup>16-18</sup> On the other hand, socio-economic or malnutrition status may affect skeletal growth.<sup>19</sup>

A study by Willems, 2001, confirmed the significant overestimation of the dental age in Belgian Caucasians using the original methods by Demirjian. It was stated that there is a significant overestimation due to the different rates of tooth development in different populations.<sup>20</sup> Based on this statement, we proposed to examine the accuracy of tooth development as an indicator for dental age estimation among children in Surabaya, Indonesia, using the Willems method.

## METHODS

The present study was approved by the Health Research Ethical Clearance Commission of Faculty of Dental Medicine Universitas Airlangga (number: 523/HRECC.FODM/XI/2021). Panoramic radiographs were obtained from the Departments of Forensic Odontology and Dental Radiology, Faculty of Dental Medicine Universitas Airlangga. The data set included 92 panoramic radiographs of boys and girls ranging in age from 8 to 14 years. The panoramic radiographs were selected based on following inclusion criteria: panoramic radiographs of children aged 8 to 14 years old without any developmental disorder; good quality panoramic radiographs; and available date of birth and date of the radiographic recording.

The tooth development staging of the present study was based on the calcification stage by Demirjian, which was divided into eight stages (A-H). The scoring of each tooth development stage was calculated according to the Willems method. Seven mandibular teeth on the third quadrant were included in the staging and scoring process. In case of any missing tooth on the third quadrant, the

corresponding tooth on the opposite side is used as the substitute and scored.<sup>20</sup> The stage of each tooth development was then converted into scores by Willems and summed up to calculate the estimated dental age (EDA) of each subject. The staging and scoring process of tooth development was conducted by two examiners.

The statistical analysis was conducted using IBM® SPSS® Statistics version 23.0 (IBM, Armonk, New York, USA). The Shapiro-Wilk test was used to determine the normality of the data distribution. The difference between individual age groups was analyzed using the paired sample t-test.

## RESULTS

Subjects of the present study consisted of 92 panoramic radiographs (42 boys and 50 girls, ranging from 8-14 years old). The descriptive analysis of the chronological age (CA) and estimated dental age (EDA) was demonstrated in Table 1. The average CA of boys was 11.30±1.43 years, whereas of girls was 11.65±1.55 years. The mean CA of the total subjects was 11.49±1.50 years.

EDA calculation using the Willems method shows that the mean age of boys was 11.21±1.30 years, and 11.34±1.63 years of girls. The overall mean difference between CA and EDA for boys and girls was -0.08±0.76 and -0.31±0.97. The mean age difference in boys was not significant in all age ranges. Whereas, in girls, the mean difference was significant in the range of 11-14 years,  $p < 0.05$ .

The Shapiro-Wilk test was done for each group to examine whether the data was normally distributed or not. The results of the Shapiro-Wilk test indicate that the data was normally distributed,  $p > 0.05$ . Subsequently, the difference between CA and EDA in boys and girls was analyzed using the paired t-test,  $p > 0.05$  for boys and  $p < 0.05$  for girls.

Further analysis was done by classifying the age groups as 8-10 and 11-14 years old. The descriptive analysis of each age group was shown in Table 2. Overestimation of age was observed in 8-10 year groups, both boys and girls, with no significant statistical difference. Underestimation of age was described

in 11-14 year groups, in both sexes. Nevertheless, the underestimation of age was significant in girls,  $p < 0.05$ .

## DISCUSSION

Estimation of a person's age is one of the important aspects of human identification.<sup>21</sup> Through the dental age estimation, the identification of the suspected victim can be limited to the estimated ages.<sup>22</sup> In this study, the accuracy of tooth development as an indicator of dental age estimation using the Willems method was evaluated. The study involved Indonesian children, which was classified as the Mongoloid race, whereas, the original Willems method was conducted in Belgian Caucasian population.<sup>20</sup>

The previous study by Olze et al<sup>23</sup> examined the various methods of dental development staging and discovered that the Demirjian method could accurately define chronological age. However, another study found that Willems' modification of the Demirjian method was more accurate in estimating age and had been tested in different populations.<sup>24,25</sup> Because of its accuracy, the Willems method was considered for use in the Indonesian children population, and there was no established dental age estimation method for the Indonesian children population.<sup>20,26-28</sup>

Previous research by Ismail et al<sup>29</sup> in

Malay children (also classified as Mongoloid race) found that the Willems method was overestimated in the 5 and 15 year age groups and underestimated in the 10 year age group in both sexes, with no significant statistical difference. Unlike the previous study in Malay children, there was an underestimation of age in both boys and girls in the current study, with 11.21 (CA=11.30) and 11.34 (CA=11.65), respectively. The mean age difference between boys and girls was calculated using the independent sample t-test, with  $p > 0.05$ . A more detailed statistical analysis revealed that there was no significant difference between CA and EDA in boys ( $p > 0.05$ ), but there was in girls ( $p < 0.05$ ).

The fact that the mean age difference was greater in the girls may be due to differences in dental maturation between boys and girls. Girls experience the growth spurts phase earlier than boys. Moreover, girls go through growth spurts when they are young, between the ages of 6 and 7, and between the ages of 12 and 14. Some literature discussed that the mean difference of the onset of a pubertal growth spurt in boys and girls is about two years earlier for girls.<sup>30,31</sup>

According to Nolla,<sup>32</sup> there were significant differences in the distribution of tooth calcification and mineralization between the sexes. In general, girls start and finish their dental development before boys.<sup>32,33</sup>

**Table 1.** Descriptive analysis of CA and EDA (in years)

Groups	Distribution	Chronological age (CA)		Estimated dental age (EDA)	
		Mean	SD	Mean	SD
Boys	42	11.30	1.43	11.21	1.30
Girls	50	11.65	1.55	11.34	1.63
Total	92	11.49	1.50	11.28	1.48

**Table 2.** Mean age difference between CA and EDA based on age groups (in years)

Age group (years)	Age difference					
	Boys			Girls		
	Mean	SD	Remarks	Mean	SD	Remarks
8-10	0.21	0.76	Overestimation	0.07	0.96	Overestimation
11-14	-0.25	0.73	Underestimation	-0.48*	0.98	Underestimation*

\*significant difference

Routine radiographs for dental treatment, such as panoramic and periapical, may be used as evidence in the forensic fields. Estimating dental age in children can be accomplished by defining tooth calcification and mineralization. For further consideration and investigation of the dental age estimation, some combined methods, such as hand-wrist radiographs, may be required.

## CONCLUSION

In this study, dental age estimation method proposed by Willems can be applied to boys, as there was no significant statistical difference. However, when applying this method to girls, a thorough analysis may be required. More research with larger sample sizes will be required to confirm the reliability of the Willems method in Indonesia.

## Conflict of Interest

The authors have no conflicts of interest to declare.

## REFERENCES

1. National Geographic Society. Ring of Fire [Internet]. 2019 [cited 2021 Oct 10]. Available from: <https://www.nationalgeographic.org/encyclopedia/ring-fire/>
2. Badan Nasional Penanggulangan Bencana (BNPB). Infografis Kejadian Bencana 2021 [Internet]. 2021 [cited 2022 Feb 21]. Available from: <https://bnpb.go.id/infografis/kejadian-bencana-tahun-2021>
3. Sahelangi P, Novita M. Role of dentists in Indonesian disaster victim identification operations: religious & cultural aspects. *J Forensic Odontostomatol*. 2012;30 (Supl.1): 60-71.
4. Pradella F, Pinchi V, Focardi M, Grifoni R, Palandri M, Norelli GA. The age estimation practice related to illegal unaccompanied minors immigration in Italy. *J Forensic Odontostomatol*. 2017; 35(2):141-8.
5. Timme M, Steinacker JM, Schmeling A. Age estimation in competitive sports. *Int J Legal Med*. 2017;131(1):225-33.
6. Islam MN. Estimation of mean age at first marriage: use of a simple mathematical model. *Rural Demogr*. 1984;11(1-2):39-59.
7. Koshy S, Tandon S. Dental age assessment: The applicability of Demirjian's method in South Indian children. *Forensic Sci Int*. 1998;94(1-2):73-85.
8. Franco A, Thevissen P, Fieuws S, Souza PHC, Willems G. Applicability of Willems model for dental age estimations in Brazilian children. *Forensic Sci Int*. 2013;231(1-3):401.e1-401.e4.
9. Cameriere R, Ferrante L, Cingolani M. Precision and reliability of pulp/tooth area ratio (ra) of second molar as indicator of adult age. *J Forensic Sci*. 2004; 49(6):1-5.
10. Priya E. Methods of skeletal age estimation used by forensic anthropologists in adults: a review. *Forensic Res Criminol Int J*. 2017;4(2):41-51.
11. Ebeye OA, Eboh DE, Onyia NS. Radiological assessment of age from epiphyseal fusion at the knee joint. *Anatomy*. 2016; 10(1):1-7.
12. Benjavongkulchai S, Pittayapat P. Age estimation methods using hand and wrist radiographs in a group of contemporary Thais. *Forensic Sci Int*. 2018; 287:218.e1-218.e8.
13. Ufuk F, Agladioglu K, Karabulut N. CT evaluation of medial clavicular epiphysis as a method of bone age determination in adolescents and young adults. *Diagnostic Interv Radiol*. 2016;22(3): 241-6.
14. Manjunatha BS, Soni N. Estimation of age from development and eruption of teeth. *J Forensic Dent Sci*. 2014;6(2):73-6.
15. Greulich WW PS. Radiographic atlas of skeletal development of the hand and wrist (2nd ed). Stanford, CA: Stanford University Press; 1959.
16. Maia MCG, Martins M da GA, Germano FA, Neto JB, da Silva CAB. Demirjian's system for estimating the dental age of northeastern Brazilian children. *Forensic Sci Int*. 2010;200(1-3):177.e1-177.e4.
17. Chertkow S, Fatti P. The relationship between tooth mineralization and early radiographic evidence of the ulnar sesamoid. *Angle Orthod*. 1979;49(4):282-288.
18. Latić-Dautović M, Nakaš E, Jelešković A, Cavrić J, Galić I. Cameriere's European formula for age estimation: a study on the children in Bosnia and Herzegovina. *South Eur J Orthod Dentofac Res*. 2017;4(2):26-30.
19. Cameriere R, Flores-Mir C, Mauricio F, Ferrante L. Effects of nutrition on timing



- of mineralization in teeth in a Peruvian sample by the Cameriere and Demirjian methods. *Ann Hum Biol* [Internet]. 2007 9;34(5):547-56. Available from: <http://www.tandfonline.com/doi/full/10.1080/03014460701556296>
20. Willems G, Van Olmen A, Spiessens B, Carels C. Dental age estimation in Belgian children: Demirjian's technique revisited. *J Forensic Sci*. 2001;46(4):1506-4J.
21. Ubelaker DH, Khosrowshahi H. Estimation of age in forensic anthropology: historical perspective and recent methodological advances. *Forensic Sci Res*. 2019;4(1):1-9.
22. Krishan K, Kanchan T, Garg AK. Dental evidence in forensic identification – an overview, methodology and present status. *Open Dent J* [Internet]. 2015; 9(1):250-6. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26312096>
23. Olze A, Bilang D, Schmidt S, Wernecke KD, Geserick G, Schmeling A. Validation of common classification systems for assessing the mineralization of third molars. *Int J Legal Med*. 2005;119(1):22-6.
24. Grover S, Marya CM, Avinash J, Pruthi N. Estimation of dental age and its comparison with chronological age: Accuracy of two radiographic methods. *Med Sci Law*. 2012;52(1):32-5.
25. Ramanan N, Thevissen P, Fleuws S, Willems G, Ramanan N, Thevissen P, et al. Dental age estimation in Japanese individuals combining permanent teeth and third molars. *J Forensic Odontostomatol*. 2012;30(2):34-9.
26. Ye X, Jiang F, Sheng X, Huang H, Shen X. Dental age assessment in 7-14-year-old Chinese children: Comparison of Demirjian and Willems methods. *Forensic Sci Int*. 2014;224:36-41.
27. Ambarkova V, Galić I, Vodanović M, Biočina-Lukenda D, Brkić H. Dental age estimation using Demirjian and Willems methods: cross sectional study on children from the former Yugoslav republic of Macedonia. *Forensic Sci Int*. 2014;234:187.e1-7.
28. Kurniawan A, Agitha SRA, Margaretha MS, Utomo H, Chusida A, Sosiawan A, et al. The applicability of Willems dental age estimation method for Indonesian children population in Surabaya. *Egypt J Forensic Sci* [Internet]. 2020;10(1):5. Available from: <https://ejfs.springeropen.com/articles/10.1186/s41935-020-0179-6>
29. Ismail AF, Othman A, Mustafa NS, Kashmoola MA, Mustafa BE, Mohd Yusof MYP. Accuracy of different dental age assessment methods to determine chronological age among Malay children. *J Phys Conf Ser* [Internet]. 2018;1028:012102. Available from: <https://iopscience.iop.org/article/10.1088/1742-6596/1028/1/012102>
30. Burstone CJ. Process of maturation and growth prediction. *Am J Orthod*. 1963;49:907-919.
31. de Souza Araujo MT, Cury-Saramago A de A, da Motta AFJ. Clinical and radiographic guidelines to predict pubertal growth spurt. *Dental Press J Orthod*. 2011; 16(5):98-103.
32. Nolla CA. The development of the permanent teeth. *J Dent Child*. 1960;27:254-66.
33. Chertkow S. Tooth mineralization as an indicator of the pubertal growth spurt. *Am J Orthod*. 1980;77(1):79-91.

# Accuracy of Tooth Development as an Indicator of Dental Age Estimation for Children in Indonesia

## ORIGINALITY REPORT

**21** %  
SIMILARITY INDEX

**10** %  
INTERNET SOURCES

**17** %  
PUBLICATIONS

**0** %  
STUDENT PAPERS

## PRIMARY SOURCES

- 1** Guy Willems, An Van Olmen, Bart Spiessens, Carine Carels. "Dental Age Estimation in Belgian Children: Demirjian's Technique Revisited", *Journal of Forensic Sciences*, 2001  
Publication 1 %
- 2** [repozitorij.unizg.hr](http://repozitorij.unizg.hr)  
Internet Source 1 %
- 3** Yue Zhai, Hyun Park, Junli Han, Haining Wang, Fang Ji, Jiang Tao. "Dental age assessment in a northern Chinese population", *Journal of Forensic and Legal Medicine*, 2016  
Publication 1 %
- 4** Y.-C. Guo, X.-W. Lin, W.-T. Zhang, C.-X. Yan, F. Pan, T.-L. Yan, J.-P. Li, T. Chen, A. Schmeling, H. Zhou. "Die Chronologie der Mineralisation der dritten Molaren in einer nordchinesischen Population", *Rechtsmedizin*, 2015  
Publication 1 %
- 5** Gulsahi, A., R. Ebru Tirali, S. Burcak Cehreli, S. De Luca, L. Ferrante, and R. Cameriere. "The 1 %

reliability of Cameriere's method in Turkish children: A preliminary report", Forensic Science International, 2015.

Publication

---

6	<a href="http://app.trdizin.gov.tr">app.trdizin.gov.tr</a> Internet Source	1 %
7	<a href="http://bmcoralhealth.biomedcentral.com">bmcoralhealth.biomedcentral.com</a> Internet Source	1 %
8	Krista L. Johnson, Trent G. Nicol, Steven G. Zecker, Nina Kraus. "Auditory Brainstem Correlates of Perceptual Timing Deficits", Journal of Cognitive Neuroscience, 2007 Publication	1 %
9	<a href="http://doczz.net">doczz.net</a> Internet Source	1 %
10	Kate Wilkinson, Elizabeth Sarah Bryant, Katrina Heal. "Obesity and cardiovascular risk factors: results of a unique approach to NHS health checks", Practice Nursing, 2017 Publication	<1 %
11	Lei Shi, Yuchi Zhou, Ting Lu, Fei Fan, Lin Zhu, Yang Suo, Yijiu Chen, Zhenhua Deng. "Dental age estimation of Tibetan children and adolescents: comparison of Demirjian, Willems methods and a newly modified Demirjian method", Legal Medicine, 2022 Publication	<1 %

---



12 Raquel Porto Alegre Valente Franco, Ademir Franco, Anna Turkina, Marianna Arakelyan et al. "Radiographic Assessment of Third Molar Development in a Russian Population to Determine The Age of Majority", Archives of Oral Biology, 2021  
Publication <1 %

---

13 [eprints.chi.ac.uk](http://eprints.chi.ac.uk)  
Internet Source <1 %

---

14 [repository.uwc.ac.za](http://repository.uwc.ac.za)  
Internet Source <1 %

---

15 [www.atlantis-press.com](http://www.atlantis-press.com)  
Internet Source <1 %

---

16 [www.researchgate.net](http://www.researchgate.net)  
Internet Source <1 %

---

17 Giovana Gabardo, José Vinícius Bolognesi Maciel, Ademir Franco, Antonio Adilson Soares Lima et al. "Radiographic analysis of dental maturation in children with amelogenesis imperfecta: A case - control study", Special Care in Dentistry, 2020  
Publication <1 %

---

18 JÃ¤Ã¤saari, PÃ¤ivi, Vivian Visnapuu, Marjatta NystrÃ¶m, Sirkku Peltonen, Juha Peltonen, and Risto-Pekka Happonen. "Dental age in <1 %

patients with neurofibromatosis 1", European Journal Of Oral Sciences, 2012.

Publication

---

19

Syed M. Yassin. "Accuracy of Demirjian's four methods of dental age estimation in a sample of Saudi Arabian population", Australian Journal of Forensic Sciences, 2020

Publication

---

20

[ijhas.in](http://ijhas.in)

Internet Source

---

<1 %

21

[jfds.org](http://jfds.org)

Internet Source

---

<1 %

22

[www.birpublications.org](http://www.birpublications.org)

Internet Source

---

<1 %

23

Burak Çarıkçioğlu, Berkant Sezer. "Dental age estimation with fewer than mandibular seven teeth: An accuracy study of Bedek models in Turkish children", Clinical Oral Investigations, 2022

Publication

---

<1 %

24

Checheng Shen, Jing Pan, Zhao Yang, Hungen Mou, Jiang Tao, Fang Ji. "Applicability of 2 Dental Age Estimation Methods to Taiwanese Population", American Journal of Forensic Medicine & Pathology, 2020

Publication

---

<1 %

25

Esra Hato, Alem Coşgun, Halenur Altan.  
"Comperative evaluation of Nolla, Willems  
and Cameriere methods for age estimation of  
Turkish children in the Central Black Sea  
Region: A preliminary study", Journal of  
Forensic and Legal Medicine, 2022

Publication

---

<1 %

26

L. Ferrante. "Statistical methods to assess the  
reliability of measurements in the procedures  
for forensic age estimation", International  
Journal of Legal Medicine, 05/02/2009

Publication

---

<1 %

27

Marjatta Nyström. "Dental maturity in Finnish  
children, estimated from the development of  
seven permanent mandibular teeth", Acta  
Odontologica Scandinavica, 8/1/1986

Publication

---

<1 %

28

Simone Bagattoni, Giovanni D'Alessandro,  
Maria Rosaria Gatto, Gabriela Piana.  
"Applicability of Demirjian's method for age  
estimation in a sample of Italian children with  
Down syndrome: A case-control retrospective  
study", Forensic Science International, 2019

Publication

---

<1 %

29

Urzel, Vanessa, and Jaroslav Bruzek. "Dental  
Age Assessment in Children: A Comparison of  
Four Methods in a Recent French Population",  
Journal of Forensic Sciences, 2013.

<1 %

---

30 Z. Yang, L. Fan, K. Kwon, J. Pan, C. Shen, J. Tao, F. Ji. "Age estimation for children and young adults by volumetric analysis of upper anterior teeth using cone-beam computed tomography data", Folia Morphologica, 2020  
Publication

---

31 dentistrykey.com  
Internet Source

---

32 qmro.qmul.ac.uk  
Internet Source

---

33 www.airies.or.jp  
Internet Source

---

34 www.gbif.org  
Internet Source

---

35 www.ijcpd.com  
Internet Source

---

36 www.tandfonline.com  
Internet Source

---

37 Andyanita Hanif Hermawati, Eka Puspitasari, Cholila Lailatul Nurmala. "Low density lipoprotein (LDL) in type 2 diabetes mellitus", Medical Laboratory Analysis and Sciences Journal, 2019  
Publication

---

38

Eunice Njeri Kihara, Peter Gichangi, Helen M. Liversidge, Fawzia Butt, Gichambira Gikenye. "Dental age estimation in a group of Kenyan children using Willems' method: a radiographic study", *Annals of Human Biology*, 2017

Publication

---

<1 %

39

Helen M. Liversidge. "The assessment and interpretation of Demirjian, Goldstein and Tanner's dental maturity", *Annals of Human Biology*, 2012

Publication

---

<1 %

40

Jayakumar Jayaraman, Hai Ming Wong, Graham J. Roberts, Nigel M. King et al. "Age estimation in three distinct east Asian population groups using southern Han Chinese dental reference dataset", *BMC Oral Health*, 2019

Publication

---

<1 %

41

Meng-qi Han, Si-xuan Jia, Chen-Xu Wang, Guang Chu, Teng Chen, Hong Zhou, Yu-cheng Guo. "Accuracy of the Demirjian, Willems and Nolla methods for dental age estimation in a northern Chinese population", *Archives of Oral Biology*, 2020

Publication

---

<1 %

42

SHANI ANN MANI. "Comparison of two methods of dental age estimation in 7-15-

<1 %

year old Malays", International Journal of  
Paediatric Dentistry, 2/18/2008

Publication

---

43

Jian Wang, Xuebing Bai, Miao Chen Wang, Zijie  
Zhou et al. "Applicability and accuracy of  
Demirjian and Willems methods in a  
population of Eastern Chinese subadults",  
Forensic Science International, 2018

<1 %

Publication

---

Exclude quotes Off

Exclude matches Off

Exclude bibliography On



# Accuracy of Tooth Development as an Indicator of Dental Age Estimation for Children in Indonesia

---

## GRADEMARK REPORT

---

FINAL GRADE

**/0**

GENERAL COMMENTS

**Instructor**

---

PAGE 1

---

PAGE 2

---

PAGE 3

---

PAGE 4

---

PAGE 5

---