EJD-2022-1-24 - (1948) Co-author manuscript submission confirmation

From: European Journal of Dentistry (ejd@manuscriptmanager.net)

To: arundinafkg@yahoo.com

Date: Friday, January 21, 2022 at 11:20 PM GMT+9

Manuscript: EJD-2022-1-24 - (1948) - Nanoparticles of liquid smoke rice husk inhibit Porphyromonas gingivalis Authors: Ira Arundina (Corresponding author), Indeswati Diyatri (Co-author), Wisnu Setyari Juliastuti (Co-author), Theresia Indah Budhy (Co-author), Meircurius Dwi Condro Surboyo (Co-author), Benni Iskandar (Co-author), Anisa Nur Halimah (Co-author), Azzahra Salsabila Adira Moelyanto (Co-author), Sheryn Marcha Ramaniasari (Co-author), Gustiadi Saputra (Co-author)

Date submitted: 2022-01-21

Dear Dr. Arundina

Automatic notification:

The above manuscript has been submitted online by Dr. Surboyo and you have been listed as a co-author.

Please use the link below to:

- 1. Confirm you are a co-author
- 2. Confirm that you have given Dr. Surboyo permission to act on your behalf concerning this manuscript submission.

CONFIRM YOU ARE A CO-AUTHOR

If you are NOT a co-author, please contact the editorial office immediately by replying to this email.

Please take a moment to revise your author and account information and link your account to your ORCID identifier. If you do not have an ORCID you can create one by following the instructions in your account.

You can follow the progress of this manuscript at any time by signing into the journal website using the details provided below. All correspondence regarding this manuscript will be sent to the submitting author by the editorial office.

Sincerely,

The Editorial Office

IF THE CONFIRM LINK IN THE TEXT ABOVE IS INACTIVE, CLICK OR PASTE (INTO THE ADDRESS LINE OF A BROWSER) THE URL BELOW TO CONFIRM YOU ARE A CO-AUTHOR:

https://www.manuscriptmanager.net/sLib/v4/auth_confirm.php?

paramScreen=fbsTGuWY+HdcRLdHQH0flB8hmkh4qbxcqRJll7njM9Wq3WwXA+4gepvCp+qcLxxW

YOUR SIGN IN INFORMATION

Website: https://www.manuscriptmanager.net/ejd

Email: arundinafkg@yahoo.com

Forgot password or not signed in before? Click the URL below to create/reset your password. https://www.manuscriptmanager.net/sLib/v4/retrieve_pw.php? paramScreen=LeBc7Tt9AOIMDwAyzOobOjc3AFy0ycSl1e0MAbTfv6M=

Instructions to Contributors

Dear Contributor:

Enclosed in this document please find the page proofs and copyright transfer agreement (CTA) for your article in the *European Journal of Dentistry*. Please print this document and complete and return the CTA along with corrected proofs, within 72 hours.

- 1) Please read proofs carefully for **typographical** and **factual** errors only; mark corrections in the margins of the proofs in blue or black pen, or use **Adobe Acrobat tools** to mark the changes in the PDF file directly. Please be sure to write as clearly as possible so no errors are introduced into your article. **Answer (on the proofs) all author queries marked in the margins of the proofs.** Check references for accuracy. **Please check on the 1st page of your article that your titles and affiliations are correct.** Avoid elective changes, because these are costly and time consuming and will be made at the publisher's discretion.
- 2) Please pay particular attention to the proper placement of figures, tables, and legends. Please provide copies of any formal letters of permission that you have obtained.
- 3) Please return the corrected proofs and signed copyright transfer agreement.
- 4) As a contributor to this journal you will receive a complimentary PDF file of the article after publication.

Please return all materials within 72 hours. E-mail is the easiest way to ensure your corrections are received in a timely manner. You may also return materials via fax to:

Sudeshna Roy, Project Manager Thieme Medical and Scientific Publishers Fax: +91-120-4556649 E-mail: sudeshna.roy@thieme.in

Please do not return your materials to the editor or the typesetter.

Please note: Due to a tight schedule, if the publisher does not receive the return of your article proofs within 7 days of the date the e-mail was sent to you, the publisher reserves the right to proceed with publication without author changes. Such proofs will be proofread by the editor and the publisher.

Thank you for your contribution to this journal.

Manuscript Information:

Journal:

European Journal of Dentistry

Manuscript Title:

Nanoparticles of Liquid Smoke Rice Husk Inhibit Porphyromonas

gingivalis

Manuscript Number:

2211948

Authors:

Ira Arundina, Indeswati Diyatri, Wisnu Setiari Juliastuti, Theresia Indah Budhy, Meircurius Dwi Condro Surboyo, Benni Iskandar, Anisa Nur

Halimah, Azzahra Salsabila Adira Moelyanto, Sheryn Marcha

Ramaniasari, Gustiadi Saputra

Corresponding author's contact data:

Ira Arundina, Department of Oral Biology, Faculty of Dental Medicine, Universitas Airlangga, Jln. Prof. Dr. Moestopo No. 47 Surabaya 60132,

Indonesia

Corresponding author's e-mail address:

arundinafkg@yahoo.com; ira-a@fkg.unair.ac.id

Contact at the publishers:

Sudeshna Roy

E-mail address at the publishers:

sudeshna.roy@thieme.in

Dear Author,

Please

- read this form carefully,
- check all manuscript information,
- sign this form with your digital signature and
- reply directly to the e-mail with which you received this document and leave the subject unchanged.



Thank you very much in advance.

Assignment of Rights

Thieme does not accept for publication in a journal any manuscript that has been published elsewhere. Your consent to the following assignments of rights, also on behalf of the other authors (if several authors contribute to the manuscript), and the signing of this Open Access Copyright Transfer Agreement is a necessary requirement for the publication of your manuscript.

The article will be published under a CC BY license (https://creativecommons.org). This license means that anyone may freely read, download, share, copy and redistribute the material in any medium or format and make the article available to the public (in printed and electronic form). Under this license, it is also permitted to adapt which means remix, transform and build upon the material for any purpose, even commercially, provided that the author and the journal as the source are acknowledged. This means the reuser must give appropriate credit, provide a link to the license, and indicate if changes were made.

Thieme will endeavor to ensure maximum dissemination of your manuscript and to protect your authors' rights against misuse, such as plagiarism.

For this reason upon acceptance of the manuscript by us you and your co-authors agree to hereby transfer on a nonexclusive basis copyright to Thieme. This includes (in addition to the publication under a CC BY license), for the duration of the statutory term of copyright protection and throughout the world, the full rights to use the paper (including excerpts thereof) within the journal or separate to it, on a commercial or non-commercial basis, linked to other works or papers, audio-visual accompanying materials or interactive products or services, including the transfer to third parties (e.g., under license agreements, etc.), in particular the non-exclusive right to use all editions/updates for the following purposes:



Permission to Publish and Open Access Copyright Transfer Agreement

- reproduction and distribution in printed form, in particular as a journal article, article in a medical textbook or other type
 of book directed towards a specific target group of readers, pocket book, special edition for secondary markets or special
 customers, brochure, supplement, anthology, etc.
- reproduction and distribution in the form of electronic media (e.g., CD-Rom, DVD, USB memory stick, databases, cloud-based service, ebook and other forms of electronic publishing) and also make available to the public (e.g., internet, intranet or other wired or wireless data networks), in particular by displaying on stationary or mobile visual display units, monitors, smart phones, tablets or other devices by download (e.g., e-pub, PDF, App) or retrieval in any other form;
- translation, transmission or adaptation of the paper into or in any other language, dialects or versions (in particular, as a podcast, audio book, or other image or sound carriers etc.), transmission through television, cable or satellite TV, radio or by means of other audio-visual media, renting or lending, storage in an electronic archive, including storage in connection with indexation, key word search or any other search and additional functions, usage for types of use not as yet known and for any other rights used by collecting societies as provided in their articles and allocation plans, provided that the transfer of such rights is permissible under the relevant provisions and applicable law.

Without prejudice to this assignment of rights, the moral rights in connection with the article shall remain with you and the other authors, whereas we are entitled to all rights with regard to the editorial process and publishing service in connection with the reproduction and distribution of the article in our journal and making it available to the public.

Thieme is entitled, but not obliged, to use the rights specified in the aforesaid sections and may adapt the article for these uses. Thieme will take your and your co-authors' legitimate interests into account in this respect.

Authors' rights and Gold Open Access

The rights of use are assigned to us non-exclusively – subject to your rights in accordance with our Open Access (OA) Guidelines: Our OA Guidelines state that immediately after the publication of the article by us, you and the other authors are entitled to make the published version of the article available to the public.

For more Information on our OA Program please visit http://open.thieme.com.

Article Publication Charge

Publication of the article is subject to an article publication charge of (exclusive VAT if any).

The article will be published upon receipt of the payment by Thieme.

Duties of care

Product liability laws set high standards for your duty of care as the author of a scientific manuscript. This is especially the case when you give therapeutic information and/or specify drug doses. Therefore please check this information carefully in the typeset page-proofs of your article. Your task will be much easier if you have the information counterchecked — depending on the sensitivity of the information within the article — by specialist colleagues. Only you, as the author, have the specialist knowledge to be able to assess the accuracy of the information.

Author's Declaration

I have taken note of the information on the duties of care under product liability law; I agree to the assignments of rights in accordance with the foregoing sections "Assignment of Rights" and "Authors' Rights and Gold Open Access" also on behalf of the other authors (if several authors have contributed to the article). I declare that I am authorized by my co-authors to sign on their behalf.

I declare that no third party rights will be infringed through the publication. Any material contained in the manuscript (including illustrations, tables, or other material) from third-party sources will be identified as such through citation, indicating the source. If required, I have obtained the copyright permission from the publishers concerned.

I have read and understood the terms and conditions of the CC BY license and I agree also on behalf of the other authors (if several authors have contributed to the article) that the article will be published under such a license.

I agree with the aforesaid article publication charge. Should one of the foregoing regulations be or become invalid in whole or in part this shall not affect the validity of the other provisions. Any invalid provision shall be replaced by a regulation that comes as close as possible to the purpose of the invalid provision in economic terms, insofar as legally permissible.

This article is ready to be published after the execution of the corrections indicated by me.

Date Digital Signature









© Thieme Publishing Group – August 2019

Open Access Publishing – Author Information



Open Access Publishing – Author Information

Open Access (OA) means free reading and use of scientific literature and related content via the Internet.

1. OA Publishing at Thieme

There are two main ways to publish articles and make them freely available to read: "gold" OA and "green."

Gold OA means that immediately upon publication your article will be made free to read via the Internet with additional usage rights. In return for this instant and global dissemination and availability of your article, an Article Publication Charge (APC) is paid either by yourself as the author or by your institution or funding organization.

Green means that 12 months after publication you may self-archive the accepted manuscript. You may not use the final published version, but you may deposit your publication as the accepted manuscript in institutional online repositories.

Thieme offers authors the choice by providing both gold OA and green options, with the preference for gold OA as it provides immediate access to the edited, published version of your article with well-defined reuse rights under a sustainable financial model.

2. General Information — Thieme Open

Thieme is one of the market-leaders for scientific information and services in medicine and chemistry. Since the end of 2013, we have offered authors an OA publication service called Thieme Open, http://open.thieme.com.

This OA service includes rigorous peer-review, professional in-house editorial services, fast publication times, and worldwide access via Thieme's electronic journals, https://www.thieme.de/en/thieme-connect/home-3939.htm.

It also includes reference linking and long-term archiving, distribution, including the Digital Object Identifier (DOI), as well as entry into PubMed Central and indexing in OA-relevant search engines.

Thieme OA authors enjoy the following benefits – you may:

- 1. Publish under a gold OA model in our suite of gold OA journals or choose from one of our more than 150 classic journals that also offer you an OA option. Transfer your copyright and declare no conflict of interest electronically by signing the Copyright Transfer Agreement and Conflict of Interest forms.
- 2. Be certain that your OA manuscript will enjoy the same high-quality standards of peer-review and superior production services as you enjoy in all our journals.
- 3. Post the final published version of your article immediately on any site or repository if published under the gold CC BY OA option.
- 4. Deposit the final published version of your article immediately as a PDF on any non-commercial site or repository if published under the CC BY gold OA option.
- Be assured that we protect your rights as an author when you publish your article under a "CC BY-NC-ND license." Information at: https://creativecommons.org
- Be compliant with requirements, mandates, and policies of funders such as NIH, OSTP, Horizon 2020, DFG, and RCUK. For details see: http://www.sherpa.ac.uk/romeo/search.php
- 7. Be assured that your work will be archived long-term at archiving services such as CLOCKSS or Portico.
- 8. Be assured that your paper is discovered on major search engines and indexing services such as PubMed Central, Directory of Open Access Journals (DOAJ), and Scopus.



© Thieme Publishing Group – August 2019

3. Why is Open Access important for you?

OA is an additional publication service among the services and products that are provided by Thieme.

The most important reasons to publish OA are the immediate, global access, and sharing via the citable version of an article. This means a high visibility leading to a potentially higher usage, more citations, and a higher impact of your article by extended search ability and discoverability. Your article quickly gains wide scientific impact. These play an increasing role if you, your project, and the publication of your results and data are publicly funded. Please find a glossary of bibliometrics at: http://www.bibliothek.kit.edu/cms/english/bibliometrics-glossary.php

Maintaining a high-level quality standard by undergoing a rigorous peer-review process by international and leading specialists, Thieme OA articles are published quickly and may include multi-media enhancements. Furthermore, your OA publication meets relevant funder mandates, requirements, and policies.

The advantages of publishing OA in summary:



4. What does this mean for you?

What you should be considering before the transfer of your copy- and usage rights:

Your position as the copyright holder

As copyright holder you own exclusive rights on usage and re-usage of your work by third parties. The type and level of protection of copyrights and licenses vary between countries.

© Thieme Publishing Group – August 2019

The Rights Transfer - your rights as an author

When you decide to publish with Thieme, we kindly ask you to assign your copyright to us as your publisher.

OA licenses permit the copyright owner and holder to grant and impose conditions on the reuse of the content. By using a Creative Commons License you agree to a partial disclaimer of your rights as a copyright holder. You renounce irrevocably parts of your copyright and agree to the dissemination of your content to third parties free of charge.

Please find below further information about the CC licenses and their acceptance by authors:

On the CC website: https://wiki.creativecommons.org/Considerations_for_licensors_and_licensees

About the acceptance by authors: Scholarlykitchen-acceptance authors-licenses

CC BY-NC-ND license license enjoys the highest acceptance among authors, the CC BY license the lowest.

5. CC BY-NC-ND

To abide by and fully comply with our responsibility as publisher of your scientific work and record, Thieme publishes your OA paper under the most recent CC BY-NC-ND license:



CC BY-NC-ND (Attribution-Noncommercial-No Derivatives)

Users may **share**, copy, and redistribute the material in any medium or format under the following **conditions**:

Attribution — user must give appropriate credit, provide a link to the license, and indicate if changes were made. User may do so in any reasonable manner, but not in any way that suggests the licensor endorses the user or her/his

Noncommercial — user may not use the material for commercial purposes.

No Derivatives — if user remixes, transforms, or builds upon the material, the user may not distribute the modified material.

No additional restrictions — user may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Thieme's default license is CC BY-NC-ND. However, in case of a funder requiring it, you as the author may select another license and we will arrange your publication accordingly.

Please find the relevant information on the submission page of the journal of your choice, as well as on our Copyright Transfer Agreements.

Should you have any questions or would like more information, please visit our Open Access page: http://open.thieme.com/de/web/19/faq

Or contact us: the editorial team of your journal

or

thiemeopen@thieme.de

Instructions for Author Corrections

Dear Author,

Many thanks for choosing to publish your manuscript with us! The reviewing of the typeset article by yourself is one of the last steps before publication, and we now ask for your approval to proceed with publication.

The manuscript has been prepared for publication by our copy-editors and typeset into the journal layout. Suggested changes, new formulations, deletions or restructuring of the text, if they are significant, along with questions to you are marked with a square (\blacksquare). Please consider carefully whether the changes made are suitable and are correct and respond to each question within the pdf proof. Please also check that the images have been reproduced correctly when incorporated into the layout (please note that the resolution will be higher in the print version).

During the editorial process your article has been reviewed, and (if applicable) dosages outlined in the text were scrutinized. However, only you, as the author, have the expertise to assess the accuracy and validity of the information within the text. The responsibility for the accuracy rests solely with you.


We ask that you return corrections in the following way:

To prevent misunderstandings and errors due to readabilty of handwriting, please make any necessary changes in the PDF document using the following edit functions in Adobe Acrobat Reader DC (freeware) or Adobe Acrobat Pro DC and Adobe Acrobat Pro (full version):

Activating the comment function


Acrobat Pro:


- 1. Tools
- 2. Comment



<u>Function</u>: **Inserting** text at the cursor location

- 1. Move cursor to the desired location
- 2. Click on button "Insert text at cursor"
- 3. Enter the desired text in the pop-up note box






Instructions for Author Corrections


Function: Replacing text

- 1. Highlight text to be replaced
- 2. Click on button "Add note to replace text"
- 3. Enter new text in the pop-up note box



Function: Crossing out (Deleting) text

- 1. Highlight text to be deleted
- 2. Click on button "Strikethrough text"



Function: Adding a sticky note / comment

- 1. Click on button "Add sticky note"
- 2. Click on where you want to place the note in the text
- 3. Enter comments in the pop-up note box

Please never use this function for text corrections!



Please do not use the Note, Text comment and "Edit Text and Images" function as they will cause technical problems and may cause serious delay in the publication process.

You should return the PDF with the marked corrections by e-mail to your contact at the publishers.


How to Set Up a Digital Signature in Adobe Reader or Adobe Acrobat

Please note: depending on the version of the Adobe program, the depiction of the dialog boxes and the wording can vary. The following screenshots were taken from Adobe Acrobat Reader DC.

To begin the digital ID setup process simply click in the appropriate signature field. Select "Configure Digital ID".




In the following dialog box, please select "Create a new Digital ID" and click Continue.







Specify where you are going to store the digital ID – select "Save to File" and click Continue.



Type in your personal information (name, organization unit, organization name and email address, country) in all fields and click Continue.



Enter a file location for your new Digital ID file – either use the default location or enter a different location if you prefer. Then create and enter a password for the ID into both password fields and click Save.







Nanoparticles of Liquid Smoke Rice Husk Inhibit Porphyromonas gingivalis

Ira Arundina^{Q11} Indeswati Diyatri¹ Wisnu Setiari Juliastuti¹ Theresia Indah Budhy² Meircurius Dwi Condro Surboyo³ Benni Iskandar^{4,5} Anisa Nur Halimah⁶ Azzahra Salsabila Adira Moelyanto⁷ Sheryn Marcha Ramaniasari⁷ Gustiadi Saputra⁸



- ¹Department of Oral Biology, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia
- ²Department of Oral Pathology and Maxillofacial, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia
- ³Department of Oral Medicine, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia
- ⁴School of Pharmacy, College of Pharmacy, Taipei Medical University, Taipei, Taiwan
- ⁵ Sekolah Tinggi Ilmu Farmasi, Pekanbaru, Riau, Indonesia
- ⁶Vocational Degree, Universitas Airlangga, Surabaya, Indonesia
- ⁷Bachelor Dental Science Program, Faculty of Dental Medicine, Universitas Airlangga, Surabaya, Indonesia
- ⁸ Magister of Immunology, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia

Eur | Dent 2022;00:1-5.

Address for correspondence Ira Arundina, Q2Department of Oral Biology, Faculty of Dental Medicine, Universitas Airlangga, Jln. Prof. Dr. Moestopo No. 47 Surabaya 60132, Indonesia (e-mail: arundinafkg@yahoo.com; ira-a@fkg.unair.ac.id).



Abstract

Objective Utilization of liquid smoke rice husk can be used as an alternative treatment because of the antimicrobial properties. Advances in drug delivery systems are increasingly developing to increase the bioavailability of drugs and reduce the side effects of these drugs, namely nanoparticles. In this study, nanoparticles of liquid smoke rice husk (nLSRH) were tested the antimicrobial against Porphyromonas gingivalis.

Materials and Method This type of research is an experimental in vitro laboratory using Porphyromonas gingivalis culture. nLSRH contained liquid smoke rice husk concentration of 1, 2.5, 5, 7.5, 10, 12.5, 15, and 17.5%. The antibacterial was performed using the dilution methods.

Results The nLRSH concentration of 1% showed clearest medium. The highest number of colonies Porphyromonas gingivalis was observed at nLSRH concentration of 1% (40.3 colony-forming unit [CFU]) and decreased at a concentration of 2.5% (11.3 CFU); other concentration or no bacterial colony growth was found. The nLSRH concentration of 2.5% can be determined as the minimum inhibitory concentration and nLSRH concentration of 5% can be determined as the minimum bactericidal concentration.

Conclusion nLSRH have antimicrobial activity against *Porphyromonas gingivalis*. This finding able to drive the next research to develop nLSRH as gingival and periodontitis disease is caused by Porphyromonas gingivalis.

Keywords

- ► liquid smoke
- ► rice husk
- ► nanoparticle
- ► antimicrobial
- Porphyromonas gingivalis
- ► human&health^{Q3}



DOI https://doi.org/ 10.1055/s-0042-1749154. ISSN 1305-7456.

© 2022. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution License, permitting unrestricted use, distribution, and reproduction so long as the original work is properly cited. (https://creativecommons.org/licenses/by/4.0/) Thieme Medical and Scientific Publishers Pvt. Ltd., A-12, 2nd Floor, Sector 2, Noida-201301 UP, India

Introduction

Periodontitis is an inflammation of the periodontal tissue that results in damage to the alveolar bone, besides that there is pocket formation indicating that there is a pathological deepening of the gingival sulcus. This causes the loss of an attachment loss and tooth loss in adults. Periodontitis that often occurs is chronic periodontitis, often due to colonization by Porphyromonas gingivalis with a prevalence rate of ~80.5% cases. Periodontitis treatment performed includes controlling the accumulation of plaque in the oral cavity and also root canal treatment to eliminate bacteria that cause infection³ Administration of antibiotics is used as a support in reducing the number of colonies of Porphyromonas gingivalis, but it should be noted that antibiotics can cause side effects that can reduce drug concentrations in target cells and a resistance to bacteria due to improper use and not as recommended, it will cause bacteria to grow, easily adaptable and immune to antibiotics.⁴

The latest research is growing related to the processing of natural ingredients as a suitable alternative as an antimicrobial that is safer for consumption in the long term.⁵ One of the developments of liquid smoke rice husks the health sector is as an antimicrobial agent; this is supported by the stimulation of a healing process in the oral mucosa against several bacteria.^{6,7} The active content of liquid smoke rice husks forms origin of cellulose, hemicellulose, and lignin. This component through the pyrolysis process produces chemical compounds such as phenol, guaiacol, and acetic acid.⁷ The content of phenolic compounds in liquid smoke rice husks can work more effectively toward more specific target cells from a pharmacological aspect developed through the latest novel drug delivery system advancements. A new system in oral drug delivery that is able to regulate drug distribution pathways and also pharmacokinetic capabilities by reducing the toxicity of a drug and increasing drug effectiveness on target cells^{Q4}, as well as maximizing drug bioavailability with advances in nanotechnology, namely nanoparticles.8 It has a nanometer size, which is around 1 to 100 nm, in the form of particles that are dispersed and encapsulated with polymers to form a nanoparticle matrix. 9-11 By that reasons, the widespread disadvantages of using antibiotics and the development of advances in drug delivery systems are the driving factors for determining the antimicrobial activity of nanoparticles liquid smoke rice husks (nLSRH) to Porphyromonas gingivalis.

Materials and Methods

Liquid Smoke Rice Husks

The liquid smoke of rice husk used in this study was obtained with pyrolysis process from 1,760 g of rice hull that was airdried at room temperature as previous study. ¹² Liquid smoke of rice husk was diluted by sterile water to make concentration of 1, 2.5, 5, 7.5, 10, 12.5, 15, and 17.5%.

Nanoparticles of Liquid Smoke Rice Husks

Each concentration of liquid smoke rice husk (1, 2.5, 5, 7.5, 10, 12.5, 15, and 17.5%) was made as nanoparticles with chitosan (Bio-chitosan, Indonesia^{Q5}) and maltodextrin (Qing Huadong

Lihua Starch, China). Chitosan (1.5% w/v) and maltodextrin (8.5% w/v) are dispersed in a solution of glacial acetic acid water (1.0% v/v). The chitosan-maltodextrin nanoparticles are made by complexation of chitosan polyelectrolyte with maltodextrin and additional chitosan ionic glass with sodium tripolyphosphate anion. Chitosan and maltodextrin are dissolved in liquid smoke rice husks. Sodium tripolyphosphate (1.0 mg/mL) is added to the mixture and stirred using a magnetic stirrer at 200 rpm for 30 minutes at room temperature. The nanoparticles are isolated by centrifugation at a speed of 3,000 rpm in a 50 mL cone tube for 30 minutes at room temperature. Supernatants is discarded and nanoparticles are filtered in a vacuum using Whatman #2. The nanoparticle solution is heated at 50°C into a water bath for 15 minutes and homogenized using a speed rotor-stator homogenizer at 5,200 rpm for 2.5 minutes. 13

Characterization of nLSRH

The characterization process was performed based on the Malvern method to determine the particle size (nm) measured using the Zetasizer Nano ZS (Malvern Instrument Ltd, UK) on the sample. Measurement of particle size usi^{Q6}ng dynamic light scattering.

Preparation of Porphyromonas gingivalis

Bacterial stock using *Porphyromonas gingivalis* ATCC 33277 was obtained from the Research Center of the Faculty of Dentistry, Universitas Airlangga, Surabaya.

Antimicrobial Test

The test was performed using the dilution and diffusion method and analyzed by visualization. Research is a laboratory experiment with eight treatments given at different concentrations with two control groups and repeated three times. In the positive control tube, 0.1 mL of bacteria will be given *Porphyromonas gingivalis* in brain heart $^{\rm Q7}$ infusion broth (BHIB) media. The negative control was 0.1 mL of nLSRH. The treatment group was divided into eight test tubes containing 0.1 mL of bacteria *Porphyromonas gingivalis* Mc. Farland (1.5 \times 10 $^{\rm 8}$ CFU/mL) in BHIB media and nLSRH that have been diluted with various concentrations. $^{\rm 7}$ Measurement of the value of the minimum inhibitory concentration (MIC) can be done visually by analyzed the turbidity of the media and spectrophotometry. $^{\rm 14}$

The diffusion methods were used to calculate the number of colonies *Porphyromonas gingivalis* on a Mueller Hinton agar using a colony counter. The lowest colonies were assumed as the minimum bactericidal concentration (MBC).¹⁵

Results

Characteristics of nLSRH

The characteristic of nLSRH has a lower pH as 3.41. The color bright yellow with average of nanoparticles as 33 days.nm^{Q8}.

Antimicrobial Test nLSRH to Porphyromonas gingivalis

The nLSRH concentration of 1%, liquid media looked clear compared with the control positive media (**Fig. 1**). The





Q8





Fig. 1 Colony growth of Porphyromonas gingivalis on brain heart infusion broth.

highest number of colonies *Porphyromonas gingivalis* was observed at nLSRH concentration of 1% (40.3 CFU) and decreased at a concentration of 2.5% (11.3 CFU) (**-Table 1**); other concentration or no bacterial colony growth was found (**-Fig. 2**). The nLSRH concentration of

Table 1 The calculation of *Porphyromonas gingivalis* colonies on *Mueller Hinton* agar

Media	Colonies (CFU)
Control (–)	-
Control (+)	157.7
nLSRH 1%	40.3
nLSRH 2.5%	11.3
nLSRH 5%	-
nLSRH 7.5%	-
nLSRH 10%	-
nLSRH 12.5%	-
nLSRH 15%	-
nLSRH 17.5%	_

Abbreviations: CFU, colony-forming unit; nLSRH, nanoparticles of liquid smoke rice husk.

2.5% can be determined as the MIC and nLSRH concentration of 5% can be determined as the MBC.

Discussion

This research was conducted to predict the antimicrobial activity of nLSRH to *Porphyromonas gingivalis*. The test was performed by determining the MIC and MBC of each concentration of nLSRH. The *Porphyromonas gingivalis* in this study due to its colonization in the oral cavity can cause a periodontitis that can result in conditions such as inside pockets in the gingival sulcus, periodontal tissue inflammation to the damage, and tooth loss in adult cases.¹

The nLSRH concentration of 2.5% was determined as MIC and nLSRH concentration of 5% was determined as MBC. The nLSRH showed better antimicrobial activity compared liquid smoke rice hush in the previous study. The liquid smoke rice husk showed the MIC at the concentration of 10% and MBC at concentration of 12.5% to *Porphyromonas gingivalis*. The large decrease in the number of colonies occurred due to the phenolic compounds carried by the nanoparticles working effectively on the target cells. The content of phenolic compounds in nLSRH indicates the presence of molecular activity in it in the form of proton distribution assisted by protonophores across the hydrophobic core of the membrane.




Fig. 2 Colony growth of Porphyromonas gingivalis on Mueller Hinton agar.

When protons enter the membrane, there is an increase in conductance in the phospholipid layer that results in a decreased membrane permeability function.¹⁷ The polar form of protons interacts with phenol to form a weak hydrogen bond that can cause changes in protein structure that have a role in the process of cell metabolism with enzymes in the catalytic process in bacteria and cause an imbalance in the formation of proteins in cells so that bacteria will die slowly.^{2,18–20}

In some antimicrobials that enter the body will be inhibited by the activity of bacterial enzymes and membranes that are difficult to penetrate, such as Porphyromonas gingivalis that is a gram-negative bacterium.²¹ In nLSRH which contain phenolic compounds that can overcome antimicrobial resistance by interfering with bacterial metabolism through deactivating enzymes due to interactions with protease and peQ9ctatelyase enzymes so that enzymatic protein deposition occurs.²² In addition, the inhibition of the availability of metal ions can have an effect as an indication of damage to the permeability of the bacterial cell membrane with leakage of the cytoplasmic membrane due to an increase in K+ ions outside the cell. Because these ions have an important role in enzymatic activity, ribosome unity, and stabilization of bacterial RNA, so that excessive ionic activity outside the cell makes the bacteria weaker and antibacterial $acti^{Q10}$ vity will enter and cause the bacterial lysis process to accelerate. 23,24

When nanoparticles begin to enter the body, they interact with gram-negative bacteria, especially in the lipopolysaccharide portion of the bacteria; this interaction will disrupt the activity of the bacterial cell membrane, thereby accelerating the penetration of compounds carried by nanoparticles to their target cells.²⁵ Selection of nanoparticle components can increase their biocompatibility as is the case with chitosan as a polymer. The negative charge of the bacterial membrane will attract each other due to the electrostatic bonds possessed by chitosan so that it can interfere with the activity of enzymes in bacterial cells. Maltodextrin has an advantage in the stability of the phenol compounds that are brought in, thereby increasing the phenol concentration during the penetration process through the bacterial cytoplasmic membrane. The higher the phenolic compounds carried, the higher their ability to penetrate the membrane and antimicrobial activity will increase with the help of cross-linking that occurs with tripolyphosphate so that bacteria Q11 will lisis.26-28

The limitations of this study are limited to antibacterial observations of *Porphyromonas gingivalis*. But the results of this study provide preliminary evidence regarding the potential of nLSRH as a material candidate for gingivitis and periodontitis therapy. Subsequent research needs to be

Q9

Q11

Q10

Conclusion

nLSRH have antimicrobial activity against Porphyromonas gingivalis. This finding able to drive the next research to develop nLSRH as gingival and periodontitis disease is caused by Porphyromonas gingivalis

Ethical Approval

Approval was obtained from the Ethical Clearance of Health Experimental Committee, Faculty of Dentistry, Airlangga University, Surabaya with registration number 427/HRECC.FODM/VII/2021.

Funding

This work is supported by Ministry of Higher Education Republic of Indonesia in the Schema Penelitian Dasar Unggulan Perguruan Tinggi (PDUPT) 2021 with grant number 311/UN3.15/PT/2021.

Conflict of Interest

None declared.

References

Q12

Q13

- 1 Newman MG, Takei H, Klokkevold PR, Carranza FA. Newman and Carranza's Clinical periodontology E-book. Elsevier Health Sciences; 2018^{Q12}
- 2 Alibasyah ZM, Andayani R, Farhana A, et al. POTENSI ANTIBAK-TERI EKSTRAK JAHE (Zingiber officinale Roscoe) TERHADAP Porphyromonas gingivalis SECARA IN VITRO. J Syiah Kuala Dentist Soc 2016;1(02):147-152
- 3 Fischer RG, Lira Junior R, Retamal-Valdes B, et al. Periodontal disease and its impact on general health in Latin America. Section V: treatment of periodontitis. Braz Oral Res 2020;34(Suppl 1):e026
- 4 Susanto A. Buku Ajar" Bakteriologi (Carrier Penyakit Typus). E-Book Penerbit STIKes Majapahit 2020:1-85^{Q13}
- 5 Manoppo H. Uji efektivitas ekstrak daun Andong (Cordyline fruticosa) sebagai bahan antimikroba alami. J Budidaya Perairan 2021;9(01):x
- 6 Risfaheri R, Hoerudin H, Syakir M. Utilization of rice husk for production of multifunctional liquid smoke. J Advanced Agricult Technol 2018;5(03):192-197
- 7 Arundina I, Diyatri I, Surboyo MDC, Halimah AN, Chusnurrafi Fl. The antibacterial effect of liquid smoke rice hull on porphyromonas gingivalis and its proliferative effects on osteoblast as periodontitis remedies: an in vitro study. Int J Pharm Res. 2020;12 (03):3466-3471
- 8 Anggrawati. Kitosan Sebagai Eksperimen dalam Sistem Penghantaran Obat Baru. Farmaka. 2018;16(03):213-221
- 9 Hasriani H. Formulasi dan Karakterisasi Nanokapsul Asiklovir Tersalut Kitosan-Alginat yang Dipaut Silang dengan. Natrium Tripolifosfat. 2014;02(04):138-140
- 10 Rachmawati AL, Surini S. Formulasi dan Karakterisasi Nanopartikel Sambungsilang Gom Xantan dan Gom Akasia Untuk Penghantaran Insulin Oral. Pharmaceut Sci Res 2018;5(03):159-168

- 11 Ijaz I, Gilani E, Nazir A, Bukhari A. Detail review on chemical, physical and green synthesis, classification, characterizations and applications of nanoparticles. Green Chem Lett Rev 2020;13(03):
- 12 Arundina I, Tantiana T, Diyatri I, Surboyo MDC, Adityasari R. Acute toxicity of liquid smoke of rice hull (Oryza sativa) on mice (Mus musculus). I Int Dent Med Res 2020;13(01):91-96
- 13 Saloko S, Darmadji P, Setiaji B, Pranoto Y. Structural analysis of spray-dried coconut shell liquid smoke powder. J Teknol Ind Pangan 2012;23(02):173-178
- 14 Seniati M, Irham A. Pengukuran Kepadatan Bakteri Vibrio harveyi Secara Tepat dengan Menggunakan Spectrofotometer. Agrokompleks. 2019;19(02):12-19
- 15 Amanda EA, Oktiani BW, Panjaitan FUA. Efektivitas Antibakteri Ekstrak Flavonoid Propolis Trigona Sp (Trigona thorasica) terhadap Pertumbuhan Bakteri Porphyromonas gingivalis. Dentin Jurnal Kedokteran Gigi. 2019;3(01):23-28
- 16 Budhy TI, Arundina I, Surboyo MDC, Halimah AN. The effects of rice husk liquid smoke in Porphyromonas gingivalis-induced periodontitis. Eur J Dent 2021;15(04):653-659
- 17 Hossain SI, Saha SC, Deplazes E. Phenolic compounds alter the ion permeability of phospholipid bilayers via specific lipid interactions. Phys Chem Chem Phys 2021;23(39):22352-22366
- 18 Rijayanti RP, Luliana S, Trianto HF. In vitro antibacterial activity test of ethanol extracts Bacang mango (Mangifera foetida L.) leaves against Staphylococcus aureus. Naskah Publikasi Universitas Tanjungpura. 2014;1(01):10-12
- 19 Marfuah I, Dewi EN, Rianingsih L. Kajian Potensi Ekstrak Anggur Laut (Caulerpa racemosa) Sebagai Antibakteri Terhadap Bakteri Escherichia coli dan Staphylococcus aureus. J Pengolahan Bioteknologi Hasil Perikanan. 2018;7(01):7-14
- 20 Lestari ALD. Noverita, Permana A. DAYA HAMBAT PROPOLIS TERHADAP BAKTERI Staphylococcus aureus DAN Escherichia coli. Jurnal Pro-Life. 2020;7(03):237-250
- Javed B, Nawaz K, Munazir M. Phytochemical analysis and antibacterial activity of tannins extracted from Salix alba L. against different gram-positive and gram-negative bacterial strains. Iranian Journal of Science and Technology, Transactions A. Science 2020;44(05):1303-1314
- 22 Diniardi EM, Argo BD, Wibisono Y. Antibacterial activity of cocoa pod husk phenolic extract against Escherichia coli for food processing. In: IOP Conference Series: Earth and Environmental Science. IOP Publishing; 2020:12006 $^{\mathrm{Q}14}$
- 23 Syarifuddin A, Sulistyani N, Kintoko K. Activity of antibiotic bacterial isolate kp13 and cell leakage analysis of Escherichia coli bacteria. Jurnal Ilmu Kefarmasian Indonesia. 2018;16(02):137-144
- 24 Ashmawy NA, Behiry SI, Al-Huqail AA, Ali HM, Salem MZM. Bioactivity of selected phenolic acids and hexane extracts from Bougainvilla spectabilis and Citharexylum spinosum on the growth of pectobacterium carotovorum and Dickeya solani Bacteria: An opportunity to save the environment. Processes (Basel) 2020;8(04):482
- 25 Marzuoli I, Cruz CHB, Lorenz CD, Fraternali F. Nanocapsule designs for antimicrobial resistance. Nanoscale 2021;13(23):10342–10355
- 26 Saloko S, Darmadji P, Setiaji B, Pranoto Y. Antioxidative and antimicrobial activities of liquid smoke nanocapsules using chitosan and maltodextrin and its application on tuna fish preservation. Food Biosci 2014;7:71-79
- 27 Soelama HJJ, Kepel BJ, Siagian KV. uji minimum inhibitory concentration (mic) ekstrak rumput laut (eucheuma cottonii) sebagai antibakteri terhadap streptococcus mutans. GIGI 2015;3(02):x
- 28 Belbekhouche S, Bousserrhine N, Alphonse V, et al. Chitosan based self-assembled nanocapsules as antibacterial agent. Colloids Surf B Biointerfaces 2019;181(January):158-165

Q14

Author Query Form (EJD/2211948)

Special Instructions: Author please write responses to queries directly on proofs and then return back.

- Q1: AU: Please confirm that given names (red), middle names (black) and surnames (green) have been identified correctly. Author names in bibliographic citations and online will appear as: Arundina I, Diyatri I, Juliastuti WS, Budhy TI, Dwi Condro Surboyo M, Iskandar B, Halimah AN, Adira Moelyanto AS, Ramaniasari SM, Saputra G. Nanoparticles of Liquid Smoke Rice Husk Inhibit *Porphyromonas gingivalis*. Please confirm if this is correct.
- 02: AU: Please provide degree.
- <u>Q3</u>: AU: Keyword "human&health" has not been used in the text. Please check.
- <u>Q4</u>: AU: The sense in the sentence "A new system in oral drug delivery that is able to regulate drug distribution pathways and also pharmacokinetic..." is not clear. Kindly revise.
- <u>Q5</u>: AU: Please provide complete address of manufacturing company in all such cases.
- <u>O6</u>: AU: This sentence does not seem to be complete. Please check.
- <u>O7</u>: AU: Please check this sentence "In the positive control tube, 0.1 mL of bacteria will be given Porphyromonas gingivalis in brain heart..." for clarity.
- <u>O8</u>: AU: Please check whether this sentence is complete.
- <u>O9</u>: AU: Please check whether this sentence "In nLSRH which contain phenolic compounds that can overcome antimicrobial resistance by interfering..." is complete.
- Q10: AU: Please check this sentence "Because these ions have an important role in enzymatic activity, ribosome unity, and stabilization of bacterial RNA..." for clarity.
- <u>Q11</u>: AU: Please check this sentence "The higher the phenolic compounds carried, the higher their ability to penetrate the membrane and..." for clarity.
- <u>012</u>: AU: Please provide publisher's location.
- 013: AU: Article title given in non-English language in refs. 4 and 5, 8, 9, 10, 14, 15, 19, 20, 27.
- <u>Q14</u>: AU: Please provide publisher's location.



ira arundina <ira-a@fkg.unair.ac.id>

Your eProof is now available for EJD 2211948

2 messages

Thiemej EPS <thieme.j@thomsondigital.com>

Tue, May 10, 2022 at 1:10 AM

To: "arundinafkg@yahoo.com" <arundinafkg@yahoo.com>, "ira-a@fkg.unair.ac.id" <ira-a@fkg.unair.ac.id> Cc: "Roy, Sudeshna" <sudeshna.roy@thieme.in>

CAUTION: **** This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email. ****

Please send your response to the eProofs to Sudeshna Roy, Project Manager at sudeshna.roy@thieme.in

European Journal of Dentistry

Published by Thieme Medical Publishers

Article Production Number: 2211948

Article Title: Nanoparticles of Liquid Smoke Rice Husk Inhibit Porphyromonas gingivalis

Dear Author:

Welcome to the Thieme Medical Journals Production eProofing System, which allows authors to receive the page proofs of their articles as electronic files. eProofs are PDF files generated from the typesetting of your article. You must have Adobe Acrobat Reader or Acrobat Exchange software installed on your computer to use PDF files. Acrobat Reader is a free download from the Internet. If you do not have Adobe Acrobat Reader or Acrobat Exchange installed on your computer, go to http://www.adobe.com/prodindex/acrobat/readstep.html to download the newest version of the software.

To eProof your article:

- 1. Download the Article Page Proof file attached in this email.
- 2. Save the downloaded file to a local directory on your computer's hard drive.
- 3. Open the file with Adobe Acrobat Reader and print it out or use Tools>Comment & Markup to access editing tools.
- 4. Open the file with Adobe Acrobat Reader and print it out or use Tools>Comment & Markup to access editing tools.
- 5. Proofread the proofs for information accuracy. Double-check figures and tables. Be sure to respond to all queries on the page proofs. All queries are listed on the last page of the proof. Use a pen to mark changes directly on printed proofs; please remember to write as clearly as possible. When reviewing your page proofs please keep in mind that a professional copyeditor edited your manuscript to comply with the presentational style requirements for the journal.
- 6. Fill out and sign all forms.

Your article production number is noted at the top of this message, please refer to it on all correspondence.

You have three options for returning your marked proofs and forms (within 72 hours, please):

*Option 1 (preferred): Return your materials via email to Sudeshna Roy, Project Manager, sudeshna.roy@thieme. in.

*Option 2: Return your materials via fax to: Sudeshna Roy, Project Manager, Fax: +91-120-4556649.

*Option 3: Return your materials via overnight mail to: Sudeshna Roy, Project Manager, Thieme Medical and Scientific Publishers.

You will receive a confirmation email within 48 hours of receipt of your materials.

If you have any production questions pertaining to your manuscript, please contact Sudeshna Roy at the address given below:

Sudeshna Roy **Project Manager** Thieme Medical and Scientific Publishers E-mail: sudeshna.roy@thieme.in

Tel: +91-120-4556649 Fax: +91-120-4556649

If you experience any technical problems, or problems accessing your proof, there is help available to you Monday through Friday, 8:30am - 4:30pm EST. Please contact:

E-mail: Thomson Press <thieme.j@thomsondigital.com>

Thank you for your prompt attention and cooperation during this phase of preparing your article for publication.



ira arundina <ira-a@fkg.unair.ac.id> To: meircurius@gmail.com

Wed, May 25, 2022 at 10:17 AM

[Quoted text hidden]

