





HOME

ABOUT

LOGIN

REGISTER ANNOUNCEMENTS

SEARCH

CURRENT

ARCHIVES

Home > Vol 12, No 1

### International Journal of Public Health Science (IJPHS)

International Journal of Public Health Science (IJPHS) p-ISSN: 2252-8806, e-ISSN: 2620-4126 is an interdisciplinary journal that publishes material on all aspects of public health science. This journal is published by Intelektual Pustaka Media Utama (IPMU) in collaboration with Institute of Advanced Engineering and Science (IAES). The IJPHS provides the ideal platform for the discussion of more sophisticated public health research and practice for authors and readers worldwide. The priorities are originality and excellence. The journal welcomes high-impact articles on emerging public health science that covers (but not limited) to epidemiology, biostatistics, nutrition, family health, infectious diseases, health services research, gerontology, child health, adolescent health, behavioral medicine, rural health, chronic diseases, health promotion, evaluation and intervention, public health policy and management, health economics, occupational health and environmental health. This journal is indexed by <a href="Scopus (Title Evalution Tracking)">Scopus (Title Evalution Tracking)</a> and accredited <a href="SINTA 1">SINTA 1</a> by Ministry of Research and Technology/National Research and Innovation Agency, Republic of Indonesia (RISTEK-BRIN). All published papers since 2020 issues were included in scopus.com.



#### International Journal of Public Health Science

Scopus coverage years: from 2020 to Present Publisher: Intelektual Pustaka Media Utama

ISSN: 2252-8806 E-ISSN: 2620-4126

Medicine: Medicine (miscellaneous) I Medicine: Heal Subject area:

Medicine: Public Health, Environmental and Occupation

Source type: Journal

#### Impact Metrics: Google Scholar | Scholar Metrics | Citedness in Scopus

h5-index: Google's h5-index is calculated by finding the h-index for articles in a publication over the last five complete years, where h is equal to the number of articles over a five year period that have at least h citations each

 ${\color{red} {h5-median}}$ : The h5-median is calculated by finding the median number of citations for the articles that comprise a publication's h5-index.

<u>Submit your manuscripts today!</u>
Papers published in the quarterly journal (Mar, June, Sep and Dec).

Kindly please download the IJPHS template in MS Word (MS Word alternative download Link) or Latex

e-mail: ijphs@iaescore.com

#### Announcements

Maximum Similarity Rate and Reference Manager!!

Before sending a manuscript, make sure that the similarity of your paper is checked first.

- 1. The maximum similarity rate is 20%
- We suggest you use Reference Manager software (such as EndNote, Mendeley, Zotero) for preparing your paper.

Thank You.

Posted: 2020-02-03

More Announcements...

Vol 12, No 1: March 2023

Table of Contents

Assessing six decades of rabies in the Philippines

#### CITATION ANALYSIS

- Google Scholar Scholar Metrics
- Scinapse Dimensions

#### SPECIAL LINKS

- Author Guideline
- Editorial Boards Online Submissions

CiteScore 2

0.4

- Abstracting and Indexing
  Publication Ethics
- Visitor Statistics Contact Us

#### LINK PER ISSUE

2022: Mar, Jun, Sep, Dec 2021: Mar, Jun, Sep, Dec 2020: Mar, Jun, Sep, Dec 2019: Mar, Jun, Sep, Dec 2018: Mar, Jun, Sep, Dec 2018: Mar, Jun, Sep, Dec 2017: Mar, Jun, Sep, Dec 2016: Mar, Jun, Sep, Dec 2014: Mar, Jun, Sep, Dec 2013: Mar, Jun, Sep, Dec 2013: Mar, Jun, Sep, Dec 2012: Jul, Dec

JOURNAL C	ONTENT
Search	
Search Scope	
	_
All	/
Search	
Browse	
<ul> <li>By Issue</li> </ul>	
<ul> <li>By Author</li> </ul>	

#### INFORMATION

- For Readers For Authors
- For Librarians

VI	International Journal of Public Health S	science (IJPH)
	Ralf Benjo Goder Morilla, Kathleen Laum Cabanlit, Angel Mae Frias Luga, Chin-Chin Jimenea Demayo, Jamerah Baniaga Sidic, Cesar Guinanao Demayo	1-10
<u>H</u>	Heart disease mortality in the Philippines from 1960 to 2019: a big data analysis Kathleen Laum Cabanlit, Ralf Benjo Goder Morilla, Angel Mae Frias Luga, Jamerah Baniaga Sidic, Chin-chin Jimenea Demayo, Cesar Guinanao Demayo	PDF 11-23
1	<u>Mental well-being among COVID-19 patients in isolation house</u> Rini Mustikasari Kurnia Pratama, Diane Marlin, Silvia Mariana	PDF 24-31
	/accination efficacy against post-COVID-19 symptoms in Delta and Omicron waves: a prospective obort in East Indonesia Nur Upik En Masrika, Aryandhito Widhi Nugroho, Pramon Viwattanakulvanid, Bumi Herman	PDF 32-40
1	mproving patient knowledge on rational use of antibiotics using educational videos Muhammad Thesa Ghozali, Bagus Hidayaturrohim, Izdihar Dinah Amalia Islamy	PDF 41-47
<u></u>	Beliefs about the smoking effect on COVID-19 as significant factors in smoking cessation efforts  Mochamad Iqbal Nurmansyah, Yustiyani Yustiyani, Narila Mutia Nasir, Deni Wahyudi Kurniawan	PDF 48-55
į	Assessing students' 'clean and healthy living behavior' in an intervention program Henny Endah Anggraeni, Yudith Vega Paramitadevi, Fany Apriliani, Ika Resmeiliana	PDF 56-63
1	n vitro study of the preventive activity of fluoride varnish by X-ray diffraction Dobrinka Mitkova Damyanova, Siyana Georgieva Atanasova	PDF 64-71
	Uniting hearts and minds: experiences from a pilot festival of youth creative expressions on mental health in India Shivani Mathur Gaiha, Gulfam Fazlur Rahman, Iram Siddiqui, Vijayluxmi Bose, Sujaya Krishnan	PDF 72-81
	Serious "human papillomavirus vaccine" game for Malaysian adolescents: development and preliminary study Nur Hazreen Mohd Hasni, Akmal Asyraf Mior Azalian, Tuty Asmawaty Abdul Kadir, Mohd Azrul Hisham Mohd Adib	<u>PDF</u> 82-90
	Health and safety risks behavior among local and international tourists at Borobudur Temple before COVID-19 pandemic Zahroh Shaluhiyah, Antono Suryoputro, Delita Septialti	<u>PDF</u> 91-99
	Factors contributing to and biological concepts about early pregnancy among Filipino adolescent nothers  Jastine Jane R. Ballon, Joseline R Tamoria	PDF 100-109
Ē	<u>Risk identification for early warning of bleeding among mothers during childbirth</u> Sulastri Sulastri, Tongku Nizwan Siregar, Muhammad Adlim, Hasanuddin Hasanuddin, Gholib Gholib, Lilis Suryani	PDF 110-118
Ē	Physical activities patterns among Indonesian pregnant women: a cross-sectional study Elliza Widi Lestari, Sharon Gondodiputro, Neneng Martini, Indria Yulita	PDF 119-128
1	The trigger factors of domestic violence among mothers during pregnancy Natalia Damaiyanti Putri Raden, Lilik Zuhriyah, Sri Andarini	PDF 129-137
<u>(</u>	Control of industrial major accident hazard regulation in Malaysia: second decade in examination Rasyimawati Mat Rashid, Radin Zaid Radin Umar	PDF 138-145
1	Work-life balance and job satisfaction of shipyard industry employees in Surabaya Shani Agung Nugroho, Indriati Paskarini, Xindy Imey Pratiwi	PDF 146-154
<u>E</u>	Elective caesarean section cost efficiency with time-driven activity-based costing Fahmy Abdul Haq, Firman Pribadi, Akrom Akrom	PDF 155-163
<u></u>	Use of telehealth during COVID-19 pandemic in India: literature review Alaka Chandak, Mrudula Holkar, Abhishek Moghe, Ketaki Washikar	PDF 164-171
F	Phthalates exposure as environmental risk factor for type 2 diabetes mellitus Munaya Fauziah, Suhartono Suhartono, Bagoes Widjanarko, Muhammad Hussein Gasem	PDF 172-180
Ē	<u>Prevalence of COVID-19 in flood relief centre</u> Suriya Kumareswaran, Siti Umairah Muhadi, Jeyanthini Sathasivam, Bala Murali Sundram	PDF 181-186

••	international doctrial of 1 ability floating of	31100 (101 11
<u>H</u>	l <mark>eavy, metals assessment of hospital wastewater during COVID-19 pandemic</mark> Nova Amalia Sakina, Ahyahudin Sodri, Haryoto Kusnoputranto	PDF 187-195
<u>s</u>	itrategy to control and eradicate dengue hemorrhagic fever vectors in Bali I Made Dwi Mertha Adnyana, Asik Surya	PDF 196-202
 <u>W</u>	What promotes cognitive dissonance among anti-vaccine members in Indonesia? Muhammad Husni Thamrin, Oemar Madri Bafadhal, Anang Dwi Santoso	PDF 203-214
<u>L</u>	egality of therapeutic contract of stem cell treatment in Indonesia Ahdiana Yuni Lestari, Danang Wahyu Muhammad, Izzy Al Kautsar, Siti Ismijati Jenie	<u>PDF</u> 215-224
	ecommendation of precision medicine application in Indonesia from multiple perspective: a eview Urfa Khairatun Hisan, Muhammad Miftahul Amri	PDF 225-238
	essons learned from COVID-19 impact of pandemic on children with neurological disorders in fax, Tunisia Salma Zouari Mallouli, Sahar Najjar, Fatma Kamoun Feki, Olfa Jallouli, Sihem Ben Nsir, Wafa Bouchaala, Matilde Leonardi, Chahnez Charfi Triki	PDF 239-251
<u>S</u>	exual harassment prevention program for Indonesian nursing aides: a mixed-methods study Eva Berthy Tallutondok, Chia-Jung Hsieh, Ya-Ling Shih, Satriya Pranata	<u>PDF</u> 252-260
<u>E</u>	actors associated with the willingness to receive COVID-19 vaccination among pregnant women Hana Fathiazzahra Jaelani, Rike Syahniar	<u>PDF</u> 261-267
<u>C</u>	OVID-19 vaccine hesitancy among the university students and personnel Jomell Miranda Santiago, Angelo R. Santos, Analyn M. Gamit	<u>PDF</u> 268-276
	They looked at me like I am a virus": how survivors cope with COVID-19 stigma during the early tage of pandemic Sulistyawati Sulistyawati, Rokhmayanti Rokhmayanti, Budi Aji, Siwi Pramatama Mars Wijayanti, Tri Wahyuni Sukesi, Surahma Asti Mulasari	<u>PDF</u> 277-285
<u>S</u>	tudent academic stress during the COVID-19 pandemic: a systematic literature review Hamidulloh Ibda, Tri Suraning Wulandari, Aufa Abdillah, Asih Puji Hastuti, Mahsun Mahsun	<u>PDF</u> 286-295
<u>R</u>	elated factors of actual turnover among nurses: a cross-sectional study Rindu Rindu, Muhammad Hafizurrachman	<u>PDF</u> 296-302
<u>C</u>	Communicating health and risk information among senior citizens in Bangladesh Mohammad Aminul Islam, Monaemul Islam Sizear, Sharmin Akhtar, Monimul Huq	PDF 303-310
<u>E</u>	valuating the effect of COVID-19 pandemic on the psychological health of young adults in India Alka Sabharwal, Babita Goyal, Vibha S Chauhan, Lalit Mohan Joshi, Vaibhav Goyal	<u>PDF</u> 311-321
	imoking <u>habits, knowledge and smoking attitudes among primary healthcare workers in Perak,</u> lalaysia Low Pei Kit, Hazizi Abu Saad, Rosita Jamaluddin, Chee Huei Phing	PDF 322-330
	he impact of the basic dose of the COVID-19 vaccine and the number of COVID-19 patients on loogle searches for vaccines Ignatius Sandyawan, Robert Kurniawan, Victor Trismanjaya Hulu, Frans Judea Samosir	PDF 331-338
I	<u>he relationship between family support system with maternal postpartum rage</u> Miftahul Fikri, Neviyarni Neviyarni, Afdal Afdal	<u>PDF</u> 339-347
	oosting the quality of life through additional general allocation funds for village infrastructure evelopment Khusaini Khusaini, Asep Ferry Bastian, Hudaya Latuconsina, Rommy Pratama	PDF 348-360
	nxiety, status of junior archers in COVID-19 during training isolation period towards the shooting erformance Wan Nurlisa Wan Ahmad, Mohd Azrul Hisham Mohd Adib, Irdayanti Mat Nashir, Mon Redee Sut Txi, Fatin Nurfatehah Mat Salleh, Jing Rui Tang	PDF 361-370
<u>B</u>	ilood cholesterol and its related factors among <u>Indonesian blood donors</u> Nian Afrian Nuari, Efa Nur Aini, Dhina Widayati	PDF 371-376
p	eer facilitators's role to support pregnant women in utilizing HIV services during the COVID-19 andemic Artha Camellia, Plamularsih Swandari, Irwanto Irwanto, Gusni Rahma, Tuti Parwati Merati	<u>PDF</u> 377-384

Knowledge, motivation, attitude, job design and health cadre performance: a cross sectional study. Rinayati Rinayati, Harsono Harsono, Ambar Dwi Erawati	PDF 385-391
The live experience of people suffered by leprosy.  Mukhlasin Mukhlasin, Tukimin Sansuwito, Asita Elengoe, Andiko Nugraha Kusuma	<u>PDF</u> 392-398
<u>Development and validation of proactive coping smoking cessation in adolescents</u> Wini Hadiyani, Nisha Nambiar, Faridah binti Mohd Said, Linlin Lindayani, Windy Rakhmawati, Neti Juniarti	PDF 399-408
Anxiety level and functional dyspepsia incidence during COVID-19 pandemic Zulfitri Zulfitri, Desi Maghfirah, Muhammad Ridho Akbar Eljatin, Sarah Firdausa, Zulfa Zahra	PDF 409-416
Psychosocial factors related to adolescent depressive symptom: systematic literature review Ktut Dianovinina, Endang Retno Surjaningrum	<u>PDF</u> 417-426
<u>The diagnostic value of ultrasound and mammography in detection of breast cancer in Albania</u> Ilirian Laçi, Leart Bërdica, Helidon Nina, Ilir Akshija, Alketa Spahiu, Ervin Toçi	PDF 427-436
Unconditional self-acceptance among the psychology students of University X, Malaysia: the role of mattering, perceived social support and state self-esteem  Alycia Jia Ee Lim, Zahari Ishak, Kususanto Ditto Prihadi, Abdul Aziz	PDF 437-446
Development of cognitive behavioral module for out-of-wedlock pregnancy's depression and cognitive distortion Fauziah Zaiden, Mastura Mahfar	PDF 447-459
Service quality and patient satisfaction with private health care services in Albania Rezarta Kalaja, Sllavka Kurti, Redi Myshketa	PDF 460-468

International Journal of Public Health Science (IJPHS) p-ISSN: 2252-8806, e-ISSN: 2620-4126



View IJPHS Stats



This work is licensed under a <u>Creative Commons Attribution-ShareAlike 4.0 International License</u>.

Vol 11, No 1 9/12/2022, 8:23 pm



- Hite (A) John Jacobs Boom | 185N 2252-8906, p-195N 2620-4121





International Journal of Public Health Science (UPHS

HOME ABOUT REGISTER ARCHIVES ANNOUNCEMENTS USER Home > Archives > Vol 11, No 1 Username Password Vol 11, No 1 Remember me Login March 2022 DOI: http://doi.org/10.11591/ijphs.v11i1 CITATION ANALYSIS Scopus Google Scholar Scholar Metrics Table of Contents Scinapse Dimensions <u>Factors of independent of activities of daily living among osteoarthritis elderly.</u>
Hariza Adnani, Anna Nur Hikmawati, Siranee Sihapark, Dwi Suharyanta, Dwi Widiyaningsih PDF 1-7 SPECIAL LINKS Perception of information about COVID-19 and protective behaviours in relation to feelings of Author Guideline Editorial Boards anxiety and happiness Aulia Iskandarsyah, Whisnu Yudiana, Arina Shabrina, Jan Passchier Online Submissions
Abstracting and
Indexing
Publication Ethics
Visitor Statistics Using Health Belief Model for predicting COVID-19 prevention practices among university student PDF 20-27 Contact Us Hidayati Hidayati, Nia Musniati, Ahmad Hidayat, Mochamad Iqbal Nurmansyah LINK PER ISSUE <u>COVID-19</u> awareness among <u>undergraduates in a private university</u> Yi-Fan Tan, Lee-Yeng Ong, Meng-Chew Leow PDF 28-37 2022: Mar, Jun, Sep, Dec 2022: Mar, Jun, Sep, Dec 2021: Mar, Jun, Sep, Dec 2020: Mar, Jun, Sep, Dec 2019: Mar, Jun, Sep, Dec 2018: Mar, Jun, Sep, Dec 2016: Mar, Jun, Sep, Dec 2015: Mar, Jun, Sep, Dec 2014: Mar, Jun, Sep, Dec <u>Muraqabah intensification therapy (MIT): an alternative Islamic therapy for social media addiction</u> Winda Sri Harianti, Rafifah Huwaida, Nindya Sekar Adriwiguna, Hazhira Qudsyi 2014: Mar, Jun, Sep, Dec 2013: Mar, Jun, Sep, Dec 2012: Jul, Dec Healthcare workers' stress and health behaviors: utilization of the stages of change model Sangmin Kim, Esther Lee, Catherine Zeman, Andrea Carter PDF 47-53 JOURNAL CONTENT The effectiveness of "PEKA BERAKSI" programs in improving self-efficacy to prevent the risky sexual Search PDF 54-60 <u>behavior in adolescents</u> Valen Fridolin Simak, Etty Rekawaty, Dwi Cahya Rahmadiyah Search Scope All Athletes sleep duration during COVID-19 pandemic and its relationship with health condition Jull Kurniarobbi, Chikih Chikih, Muhammad Andeansah, Ria Lestari, Irfan Sukendar Search PDF 61-68 By Issue
 By Author
 By Title The impact physical distancing during the COVID-19 pandemic on mental health among PDF 69-76 adolescents: a systematic literature review
Isma Faridatus Sholihah, Ira Nurmala, Muji Sulistyowati, Shrimarti Rukmini Devy INFORMATION For Readers For AuthorsFor Librarians <u>Maternal health services utilization and its contributing factors among adolescent mothers</u>

Dewi Nuryana, Pramon Viwattanakulvanid, Nohan Arum Romadlona Organizational safety climate and workplace violence among primary healthcare workers in Malaysia Sudeash Rajakrishnan, Victor Hoe Chee Wai Abdullah, Nasrin Aghamohammadi PDF 88-97 <u>Perception of preventing behavior against COVID-19 among Indonesian industrial workers</u> Iwan Muhamad Ramdan, Krishna Purnawan Candra, Muhammad Sultan PDF 98-105 Quality of life and its demographic predictors among workers at a plastic factory in Malaysia: a PDF 106-112 Asem Iyad Ahmed Alnabih, Belal Aldabbour, Mohd Faizal Mat Tahir, Nor Kamaliana Khamis Burnout among nurses working in COVID-19 pandemic
Tri Ismu Pujiyanto, Fery Agusman Motuho Mendrofa, Umi Hani PDF 113-120

Factors influencing males' loyalty toward functional foods during the COVID-19 pandemic

Sik Sumaedi, Sumardjo Sumardjo, Amiruddin Saleh, Agus Fanar Syukr

PDF 121-128 Vol 11, No 1 9/12/2022, 8:23 pm

Water quality and antimicrobial resistant profile of Escherichia coli isolated from dug wells used for lomestic purposes Odetoyin Babatunde, Fagbewesa Mercy, Onanuga Adebola	<u>PDF</u> 129-137
Dengue hemorrhagic fever vulnerability assessment in Gorontalo Regency using analytic hierarchy brocess and geoinformation techniques Ririn Pakaya, Yanti Hz. Hano, Muhammad Ramdhan Olii	PDF 138-148
<u>Ownership of latrine in the household in Indonesia: a review</u> Dyah Suryani, Abil Rudi, Hairil Akbar, Hizriansyah Hizriansyah, Maretalinia Maretalinia, Suyitno Suyitno	PDF 149-156
Ergonomics workstation environment toward organisational competitiveness Zafir Khan Mohamed Makhbul, Md Shafiin Shukor, Ariff Azly Muhamed	PDF 157-169
Character education and the rise of mental health in Muhammadiyah Boarding School Rahmah Hidayati, Arif Rahman, Zalik Nuryana, Yusutria Yusutria	PDF 170-178
he risk level for individuals to suffering from NCDs based on CERDIK behavior Suprajitno Suprajitno, Sri Mugianti	PDF 179-184
Knowledge, attitudes, and practices of Indonesian medical and non-medical undergraduate students oward COVID-19 Thania Lathifatunnisa Putri Agusti, Nahwa Arkhaesi, Anugrah Riansari, Rebriarina Hapsari	PDF 185-194
Expressive writing during the COVID-19 pandemic: themes of mixed expressive writing Hao Yue Tay, Chengen Yu, Chen Sung Wong, Kususanto Ditto Prihadi	<u>PDF</u> 195-203
Supporting mental health during the pandemic: the elements of mattering in expressive writing Jia Yi Khor, Shakti Velan Raja Kumar, Wen Yu Cai, Chen Sung Wong, Kususanto Ditto Prihadi	PDF 204-210
Psychosocial impact of parenting children with intellectual disabilities in Bangladesh Mohammad Aminul Islam, Md. Azibar Rahman, Sharmin Akhtar	<u>PDF</u> 211-219
Determinants of health-related quality of life in Iranian patients after recovery from COVID-19: lemographic influences and insomnia Mohsen Saffari, Hormoz Sanaeinasab, Hojat Rashidi-Jahan, Amir Pakpour Hajiagha, Hosein Mahmoudi, Faten Al-Zaben, Harold George Koenig	PDF 220-231
<u>Cyberbullying victimization during COVID-19: psychological effects and the legal measures</u> Zeti Zuryani Mohd Zakuan, Rizauddin Saian	<u>PDF</u> 232-239
Determinants of mental health status using depression anxiety stress scales during the COVID-19 pandemic: a systematic review  Riska Nabila, Rizma Adlia Syakurah, Rosyila Rosyila	<u>PDF</u> 240-247
Family empowerment and family ability to self-care for heart failure patients in the intermediate care boom.  Alfrina Hany, Eni Yulistianingsih, Bintari Ratih Kusumaningrum	PDF 248-253
Correlates of mental health on online distance learning during COVID-19 among Malaysia vocational students Wan Nurlisa Wan Ahmad, Alea' Aqilah Idrus, Mohamed Nor Azhari Azman, Gulzhaina K. Kassymova	<u>PDF</u> 254-262
<u>Symptoms of post-traumatic stress among victims of school bullying</u> Luky Kurniawan, Natri Sutanti, Zalik Nuryana	PDF 263-273
Antecedents of willingness to provide pharmaceutical services for mental illness individuals  Nesya Jeihan Daniswara, Setiyo Budi Santoso, Prasojo Pribadi	<u>PDF</u> 274-280
Effect of socio-economic status on the prevalence of diabetes mellitus in Indonesia Amalia Kusumaningrum, Rico Ricardo	PDF 281-286
dealthcare providers' utilization and perception on telemedicine: urgency amidst COVID-19 pandemic Silvalena Silvalena, Rizma Adlia Syakurah	<u>PDF</u> 287-293
Post-locked down mental wellbeing among Malaysian adults: factors of life satisfaction in urban Malaysia Kususanto Ditto Prihadi, Daryll Kurian, Grace Jee Ern Nga, Endah Kurniawati Purwaningtyas	PDF 294-302
Conquering the experiences of pain, boredom and despair among selected incarcerated mothers	<u>PDF</u>

through alternative learning system activities Rowena Vargas Isidro, Roberto Oberio, John Paul Javero Petrola	303-309
The trend of sharenting among Malaysian parents: a qualitative study on their content and motivation  Lee Jia Wen, Crendy Tan, Saroja Dhanapal	PDF 310-319
A cross-generational comparison of smartphone addiction among Gen X and Gen Y smartphone users in Malaysia  Mohd Kamal Othman, Mohd Yasin Mohd Amin	PDF 320-326
Anxiety and depression among university students during the lockdown: their protective and risk factors  Kususanto Ditto Prihadi, Sheng Yee Wan, Valerie Yen Yee Lee, Hairul Nizam Ismail	PDF 327-335
Parental knowledge and care-seeking practices towards pediatric ear infections: a study from Iraq Aqil Mohammad Daher, Abdulla Alnakshabandi, Khaled Hashim Sultan, Basim A.Al-Abdely, Allya Mohammad Ali	<u>PDF</u> 336-341
The effectivity of banana leaf-filtered cloth face masks as an alternative protection during the pandemic Mohamad Saifudin Hakim, Mumtihana Muchlis, Fitra Duhita, Rita Dian Pratiwi	PDF 342-351
COVID-19 risk perceptions among healthcare workers during early "new behavior norms" phase Lolita Lolita, Azis Ikhsanudin	<u>PDF</u> 352-358
Therapeutic education process at An Islamic Hospital in South Kalimantan, Indonesia Taufik Hidayat, Mahyuddin Barni, Agus Setiawan	PDF 359-368

International Journal of Public Health Science (IJPHS) p-ISSN: 2252-8806, e-ISSN: 2620-4126



View IJPHS Stats



This work is licensed under a <u>Creative Commons Attribution-ShareAlike 4.0 International License</u>.

**Editorial Team** 9/12/2022, 8:24 pm









SEARCH ABOUT REGISTER ARCHIVES ANNOUNCEMENTS

Home > About the Journal > Editorial Team

#### **Editorial Team**

#### Advisory Board

Prof. Hans-Olov Adami, Harvard School of Public Health, United States Assoc. Prof. Dr. Luoping Zhang, University of California, United States Dr. Khalid M. Al Aboud, King Faisal Specialist Hospital and Research Centre, Saudi Arabia

#### Editor-in-Chief

Prof. Dr. Jay G. Silverman, University of California, United States

#### Managing Editor

Dr. Lina Handayani, Universitas Ahmad Dahlan, Indonesia

#### Associate Editors

Assoc, Prof. Dr. Mohd Hasni Jaafar, Universiti Sains Malaysia, Malaysia
Assoc. Prof. Dr. Henry Odhianosen Imhonde, Ambrose Alli University, Nigeria
Prof. Dr. Mane Abhay Babruwahan, Navodaya Medical College, India
Dr. Fazal Shirazi, University of Texas MD Anderson Cancer Center, United States
Dr. Miguel A. Mayer MD, PhD, MPH, MSC, Dipl, Universitat Pompeu Fabra Barcelona, Spain
Dr. Muhiuddin Haider, University of Maryland, United States
Dr. Tassanee Rawiworrakul, Mahidol University, Thailand
Dr. Xiaoli Gao, University of Texas Health Science Center at San Antonio, United States

#### **Editorial Board Members**

Prof. Dr. George Williams Rutherford, University of California, United States

Prof. Dr. Jens Aagaard-Hansen, University of the Witwatersrand, South Africa
Prof. Dr. Jens Aagaard-Hansen, University of the Witwatersrand, South Africa
Prof. Dr. Louise H. Taylor, Global Alliance for Rabies Control, United States
Prof. Dr. Mogens Vyberg, Aalborg University, Denmark
Dr. Abhinand Thaivalappil, Ontario Veterinary College, Canada
Dr. Stephanie S. Rothenberg, University of Pittsburgh Medical Center, United States
Dr. Aletha Yvette S. Akers, University of Pittsburgh, United States

Dr. Andrew Winokur, UConn Health, United States
Dr. Barbara Abrams, University of California, United States
Dr. Barbara K. Campbell, Oregon Health & Science University, United States
Dr. Christopher Bowie, Victoria University of Wellington, New Zealand
Dr. Erika Villavicencio-Ayub, Universidad Nacional Autónoma de México, Mexico
Dr. Fhumulani Mavis Mulaudzi, University of Pretoria, South Africa

Dr. Frumulani Mavis Mulaudzi, University of Pretoria, South Africa Dr. Jennifer A. Fish, The University of South Australia Dr. Li-Ping Zou, Beijing Institute For Brain Disorders, China Dr. Phayong Thepaksorn, Praboromarajchanok Institute, Thailand Dr. Rob M.G. van Bommel, Catharina Hospital, Netherlands Dr. Tarik Bereket, University of Toronto, Canada Dr. Vera Fernandes, Hospital de Braga, Portugal

#### International Journal of Public Health Science (IJPHS)

p-ISSN: 2252-8806, e-ISSN: 2620-4126



View IJPHS Stats



work is licensed under a <u>Creative Commons Attribution-ShareAlike 4.0 International License.</u>



#### CITATION ANALYSIS

- Google Scholar Scholar Metrics
- Scinapse
- Dimensions

#### SPECIAL LINKS

- Author Guideline
- Editorial Boards
- Online Submissions
  Abstracting and
  Indexing
  Publication Ethics
  Visitor Statistics

- Contact Us

## LINK PER ISSUE 2022: Mar, Jun, Sep, Dec 2021: Mar, Jun, Sep, Dec 2021: Mar, Jun, Sep, Dec 2019: Mar, Jun, Sep, Dec 2018: Mar, Jun, Sep, Dec 2016: Mar, Jun, Sep, Dec 2016: Mar, Jun, Sep, Dec 2015: Mar, Jun, Sep, Dec 2016: Mar, Jun, Sep, Dec 2014: Mar, Jun, Sep, Dec 2013: Mar, Jun, Sep, Dec 2012: Jul, Dec



#### INFORMATION

- For Readers
- For Authors For Librarians

Vol. 11, No. 1, March 2022, pp. 69~76

ISSN: 2252-8806, DOI: 10.11591/ijphs.v11i1.21123

# The impact physical distancing during the COVID-19 pandemic on mental health among adolescents: a systematic literature review

Isma Faridatus Sholihah, Ira Nurmala, Muji Sulistyowati, Shrimarti Rukmini Devy

Department EBIOP, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia

#### **Article Info**

#### Article history:

Received Jul 7, 2021 Revised Nov 5, 2021 Accepted Nov 14, 2021

#### Keywords:

Adolescents COVID-19 Mental health Physical distancing Social network Social support Good health

#### **ABSTRACT**

The spread of the coronavirus disesase 2019 (COVID-19) virus is relatively fast and has infected hundreds of countries. The number of people suffering from COVID-19 continues to increase and is increasingly concerning. To reduce the possibility of spreading the Coronavirus, which is easily contagious, the World Health Organization (WHO) advises the public to maintain a safe distance from other people through physical distancing. This study is a systematic review using the preferred reporting item for systematic reviews and meta-analyzes (PRISMA) method using 454 articles from online journal databases. The databases used in the literature search were Pubmed, Science Direct, Sage, Emerald, and Proquest from 2020-2021. Based on the inclusion and exclusion characteristics, there were 8 of 454 articles met the inclusion criteria, and select for in-depth analysis. Physical distancing policy has an impact on adolescent mental health. Some of the mental disorders experienced by adolescents include feeling lonely, anxious, stressed, psychiatric disorders, to emotional disturbances. Boys have a higher increase in mental health problems than girls. We need a social network and social support specifically in adolescents to maintain physical distancing during the adolescent mental health policy in the COVID-19.

This is an open access article under the CC BY-SA license.



69

#### Corresponding Author:

Ira Nurmala

Department EBIOP, Faculty of Public Health, Universitas Airlangga Jalan Dr. Ir. H. Soekarno, Mulyorejo, Surabaya, Eact Java, 60115, Indonesia

Email: iranurmala@fkm.unair.ac.id

#### 1. INTRODUCTION

The coronavirus disease 2019 (COVID-19) virus is a new virus related to the same virus family as Severe Acute Respiratory Syndrome (SARS) and several common cold viruses. COVID-19 is an infectious disease caused by the acute respiratory syndrome coronavirus 2 (Sars-CoV-2). The disease was first discovered in December 2019 in Wuhan, the capital of China's Hubei Province, and has since spread globally around the world, resulting in the 2019-2020 coronavirus pandemic [1]. The spread of the new Coronavirus is relatively fast and has infected hundreds of countries [2].

Each country has carried out various policies that confirm COVID-19 in their country, from closing airports to imposing restrictions on the movement of their citizens. The number of people suffering from Coronavirus infection or COVID-19 continues to increase and is increasingly concerning [3]. To reduce the possibility of spreading the Coronavirus, which is easily contagious, the World Health Organization (WHO) advises the public to maintain a safe distance from other people through physical distancing. Physical distancing is an effort made to control the spread of coronavirus infection and prevent COVID-19 [4].

Journal homepage: http://ijphs.iaescore.com

70 ISSN: 2252-8806

The physical distancing policy is one of the efforts to prevent the spread of the COVID-19 virus [5], [6]. With this policy keeping most businesses, schools, and universities closed, countries impose travel restrictions [7]. People were encouraged to stay at home and restrictions on contact and even curfew. The COVID-19 pandemic has profoundly affected our lives. The act of regulation imposes a complete change on our psychosocial environment [8]. The benefits of physical distancing, especially during the COVID-19 outbreak, cannot be doubted. However, there is also an impact on mental health that tends to be negative [9].

A person's response to an epidemic/pandemic can vary from one person to person. Croll *et al.* stated that respondents experienced increased fear (79%), anxiety (83%), and depression (38%) during the COVID-19 pandemic [10]. The physical distancing policy causes teens to miss some of the big moments in their lives and everyday moments, such as chatting with friends and participating in school. At first, maybe some teenagers feel this is their chance for a vacation. Over time the impact of the pandemic turned out to affect the mentality of teenagers [11], [12]. The reason is, some of these teenagers may miss the moments they have been waiting for, such as watching a school art performance or just meeting up with friends [13]. Not a few teenagers are feeling anxious and wonder when this pandemic will end, and everything will return to normal. The study on 555 undergraduate students in China found that anxiety and depression were common predictors of increased negative affect, anxiety, and depression across the confinement period. Students were advised to stay at home to prevent infection and transmission. Students perceived restriction, uncertainty towards the disease, and boredom [14].

Although some teenagers fill their emptiness and anxiety by playing with cellphones or social media, it turns out that this is not enough. According to experts, even though we live where everything relies on technology, humans' still need physical contact and touch with each other. So, reducing social interactions can cause us to feel lonely. The physical distancing policy ultimately makes teenagers stressed and has poor mental health conditions due to lack of interaction [15]. The purpose of this study is to determine the impact of physical distancing during the COVID-19 pandemic, and finding the case on mental health among adolescents during a pandemic helps us to take preventive measures and also increase awareness of the mental health of adolescents during physical distancing policies.

#### 2. RESEARCH METHOD

#### 2.1. Data sources and search strategy

This research is a systematic review conducted in March 2021. Authors chose relevant studies published from 2020 to 2021 by searching Pubmed, Science Direct, Sage, Emerald, and Proquest with a total of 454 articles found. This systematic review followed the preferred reporting item for systematic reviews and meta-analyzes (PRISMA) guidelines [16]. The literature search process uses research boundaries, and the titles of each database are select according to the patient problem, intervention, comparison or control and outcome (PICO) framework [17]. Research sources used were Pubmed, Science Direct, Sage, Emerald, and Proquest. The keywords used in article searches are physical distancing policies, and mental health, and adolescents.

#### 2.2. Selection criteria

Scientific article search was limited with inclusion criteria of online published articles were: i) written in English and published in the years 2020-2021, ii) articles that with full-text of scientific review and original research, iii) the requirements apply to journals with open access, iv) All journals that have been download are reviewed and selected to determine the relationship between physical distancing policies and mental health in adolescents. Articles that do not have an association will be eliminated and not used.

#### 2.3. Data extraction

In the final, systematic literature review (SLR), eight journal articles studied the impact of physical distancing policies against adolescent mental health. Figure 1 shows the journal identification process using the PRISMA method. i) Identification: The first step to finding articles is entering the address http://pubmed.ncbi.nlm.nih.gov/ for PubMed, https://www.sciencedirect.com/ for the Science Direct site, https://us.sagepub.com/en-us/nam/journals for Sage sites, https://www.emerald.com/insight/ for Emerald site, and open the address https://www.proquest.com/ for the Proquest site. Then at each site address, enter keywords into search engines. In the filter section, check the full text only option, research article, with the 2020-2021 publication timeframe in determining the type of article the same as on each site. The keywords used in article searches are Physical distancing policies, and Mental Health, and Adolescents. ii) Screening: duplicate articles that appear several times are not reusing, then articles with titles relevant to the research theme are then read the abstract and reviewed according to inclusion criteria. The inclusion criteria in this

study are original articles that discuss physical distancing policies and Mental Health on adolescents, written in English and published in the years 2020-2021. Abstracts that did not meet the inclusion criteria were eliminating. iii) Eligibility: articles that meet the inclusion criteria are downloading in full text. The requirements apply to journals with open access. All journals that have been download are reviewed and selected to determine the relationship between physical distancing policies and Mental Health in adolescents. Articles that do not have an association will be eliminated and not used. iv) Included: at this stage, articles that meet the inclusion criteria are arranged by author, year of publication, sample, and results.




Figure 1. Literature search following the PRISMA diagram

#### 3. RESULTS AND DISCUSSION

In the final result, systematic literature review (SLR), eight journal articles studied the impact of physical distancing policies against adolescent mental health. Figure 1 shows the journal identification process using the preferred reporting item for systematic reviews and meta-analyzes (PRISMA) method. A review of the online journal database found 454 articles, of which four exclude due to duplication. A total of 450 review articles with titles and abstracts and 438 articles exclude because they did not meet the inclusion criteria. Furthermore, 12 articles review in full text and four articles were excluded from the study because they did not meet the inclusion criteria. And finally, eight articles meet the requirements and are relevant to current research.

Table 1 shows the characteristics of the articles that qualify for a systematic review. All articles written in 2020-2021 are the research results related to the impact of physical distancing policies on adolescent mental health using adolescent respondents aged 13-22 years. And the research results pertaining were conducted in seven countries such as Bangladesh, Belgium, Swiss, America, Australia, Ireland, and Italy.

Table 2 shows the determinants of mental problems during Physical Distancing which is the cause of adolescent mental health problems as long as the physical distancing policy is applied. Many things trigger the mental health of adolescents during the guarding distance policy. The determinants range from social networking, lack of privacy, digital exclusion, academic stress, institutional dissatisfaction, fear of being infected, physical activity, and dietary behaviors that must change during the physical distancing policy. Table 3 shows the case of mental problem during physical distancing. Table 3 reveals mental problems during physical distancing where the most mental problems experienced by adolescents are depression, anxiety, stress, loneliness.

72 ISSN: 2252-8806

Tabel 1. Eligible articles characteristic

Tuest I. English until the single termination			
Author	Country study	Sample size	Age
[18]	Bangladesh	4,800	10-22
[19]	Belgium	18,301	18
[20]	Swiss	212	20
[21]	Bangladesh	552	11-17
[22]	Australia	582	13-19
[23]	America	683	13-18
[15]	Ireland	109	13-18
[24]	Italy	20	15-17

Table 2 Determinants of mental problem during physical distancing

	<u> </u>
Author	Determinants of mental problem during physical distancing
[18]	Social isolation, lack of privacy, and digital exclusion
[19]	Academic stress, institutional dissatisfaction, and fear of being infected
[20]	Social networks (interaction, friendship, social support, co-studying)
[21]	Physical activity, dietary behaviors
[22]	Physical activity, dietary behaviors, and well-being
[23]	Motivations
[15]	Physical activity, dietary behaviors
[24]	Social isolation and social support

Tabel 3 Case of mental problem during physical distancing

		<i>O</i> I	J	
Author	Case of mental problem during physical distancing	n	%	Duration of physical distancing
[18]	Loneliness	3,830	79.80%	Seven months
[19]	Stress, depression	13,015	71.12%	Six months
[20]	Depression, anxiety, stress, loneliness	208	98.11%	Five months
[21]	Emotional disorder, conduct disorder, hyperactivity	372	67.39%	Eight months
[22]	Loneliness	477	81.96%	Five months
	Felt sad	375	64.43%	
	Eating junk food	454	78.00%	
	Difficulty falling asleep	341	58.59%	
[23]	Motivation, depression, anxiety	670	98.09%	Three months
[15]	Stress, depression	58	53.21%	Six months
[24]	Anxiety	10	50.00%	Seven months

#### 3.1 The determinants that cause mental health problems in adolescents

Adaptation to changes in habits becomes a new challenge. Not a few people have difficulty adapting to this condition. Appeals to the public to carry out physical distancing help break the chain of COVID-19 transmission [4]. Limiting interactions in a relatively long period is by doing activities at home during an uncertain situation without realizing it affects mental health. Anxiety, worry, anxiety, and frustration often arise when faced with cases full of uncertainty [25], [26]. Other reactions that often occur are anger, boredom, and loneliness. Besides, there is also concern about taking good care of the family, both children and parents. Based on the research that has done, that physical distancing policies impact adolescents' mental health [15], [18], [20]-[23], [27].

The determinants that cause mental health problems in adolescents during the application of physical distancing vary widely. These determinants start from social networking, lack of privacy, digital exclusion, academic stress, institutional dissatisfaction, fear of being infected. The result of the physical distancing policies also causes changes in physical activity and dietary behavior in adolescents. These changes caused mental problems for teenagers during the COVID-19 pandemic. Teenagers have problems psychology related to psychological distress and social dysfunction such as feeling unable to concentrate, feeling under pressure, and less able to enjoy daily activities day [11]. The social interactions that restricted shorten the number of activities daily children's day-child and teenagers. The thing that education already available to realize the schedule study them, most of the schools change class face to face to a meeting online [28]. Many consequences faced by children-child and teens who lost access to school and teacher tall. There is physical health and broad mentality for children and teenagers such as lack of sleep, poor diet, behavior improvement, and change fitness physical also wearing on mental health during COVID pandemic [29].

Academic stress feel in adolescents under policies of physical distancing [19], [30], [31]. Stress due to academic stress is a condition where there is a mismatch between the demands of the environment and the existing resources possessed by students [32]. The various schools increasingly burden them such as academic pressures and demands [33]. Stress is a result of a wide range of issues, including test and exam

burden, a demanding course, a different educational system, and thinking about future plans upon graduation [34]. A study conducted by O'Sullivan *et al.* [15] also mentioned the same thing: adolescents under policies physical distancing experience academic stress and depression due to the implementation of home-schooling.

Although studying at home, teenagers cannot live in peace because they have to face the assignments given by the teacher [35]. Time at home spent doing piling up chores. Teachers give lessons so that students still get grades and learning material. The pandemic situation we have experienced shows widespread diversity in the mental health of individuals. How will it affect the adolescent brain in adulthood, particularly the critical areas related to action-emotion regulation (impulsive behavior), empathy, and decision-making skills in adolescents [36]. In times of pandemic, there is an urgent need to reduce the impact experienced by the young population. The more vulnerable ones suffer from social inequalities in which families with low income cannot face education, remote learning, and virtual contact with peers and family members [37]. Educators, administrators, and policymakers must minimize the distraction that school closures will cause to academic development. Schools offer many other essential services to students outside of education. For example, schools are a significant source of nutrition for many students, ensuring food security has become a standard school closure plan. However, other services are just as crucial for children's health [38].

In terms of dietary behavior, adolescents during quarantine and physical distancing during the COVID-19 pandemic increase consumption of junk food or unhealthy food that is at risk of triggering various metabolic diseases. Psychological stresses during the pandemic trigger people to eat these unhealthy foods. A study conducted by Cuhaci *et al.* revealed that frequent consumption of junk food causes an increase in the production of the hormones testosterone and estrogen, which can cause problems, including stress triggers [39].

#### 3.2. The case of mental problem during physical distancing

Adolescents who undergo physical distancing feel the adverse effects, namely feelings of loneliness in adolescents [18]. Loneliness is an individual emotional, and cognitive reaction to a condition where the person concerned only has or undergoes a few relationships or social interactions that are not by his expectations or desires. Or in other words, there are negative feelings that arise in response to the occurrence or loss or reduction of social interactions and the quality of relationships that individuals have due to external, subjective factors [40]. Feelings of loneliness in adolescents during physical policy distancing are also in line with Elmer *et al.* [20] and Munasinghe *et al.* [22].

The limitation of distance which makes limited interactions between adolescents, makes adolescents experience anxiety to stress [41]. In a study conducted by Elmer *et al.* [20], Oosterhoff *et al.* [23], and Pietrabissa *et al.* [24] revealed that most teenagers experience period anxiety physical distancing. A person with anxiety disorder can feel a sudden panic attack or anxiety without anything triggering it, and it can be very annoying [42]. If treatment has not done immediately, this disorder can limit a person's ability to work, relate to other people, and relationships with family [43]. As expected, the saddest problem for teenagers during physical distancing policies so far is not meeting their friends, being followed by friends or family members who have contracted and become very sick or died from COVID-19. Also of primary concern to adolescents is the inability to participate in their normal extracurricular activities (for example, sports, dance, and music lessons) or attend social events [44], [45]. Instead, they reported very little concern about catching, getting sick, or dying because of COVID-19.

Other findings in the study by Mallik *et al.* [21] show that after the physical distancing policy, the prevalence of psychiatric disorders increases to men than women. The mental disorders felt were emotional disorder, conduct disorder, hyperactivity, as much as 67.39%. The study also states that male adolescents are more likely to experience mental health problems during physical distancing policies than adolescent girls. Therefore, particular interventions are needed, both counseling and mentoring for adolescents who are vulnerable to the risk of mental disorders not to worsen their health conditions.

Findings obtained in the study of Munasinghe *et al.* [22] adolescents experienced a change in behavior, where 78% of adolescents experienced an increase in junk food consumption and difficulty falling or staying asleep during the physical distancing period. As we all know, junk food is a low-nutrient food often associated with health risks to the body. Not only physical health but consumption of low-nutrient foods is also closely related to mental health. Excessive consumption of junk food has a significant positive relationship with mental health in adolescents [46].

Mental health problems can adversely affect our physical health [47], [48]. Therefore, we have to maintain mental health during a pandemic, COVID-19. The (2019-nCoV) illness perception developed mental disorders, including anxiety and depression, which hasdeclined individuals' mental health. There is an urgent need for ongoing clinical examination and management to address psychological disorders, and findings suggest assessing mental health to combatting the pandemic worldwide [49]. In a study conducted by Munasinghe *et al.* [22] adolescent mental health worsens during physical distancing policy. One of the

74 ISSN: 2252-8806

factors supporting that adolescent mental health remains good is the connectedness with friends, family, and school. However, with the physical distancing policy, adolescents must limit themselves by keeping a distance from the people around them, reducing their psychological well-being. According to Elmer *et al.* [20] one of the crucial factors that can improve adolescent mental health during physical distancing policies is social networking and social support additional stress factors [32], [50]. One social network and social support that can apply in digital form is from study groups, mentoring, and psychological counseling [30]. The mental health of adolescents is well maintained.

#### 4. CONCLUSION

Based on the above discussion, the policy of physical distancing impacts adolescent mental health. Some of the mental disorders experienced by adolescents include feeling lonely, anxious, stressed, psychiatric disorders, to emotional disturbances. Boys have a higher mental health disorder than girls. Finding the correct information from trusted sources, reducing social media play, and limiting watching/viewing news about the COVID-19 can also reduce the anxiety felt in adolescents. As much as possible, parents can be friends to share with teenagers. Give space for teens to open up about their uneasy feelings to their parents. Not talking about the COVID-19 too often or looking for a diversion with fun activities and productive things reduces anxiety and makes teenagers feel less burdened. Let teens contact friends to establish communication, share stories and be able to vent their feelings. That way, teenage saturation during the pandemic can be released.

#### **ACKNOWLEDGEMENTS**

Thanks to Universitas Airlangga for providing support so that this article can be published.

#### REFERENCES

- [1] W. C. Koh, L. Naing, and J. Wong, "Estimating the impact of physical distancing measures in containing COVID-19: An empirical analysis," *Int. J. Infect. Dis.*, vol. 100, pp. 42–49, 2020, doi: 10.1016/j.ijid.2020.08.026.
- [2] World Health Organization, "COVID-19 Weekly Epidemiological Update 22." 2020. https://www.who.int/docs/default-source/coronaviruse/situation-reports/weekly\_epidemiological\_update\_22.pdf. (accessed Jan 20, 2021)
- [3] H. Amir, S. Sudarman, A. Asfar, and A. S. Batara, "COVID-19 pandemic: management and global response," *J. Kesehat. Lingkung.*, vol. 12, no. 1, pp. 121–128, 2020, doi: 10.20473/jkl.v12i1si.2020.121-128.
- [4] WHO, "Maintaining essential health services: operational guidance for the COVID-19 context." https://www.malecircumcision.org/file/63257/download?token=tqhyhXT3 (accessed Feb 3, 2021)
- [5] A. J. Kucharski et al., "Effectiveness of isolation, testing, contact tracing, and physical distancing on reducing transmission of SARS-CoV-2 in different settings: a mathematical modelling study," *Lancet Infect. Dis.*, vol. 20, no. 10, pp. 1151–1160, 2020, doi: 10.1016/S1473-3099(20)30457-6.
- [6] S. C. Newbold, D. Finnoff, L. Thunström, M. Ashworth, and J. F. Shogren, "Effects of Physical Distancing to Control COVID-19 on Public Health, the Economy, and the Environment," *Environ. Resour. Econ.*, vol. 76, no. 4, pp. 705–729, 2020, doi: 10.1007/s10640-020-00440-1.
- [7] H. Fang, L. Wang, and Y. Yang, "Human mobility restrictions and the spread of the Novel Coronavirus (2019-nCoV) in China," J. Public Econ., vol. 191, p. 104272, 2020, doi: 10.1016/j.jpubeco.2020.104272.
- [8] A. Witt, A. Ordóñez, A. Martin, B. Vitiello, and J. M. Fegert, "Child and adolescent mental health service provision and research during the COVID-19 pandemic: Challenges, opportunities, and a call for submissions," *Child Adolesc. Psychiatry Ment. Health*, vol. 14, no. 1, pp. 8–11, 2020, doi: 10.1186/s13034-020-00324-8.
- [9] R. Oktaviany, "The impact of the COVID-19 pandemic on adolescent mental health (In Indonesia: *Pengaruh pandemi covid-19 terhadap kesehatan jiwa remaja*)," *Ilmu Kesehat. Ment. Anak*, vol. 2, no. 2, pp. 1–7, 2021.
- [10] L. Croll, A. Kurzweil, L. Hasanaj, L. Serrano, and L. J. Balcer, "The psychosocial implications of COVID-19 for a neurology program in a pandemic epicenter Leah," *J. Neurol. Sci.*, vol. 416, p. 117034, 2020.
- [11] D. Rahmayanthi, M. F. Moeliono, and L. Kendhawati, "Adolescents Mental Health During Covid-19 Pandemic," *Insight J. Ilm. Psikol.*, vol. 23, no. 1, pp. 91–101, 2021.
- [12] B. Masyah, "COVID-19 pandemic on mental health and psychosocial (In Indonesia: *Pandemi COVID-19 terhadap kesehatan mental dan psikososial*)," *Mahakan Noursing*, vol. 2, no. 8, pp. 353–362, 2020.
- [13] I. Yuzulia, "The challenges of online learning during pandemic: students' voice," Wanastra J. Bhs. dan Sastra, vol. 13, no. 1, pp. 08–12, 2021, doi: 10.31294/w.v13i1.9759.
- [14] H. Y. Li, H. Cao, D. Y. P. Leung, and Y. W. Mak, "The psychological impacts of a covid-19 outbreak on college students in China: a longitudinal study," *Int. J. Environ. Res. Public Health*, vol. 17, no. 11, 2020, doi: 10.3390/ijerph17113933.
- [15] K. O'Sullivan *et al.*, "A qualitative study of child and adolescent mental health during the COVID-19 pandemic in Ireland," *Int. J. Environ. Res. Public Health*, vol. 18, no. 3, pp. 1–15, 2021, doi: 10.3390/ijerph18031062.
- [16] D. Moher et al., "Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement," PLoS Med., vol. 6, no. 7, pp. 1–6, 2009, doi: 10.1371/journal.pmed.1000097.
- [17] R. Leonardo, "PICO: Model for clinical questions evidence based medicine and practice PICO: model for clinical questions," Evid Based Med Pr., vol. 3, no. 2, pp. 1–2, 2018, doi: 10.4172/2471-9919.1000115.
- [18] S. Baird et al., "Social isolation and disrupted privacy: Impacts of COVID-19 on adolescent girls in humanitarian contexts," Girlhood Stud., vol. 13, no. 3, pp. 98–115, 2020, doi: 10.3167/GHS.2020.130308.
- [19] J. De Man et al., "Disentangling depression in Belgian higher education students amidst the first COVID-19 lockdown (April-May 2020)," Arch. Public Heal., vol. 79, no. 3, pp. 1–10, 2021, doi: 10.1186/s13690-020-00522-y.

- [20] T. Elmer, K. Mepham, and C. Stadtfeld, "Students under lockdown: comparisons of students' social networks and mental health before and during the COVID-19 crisis in Switzerland," *PLoS One*, vol. 15, no. 7 July, pp. 1–22, 2020, doi: 10.1371/journal.pone.0236337.
- [21] C. I. Mallik and R. B. Radwan, "Impact of lockdown due to COVID-19 pandemic in changes of prevalence of predictive psychiatric disorders among children and adolescents in Bangladesh," Asian J. Psychiatr., vol. 56, no. 37, p. 102554, 2021, doi: 10.1016/j.ajp.2021.102554.
- [22] S. Munasinghe et al., "The impact of physical distancing policies during the COVID-19 pandemic on health and well-being among Australian adolescents," J. Adolesc. Heal., vol. 67, no. 5, pp. 653–661, 2020, doi: 10.1016/j.jadohealth.2020.08.008.
- [23] B. Oosterhoff et al., "Adolescents' motivations to engage in social distancing during the COVID-19 pandemic: associations with mental and social health," J. Adolesc. Heal., vol. 290, no. January, pp. 19–21, 2020.
- [24] G. Pietrabissa and S. G. Simpson, "Psychological consequences of social isolation during COVID-19 outbreak," Front. Psychol., vol. 11, no. September, pp. 9–12, 2020, doi: 10.3389/fpsyg.2020.02201.
- [25] WHO, "Mental Health and psychosocial considerations during COVID-19 outbreak." 2020. file:///C:/Users/muled/Downloads/COVID referances/Mental health and psychosocial considerations during the.pdf (accessed Feb 13, 2021)
- [26] N. Vindegaard and M. E. Benros, "COVID-19 pandemic and mental health consequences: systematic review of the current evidence," *Brain. Behav. Immun.*, vol. 89, pp. 531–542, 2020, doi: 10.1016/j.bbi.2020.05.048.
- [27] L. J. Labrague and C. A. Ballad, "Lockdown fatigue among college students during the COVID-19 pandemic: Predictive role of personal resilience, coping behaviors, and health," *Perspect. Psychiatr. Care*, no. 3, pp. 1–8, 2021, doi: 10.1111/ppc.12765.
- [28] C. Phelps and L. L. Sperry, "Children and the COVID-19 pandemic," Psychol. Trauma Theory, Res. Pract. Policy, vol. 12, no. 1, pp. 73–75, 2020, doi: 10.1037/tra0000861.
- [29] L. Duan et al., "An investigation of mental health status of children and adolescents in china during the outbreak of COVID-19," J. Affect. Disord., vol. 275, no. December, pp. 112–118, 2020, doi: 10.1016/j.jad.2020.06.029.
- [30] M. Barseli, I. Ifdil, and L. Fitria, "Academic stress due to COVID-19 (In Indonesia: Stress akademik akibat COVID-19)," J. Penelit. Guru Indones., vol. 5, no. 2, pp. 95–99, 2020.
- [31] A. Kirana and W. Juliartiko, "Self-regulated learning and academic stress during online learning during the COVID-19 Pandemic (In Indonesia: Self-regulated learning dan stres akademik saat pembelajaran daring di masa pandemi COVID-19)," J. Psikol., vol. 14, no. 1, pp. 52–61, 2021.
- [32] I. P. A. Apriliana, K. Suranata, and I. K. Dharsana, "Reduce student anxiety through cognitive behavioral counseling, (In Indonesia: Mereduksi kecemasan siswa melalui konseling cognitive behavioral)," Indones. J. Educ. Couns., vol. 3, no. 1, pp. 21–30, 2019, doi: 10.30653/001.201931.46.
- [33] A. H. Ade, "Students academic stress and implications in counseling," Students Acad. Stress Implic. Couns. J. Neo Konseling 1.3 (2019)., vol. 1, no. 3, pp. 1–7, 2019, doi: 10.24036/00130kons2019.
- [34] N. H. H. Ramli, M. Alavi, S. A. Mehrinezhad, and A. Ahmadi, "Academic stress and self-regulation among university students in Malaysia: mediator role of mindfulness," *Behav. Sci. (Basel).*, vol. 8, no. 1, pp. 1–9, 2018, doi: 10.3390/bs8010012.
- [35] Z. Zaharah, G. I. Kirilova, and A. Windarti, "Impact of corona virus outbreak towards teaching and learning activities in Indonesia," SALAM J. Sos. dan Budaya Syar-i, vol. 7, no. 3, pp. 269–282, 2020, doi: 10.15408/sjsbs.v7i3.15104.
- [36] W. Cai, B. Lian, X. Song, T. Hou, G. Deng, and H. Li, "A cross-sectional study on mental health among health care workers during the outbreak of corona virus disease 2019," Asian J. Psychiatr., vol. 51, no. March, p. 102111, 2020, doi: 10.1016/j.ajp.2020.102111.
- [37] C. S. de Figueiredo et al., "COVID-19 pandemic impact on children and adolescents' mental health: Biological, environmental, and social factors," Prog. Neuro-Psychopharmacology Biol. Psychiatry, vol. 106, p. 110171, 2021, doi: 10.1016/j.pnpbp.2020.110171.
- [38] E. Golberstein, G. Gonzales, and E. Meara, "Coronavirus disease 2019 (COVID-19) and Mental health for children and adolescents," JAMA Pediatr., vol. 174, no. 9, pp. 955–970, 2020, doi: 10.1002/hec.3885.
- [39] N. Cuhaci, S. B. Polat, B. Evranos, R. Ersoy, and B. Cakir, "Gynecomastia: clinical evaluation and management," *Indian J. Endocrinol. Metab.*, vol. 18, no. 2, pp. 150–158, 2014, doi: 10.4103/2230-8210.129104.
- [40] S. Yaacob, R. Juhari, M. Talib, and I. Uba, "Loneliness, stress, self esteem and depression among Malaysian adolescents Siti Nor Yaacob Rumaya Juhari Mansor Abu Talib Ikechukwu Uba," J. Kemanus., vol. 14, no. 2002, pp. 85–92, 2009.
- [41] J. H. Ruskandi, "Adolescent anxiety during the COVID-19 Pandemic (In Indonesia: *Kecemasan remaja pada masa pandemi COVID-19*)," *J. Penelit. Perawat Prof.*, vol. 3, no. 3, pp. 483–492, 2021, doi: 10.37287/jppp.v3i3.530.
- [42] Y. Fitria, Linda, Neviyarni, Netrawati, & Karneli, "Cognitive behavior therapy counseling untuk mengatasi anxiety dalam masa pandemi COVID-19," Al-Irsyad J. Pendidik. dan Konseling, vol. 10, no. 1, pp. 23–29, 2020.
- [43] Hardiyati, E. Widianti, and T. Hernawaty, "Anxiety during the COVID-19 pandemi (In Indonesia: *Kecemasan saat pandemi COVID-19*)," *J. Kesehat. Manarang*, vol. 6, pp. 27–40, 2020.
- [44] N. R. Magson, J. Y. A. Freeman, R. M. Rapee, C. E. Richardson, E. L. Oar, and J. Fardouly, "Risk and Protective factors for prospective changes in adolescent mental health during the COVID-19 pandemic," *J. Youth Adolesc.*, vol. 50, no. 1, pp. 44–57, 2021, doi: 10.1007/s10964-020-01332-9.
- [45] D. Azania and Naan, "Spiritual role for student mental health amid the COVID-19 Pandemic (In Indonesia: Peran Spiritual Bagi Kesehatan Mental Mahasiswa Di Tengah Pandemi COVID-19)," Humanistika J. Keislam., vol. 7, no. 1, pp. 26–45, 2021.
- [46] M. Hafizurrachman and R. K. Hartono, "Junk food consumption and symptoms of mental health problems: A meta-analysis for public health awareness," *Kesmas J. Kesehat. Masy. Nas.*, vol. 16, no. 1, pp. 1–8, 2021, doi: 10.21109/KESMAS.V16I1.4541.
   [47] S. K. Kar *et al.*, "Mental health research in the lower-middle-income countries of Africa and Asia during the COVID-19
- [47] S. K. Kar et al., "Mental health research in the lower-middle-income countries of Africa and Asia during the COVID-19 pandemic: A scoping review," Neurol. Psychiatry Brain Res., vol. 38, no. July, pp. 54–64, 2020, doi: 10.1016/j.npbr.2020.10.003.
- [48] J.-P. David, C.-B. Ana, and L. Carl, "Physical exercise as therapy to fight against the mental and physical consequences of COVID-19 quarantine: Special focus in older people," *Prog. Cardiovasc. Dis.*, vl. 63, no. 3, pp. 386-3888, 2020, 10.1016/j.pcad.2020.03.009.
- [49] M. Aqeel, K. H. Shuja, J. Abbas, T. Rehna, and A. Ziapour, "The influence of illness perception, anxiety and depression disorders on students mental health during COVID-19 outbreak in Pakistan: A web-based cross-sectional survey," *Research Square*, pp. 1– 18, 2020, doi: 10.21203/rs.3.rs-30128/v1.
- [50] F. A. Yuarta and I. Nurmala, "Improving mental health of adolescents through," Indian J. Forensic Med. Toxicol., vol. 15, no. 2, pp. 2339–2344, 2021.

76 ☐ ISSN: 2252-8806

#### **BIOGRAPHIES OF AUTHORS**



Isma Faridatus Sholihah (D) [3] SQ (P) was born in Kediri, April 14, 1997. He earned a bachelor's degree in public health (S.KM) in 2019 from the Universitas Airlangga, Indonesia. Then in 2020, she continued her master's program in public health at the same university until now. Her research focus is on health policy as well as health promotion and behavioral science. She can be contacted at email: ismafs27@gmail.com.



Ira Nurmala (D) (S) is one of the lecturers in health promotion and behavioral science, Universitas Airlangga. She earned her bachelor's degree Public Health (S.KM) from Universitas Airlangga (Indonesia) in 2000. In 2007 earned an M.PH degree from Maastricht University (Netherlands) and in 2014 completed her doctoral education with a Ph.D. at the University of Georgia (USA). She is active in research related to health promotionand behavioral science. She can be contacted at email: iranurmala@fkm.unair.ac.id.





Shrimarti Rukmini Devy (D) S S P is a senior lecturer at the Faculty of Public Health, Universitas Airlangga (Indonesia). She earned a bachelor's degree (Dra) in 1990 at Universitas Airlangga, then in 2000 earned a master's degree in health (M.Kes) from Gajah Mada University and a Doctoral degree (Dr.) in 2013 from Gajah Mada University as well. She is very active in conducting research and also implementing health empowerment programs in the community. She is active in research related to health promotion and behavioral science. She can be contacted at email: shrimarti-r-d@fkm.unair.ac.id.



## UNIVERSITAS AIRLANGGA FACULTY OF DENTAL MEDICINE HEALTH RESEARCH ETHICAL CLEARANCE COMMISSION

## ETHICAL CLEARANCE CERTIFICATE

Number: 310/HRECC.FODM/VI/2022

Universitas Airlangga Faculty Of Dental Medicine Health Research Ethical Clearance Commission has studied the proposed research design carefully, Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011, and therefore, shall herewith certify that the research entitled:

"Analysis Of 5M Health Protocol Compliance Behavior In Youth During The Covid-19 Pandemic Using The Theory Of The Health Action Process Approach (Case Study At SMKN "x" Surabaya)"

Principal Researcher

: ISMA FARIDATUS SHOLIHAH, S.KM

June 10, 2022

Unit/Institution/Place of Research : - SMKN "x" Surabaya

CERTIFIED TO BE ETHICALLY CLEARED

Prof.Dr. FAMARA YUANITA, drg., MS., Sp.KG(K) Official No. 196006251986012002

kairman,