



Source details

Journal of Health Science and Medical Research

Open Access ⓘ

Scopus coverage years: from 2018 to Present

Publisher: Prince of Songkla University

ISSN: 2586-9981 E-ISSN: 2630-0559

Subject area: Medicine: General Medicine

Source type: Journal

CiteScore 2021

0.4 ⓘ

SJR 2021

0.126 ⓘ

SNIP 2021

0.219 ⓘ

[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology ⓘ

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ▾

$$0.4 = \frac{68 \text{ Citations 2018 - 2021}}{153 \text{ Documents 2018 - 2021}}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$0.4 = \frac{63 \text{ Citations to date}}{171 \text{ Documents to date}}$$

Last updated on 06 June, 2022 • Updated monthly

CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Medicine		
General Medicine	#640/826	22nd

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site ↗](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © [Elsevier B.V](#) ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the [use of cookies](#) ↗.





SJR

Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name



Home

Journal Rankings

Country Rankings

Viz Tools

Help

About Us




Ads by Google

Stop seeing this ad

Why this ad? ⓘ

Journal of Health Science and Medical Research

<p>COUNTRY</p> <p>Thailand</p>  <p>Universities and research institutions in Thailand</p>	<p>SUBJECT AREA AND CATEGORY</p> <p>Medicine ↳ Medicine (miscellaneous)</p>	<p>PUBLISHER</p> <p>Prince of Songkla University</p>	<p>H-INDEX</p> <p>3</p>
<p>PUBLICATION TYPE</p> <p>Journals</p>	<p>ISSN</p> <p>25869981, 26300559</p>	<p>COVERAGE</p> <p>2018-2021</p>	



Ads by Google

Stop seeing this ad

Why this ad? ⓘ



Ads by Google

Stop seeing this ad

Why this ad? ⓘ



Ads by Google

Stop seeing this ad

Why this ad? ⓘ

Quartiles



Ads by Google

Stop seeing this ad

Why this ad? ⓘ

SJR

0.13

2021

Total Documents

60

50

40

30

2018

2019

2020

2021

Total Cites Self-Cites

40





20

Citations per document

Ads by Google

Stop seeing this ad

Why this ad? ⓘ



← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```

Journal of Health Science and Medical Research
Q4
Medicine (miscellaneous)
best quartile
SJR 2021 0.13
powered by scimagojr.com

SCImago Graphica

Explore, visually communicate and make sense of data with our [new data visualization tool](#).

Ads by Google

Stop seeing this ad Why this ad? ⓘ

Ads by Google

Stop seeing this ad Why this ad? ⓘ

The journal's former title was **Songklanagarind Medical Journal**

ISSN 2630-0599

JHSMR

Journal of Health Science
and Medical Research



Vol. 37 No. 4 Oct - Dec 2019

The journal's former title was Songklanagarind Medical Journal

HOME SEARCH CURRENT ARCHIVES ANNOUNCEMENTS GUIDE FOR AUTHORS
PUBLICATION ETHICS EDITORIAL BOARD SUBMIT ABOUT CONTACT
ONLINE-FIRST ARTICLES

HOME > VOL 40, NO 5 (2022)

Journal of Health Science and Medical Research



Journal of Health Science and Medical Research (JHSMR), abbreviated formally known as: Songklanagarind Medical Journal. The academic journal from Songkla University, Thailand, goal is to provide open opportunities for quality manuscripts. The journal is dedicated to: research or other academic interesting new scientific articles, suggestions, and new concepts that are of interest to medical professionals, public health workers and any other readers interested in the field. All articles are double-blindly peer-reviewed by experts in the corresponding field. There are: 6 issues per year (Jan-Feb, Mar-Apr, May-Jun, Jul-Aug, Sep-Oct, Nov-Dec).

Aims and scope

JHSMR offers an interdisciplinary forum for basic or applied medical and health sciences research, evidence-based and scientifically written articles. Our content focuses on, but is not limited to, these areas of medicine and health science;

- Clinical medicine
- Biomedical science and biomedical engineering
- Public health research
- Data science in medicine and health care

Publication type

Since 2018, JHSMR has published 4 types of paper: including original articles (including

systematic reviews), review articles, case reports and selected editorials.

Frequency: 6 issues per year

- January – February
- March – April
- May – June
- July – August
- September – October
- November – December

Language: English

Free Access: online and print

ISSN: 2586-9981 (Print)

ISSN: 2630-0559 (Online)

*ISSN (Print and Online) start date Vol.36 No.2 Apr-Jun 2018

Journal History

Songklanagarind Medical Journal was first established by Prof. Vicharn Panich in 1983, and has reached its 36th year with the last issue of January-March 2018. During these 36 years, Songklanagarind Medical Journal has been through many developments and improvements. There have been altogether 9 editors-in-chief since the beginning:

Vicharn Panich	Vol. 1 No. 1 (1983) - Vol. 3 No. 4 (1985)
Saranatra Waikakul	Vol. 4 No. 1 (1986) - Vol. 6 No. 1 (1988)
Winyou Mitarnun	Vol. 6 No. 2 (1988) - Vol. 9 No. 4 (1991)
Arnuparp Lekhakula	Vol. 10 No. 1 (1992) - Vol. 14 No. 4 (1996)
Nakornchai Phuenpathom	Vol. 15 No. 1 (1997) - Vol. 18 No. 1 (2000)
	Vol. 28 No. 3 (2010) - Vol. 30 No. 2 (2012)
	Vol. 31 No. 4 (2013) - Vol. 33 No. 2 (2015)

Vol. 33 No. 3 (2015) - Vol. 34 No. 3 (2016)

Vicha Charoonratana

Vol. 18 No. 2 (2000) - Vol. 26 No. 2 (2008)

Prayong Vachvanichsanong

Vol. 26 No. 3 (2008) - Vol. 28 No. 2 (2010)

Verapol Chandeying

Vol. 30 No. 3 (2012) - Vol. 31 No. 3 (2013)

Jitti Hanprasertpong

Vol. 34 No. 4 (2016) - Vol. 36 No. 1 (2018)

In addition, the covers of Songklanagarind Medical Journal have changed during these times as follows



One of the missions of the Faculty of Medicine, Prince of Songkla University (one of Thailand's National Research Universities) is to foster high-quality research. Accordingly, Songklanagarind Medical Journal is an important tool to drive the mission to achieve this target.

Songklanagarind Medical Journal is an academic health science journal of Prince of Songkla University which has the goal to publicize and open opportunities for the submission of research or other academic topics, patient reports, interesting new scientific articles, suggestions, and new concepts which will be beneficial to medical professionals, public health workers, and any other readers interested in this field.

Songklanagarind Medical Journal is indexed in the journal database of the Thai-Journal Citation Index Centre (TCI) and was given a Thai-journal Impact Factor for the first time in 2002. Songklanagarind Medical Journal was certified as an academic journal (Tier 1) according to the journal quality assessment result announcement round 1, 1st time Year 2011. In 2015, Songklanagarind Medical Journal is certified as an academic journal (Tier 1) according to the journal quality assessment results announcement round 3, Years 2015-2019. Also, Songklanagarind Medical Journal is indexed in the ASEAN Citation Index (ACI) in the 1st

time assessment Year 2014 for 41 journals.

Since Vol.36, No2 (2018), the name of Songklanagarind Medical Journal was changed to Journal of Health Science and Medical Research, as well as aims to significantly move forward to be indexed in the international bibliometric databases, Scopus at last.



Source: Hanprasertpong J. (2018). Editorial Statement. Songklanagarind Medical Journal, 36(1), 1-2. Retrieved from <https://www.jhsmr.org/index.php/jhsmr/article/view/80/113>

Announcements

CiteScore2021 Announcement and now indexed in SJR

JHSMR CiteScore 2021 has been announced.



JHSMR is also now indexed in the SCImago Journal & Country Rank.




We thank our authors, reviewers and editors for contributing to the success of the journal as well as appreciate the "TCI-TSRI-Scopus Collaboration Project Phase 1-2" by the Thai-Journal Citation Index Centre (TCI) collaborated with the Thailand Science Research and Innovation (TSRI), the School of Energy, Environment and Materials at King Mongkut's University of Technology Thonburi (KMUTT) and the National Electronics and Computer Technology Center (NECTEC).

You can find our papers published in Scopus. If interested in publishing with Journal of Health Science and Medical Research, we encourage you to read the guide for authors and submit your manuscript.

Posted: 2022-07-06

More...

First CiteScore for Journal of Health Science and Medical Research



source type: journal

powered by Scopus

We are proud to announce that the Journal of Health Science and Medical Research received Scopus CiteScore in 2020. The metric shows the citation activity in Scopus database during 2017-2020.

- CiteScore: 0.3
- CiteScore Rank: #664/793 in General Medicine category
- SNIP: 0.140


We thank our authors, reviewers and editors for contributing to the success of the journal as well as appreciate the "TCI-TSRI-Scopus Collaboration Project Phase 1-2" by the Thai-Journal Citation Index Centre (TCI) collaborated with the Thailand Science Research and Innovation (TSRI), the School of Energy, Environment and Materials at King Mongkut's University of Technology Thonburi (KMUTT) and the National Electronics and Computer Technology Center (NECTEC).

Now you can find our paper published in Scopus. If interested in publishing with Journal of Health Science and Medical Research, we encourage you to read the guide for authors and submit your manuscript.

Posted: 2021-06-12

[More...](#)

Journal Metrics



2020

Acceptance rate: 52%

2021

Acceptance rate: 27.8%

2022 (14 March)

Acceptance rate: 15.6%

Submission to final decision

74 days

Acceptance to publication

40 days

Subject area: Medicine: General Medicine

0.4 2021 CiteScore

22nd percentile

Powered by Scopus

Journal of Health Science and Medical Research

Q4 Medicine (miscellaneous)
best quartile

SJR 2021
0.13

powered by scimagojr.com

SUBMIT A PAPER

JHSMR accepts online submission through

SCHOLARONE™

Supported by





JHSMR now Indexed in



Scopus®



THAIJO



PSUMJ Homepage



The journal's former title was Songklanagarind Medical Journal

HOME SEARCH CURRENT ARCHIVES ANNOUNCEMENTS GUIDE FOR AUTHORS
PUBLICATION ETHICS EDITORIAL BOARD SUBMIT ABOUT CONTACT
ONLINE-FIRST ARTICLES
HOME > EDITORIAL BOARD

Editorial Board

Editor-in-Chief

Jitti Hanprasertpong
hjitti@medicine.psu.ac.th
Prince of Songkla University *Thailand*

Editorial Board Member

Bannakij Lojanapiwat
bannakij.lojana@cmu.ac.th
Chiang Mai University *Thailand*

Boonsin Tangtrakulwanich
boonsin.b@psu.ac.th
Prince of Songkla University *Thailand*

Cai Le
caile@kmmu.edu.cn
Kunming Medical University *China*

Chatchalit Rattarasarn
chatchalit.rat@mahidol.ac.th
Mahidol University *Thailand*

Detty Nurdiati
detty@ugm.ac.id
*Public Health and Nursing Universitas
Gadjah Mada and Dr Sardjito Hospital* *Indonesia*

Eiji Kobayashi
ekobayashi@gyne.med.osaka-u.ac.jp
Osaka University *Japan*

Erika Ota
ota@slcn.ac.jp
St. Luke's International University *Japan*

Goran Stojanovic
sgoran@uns.ac.rs
University of Novi Sad *Serbia*

Hutch Sriplung
hutch.s@psu.ac.th
Prince of Songkla University *Thailand*

ivan.capo@mf.uns.ac.rs

Ivan Capo
ivan.capo@mf.uns.ac.rs

*University of Novi Sad**Serbia*

Jian-Ming Li
lixxx261@umn.edu

*University of Minnesota**USA*

Jos Vander Sloten
Jos.VanderSloten@kuleuven.be

*KU Leuven**Belgium*

Jovan Lovrenski
JOVAN.LOVRENSKI@mf.uns.ac.rs

*University of Novi Sad**Serbia*

Laura S. Rozek
rozekl@umich.edu

*University of Michigan**USA*

Masashi Takano
mastkn@ndmc.ac.jp

*National Defense Medical College**Japan*

Momir Mikov
momir.mikov@mf.uns.ac.rs

*University of Novi Sad**Serbia*

Patrapim Sunpaweravong
spatrapi@medicine.psu.ac.th

*Prince of Songkla University**Thailand*

Quazi Monirul Islam
Islammm@who.int

*Liverpool School of Tropical Medicine**UK*

Rasmon Kalayasiri
rasmon.k@chula.ac.th

*Chulalongkorn University**Thailand*

Sally Chan
sallychan@twc.edu.hk

*Tung Wah College**Hong Kong*

Somchit Jaruratanasirikul
somchit.j@psu.ac.th

*Prince of Songkla University**Thailand*

Somyot Chirasatitsin
somjot.c@psu.ac.th

*Prince of Songkla University**Thailand*

Sun Jing
sunjing@immu.edu.cn

*Inner Mongolia Medical University**China*

Surasak Sangkhathat
surasak.sa@psu.ac.th

*Prince of Songkla University**Thailand*

Tang Xianyan
tangxianyan@gxmu.edu.cn

*Guangxi Medical University**China*

Tippawan Liabsuetrakul
tippawan.l@psu.ac.th

*Prince of Songkla University**Thailand*

Verapol Chandeying verapol.ch@up.ac.th	<i>University of Phayao</i>	<i>Thailand</i>
Viranuj Sueblinvong vsuebli@emory.edu	<i>Emory University School of Medicine</i>	<i>USA</i>
Virat Kirtseesakul virat.k@psu.ac.th	<i>Prince of Songkla University</i>	<i>Thailand</i>
Volker Winkler volker.winkler@uni-heidelberg.de	<i>University of Heidelberg</i>	<i>Germany</i>
Vorapong Phupong vorapong.p@chula.ac.th	<i>Chulalongkorn University</i>	<i>Thailand</i>
Yong Poovorawan Yong.P@chula.ac.th	<i>Chulalongkorn University</i>	<i>Thailand</i>

Advisor of Editor-in-Chief

Puttisak Puttawibul pputtisa@medicine.psu.ac.th	<i>Prince of Songkla University</i>	<i>Thailand</i>
Roengsak Leetanaporn roengsak.l@psu.ac.th	<i>Prince of Songkla University</i>	<i>Thailand</i>

Manager

Kamolthip Suwanthavee
skamolth@medicine.psu.ac.th

Assistant Manager

Pattama Malakul
mpattama@medicine.psu.ac.th

Sarinthra Khunsiri
ksarinth@medicine.psu.ac.th

Journal Metrics



2020

The journal's former title was Songklanagarind Medical Journal

[HOME](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#) [ANNOUNCEMENTS](#) [GUIDE FOR AUTHORS](#)
[PUBLICATION ETHICS](#) [EDITORIAL BOARD](#) [SUBMIT](#) [ABOUT](#) [CONTACT](#)[ONLINE-FIRST ARTICLES](#)[HOME](#) > [ARCHIVES](#) > [VOL 37, NO 4 \(2019\)](#)

Vol 37, No 4 (2019)

Oct-Dec

Original Articles

Anxiety at First and Subsequent Pregnancies and Its Associated Factors: A Historical Cohort Study From Northeastern Thailand

👤 **Rukmanee Butchon, Tippawan Liabsuetrakul, Theparat Bumpenboon, Yot Teerawattananon**

[PDF](#)

259-268

Outpatient and Caregiver Understanding of Auxiliary Instructions on Medication Labels at Ongkharak Hospital, Nakhon Nayok

👤 **Suparada Khaiman, Sudarat Buahom, Supakorn Mekasuwannadit, Suwimon Yeephu, Tulaya Potaros**

[PDF](#)

269-276

Serum Sodium Levels Predict the Recurrence of Febrile Seizure within 24 Hours

👤 **Jatuporn Duangpetsang**

[PDF](#)

277-280

Comparison of Perceived Quality of Life Between Children with Lupus Nephritis and Their Parents

👤 **Lasmauli Situmorang, Ahmad Suryawan, Ninik Asmaningsih Soemyarso**

📄 PDF

281-287

Outcome of Transient Hypogastric Artery Balloon Occlusion with Cesarean Hysterectomy in Abnormal Adherent Placenta: Case Series

👤 **Keerati Hongsakul, Jitwadee Suwanlee, Sorracha Rookkapan, Kittipitch Bannangkoon, Ninlapa Pruksanusak, Yuthasak Suphasynth, Shafie Abdullah, Chandran Nadarajan**

📄 PDF

289-296

A Comparison Study of the Auditory P300 Results of Elderly Patients with Sensorineural Hearing Loss

👤 **Noppamont Mongkalanantakul, Krisna Lertsukprasert, Montip Tiensuwan**

📄 PDF

297-303

Prevalence, Risk Factors and Clinical Manifestation of Patients Suspected as having Obstructive Sleep Apnea in Songklanagarind Hospital Sleep Center

👤 **Krongthong Tawaranurak, Peesit Leelasawatsuk, Varaned Chaiyarukjirakun**

📄 PDF

305-312

Perioperative Risk Factors for Intraoperative Hypothermia in Adult Patients Undergoing Elective Surgery at a National Referral Hospital in Bhutan: A Prospective Observational Study

👤 **Kinley Zangmo, Sunisa Chatmongkolchart, Pasuree Sangsupawanich**

📄 PDF

313-320

Prevalence of Antibiotic Resistance in Escherichia coli from the Fecal Flora of Humans in a Rural Area of Songkhla Province

👤 **Salisa Prasertsiriphong, Rattanaporn Chootong, Silom Jamulitrat, Manthana Phengmak**

📄 PDF

321-327

Comparison of Perceived Quality of Life Between Children with Lupus Nephritis and Their Parents

Lasmauli Situmorang, M.D., **Ahmad Suryawan**, M.D., Ph.D., Ninik Asmaningsih Soemyarso, M.D., Ph.D.

Department of Child Health, Faculty of Medicine, Universitas Airlangga, Dr. Soetomo Hospital, Surabaya, East Java, 60286 Indonesia.

Received 26 February 2019 • Revised 14 June 2019 • Accepted 26 June 2019 • Published online 29 August 2019

Abstract:

Objective: The purpose of this study was to compare the score of quality of life between parents and children with lupus nephritis.

Material and Methods: A cross-sectional study was conducted from February to March 2017 in children with lupus nephritis aged 5–18 years old treated at the Department of Child Health Dr. Soetomo Surabaya Hospital. Quality of life was assessed from parents and children using the Pediatric Quality of Life Inventory (PedsQL) 4.0 Generic Core questionnaires. Statistical analysis of Wilcoxon signed rank test and pair t-test were used with p-value<0.05 being significant.

Results: A total of 30 children were included during the study period. Sixteen children were female with a mean age of 11.5 (standard deviation 2.7) years. The differences in score between parents and children were as follows: physical functioning (82.8 vs 87.5) p-value=0.140, emotional functioning (65.0 vs 72.5) p-value=0.173, social functioning (80.0 vs 95.0) p-value=0.016 and school functioning (67.5 vs 70.0) p-value=0.116. There were no differences according to onset of diagnosis and the only differences found were in social functioning based on the induction treatment phase. Children with complications showed significant differences in physical, emotional and social functioning (p-value=0.041, p-value=0.023, p-value=0.038 respectively).

Conclusion: Parents and children with lupus nephritis showed different scores of quality of life in social functioning, and it is important to consider the daily life activities of children.

Keywords: children, lupus nephritis, PedsQL, quality of life

Contact: Ahmad Suryawan, M.D., Ph.D.

Department of Child Health, Faculty of Medicine, Universitas Airlangga,
Dr. Soetomo Hospital, Jl. Mayjen Prof. Dr. Moestopo No.6–8, Surabaya,
Jawa Timur 60286 Indonesia.

E-mail: ahmad.suryawan@fk.unair.ac.id

J Health Sci Med Res 2019;37(4):281–287

doi: 10.31584/jhsmr.201962

www.jhsmr.org

Introduction

Lupus nephritis is a common and often severe manifestation of the chronic autoimmune vasculitis that occurs in systemic lupus erythematosus (SLE).¹ Approximately 60.0–80.0% of children with SLE have urinary or renal function abnormalities, which in 90.0% occurs within two years of onset.² The prevalence of lupus nephritis is 3.64 per 100,000 children and the annual incidence is 0.72 cases per 100,000 per year.³

Lupus nephritis usually occurs during adolescence; it is uncommon before the age of 10 years and very rare before 5 years. Children have a long life expectancy and therefore any effort should be made to optimize treatment and prevent morbidity.² Lupus nephritis interferes with many aspects of normal life. Unlike adults, children with lupus nephritis have to face the consequences of this chronic disease during childhood and adolescence—vulnerable periods in their intellectual and emotional development, and it can affect quality of life.⁴

Quality of life is a subjective personal perception of living with the disease. It can be different between children and their parents.⁵ Pediatric Quality of Life Inventory (PedsQL) 4.0 Generic Core is one of the instruments used to measure quality of life, and it is specifically designed to measure the core health dimensions that can be used with healthy children and those with acute and chronic health conditions.^{5,6} Quality of life may be influenced by onset of disease, treatment and complications.

The aim of this study was to compare the score of quality of life between parents and children with lupus nephritis.

Material and Methods

A cross-sectional study was conducted from February to March 2017. Children with lupus nephritis aged 5–18 years old treated at the Nephrology Division,

Department of Child Health of Dr. Soetomo Surabaya Hospital were collected by total population sampling. Children with unstable conditions were excluded. Written informed consent was obtained from parents.

Quality of life using PedsQL 4.0 Generic Core was assessed from each parent and child's questionnaires. The PedsQL 4.0 Generic Core, which is divided into 4 functions (physical, emotional, social and school function), is a multidimensional instrument that is reliable and valid in healthy populations and in children with acute and chronic conditions. Quality of life score between children and parents was compared according to the onset of disease, treatment phase and complications. Higher scores indicate a better quality of life. Statistical analysis of Wilcoxon signed rank test and pair t-test were used with p -value < 0.05 being significant. The Research Ethics Committee of the Dr. Soetomo Surabaya Hospital approved this study.

Results

A total of 30 children were included during the study period. Most of them (16/30) were female with a mean age of 11.5 [standard deviation (S.D.) 2.7] years. Table 1 shows the characteristics of subjects. The mean age of parents was 36.8 ± 6.8 years, and 86.7% of the questionnaire was completed by mothers. The highest educational level of parents was elementary school and most of the parents were housewives.

The most common clinical manifestation was edema (73.3%), followed by pale/weak (63.3) and hematuria (36.7). The complication of acute kidney injury was the most common complication (46.1%) followed by hypertensive crisis (23.1%). The quality of life scores reported by children tended to be lower than those reported by parents for all functions; however, only social functioning was statistically significant (p -value=0.016) (Table 2).

Table 1 Subject characteristics of lupus nephritis children

Charateristic	n=30
Age (years), mean (S.D.)	11.5 (2.7)
Sex, n (%)	
Girl	16 (53.3)
Boys	14 (46.7)
Onset diagnosis, n (%)	
≤10 years	12 (40.0)
>10 years	18 (60.0)
Duration of illness, n (%)	
Induction phase	19 (63.3)
Maintenance phase	11 (36.7)
Presence of complication, n (%)	
Yes	13 (43.3)
No	17 (56.7)
Type of complication, n (%)	
Acute kidney injury	6 (46.1)
Chronic kidney injury	1 (7.7)
Hypertensive crisis	3 (23.1)
Others	3 (23.1)

The comparison of quality of life scores between children with lupus nephritis and their parents according to the onset of the diagnosis (≤10 years and >10 years) showed no significant difference in all functions. Accord-

ing to the duration of illness, the quality of life reported by parents was higher than in children on social functioning in the “induction phase” (p-value=0.024), whereas in the “maintenance phase” no significant difference was found in all functions. According to the presence of complications, the scores of quality of life on physical (p-value=0.041), emotional (p-value=0.023) and social (p-value=0.038) functioning of children lupus nephritis with complications were significantly different, whereas there was no significant difference in the non-complication group (Table 3).

Discussion

There are lots of studies that explain lupus nephritis/systemic lupus erythematosus, but most of them are mainly focused on adults⁷⁻⁹, not children. The mean age of children with lupus nephritis in our study was 11.5 (S.D. 2.7), and most were female (16/30). This finding is in accordance with the study by Hiraki et al¹⁰ who found that the average age of children was 13.1 (S.D. 3.2), but in contrast it was different from the previous study which found a younger age of 6.4 (S.D. 3.2)¹¹, even though the female sex was the most prevalent in both of these studies.

Table 2 Comparison of the quality of life between children with lupus nephritis and their parents

Domain	Children report median (min-max)	Parents report median (min-max)	p-value
Physical functioning	82.8 (31.2-100.0)	87.5 (25.0-100.0)	0.140*
Emotional functioning	65.0 (30.0-100.0)	72.5 (25.0-100.0)	0.173**
Social functioning	80.0 (30.0-100.0)	95.0 (40.0-100.0)	0.016*
School functioning	67.5 (30.0-100.0)	70.0 (30.0-95.0)	0.116**

*Wilcoxon signed rank test, **paired t-test, p-value<0.05, min=minimal, max=maximal

Table 3 Comparison of the median score of quality of life between children with lupus nephritis and parents according to (1) onset of diagnosis, (2) duration of illness, (3) presence of complication

Domain	Children report median (min-max)	Parents report median (min-max)	p-value
1. According to onset of diagnosis			
≤10 years			
Physical functioning	81.2 (34.3-100.0)	85.9 (56.2-100.0)	0.326**
Emotional functioning	67.5 (40.0-100.0)	70.0 (50.0-100.0)	0.383**
Social functioning	82.5 (55.0-100.0)	95.0 (60.0-100.0)	0.447**
School functioning	70.0 (35.0-85.0)	70.0 (40.0-90.0)	0.080*
>10 years			
Physical functioning	82.8 (31.2-100.0)	90.6 (25.0-100.0)	0.219*
Emotional functioning	65.0 (30.0-100.0)	80.0 (25.0-100.0)	0.318**
Social functioning	80.0 (30.0-100.0)	92.5 (40.0-100.0)	0.080*
School functioning	65.0 (30.0-90.0)	75.0 (30.0-95.0)	0.181**
2. According to duration of illness			
Induction phase			
Physical functioning	81.2 (34.3-100.0)	87.5 (25.0-100.0)	0.297*
Emotional functioning	65.0 (40.0-100.0)	80.0 (30.0-100.0)	0.248**
Social functioning	80.0 (60.0-100.0)	95.0 (60.0-100.0)	0.024*
School functioning	70.0 (35.0-90.0)	80.0 (30.0-90.0)	0.287*
Maintenance phase			
Physical functioning	90.6 (31.2-100.0)	87.5 (46.8-100.0)	0.258*
Emotional functioning	65.0 (30.0-100.0)	70.0 (25.0-100.0)	0.502**
Social functioning	80.0 (30.0-100.0)	90.0 (40.0-100.0)	0.334*
School functioning	65.0 (30.0-90.0)	65.0 (40.0-95.0)	0.292**
3. According to presence of complication			
With complication			
Physical functioning	87.5 (31.2-100.0)	90.6 (60.2-100.0)	0.041*
Emotional functioning	60.0 (30.0-90.0)	80.0 (25.0-90.0)	0.023*
Social functioning	80.0 (30.0-90.0)	95.0 (40.0-100.0)	0.038*
School functioning	70.0 (35.0-90.0)	80.0 (50.0-90.0)	0.122*
Without complication			
Physical functioning	75.0 (50.0-100.0)	84.3 (25.0-100.0)	0.777*
Emotional functioning	70.0 (45.0-100.0)	70.0 (30.0-100.0)	0.948**
Social functioning	85.0 (55.0-100.0)	85.0 (60.0-100.0)	0.205*
School functioning	65.0 (30.0-90.0)	70.0 (30.0-95.0)	0.554**

*Wilcoxon signed rank test, **paired t-test, p-value<0.05, min=minimal, max=maximal

Quality of life is a personal perception and it is subjective¹², and therefore perceptions between parents and children in this study can be different. Although subjective, quality of life can be measured. The PedsQL 4.0 Generic Core is one of the instruments used to measure quality of life in healthy and unhealthy children with lupus nephritis¹³ and consists of questions that can be answered by both children and parents.⁶ Children with a chronic illness can affect the quality of life of their family including parents, and it can make for a different perception between them.¹⁴

In this study, according to the children's reports, the highest score was in physical functioning while the lowest score was in emotional functioning. A study by Louthrenoo et al¹⁵, showed that systemic lupus erythematosus in children affects their physical and psychosocial functioning. A study by Bai et al¹⁶, revealed that physical and psychosocial scores in children with only one condition were lower than for children without chronic conditions (p -value<0.05). High physical functioning scores in children in this study may be because they feel that they can still carry out daily activities like healthy children. Children with chronic diseases that interfere with physical activity can have an influence on emotional and behavioral problems^{17,18}; thus, in this study emotional scores were indeed low. Emotional disorders can also occur due to medical care trauma.¹⁹

Children with lupus nephritis need regular care and routine check ups, and have significantly higher school absence rates than the general population; however, children with lupus nephritis have higher cognitive function than children with other kidney disorders.²⁰ In this study, the significant differences found were only in social functioning, which could be because parents felt that their children did not have social problems while the children actually felt they had problems with peers both at home and school.

The younger the age when diagnosed with lupus nephritis, the more severe the clinical manifestations shown. Children with lupus nephritis show more severe

symptoms than adults^{21,22}, nevertheless differences in quality of life based on the onset of diagnosis were not found.

Duration of illness could be divided into two phases: the induction phase and the maintenance phase. In the induction phase, corticosteroid administration is given in 6 months with high doses every month, whereas in the maintenance phase corticosteroid administration begins to be tapered off.²³ Differences in quality of life scores in social functioning in the induction phase are related to differences in quality of life between parents and children in general. Children with chronic diseases have psychosocial problems; besides getting corticosteroids, children also get immunosuppression treatment. In this study the type of immunosuppression treatment was not studied; however, the administration of sitostatics can cause differences in quality of life.^{24,25}

The assessments of quality of life in the complication groups in this study were significantly different between children and their parents in physical, emotional and social functioning, in which parents showed higher scores. Complications that occurred in this study were acute kidney injury, chronic kidney disease and hypertensive crisis. Previous research has suggested that lupus nephritis is associated with end-stage renal failure²⁶, and the quality of life in children with chronic kidney disease shows lower physical, emotional, social and school scores.²⁷

A study by Gannoni showed that despite dealing with serious and potentially life threatening situations, parents and children took positive steps to cope with their challenges, and also perceived positive aspects of living with a childhood chronic illness. Individual or family interventions may also be considered more appropriate given the strong emotions described (and often expressed) by participants. It seems important to provide both parents and children with opportunities to discuss and practise their emotional expressiveness and regulation, and an individual or family setting may be considered more appropriate for privacy reasons.¹⁴

Conclusion

Lupus nephritis is a chronic disease that can affect all aspects of a patient's life. The quality of life in patients with lupus nephritis is lower than in the general population, even though it could be personal perception that is different for each person. Parents and children with lupus nephritis showed different scores of quality of life in social functioning, and it is important to consider the daily life activities of children. Understanding their child's perception was significant for parents in order to help their child recover from lupus nephritis.

Acknowledgement

We would like to thank Windhu Purnomo, M.D. Ph.D. who supported the statistical analysis in this study.

Conflict of interest

None declared.

References

- Zubair A, Frieri M. Lupus nephritis: review of the literature. *Curr Allergy Asthma Rep* 2013;13:580–6.
- Perfumo F, Martini A. Lupus nephritis in children. *Lupus* 2005;14: 83–8.
- Hiraki LT, Feldman CH, Liu J, Alarcon GS, Fischer MA, Winkelmayer WC, et al. Prevalence, incidence, and demographics of systemic lupus erythematosus and lupus nephritis from 2000 to 2004 among children in the US Medicaid beneficiary population. *Arthritis Rheum* 2012;64:2669–76.
- Kamphuis S, Silverman ED. Prevalence and burden of pediatric-onset systemic lupus erythematosus. *Nat Rev Rheumatol* 2010;6:538–46.
- Hullmann SE, Ryan JL, Ramsey RR, Chaney JM, Mullins LL. Measures of general pediatric quality of life: Child Health Questionnaire (CHQ), DISABKIDS Chronic Generic Measure (DCGM), KINDL-R, Pediatric Quality of Life Inventory (PedsQL) 4.0 Generic Core Scales, and Quality of My Life Questionnaire (QoML). *Arthritis Care Res* 2011;63(Suppl 11):S420–30.
- Varni JW, Limbers CA, Burwinkle TM. Impaired health-related quality of life in children and adolescents with chronic conditions: a comparative analysis of 10 disease clusters and 33 disease categories/severities utilizing the PedsQL™ 4.0 Generic Core Scales. *Health Qual Life Outcomes* 2007;5:43.
- Ruperto N, Buratti S, Duarte-Salazar C, Pistorio A, Reiff A, Bernstein B, et al. Health-related quality of life in juvenile-onset systemic lupus erythematosus and its relationship to disease activity and damage. *Arthritis Rheum* 2004;51:458–64.
- Levy DM, Peschken CA, Tucker LB, Chedeville G, Huber AM, Pope JE, et al. Health related quality of life in childhood-onset systemic lupus erythematosus is associated with ethnicity: results from a multiethnic multicenter canadian cohort. *Arthritis Care Res* 2014;66:1767–74.
- Chaigne B, Chizzolini C, Perneger T, Trendelenburg M, Huynh-Do U, Dayer E, et al. Impact of disease activity on health-related quality of life in systemic lupus erythematosus – a cross-sectional analysis of the swiss systemic lupus erythematosus cohort study (SSCS). *BMC Immunology* 2017;18:17–26.
- Hiraki LT, Benseler SM, Tyrrell PN, Hebert D, Harvey E, Silverman ED. Clinical and laboratory characteristics and long-term outcome of pediatric systemic lupus erythematosus: a longitudinal study. *J Pediatr* 2008;152:550–6.
- Abdalla E, Jeyaseelan L, Ullah I, Abdwani R. Growth pattern in children with systemic lupus erythematosus. *Oman Med J* 2017;32:284–90.
- Karimi M, Brazier J. Health, health-related quality of life, and quality of life: what is the difference? *Pharmacoeconomics* 2016;34: 645–9.
- Moorthy LN, Peterson MG, Harrison MJ, Onel KB, Lehman TJ. Quality of life in children with systemic lupus erythematosus: a review. *Lupus* 2007;16:663–9.
- Gannoni AF, Shute RH. Parental and child perspectives on adaptation to childhood chronic illness: a qualitative study. *Clin Child Psychol Psychiatry* 2010;15:39–53.
- Louthrenoo O, Krairojananan J, Chartapisak W, Opastirakul S. Psychosocial functioning of children with systemic lupus erythematosus. *J Paediatr Child Health* 2012;48:1091–4.
- Bai G, Herten MH, Landgraf JM, Korfage IJ, Raat H. Childhood chronic conditions and health-related quality of life: findings from a large population-based study. *PLoS One* 2017;12: doi: 10.1371/journal.pone.0178539.

17. Pinquart M, Shen Y. Behavior problems in children and adolescents with chronic physical illness: a meta-analysis. *J Pediatr Psychol* 2011;36:1003-16.
18. Jolly M, Toloza S, Goker B, Clarke AE, Navarras SV, Wallaces D, et al. Disease-specific quality of life in patients with lupus nephritis. *Lupus* 2017;27:257-64.
19. Turkel S, Pao M. Late consequences of chronic pediatric illness. *Psychiatr Clin North Am* 2007;30:819-835.
20. Knight A, Kogon AJ, Matheson MB, Warady BA, Furth SL, Hooper SR. Cognitive function in children with lupus nephritis: a cross-sectional comparison with children with other glomerular chronic kidney diseases. *J Pediatr* 2017;189:181-8.
21. Pluchinotta FR, Schiavo B, Vittadello F, Martini G, Perilongo G, Zulian F. Distinctive clinical features of pediatric systemic lupus erythematosus in three different age classes. *Lupus* 2007;16:550-5.
22. Sato VA, Marques ID, Goldenstein PT, Carmo LP, Jorge LB, Titan SM, et al. Lupus nephritis is more severe in children and adolescents than in older adults. *Lupus* 2012;21:978-83.
23. Teo S, Lu PY, Liu ID, Yap HK. Management of Lupus nephritis in children. In: Yap HK, Liu ID, Ng KH, editors. *Pediatric nephrology on the go*. 3rd ed. Singapore: Shaw-NKF-NUH Children's Kidney Center; 2018;p.295-313.
24. Tse KC, Tang CS, Lio WI, Lam MF, Chan TM. Quality of life comparison between corticosteroid-and-mycophenolate mofetil and corticosteroid- and-oral cyclophosphamide in the treatment of severe lupus nephritis. *Lupus* 2006;15:371-9.
25. Tian SY, Silverman ED, Pullenayegum E, Brown PE, Beyene J, Feldman BM. Comparative effectiveness of mycophenolate mofetil for the treatment of juvenile-onset proliferative lupus nephritis. *Arthritis Care Res* 2017;69:1887-94.
26. Hiraki LT, Lu B, Alexander SR, Shaykevich T, Alarcon GS, Solomon DH, et al. End-stage renal disease due to lupus nephritis among children in the US, 1995-2006. *Arthritis Rheum* 2011;63:1988-97.
27. Gerson AC, Wentz A, Abraham AG, Mendley SR, Hooper SR, Butler RW, et al. Health related quality of life of children with mild to moderate chronic kidney disease. *Pediatrics* 2010;125:e349-57.



**KOMITE ETIK PENELITIAN KESEHATAN
RSUD Dr. SOETOMO SURABAYA**

**KETERANGAN KELAIKAN ETIK
(" ETHICAL CLEARANCE ")**

109 / Panke.KKE/ II / 2017

KOMITE ETIK RSUD Dr. SOETOMO SURABAYA TELAH MEMPELAJARI SECARA SEKSAMA RANCANGAN PENELITIAN YANG DIUSULKAN, MAKA DENGAN INI MENYATAKAN BAHWA PENELITIAN DENGAN JUDUL :

" Quality of Life Pasien Anak dengan Lupus Nefritis di RSUD Dr. Soetomo Surabaya "

PENELITI UTAMA : Lasmauli Situmorang, dr

PENELITI LAIN : 1. Rizka Yulianti, dr

- 2. Prof. Mohammad Sjaifullah Noer, dr., Sp.A (K)**
- 3. Dr. Ninik Asmaningsih Soemyarso, dr., MM.Paed., Sp,A (K)**
- 4. Risky Vitria Prasetyo, dr., Sp.A (K)**
- 5. Muhammad Riza Kurniawan, dr., Sp.A**
- 6. Dr. Ahmad Suryawan, dr., Sp.A (K)**

UNIT/ LEMBAGA/ TEMPAT PENELITIAN : RSUD Dr. Soetomo Surabaya

DINYATAKAN LAIK ETIK

SURABAYA, 24 FEB 2017



**(Dr. Elizeus Hanindito, dr., Sp.An. KIC.KAP)
NIP. 19511007 197903 1 002**