Source details

Scopus Preview

IOP Conference Series: Earth and Environmental Science

CiteScore 2020 0.5

1

Scopus coverage years: from 2010 to Present

ISSN: 1755-1307 E-ISSN: 1755-1315

Subject area: (Environmental Science: General Environmental Science)

SIR 2020 0.179

1

(Earth and Planetary Sciences: General Earth and Planetary Sciences)

SNIP 2020

(Physics and Astronomy: General Physics and Astronomy)

Source type: Conference Proceeding

0.436

View all documents >

Set document alert

Save to source list Source Homepage

1

CiteScore

CiteScore rank & trend

Scopus content coverage

Improved CiteScore methodology

CiteScore 2020 counts the citations received in 2017-2020 to articles, reviews, conference papers, book chapters and data papers published in 2017-2020, and divides this by the number of publications published in 2017-2020. Learn more >

CiteScore 2020

25,463 Citations 2017 - 2020

49,883 Documents 2017 - 2020

Calculated on 05 May, 2021

CiteScoreTracker 2021 ①

29,099 Citations to date 62,359 Documents to date

Last updated on 04 July, 2021 - Updated monthly

CiteScore rank 2020 ①

Category	Rank	Percentile	
Environmental Science	#183/220	17th	
— General Environmental Science			
Earth and Planetary Sciences	#157/186	15th	
— General Earth			

View CiteScore methodology > CiteScore FAQ > Add CiteScore to your site &

About Scopus

What is Scopus Content coverage Scopus blog Scopus API Privacy matters

Language

日本語に切り替える 切换到简体中文 切換到繁體中文 Русский язык

Customer Service

Help Contact us also developed by scimago:





Scirnago Journal & Country Rank Enter Journal Title, ISSN or Publisher Name

Home

Journal Rankings

ISSN

Country Rankings

Viz Tools

Help

About Us

INFORMATION

IOP Conference Series: Earth and Environmental Science

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
United Kingdom Universities and research institutions in United Kingdom	Earth and Planetary Sciences Earth and Planetary Sciences (miscellaneous)	IOP Publishing Ltd.	26
	Environmental Science Environmental Science (miscellaneous)		

Conferences and	17551307, 17551315	2010-2020	Homepage
Proceedings			How to publish in this journal
			ees@ioppublishing.or
			g


COVERAGE

SCOPE

PUBLICATION TYPE

The open access IOP Conference Series: Earth and Environmental Science (EES) provides a fast, versatile and cost-effective proceedings publication service.

Q Join the conversation about this journal



40k

G SCImago Graphica

Explore, visually communicate and make sense of data with our new free tool.

Get it



Metrics based on Scopus® data as of April 2021

A Alharia Dinata 2 months ago

IOP Conference Series: Earth and Environmental Science - Volume 708 is not available in Scopus.

reply



Melanie Ortiz 2 months ago

Dear Alharia,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support:

https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/Best Regards, SCImago Team

√ Vani 3 months ago

good evening, whether this journal is Q4 or Q2?

reply



Melanie Ortiz 3 months ago

SCImago Team

PAPER · OPEN ACCESS

Peer review statement

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 011004

View the article online for updates and enhancements.

doi:10.1088/1755-1315/217/1/011004

Peer review statement

All papers published in this volume of *IOP Conference Series: Earth and Environmental Science* have been peer reviewed through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.

PAPER • OPEN ACCESS

The 12th Congress of Indonesian Society for Biochemistry and Molecular Biology in Conjunction With The 2nd International Conference "Collaboration Seminar of Chemistry and Industry (CoSCI)" and AnMicro Workshop

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 011001

View the article online for updates and enhancements.

You may also like

- Integrative Applications of Microbial Biotechnology to Cultural Heritages Conservation and Promotion M Marvasi
- Early-life oxidative stress due to air pollution. A scoping review focusing on identifying potential '-OMICS' biomarkers from body fluids
 J V F Coumans and S Al Jaaidi
- MAFODKM: Mobile Application
 Framework for the management of Omics
 Data and Knowledge Mining
- Data and Knowledge Mining
 O Oluwagbemi, Adewumi, S Misra et al.



Early registration pricing ends September 11

Register and join us in advancing science!



Learn More & Register Now!

doi:10.1088/1755-1315/217/1/011001

Preface

Second International Conference "Collaboration Seminar of Chemistry and Industry (CoSCI 2018) in conjunction with 23rd Indonesian Society for Biochemistry and Molecular Biology (ISBMB) seminar was taken place at Universitas Airlangga, Surabaya-Indonesia on October 11-12, 2018. The event presented a theme" Recent Development of Omics Technology For Human Prosperity".

"Omics is a general term for a broad discipline of science and engineering for analyzing the interactions of biological information objects in organism. The main focus is on: 1) mapping information objects such as genes, proteins, and ligands; 2) finding interaction relationships among the objects; 3) engineering the networks and objects to understand and manipulate the regulatory mechanisms; and 4) integrating various omes and omics subfields.

The event was held to facilitate for the scientists, scholars, engineers and students from universities, research institutes and industries to present ongoing research activities, especially in Biochemistry, Biology, Chemistry, Medicine and other in related fileds. It was also to encourage future collaboration among all participants.

The conference of CoSCI and ISBMB created proceedings from the papers that were submitted by participants, after they were reviewed by committee members and international reviewers. This volume intends to provide readers with the recent advances in the Omics Technology such as Chemistry, Biochemistry and Molecular Biology, and Medicine field.

We would like to thank to all authors who contributed to the proceedings and also to the organizing committee, reviewers, speakers, sponshor, and all the conference participants for their supporting in the conference of CoSCI 2018 and 23rd Seminar of ISBMB.

Dr. Purkan, M.Si

Department of Chemistry, Faculty of Science and Technology, Universitas Airlangga, Surabaya, Indonesia, Nov. 10, 2018

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

PAPER • OPEN ACCESS

Committee

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 011002

View the <u>article online</u> for updates and enhancements.

You may also like

- <u>11th Joint Conference on Chemistry in Conjunction with the 4th Regional Biomaterials Scientific Meeting</u>
- International Conference on Food Science and Engineering 2016
- <u>Synthesis and properties of</u>
 <u>Rb₂GeF₆:Mn⁴⁺ red-emitting phosphors</u>
 Shono Sakurai, Toshihiro Nakamura and
 Sadao Adachi



244th ECS Meeting

Gothenburg, Sweden • Oct 8 – 12, 2023

Early registration pricing ends September 11

Register and join us in advancing science!



Learn More & Register Now!

IOP Conf. Series: Earth and Environmental Science 217 (2019) 011002 doi:10.1088/1755-1315/217/1/011002

COMMITTEE

The Chairman

- 1. Dr. Purkan, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia.
- 2. Dr. Sri Sumarsih, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia

Steering Committee

- 1. Dr. Abdulloh, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 2. Dr. Alfinda Novi Kristanti, DEA (Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 3. Dr. Ni'matuzarroh, M.Si, Biology Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 4. Satya Candra Wibawa Sakti, M.Sc, Ph.D, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 5. Harsasi Setyawati, S.Si, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 6. Ahmadi Jaya Permana, S.Si, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 7. Kautsar Ul Haq, S.Si, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 8. Dr. Rico Ramadhan, M.Sc, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 9. Dr. Indeswati Diyatri, drg., M.S, Faculty of Dentistry, Universitas Airlangga
- 10. Dr. Dian Mulawarmanti, drg., M.S, Faculty of Dentistry, Hang Tuah University, Surabaya Indonesia

Scientific Committee

Editors:

- 1. Ali Rohman, M.Si, Ph.D, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 2. M. Zakki Fahmi, M.Si, Ph.D, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 3. Dr. Verawat Champreda, M.Sc, National Center for Genetic Engineering and Biotechnology (BIOTEC), Thailand
- 4. Dr. Sehanat Prasongsuk, Department of Botany, Chulangkorn Universty, Thailand

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. 1

doi:10.1088/1755-1315/217/1/011002

Reviewers:

- 1. Prof. Ni Nyoman Tri Puspaningsih, M.Si, Biochemistry Research Division, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 2. Prof. dr. Soetjipto, MS., Ph.D, Biochemistry Department, Faculty of Medicine, Universitas Airlangga
- 3. Prof. Seung Wook Kim, Dept of Chemical and Biological Eng, Korea University
- Prof. Rendy Kartika, Chemistry Department, Lousiana State University, Baton Rouge,
 LA
- 5. Prof. Hunsa Punnapayak, Department of Botany, Chulalongkorn University, Thailand
- 6. Prof. Antonius Suwanto, Division of Microbiology, Institut Pertanian Bogor, Indonesia
- 7. Prof. Dessy Natalia, Biochemistry Research Division, Faculty of Mathematics and Natural Sciences, Institut Teknologi Bandung, Indonesia
- 8. Prof. Dr, Suraini Abdul Aziz, Faculty of Biotechnology and Biomolecular Sciences, University Putra Malaysia
- Prof. Afaf Baktir, Biochemistry Research Division, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- Dr. Mulyadi Tanjung, M.Si, Natural Product Research Division, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 11. Tjitjik Srie Tjahjandarie, Ph.D, Natural Product Research Division, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 12. Prof Fedik Rantam, Stem Cell Research Division, Faculty of Veterinary, Universitas Airlangga, Indonesia
- 13. Prof. Yosephine Sri Wulan Manuhara, Biology Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 14. Dr. Hery Suwito, M.Si (Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- Dr. Nanik Siti Aminah, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- 16. Dr. rer. nat. Ganden Supriyanto, M.,Sc, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia
- Dr. Pratiwi Pudjiastuti, M.Si, Chemistry Department, Faculty of Science and Technology, Universitas Airlangga, Indonesia

PAPER • OPEN ACCESS

Conference Photographs

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 011003

View the article online for updates and enhancements.

You may also like

- NEW ASSOCIATIONS OF GAMMA-RAY SOURCES FROM THE FERMI SECOND SOURCE CATALOG Frank K. Schinzel, Leonid Petrov, Gregory B. Taylor et al.
- Committee
- KAPPA: A PACKAGE FOR SYNTHESIS OF OPTICALLY THIN SPECTRA FOR THE NON-MAXWELLIAN -DISTRIBUTIONS BASED ON THE CHIANTI DATABASE

Elena Dzifáková, Jaroslav Dudík, Pavel Kotr et al.



244th ECS Meeting

Gothenburg, Sweden • Oct 8 – 12, 2023

Early registration pricing ends September 11

Register and join us in advancing science!



Learn More & Register Now!

IOP Conf. Series: Earth and Environmental Science 217 (2019) 011003 doi:10.1088/1755-1315/217/1/011003

2^{nd} International Conference "Collaboration Seminar of Chemistry and Industry (CoSCI) in conjunction with 23rd Indonesian Society for Biochemistry and Molecular Biology (ISBMB) seminar


October 11-12, 2018, Universitas Airlangga, Surabaya






Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

IOP Conf. Series: Earth and Environmental Science 217 (2019) 011003 doi:10.1088/1755-1315/217/1/011003





PAPER • OPEN ACCESS

Peer review statement

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 011004

View the <u>article online</u> for updates and enhancements.

You may also like

- Peer review declaration
- Peer review declaration
- Peer review declaration



Gothenburg, Sweden • Oct 8 – 12, 2023

Early registration pricing ends September 11

Register and join us in advancing science!



Learn More & Register Now!

doi:10.1088/1755-1315/217/1/011004

Peer review statement

All papers published in this volume of *IOP Conference Series: Earth and Environmental Science* have been peer reviewed through processes administered by the proceedings Editors. Reviews were conducted by expert referees to the professional and scientific standards expected of a proceedings journal published by IOP Publishing.



Table of contents

Volume 217

2019

◆ Previous issue

Next issue >

The 12th Congress of Indonesian Soc. for Biochemistry and Molecular Biology in Conjunction With The 2nd Int. Conf. "Collaboration Seminar of Chemistry and Industry (CoSCI)" and AnMicro Workshop 11-12 October 2018, Universitas Airlangga, Indonesia

Accepted papers received: 21 November 2018

Published online: 09 January 2019

Open all abstracts

Preface			
OPEN ACCESS			01100
	The 2nd Internationa	ty for Biochemistry and Mole Conference "Collaboration S	cular Biology in eminar of Chemistry and Industry
+ Open abstract	View article	PDF	
OPEN ACCESS Committee			011002
+ Open abstract	View article	PDF	
OPEN ACCESS Conference Photogram	graphs		011003
+ Open abstract	View article	PDF	
OPEN ACCESS Peer review staten	nent		011004
+ Open abstract	View article	PDF	
Papers			
Chemistry			
OPEN ACCESS Facile Sol-Gel Syr	nthesis of Calcium Pl	osphates: Influence of Ca/P R	01200) atio and Calcination
Temperatures cooki		se this site you agree to our use	

+ Open abstract View article PDF OPEN ACCESS 012002 Determination of Brønsted Acid Sites In Porous Aluminosilicate Solid Catalysts Using Volumetric And Potentiometric Titration Method A Purwaningsih, A N Kristanti, D Z Mardho, D W Saraswati, N M Putri, N H Saputri and Hartati View article PDF + Open abstract OPEN ACCESS 012003 Carbon Paste Electrode Modified Imprinted Zeolite as a Selective Sensor for Creatine Analysis by Potentiometry A. Athiroh, T Fadillah, D F Damayanti, A A Widati, A Abdulloh and M Khasanah View article + Open abstract PDF OPEN ACCESS 012004 Voltammetric Study of Ascorbic Acid Using Polymelamine/Gold Nanoparticle Modified Carbon Paste Electrode A N Farida, E Fitriany, A Baktir, F Kurniawan and M Harsini View article + Open abstract PDF OPEN ACCESS 012005 Synthesis of Silver Nanoparticles and the Development in Analysis Method H I Badi'ah, F Seedeh, G Supriyanto and A H Zaidan View article PDF + Open abstract OPEN ACCESS 012006 Two Flavonoids From Stem Bark of Casimiroa edulis and Their Antidiabetic and Antioxidant Activities K N W Tun, N S Aminah, A N Kristanti, R Ramadhan and Y Takaya + Open abstract View article PDF OPEN ACCESS 012007 Graphene Oxide from Bagasse/Magnetite Composite: Preparation and Characterization M Jannatin, G Supriyanto, Abdulloh, W A W Ibrahim and N K Rukman + Open abstract View article PDF OPEN ACCESS 012008 GO-Fe₃O₄ Nanocomposite from coconut shell: Synthesis and characterization N K Rukman, M Jannatin, G Supriyanto, M Z Fahmi and W A W Ibrahim + Open abstract View article PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

https://iopscience.iop.org/issue/1755-1315/217/1

sep our Privacy and Cookies policy.

012009

OPEN ACCESS	012046
Broccoli Extract (<i>Brassica oleracea</i>) Decrease Periarticular Malondialdehyd Disease Activity Score in Rats (<i>Rattus norvegicus</i>) with Adjuvant Arthritis	le Level and
S Prabowo	
+ Open abstract	
OPEN ACCESS	01204
Synthesis of Aldehyde-Silica Nanoparticle for Matrix Immobilization of Endo xylanase	-β-1,4-D-
A A I Ratnadewi, S Trissa, Suwardiyanto, W Handayani, A B Santoso and Sudark	0
+ Open abstract	
Medicine	
OPEN ACCESS	012048
Counselling and Screening of Hepatitis B Virus Infection In Dukuh Kupang C Pakis District, Surabaya	ommunity, Dukuh
C D K Wungu, S Khaerunnisa, I Humairah, L Lukitasari, E Qurnianingsih, G I Pra	bowo, Sudarno, R Handajani
and Suhartati	
+ Open abstract	
OPEN ACCESS Correlation Between Oxidative Stress With Clinical Symptoms In Chronic Sor Patients In Psychiatric Unit of Dr Soetomo General Hospital Surabaya	chizophrenic 012049
G I Prabowo, M M Maramis, E Yulianti, A Zulaikha, Z B Syulthoni, C D K Wungu	ı, H M Margono and
R Handajani	
+ Open abstract	
OPEN ACCESS	012050
Antigenic Protein Profile of Streptococcus mutans Biofilm For Developing of and Periodontal Disease Risk Biomarker	f Dental Caries
M Ni'mah, I L Kriswandini and A Baktir	
+ Open abstract	
OPEN ACCESS	01205
Detection Of Hepatitis C Virus (Hcv) Infection And Its Genotype In Patients Outpatient Clinic, Dr Soetomo General Hospital, Surabaya.	At Hepatology
R Handajani, C D K Wungu, I Humairah, G I Prabowo, U Cholili, M Amin, P B So	etiawan and Soetjipto
+ Open abstract	
OPEN ACCESS	012052
Endothelial Dysfunction Improvement Mechanism By Hyperbaric Oxygen In This site uses cookies. By continuing to use this site you agree to our use of cook By High-Cholesterol Diet see our Privacy and Cookies policy.	Sprague Dawley cles. To find out more,

+ Open abstract	View article	PDF	
OPEN ACCESS			012060
The Effect of Sticop Diabetic Periodonti		rbaric Oxygen Therapy to Inflammatory Response of	
D Mulawarmanti, K	Parisihni and Widyas	tuti	
+ Open abstract	View article	PDF	
OPEN ACCESS			012061
		rculosis Bacteria with TB Antigen MPT64 Rapid Test	
Pariaman	n Suspect Pulmona	ry Tuberculosis in Lubuk Alung Pulmonary Hospital, Padang	
E Bahar and A E Put	га		
+ Open abstract	View article	PDF	
OPEN ACCESS			012062
Hypoxia increased but not to renin exp		om membrane damages is highly correlated to HIF-1a	
A R Prijanti, F C Isw	anti, F Ferdinal, S V	V A Jusman, R R Soegianto, S I Wanandi and M Sadikin	
+ Open abstract	View article	PDF	
JOURNAL LINKS			
Journal home			
Journal scope			
Information for orga	nizers		
Information for author	ors		
Contact us			

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Reprint services from Curran Associates

PAPER · OPEN ACCESS

Correlation Between Oxidative Stress With Clinical Symptoms In Chronic Schizophrenic Patients In Psychiatric Unit of Dr Soetomo General Hospital Surabaya

To cite this article: G I Prabowo et al 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 012049

View the article online for updates and enhancements.



IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STFM research

Start exploring the collection - download the first chapter of every title for free.

PAPER • OPEN ACCESS

Correlation Between Oxidative Stress With Clinical Symptoms In Chronic Schizophrenic Patients In Psychiatric Unit of Dr Soetomo General Hospital Surabaya

To cite this article: G I Prabowo et al 2019 IOP Conf. Ser.: Earth Environ. Sci. 217 012049

View the article online for updates and enhancements.



IOP ebooks™

Bringing you innovative digital publishing with leading voices to create your essential collection of books in STEM research.

Start exploring the collection - download the first chapter of every title for free.

Correlation Between Oxidative Stress With Clinical Symptoms In Chronic Schizophrenic Patients In Psychiatric Unit of Dr Soetomo General Hospital Surabava

G I Prabowo^{1*}, M M Maramis², E Yulianti², A Zulaikha², Z B Syulthoni², C D K Wungu¹, H M Margono², R Handajani^{1,3}

doi:10.1088/1755-1315/217/1/012049

- 1. Department of Medical Biochemistry, Faculty of Medicine, Universitas Airlangga
- 2. Psychiatry Unit, Dr Soetomo General Hospital, Surabaya
- 3.Institute of Tropical Disease Universitas Airlangga

Abstract. Background: Schizophrenia is a psychiatric disorder found worldwide, including Indonesia. In people with schizophrenia, there is an increase in Reactive Oxygen Species (ROS) / Reactive Nitrogen Species (RNS) production and / or a decrease in antioxidants which results in oxidative stress that can be detected by measuring F2-isoprostane levels as gold standard tests. Oxidative stress results in disruption of neuronal function. It is associated with the severity of clinical symptoms of schizophrenia which can be measured by Positive and Negative symptom Scale (PANSS). The purpose of this study was to determine the association between F2isprostane levels and clinical symptoms of schizophrenia.

Methods: This study was an observational analysis study with a case-control study design in 30 people with chronic schizophrenic Javanese patients and 30 healthy Javanese people as the control group with equal sex and age. In all study subjects, F2-isoprostane level was examined by ELISA technique, while PANNS scoring was only measured for people with chronic schizophrenic.

Results: Total PANNS scores in male schizophrenic patients (40.71 \pm 16.07) were higher than female schizophrenic patients (40.31 ± 11.42). Plasma F2-isoprostane level in schizophrenic group (171.69 \pm 14.62) was significantly higher (p <0.05) when compared to control group (92.54 ± 8.08) .

Conslusion: In this study we found a significant increase of plasma F2-isoprostane level in schizophrenic patients compared with control group. The F2 isoprostane level in schizophrenic patient were not related to the severity of schizophrenia clinical symptoms.

Keyword: PANSS score; schizophrenia; oxidative stress; F2-isoprostane

1. Introduction

Schizophrenia is a worldwide health problem, because it can be found in all society and various geographical areas with a life time prevalence around 1% [1]. According to 2013 Basic Health Research data in Indonesia, the schizophrenia prevalence is 1.7 per 1000 population [2].

Schizophrenia is a complex and chronic severe mental disorder, characterized by various clinical The underlying mechanisms of symptoms, disease progression and response to therapy [3]. schizophrenia are still not entirely clear, some evidence suggests that this disease is related to a multifactorial and polygenic etiology. One of the important factors that play an important role in schizophrenia occurrence are oxidative stress [4].

In schizophrenic patients, the increased of Reactive Oxygen Species (ROS) / Reactive Nitrogen Species (RNS) and / or decreased antioxidants production can result to oxidative stress that causes viability disruption and disfunction of neuronal cells [4,5].

The brain is an organ very sensitive to oxidative stress damage, because in physiological conditions it contains phospholipids and unsaturated fatty acids [6]. In schizophrenic brain tissue, there is some change in phospholipids, including: a decrease in phosphatidylcholine and phosphatidylethanolamine

^{*} gwenny-i-p@fk.unair.ac.id

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. 1

doi:10.1088/1755-1315/217/1/012049

and a large amount of lipofuscin-like material in oligodendrocytes. The presence of lipofuscin-like material on the cell membrane results in unstable cell membrane structure and permeability and fluidity cell membrane disruption that causes the interference of signal transduction [7].

Oxidative stress in schizophrenic people, mainly occurs in brain tissue [4,7], because the oxygen consumption is ten times higher when compared to the other tissues, high oxidative phosphorylation activity, changes in antioxidant activity in the brain, high dopamine auto oxidation [7], contain many metals (*Ferrous, Zinc, Cobalt* dan *Mangan*) and the high rate of catecholamine metabolism activity, which contributes to the formation of ROS / RNS [5]. In addition, the brain tissue neuron has prolonged life and the presence of nitric oxide in the brain tissue also plays a dominant role in ROS generating. Neurons are highly susceptible to free radicals toxic effect, because many neuronal membranes contain Polyunsaturated Fatty Acids (*PUFA*) [4,8].

Reactive Oxygen Species (ROS) can cause lipid peroxidation which can damage the cell membranes lipid components. The ROS levels in human body are very difficult to detect, because they have very short half-life. Damage to cell membrane lipid components due to lipid peroxidation reaction can be detected by many methods, for instance by measuring levels of malondialdehide and F2-isoprostane [9].

The oxidative stress level in schizophrenic patients widely varies and may be related to clinical symptoms severity and therapy effectiveness. Clinical symptoms measurement can be performed by PANSS scoring. Taking into account the above matters, the purpose of this study was to examine the levels of F2 isoprostane and PANSS scoring, to analyze the relationship between the levels of oxidative stress and clinical symptoms in chronic schizophrenic patients at the Psychiatric Unit of Dr. Soetomo General Hospital Surabaya.

2. Experimental Methods

This study was an observational research to detect the plasma level of F2-isoprostane in chronic schizophrenic patients at Psychiatric Unit of Dr. Soetomo General Hospital Surabaya. Its research design was case-control study.

The diagnosis of schizophrenia based on psychiatric history and mental checkup by psychiater and were conducted under the Guidance of Mental Disorder Categorization and Diagnosis in Indonesia III (PPDGJ 3rd edition) [10] and the criteria of Positive and Negative Symptom Scale (PANSS) [11].

Subjects in this study were schizophrenic patients enrolled from the Psychiatric Unit of Dr. Soetomo General Hospital Surabaya. They had to meet some inclusion criterias: age of \geq 18 years old, Javanese, male and female schizophrenic patients, being diagnosed with schizophrenia, and having persistent symptoms at least for 6 months.

Families of schizophrenic patients / control subjects who were willing to take part in this study first filled out the informed consent form. The population of schizophrenia patients diagnosed by a psychiatrist in the Psychiatric unit of the RSUD Dr. Soetomo Surabaya during the period of 4 months was obtained as many as 355 subjects. After questionnaires and laboratory examinations for screening the history of the disease, 30 subjects were got according to the inclusion criteria.

Blood sampling was conducted after obtaining an ethical clearance from the research ethics committee of Dr. Soetomo General Hospital Surabaya. Prior to the research, the families of schizophrenic patients were given an explanation about the research and asked to sign an Informed Consent statement.

The blood samples were collected from schizophrenic patients and put into 5 mL vacutainer with EDTA anticoagulant. The examination of F2 isoprostane in blood plasma used 8-iso-PGF2α ELISA kit (abcam, ab 175819), performed by Enzyme Linked Immunosorbent Assay (ELISA)

3. Results

In all study subjects, data collection was collected by gender, mean \pm standard deviation (SD) and age range with year units. A summary of data on gender, mean \pm SD and age range of study subjects (Table 1)

CoSCI - PBBMI IOP Publishing

IOP Conf. Series: Earth and Environmental Science 217 (2019) 012049

doi:10.1088/1755-1315/217/1/012049

G 1	27.50/7	Chronic Schi Age (Years)		zophrenia	Control Age (Years)	
Gender	N [%]	Mean ± S		Age range	Mean ± SD	Age range
Male	17 (57,0%)	38,53 10,32	±	25 - 55	38,94 ± 10,08	25 - 56
Female	13 (43,0%)	41,08 7,44	±	31 - 55	$41,15 \pm 7,13$	32 - 53
Total [%]	30 (100,0%)	39,63 9,13	±	25 - 55	$39,90 \pm 9,31$	25 - 56

Table 1. Gender distribution, mean \pm SD and age range of research subject

In this study, PANSS scores were only assessed in the chronic schizophrenic group. A summary of gender distribution data and PANSS scores in chronic schizophrenic patients (Table 2)

Table 2.	Gender distribution and	PANSS score	in chronic schizo	phrenic patients

PANSS	Positive (P)	Negative (N)	General (G)	Total (T)	
Gender	Mean ± SD /range				
Male	10,71 ± 4,98 (7-20)	9,88 ± 5,18 (7-28)	20,12 ± 8,24 (16-49)	40,71 ± 16,07 (28-87)	
Female	9,62 ± 2,87 (7-15)	$10,62 \pm 6,74$ (7-28)	20,08 ± 3,90 (16-28)	$40,31 \pm 11,42$ (30-68)	
N total	$10,23 \pm 4,17$ (7-20)	$10.20 \pm 5,81$ (7-28)	20.10± 6,61 (16-49)	40,53± 14,02 (28-87)	

Note: P: total positive symptom score, N: total negative symptom score, G: total general symptom score, T: total score (P+N+G)

In chronic schizophrenic group of men in this study, the total mean of positive symptom score, total general symptom score and total score was higher than female. In chronic schizophrenic group the total mean of negative symptom score was higher than men and in further statistic analysis, the difference was not significant (p>0.05).

In this study, levels of F2-isoprostane in the chronic schizophrenia group were higher than in the control group and F2-isoprostane levels in women were higher than in men. F2-isoprostane levels in the study subjects (Table 3).

Table 3. F2-isoprostane level in research subject

F2-Isoprostane (ng/mL)	level	N	Minimum	Maximum	Mean <u>+</u> SD	p value
Chronic Schizophrenia	Male Female	17 13	152,28 154,07	197,65 201,22	166,94 ± 13,75 177,90 ±	0,079
	Subtotal	30	152,28	201,22	13,81 171,69 ± 14,62	
Control	Male Female Subtotal	17 13 30	82,01 82,01 73,49	99,83 99,82 99,83	$95,51 \pm 5,00$ $88,66 \pm 9,78$ $92,54 \pm 8,08$	0,072

doi:10.1088/1755-1315/217/1/012049

The results of the analysis showed differences in F2-isoprostane levels between the chronic schizophrenic group and the control group (p <0.05). In men and women with chronic schizophrenia, there was no difference in F2-isoprostane levels (p>0,05).

In patients with schizophrenia, oxidative damage is associated with a worse clinical outcome. To evaluate clinical outcomes in chronic schizophrenic patients in this study we used PANSS scores. The correlation table between PANSS scores and F2-isoprostane levels in chronic schizophrenic patients (Table 4).

PANSS score Correlation P \mathbf{r}_{s} P 0,315 0,090 N 0,163 0,389 G 0,253 0,177 T 0,264 0,158

Table 4. The correlation between PANSS score and F2-isoprostane level

Note: P: total positive symptom score, N: total negative symptom score, G: total general symptom score, T: total score (P+N+G)

The results of statistical analysis showed no correlation between all PANSS score categories with F2-isoprostane levels (p>0,05).

4. Discussion

Oxidative stress will arise when there is an imbalance between oxidants and antioxidants [4]. Isoprostane is a biomarker gold standard for oxidative stress levels detection [9,12,1]. Isoprostane is a prostaglandin-like compound, which is formed from a nonenzymatic arachidonic acid peroxidation reaction. The increase of F2-isoprostane levels has a positive correlation with the severity of the disease, including schizophrenia[14].

In this study, the F2 isoprostane levels in chronic schizophrenic patients were significantly increased compared with the control group. The results of this study are supported by the results of previous studies, that obtained an increase of ROS production and decreased antioxidants in schizophrenic patients [4]. Direct evidence of oxidative injury in schizophrenic people is an increase of lipid peroxidation and protein modification [15]. The results of this study are in line with previous studies, which F2-isoprostane levels in women with chronic schizophrenic is higher (p> 0.05) when compared to men [15].

Brain tissue is strongly influenced by oxidative stress, because it has low antioxidant levels, high PUFA content, high oxygen demand [16] and high energy demand [15]. In eukaryotic cells organisms, mitochondria produces about 95% of energy that we needs and 5 % ROS as by product are produced [15]. High mitochondria are found in brain tissue, due to high brain energy requirements [15]. Hypothesis from the previous studies states that the occurrence of various processes which take place in mitochondria are changed in schizophrenic patients, for example: changes in calcium homeostasis, transport of neurotransmitter, synaptic plasticity and exacerbations of ROS production [15].

The increase of ROS does not occur in the early stages of schizophrenia development, because of some key processes of the oxidative stress response, for example: impaired purine catabolism that causes DNA damage, impaired energy production, genetic disorders and new protein expression occurs in the later stages. In the advanced stages, increasing ROS can cause apoptosis which causes cell death and neuronal plasticity disorders and disrupt neurotransmission, so the manifestation of schizophrenic symptoms generally occurs during early adulthood [15].

Evidence that Oxidative stress can induce apoptosis is a disorder of glutamate metabolism that induces a decrease in glutathione in immature embryonic cortical neurons. Decreased glutathione can cause chromatin hypercondensation and fragmentation into spherical and irregular forms, accompanied by the formation of [17] multiple oligonucleosome DNA fragments that mark apoptosis [18].

doi:10.1088/1755-1315/217/1/012049

Increased oxidative stress in schizophrenia is a trigger for the onset of an inflammatory process. Oxidative stress and inflammation both underlie the emergence of a pathology process in people with schizophrenia [16]. The reports of oxidative stress biomarker measurement in schizophrenic patients when compared with the control group from previous researchers have inconsistent results [19].

The results of this study reinforce that in chronic schizophrenic patients there is damage due to oxidative stress that occurs by an increase in oxidative stress and a decrease in the body's ability to protect oxidative stress [15]. Nonetheless, F2 isoprostane is not a specific biomarker for schizophrenia, because the clinical symptoms in schizophrenic people are influenced by some factors, as genetic factors, environmental factors and antipsychotic drugs used by the patients [15].

The increased of oxidative stress in schizophrenic people is related with the dopamine metabolic disorders, the abnormal electron transport chains in mitochondria and the genetic changes [7]. It affects the cell-signaling cascades which regulate several neurotransmitter systems [20]. Changes in neurotransmitters metabolism can affect the oxidative stress and modify the function of cell membranes [15].

Oxidative stress that occurs in schizophrenic people can be related to side effects induced by typical antipsychotic drugs. Other researchers found that the administration of long term typical or atypical antipsychotic therapy in schizophrenic people did not reveal any differences in oxidative stress biomarkers [7].

The severity of clinical symptoms in schizophrenic people does not have an association with oxidative stress [21]. Oxidative damage in schizophrenic patients related to worse clinical outcomes [15] and because of the complication of antipsychotic drugs [22]. The inconsistent result of this study with the previous research because of the clinical symptoms in schizophrenic patients are influenced by multifactorial, such as: genetic factors, environmental factors and the type of antipsychotic and the used of antipsychotic period [19].

The results of this study can be used as a basis for the development of additional antioxidant therapies to anticipate oxidative damage and clinical sequelae in schizophrenic patients [15].

5. Conclusions

Oxidative stress is supposed to have important role in the pathophysiology of schizophrenia, because this research found that *F2-isoprostane* level in schizophrenic group was higher than control group, but it had no association with severity of clinical symptoms. In this research we found no significant difference of PANSS score and F2 isoprostane level between women and men in schizophrenic patients.

References

- [1] O'Donovan, M. C. *et al.* (2003) 'Recent advances in the genetics of schizophrenia', *Human molecular genetics*, 12 Spec No(2), pp. R125-33. doi: 10.1093/hmg/ddg302.
- [2] Riset Kesehatan Dasar (2013) Prevalensi Gangguan Jiwa Berat berdasarkan Provinsi.
- [3] Sadock BJ, S. V. (2013) Kaplan and Sadock's Concise Textbook of CLinical Psychiatry. 2nd edn. Kedokteran EGC.
- [4] Fendri, C. *et al.* (2006) 'Oxidative stress involvement in schizophrenia pathophysiology: a review', *L'Encephale*, 32(1), pp. 244–252. doi: 10.1016/S0013-7006(06)76151-6.
- [5] Bitanihirwe, B. K. Y. and Woo, T. U. W. (2011) 'Oxidative stress in schizophrenia: An integrated approach', *Neuroscience and Biobehavioral Reviews*, pp. 878–893. doi: 10.1016/j.neubiorev.2010.10.008.
- **[6]** Tylec, A. *et al.* (2007) 'Stress oxidative in schizophrenia', *Polski merkuriusz lekarski : organ Polskiego Towarzystwa Lekarskiego*, 23(133), pp. 74–77.
- [7] Bošković, M. *et al.* (2013) 'Oxidative stress in schizophrenia patients treated with long-acting haloperidol decanoate', *Psychiatry Research*, 210(3), pp. 761–768. doi: 10.1016/j.psychres.2013.08.035.
- [8] Gandhi, S. and Abramov, A. (2012) 'Mechanism of Oxidative Stress in Neurodegeneration', *Oxidative Medicine and Cellular Longevity*, 2012, p. 428010. doi: 10.1155/2012/428010.
- [9] Montuschi, P. (2004) 'Isoprostanes: markers and mediators of oxidative stress', *The FASEB Journal*, 18(15), pp. 1791–1800. doi: 10.1096/fj.04-2330rev.
- [10] Departemen Kesehatan Republik Indonesia (1993) Pedoman Penggolongan dan Diagnosis

doi:10.1088/1755-1315/217/1/012049

- Gangguan Jiwa di Indonesia. 1st edn. Jakarta.
- [11] Kay SR, F. A. and O. LA (1987) 'The positive & negative syndrome scale (PANSS) for schizophrenia', *Schizophrenia Bulletin*, 13.
- [12] Greco, A. and Minghetti, L. (2004) 'Isoprostanes as biomarkers and mediators of oxidative injury in infant and adult central nervous system diseases', *Current neurovascular research*, 1(4), pp. 341–354. doi: 10.2174/1567202043362036.
- [13] Kaviarasan, S. et al. (2009) 'F2-isoprostanes as novel biomarkers for type 2 diabetes: A review', Journal of Clinical Biochemistry and Nutrition, 45(1). doi: 10.3164/jcbn.08-266.
- [14] Li, S. et al. (2014) 'Blood and urine 8-iso-PGF2α levels in babies of different gestational ages', International Journal of Clinical and Experimental Medicine, 7(12), pp. 5477–5483.
- [15] Yao, J. K. and Reddy, R. (2011) 'Oxidative Stress in Schizophrenia: Pathogenetic and Therapeutic Implications', *Antioxidants & Redox Signaling*, 15(7), pp. 1999–2002. doi: 10.1089/ars.2010.3646.
- Yegin, A. *et al.* (2012) 'Increased oxidant stress and inflammation in patients with chronic schizophrenia', *International Journal of Clinical Medicine*, 03, pp. 368–376. doi: 10.4236/ijcm.2012.35070.
- [17] Bray, N. J. et al. (2003) 'A Haplotype Implicated in Schizophrenia Susceptibility Is Associated with Reduced COMT Expression in Human Brain', *The American Journal of Human Genetics*, 73(1), pp. 152–161. doi: 10.1086/376578.
- [18] Ratan, R. R., Murphy, T. H. and Baraban, J. M. (1994) 'Oxidative stress induces apoptosis in embryonic cortical neuron', *Journal of Neurochemistry*, 62(1), pp. 376–379. Available at: http://www.ncbi.nlm.nih.gov/pubmed/7903353.
- [19] Ciobica, A. *et al.* (2011) 'Oxidative stress in schizophrenia Focusing on the main markers', *Psychiatria Danubina*, 23(3), pp. 237–245.
- [20] Pitts, M. W., Raman, A. V. and Berry, M. J. (2011) 'Schizophrenia, oxidative stress and selenium', in *Selenium: Its Molecular Biology and Role in Human Health*, pp. 355–367. doi: 10.1007/978-1-4614-1025-6 28.
- [21] Gonzalez-Liencres, C. *et al.* (2014) 'Oxidative stress in schizophrenia: A case-control study on the effects on social cognition and neurocognition', *BMC Psychiatry*, 14(1), pp. 1–9. doi: 10.1186/s12888-014-0268-x.
- [22] Wu, J. Q., Kosten, T. R. and Zhang, X. Y. (2013) 'Free radicals, antioxidant defense systems, and schizophrenia.', *Progress in neuro-psychopharmacology & biological psychiatry*, 46, pp. 200–6. doi: 10.1016/j.pnpbp.2013.02.015.

Acknowledgments

The researchers would like to express their gratitude to Airlangga University for funding the research through the Annual Work Plan and Budget (Decree: 1500/UN3.14/LT/2017) and the Institute of Tropical Disease, Airlangga University Surabaya. We thank the participants who took part in this study. We also would like to thank M.Amin of the Institute of Tropical Disease who has helped us to examine the F2 isoprostane level.

Conflict of Interest

There is no conflict of interest.