




International  
Pharmaceutical  
Federation

# Pharmacy Education

an international peer review journal



[Home](#) / [Archives](#) / Vol. 21 No. 2 (2021): IAI Conference 2020[Open Journal Systems](#)

## Vol. 21 No. 2 (2021): IAI Conference 2020

We are pleased to confirm the publication of IAI Conference 2020.

**Published:** 28-07-2021



Part of the  
[PKP Publishing Services Network](#)

### IAI CONFERENCE: Adverse drug reactions associated with successful treatment of multidrug-resistant tuberculosis patients in Cempaka Putih Islamic Hospital Central Jakarta

Adin Hakim Kurniawan, Harpolia Cartika, Siti Aisyah (Author)

p. 15-21



### IAI CONFERENCE: Acute toxicity test of 96% ethanol extract of *Syzygium myrtifolium* leaves in white mice (*Mus musculus*)

Lusi Indriani, E. Mulyati Effendi, Kevin Christofer Fadillah (Author)

p. 201-204



### IAI CONFERENCE: Exploring pharmacist experience and acceptance for debunking health misinformation in the social media



p. 42-47

### IAI CONFERENCE: Comparing the quality of life of neuropathic patients treated with gabapentin and pregabalin at the neuropathic poly of the NTB provincial hospital in 2019

Nurul Qiyaam, Baiq Leny Nopitasari, Haerul Muhajji (Author)

p. 225-229



### IAI CONFERENCE: A pharmacoeconomic study: cost-utility analysis of modern wound dressings vs conventional wound dressings in patients with diabetic foot ulcer

Cyntiya Rahmawati, Baiq Leny Nopitasari (Author)

p. 71-76



### IAI CONFERENCE: Medicine management in districts and primary health care centres (PHC) in the national health insurance (JKN) programme

Raharni, Rini Sasanti, Yuyun Yuniar (Author)

p. 251-257



### IAI CONFERENCE: The evaluation of compounding prescription and its availability of a licensed product for children at a private hospital in Yogyakarta, Indonesia



p. 93-97

### IAI CONFERENCE: Proximate analysis on animal feed granules composed of raw material from fish innards wastes

Wahyuning Setyani, Christine Patramurti, Agatha Budi Susiana Lestari, Raysha Mcseer, Day Stella Maris Gewab, Maria Felix Zita Ina Bulu, Maria Regina Lusiana Kya (Author)

p. 281-286



### IAI CONFERENCE: The potential effect of the green coffee extract on reducing atherogenic index in hyperlipidemic

**rats**

Fransiska Maria Christianty, Fifteen Aprila Fajrin, Andrean Roni (Author) p. 126-131

**IAI CONFERENCE: Antibiotic use on paediatric inpatients in a public hospital in Bangil, Indonesia**

Ika Norcahyanti, Malikatur Rosyidah, Abdul Kadir Jaelani, Antonius N.W Pratama (Author) p. 163-167

**IAI CONFERENCE: Analysis of pharmacists' knowledge and attitude in the pharmaceutical industry of halal certification and their readiness to produce halal medicine**

Abdul Rahem, Mustofa Helmi Effendi, Hayyun Durrotul Faridah (Author) p. 1-7

**IAI CONFERENCE: Microencapsulation of Jeringau Rhizome essential oils (Acorus calamus L.) using  $\beta$ -Cyclodextrin**

Ledianasari, Deby Tristiyanti, Elva Maulydha Tanjung, Lovelyta Barani (Author) p. 189-194

**IAI CONFERENCE: Identification of herbal products used by families in the campus of Darussalam Gontor University**

Amal Fadholah, Solikah Ana Istikomah, Cania Sofyan Islamanda, Evi Rohana Ma'rufi Jannah (Author) p. 31-35

**IAI CONFERENCE: Effectiveness of combination of Moringa Leaf Extract (Moringa oleifera Lamk.) and Papaya Seed Extract (Carica papaya L.) in reducing blood sugar levels of diabetic rats**

Novi Ayuwardani, Yetti Hariningsih (Author) p. 215-219

**IAI CONFERENCE: Correlation between the level of knowledge of drug managers and drug management in several primary health centres in Malang regency**

Ayuk Lawuningtyas Hariadini, Nur Ishmah, Hananditia Rachma Pramestutie (Author) p. 61-66

**IAI CONFERENCE: Effectiveness of public service advertisements on the use of antibiotics in Pangkalpinang**

p. 241-245

**IAI CONFERENCE: In silico screening of mint leaves compound (Mentha piperita L.) as a potential inhibitor of SARS-CoV-2**

p. 81-86

**IAI CONFERENCE: The comparison of the actual cost to case-mix of type 2 diabetes mellitus inpatient in Pandan Arang Boyolali hospital**

Sri Bintang Sahara Mahaputra Kusuma Negara, Devi Ristian Octavia, Primanitha Ria Utami (Author) p. 269-274

**IAI CONFERENCE: Fluconazole-tartaric acid co-crystal formation and its mechanical properties**

Fikri Alatas, Nia Suwartiningsih, Hestiary Ratih, Titta Hartyana Sutarna (Author) p. 116-122

**IAI CONFERENCE: Sambilotto (Andrographis paniculata Nees.) leaf extract activity as an  $\alpha$ -Amylase enzyme inhibitor**

Yustina Sri Hartini, Dewi Setyaningsih, Maria Josephine Vivian Chang, Maria Cyrilla Iglesia Adi Nugrahanti (Author) p. 305-308

**IAI CONFERENCE: Evaluation of antidiarrheal effect of combination of Salam Leaves (Syzygiumpolyanthum) and Jackfruit Leaves (Artocarpus heterophyllus Lam.) infusum in rats induced by castor oil**

Husnul Khuluq, Evi Marlina (Author) p. 148-151



**IAI CONFERENCE: The effect of loss-of-function allele (CYP2C19\*3) with Clopidogrel efficacy in coronary heart disease patients**

Ike Dhiah Rochmawati, Nur Hidayat, David Pomantow (Author)

p. 178-183



PDF

**IAI CONFERENCE: The effect of ethanol extract from Portulaca oleracea on inhibiting total cholesterol on animal subjects**

Afifah Bambang Sutjiatmo, Fahmy Ahsanul Haq, Sulaeman Al Jati, Suci Nar Vikasari (Author)

p. 22-26



PDF

**IAI CONFERENCE: The development of Origanum vulgare L. into nanoparticles in dosage forms**

Lutfi Chabib, Arman Suryani, Muhammad Iqbal Pangestu, Adnan Muhammad Uno J Hidayat, A.M. Bagas Trianloka (Author)

p. 205-209



PDF

**IAI CONFERENCE: The evident gap between actual and perceived facilities supporting value-added pharmacy services**

Andi Hermansyah, Catur Dian Setiawan, Firqin Fuad Riansyah (Author)

p. 48-51



PDF

**IAI CONFERENCE: Analysis of white pepper essential oil components using gas chromatography-mass spectroscopy**

Purwaniati, Gilang Eka Permana, Indro Pamudjo (Author)

p. 230-234



PDF

**IAI CONFERENCE: Dissolution profile of Curcumin from solid dispersion prepared at a high drug load of Curcumin using Poloxamer 407 as the carrier**

Dewi Setyaningsih, Yustina Sri Hartini, Christine Patramurti, Sastira Putri, Yosi Bayu Murti (Author)

p. 77-80



PDF

**IAI CONFERENCE: Antiseptic gel formulated from ethanol extract of Citronella grass (Cymbopogon nardus) using CMC-Na, arabic gums, and gelatin as gelling agents**

Reynelda Juliani Sagala, Lorensia Yolanda, Michael (Author)

p. 258-263



PDF

**IAI CONFERENCE: The potential of banana fruit Ranggap (Musa paradisiaca var. Troglodytarum) as an excipient alternative to oral tablet dosage form**

Dolih Gozalil, Iyan Sopyan, Resmi Mustarichi, Wahyu Priyo Legowo (Author)

p. 98-107



PDF

**IAI CONFERENCE: The therapeutic outcomes and adverse drug reactions study of Clozapine on Schizophrenia inpatients in the Grhasia psychiatric hospital Yogyakarta, Indonesia**

p. 287-295



PDF

**IAI CONFERENCE: Pandemic 2020: Economic pressure and evaluation of a primary health care innovation programme for type 2 diabetes mellitus treatment**

Fransiskus Samuel Renaldi, Rani Sauriasari, Woro Riyadina (Author)

p. 132-142



PDF

**IAI CONFERENCE: The influence of extracts and fractions from matoa leaves (Pometia pinnata) on angiotensin I levels**

Ika Purwidyningrum, Jason Merari Peranginangin, Iyem Sahira (Author)

p. 168-171



PDF

**IAI CONFERENCE: The impact of pharmacist shortage on the inventory management of medicines at primary healthcare centres in East Java, Indonesia**

Abdul Rahem, Umi Athiyah, Catur Dian Setiawan, Andi Hermansyah (Author)

p. 8-14

**IAI CONFERENCE: IR spectroscopy coupled with chemometrics used as a simple and rapid method to determine the caffeine content of tea products**

Lestyo Wulandari, Diana Hanifiyah Sutipno, Dwi Koko Pratoko (Author)

p. 195-200

**IAI CONFERENCE: The remuneration of the community pharmacist in the developing world: the case in Indonesia**

Andi Hermansyah, Anila Impian Sukorini, Abdul Rahem (Author)

p. 36-41

**IAI CONFERENCE: Activity test of fruit and pomegranate seeds (*Punica granatum* L) as a hepatoprotector against white male Wistar rats**

p. 220-224

**IAI CONFERENCE: The effect of stress level on the therapeutic outcomes of type 2 diabetes mellitus at the regional public hospital of West Nusa Tenggara province**

Baiq Leny Nopitasari, Baiq Nurbaety, Made Krisna Adi Jaya (Author)

p. 67-70

**IAI CONFERENCE: Satisfaction of drug information services implementation in Air Itam, Selindung, Girimaya, Gerunggang and Melintang health centre Pangkalpinang City**

Rachmawati Felani Djuria (Author)

p. 246-250

**IAI CONFERENCE: Formulation and physical evaluation of facial cream preparations from Ceremai fruit juice (*Phyllanthus acidus* (L.) Skeels)**

Danang Indriatmoko, Nani Suryani, Tarso Rudiana, Mila Kurniah (Author)

p. 87-92

**IAI CONFERENCE: Role of pharmacist in providing drug information and education for patients with chronic diseases during Transition of Care**

Umi Athiyah, Abdul Rahem, Catur Dian Setiawan, Andi Hermansyah (Author)

p. 275-280

**IAI CONFERENCE: Formulation and evaluation of Kirinyuh Leaf effervescent granules (*Chromolaena Odorata*. L) as an antioxidant**

Firman Gustaman, Keni Idacahyati, Winda Trisna Wulandari (Author)

p. 123-125

**IAI CONFERENCE: Drug interactions in patients with hypertension at Persahabatan hospital in 2015**

Zainul Islam, Atika Vitasari, Muhammad Arif Ridwan (Author)

p. 309-314

**IAI CONFERENCE: Self-medication and self-treatment with short-term antibiotics in Asian countries: A literature review**

p. 152-162

**IAI CONFERENCE: In vivo activity of *Phaseolus vulgaris* as an anti-hypercholesterolemic**

Keni Idacahyati, Yedy Purwandi Sukmawan, Nopi Yanti, Winda Trisna Wulandari, Firman Gustaman, Indra (Author)

p. 184-188

**IAI CONFERENCE: In vitro antimalarial activity assay of *Ashitaba* Leaf ethanolic extract (*Angelica keiskei*)**

Alvi Kusuma Wardani, Abdul Rahman Wahid, Miftahul Jannah (Author)

p. 27-30

**IAI CONFERENCE: Therapeutic potential of *Cymbopogon schoenanthus* (L.) developed into nanoparticle technology**

Lutfi Chabib, Adnan Muhammad Uno J Hidayat, A.M. Bagas Trianloka, Muhammad Iqbal Pangestu, Arman Suryani, Yulianto (Author) p. 210-214



**IAI CONFERENCE: Description of medication adherence in hypertensive respondents at Mandalika Mataram elderly social centre**

Anna Pradiningsih, Dzun Haryadi Ittiqo, Neti Puput Arianti (Author) p. 52-55



**IAI CONFERENCE: Formulation and physical properties of lotion Kalakai root ethanol extract (Stenochlaena palustris Bedd)**

Rabiatul Adawiyah, Riska Apriliyanti, Agustinawati Umaternate (Author) p. 235-240



**IAI CONFERENCE: Hypoglycemic activity test on smooth pigweed (Ammaranthus Hybridus L) leaf water extract on male Wistar rats**

Asti Yunia Rindarwati (Author) p. 56-60



**IAI CONFERENCE: Mother's knowledge and practices towards self-medication of fever among children under five years in Muncar Banyuwangi, Indonesia**

Sinta Rachmawati, Khusnul Khotimah, Ika Norcahyanti (Author) p. 264-268



**IAI CONFERENCE: Correlation between the antioxidant capacity of plasma and blood glucose level**

Eva Nurinda, Emelda, Nurul Kusumawardani (Author) p. 108-115



**IAI CONFERENCE: Enhancing solubility and antibacterial activity using multi-component crystals of trimethoprim and malic acid**

p. 296-304



**IAI CONFERENCE: Acute toxicity study of the ethanolic extract of Eleutherine bulbosa Urb in Wistar rats**

Helmina Wati, Rahmi Muthia, Kartini, Finna Setiawan (Author) p. 143-147



**IAI CONFERENCE: The effect of biofilm formation on the outcome therapy of diabetic foot infections (DFIs)**

**patients in the outpatient clinic and inpatient ward of Dr Sardjito General Hospital Yogyakarta**

Ika Puspitasari, Titik Nuryastuti, Rizka Humardewayanti Asdie, Hemi Sinorita, Nusaibah Umaroh4, Wahyu Tri Hapsari (Author) p. 172-177



ISSN: 1477-2701

# Editorial Team

## Editor in Chief

Prof Ian Bates, FIP Education, United Kingdom

## Editors

Prof Timothy Rennie, University of Namibia Faculty of Health Sciences, Namibia

## Senior Associate Editors

Dr Andreia Bruno-Tomé, Monash University, Australia

Assoc Prof Jennifer Marriott, Monash University, Australia

## Managing Editor

Dr Marwan El Akel, Pharmacy Education

## Associate Editors

Prof Joyce Addo-Atuah, Touro College of Pharmacy, USA

Prof Patricia Acuna-Johnson, University of Valparaiso, Chile

Dr Syed Imran Ahmed, University of Lincoln, United Kingdom

Prof Alba Mahmoud Albsoul-Younes, The University of Jordan, Jordan

Dr Ammar Almaaytah, Middle East University, Jordan

Dr Filipa Alves Da Costa, University of Lisbon, Portugal

Mr Chima Amadi, Pharmacists Council of Nigeria, Nigeria

Dr Mudassar Iqbal Arain, , University of Sindh, Pakistan.

Prof Lilian M. Azzopardi, University of Malta, Malta

Prof Rula Darwish, The University of Jordan, Jordan

Dr Ruth Edwards, Aston University, UK

Dr Divakar Goli, Acharya Institutes, India

Prof Yahdiana Harahap, University of Indonesia, Indonesia,

Prof Martin Henman, Trinity College Dublin, Ireland

Dr Shazia Jamshed, International Islamic University Malaysia, Malaysia

Dr Abby Kahaleh, Roosevelt University, USA

Prof Silvana Nair Leite, Federal University of Santa Catarina, Brazil

Dr Subhash Chandra Mandal, Directorate of Drugs Control, India

Mr Khalid Garba Mohammed, University of Milan, Italy

Dr Hana Morrissey, University of Wolverhampton, UK

Dr Christos Petrou, University of Nicosia, Cyprus

Dr Ukamaka Okafor, Pharmacists Council of Nigeria, Nigeria

Dr Carl Schneider, The University of Sydney, Australia

Prof Bruno Sepodes, University of Lisbon, Portugal

Dr James Scott, Western University of Health Sciences, USA

Prof M Chandra Sekar, University of Findlay, USA

Dr Rajani Shakya, Kathmandu University, Nepal

Dr Lixin Shu, Naval Medical University, China

Dr Judilynn Solidum, University of the Philippines, Philippines

Dr Kyle Wilby, University of Otago, New Zealand

Dr Sarah Willis, The University of Manchester, UK

Prof Shigeo Yamamura, Josai International University, Japan





ADVANCING  
PHARMACY  
WORLDWIDE

ISSN: 1477-2701

IAI CONFERENCE

RESEARCH ARTICLE

# The remuneration of the community pharmacist in the developing world: the case in Indonesia

Andi Hermansyah, Anila Impian Sukorini, Abdul Rahem

Faculty of Pharmacy Universitas Airlangga Surabaya Indonesia

## Keywords

Community pharmacy  
Pharmacist  
Remuneration  
Survey

## Correspondence

Andi Hermansyah  
Faculty of Pharmacy  
Universitas Airlangga Indonesia  
Nanizar Zaman Joenoes Building Level 4  
Campus C Universitas Airlangga  
Jalan Mulyorejo  
Surabaya  
Indonesia  
andi-h@ff.unair.ac.id

## Abstract

**Introduction:** The remuneration of pharmacist is critical to ensure sustainability of pharmacist services. There has been limited study about pharmacist remuneration in Indonesia. **Aim:** This study aims to investigate pharmacist remuneration system in Indonesia. **Methods:** A nationwide community pharmacy survey was conducted involving 7,000 pharmacies. Questions around remuneration models and amounts, types of incentives and other financial benefits structured the questionnaire. Descriptive analysis was used to evaluate the findings. **Results:** Of 2,087 pharmacists participated in the survey, only 1,952 respondents were recorded. More than half of respondents did not receive any particular fees designated to compensate provision of cognitive services. Fixed monthly salary predominantly formed the structure of remuneration system with less than half of the respondents received additional incentives to top up this monthly salary. **Conclusion:** The current remuneration system which mainly relies on monthly salary basis may not be sustainable to support provision of pharmacist-led cognitive services.

## Introduction

Community pharmacist has been known as an important element of the healthcare system that provides both pharmaceuticals and services to the communities (Moullin *et al.*, 2013). Supporting health by enabling community pharmacists full potential in the delivery of cognitive services has become the main objective of pharmacy stakeholders in many Low and Middle-Income Countries (LMICs) (Miller & Goodman, 2016). The provision of pharmacist-provided patient care services, however, is challenging in many of these countries, given the pertinent barriers revolve around pharmacy and health system infrastructure (Scahill, 2014; Hermansyah *et al.*, 2016). One of the commonly perceived barriers is the lack of remuneration of the community pharmacist.

The remuneration of community pharmacists has been viewed as a facilitator for pharmacy practice change (Roberts *et al.*, 2006). The expanding role of pharmacists, which marks more progressive

interventions of pharmacists in the fields of medication management, health promotion and disease prevention, implies a specific remuneration structure. The contemporary remuneration structure of pharmacists in LMICs, which highly relies on dispensing and medicines markup, may not be sustainable to support the implementation of cognitive pharmacist services (Hashemi-Meshkini *et al.*, 2013). This is also the case in Indonesia.

Multiple policy approaches have been established to change the practice of community pharmacy in Indonesia, including the provision of incentives in the form of minimum rates for pharmacist remuneration and payment for particular pharmacies working under the Universal Health Coverage programme (Hermansyah *et al.*, 2018b). The incentivisation policy may highlight a novel approach for developing community pharmacy in the context of LMICs as these incentives were not influenced by the volume and/or profit margin from selling the pharmaceuticals.

Nevertheless, the implementation has been far from satisfactory. The approach has been challenged by lack of coordination and lack of consensus leading to inconsistency and discrepancy of the actual payment for pharmacists. Apart from the troubled implementation, it is fair to say that the making of this policy did not take into account the characteristics and type of pharmacist remuneration in Indonesia (Hermansyah *et al.*, 2018b).

There is evidence that the successful wide-scale implementation of cognitive services has been limited by the lack of remuneration for providing cognitive services (Bernsten *et al.*, 2010; Houle *et al.*, 2014). Unless this barrier is addressed, it is likely that any policies or approaches concerning practice change will fail. Therefore, this study aims to investigate the pharmacist remuneration model in Indonesia.

## Methods

### **Study design and settings**

A cross-sectional study was conducted in the form of a survey of community pharmacists across all 34 provinces in Indonesia. Only the pharmacist in charge represented each pharmacy. This study obtained ethics approval from the Research Ethics Committee of the Faculty of Public Health at the authors' institution.

### **Study participants and recruitments**

There were 25,339 community pharmacies in Indonesia at the time of the study conducted. Using a margin of error of 1% and a confidence level of 95% resulted in 7,000 pharmacists as a minimum sample size. A registered community pharmacist in charge (or so-called first pharmacist) was recruited to participate in this study. At first, the researchers used a cluster sampling method based on province distribution with pharmacist identity for randomisation was obtained from the local pharmacist association. The sampling technique was then expanded using accidental sampling to obtain more responses.

### **Study instruments**

This study utilised a questionnaire as an instrument, which asked about the type and amount of pharmacist remuneration, other financial benefits obtained by pharmacists and pharmacist preferences with respect to the remuneration model. The questionnaire was developed based on the references, discussion among the researchers as well as considered the phenomenon and facts related to pharmacist remuneration in Indonesia. The questionnaire was then tested for validity to a panel of experts (eight persons

representing pharmacist practitioner, biostatistician, pharmacist organisation, academic, policymaker and administrator). This is to ensure the face and content validity of the questionnaire. The questionnaire was subsequently pilot-tested for both face validity and reliability to 20 pharmacists with some minor changes for the final version, mostly related to wording and numbering of the questionnaire form.

### **Data collection**

This study used both online and printed survey forms. The printed questionnaire was sent to some local pharmacist associations for a limited number. The main means for data collection was an online survey distributed through a number of social media applications, i.e. WhatsApp, Line, Facebook, Twitter, Instagram and Telegram. Survey Monkey was used as the platform for the online survey. Data collection was conducted from September 2018 to March 2019. Participants who completed the survey received two credits for the licensure requirement and were assigned for a lucky draw to win five android tablets. Participants only had one chance to fill out the survey. In case there were multiple answers from a similar pharmacy, only the latest response was recorded. The pharmacist in charge could participate in the survey or pass the questionnaire to another pharmacist who was representing the pharmacy. In addition, reminder notification was made each month and distributed via the pharmacist association and its network. Participants were required to provide consent prior to fill out the questionnaire.

### **Data analysis**

All response was recorded by the Survey Monkey system which then exported to SPSS Version 22 for further data analysis. Descriptive statistics of the frequency (%) were used to describe the findings of the study.

## Results

Of 2,087 pharmacists who participated in the study, only 1,952 pharmacists were deemed eligible. However, the number of complete responses in each question may vary. Table I summarises the characteristics of the respondents. The majority of respondents were female (78%), aged 21-30 years old (48%), completed pharmacist programme, i.e. four years of Bachelor of Pharmacy and one-year pre-pharmacist programme (90%), graduated after 2010 (62%) and got monthly paid roughly IDR 2-5 million (67%).

**Table I: Characteristics of respondents**

Characteristics	Frequency (%)
Gender (n = 1,767)	
• Male	391 (22%)
• Female	1,376 (78%)
Age in years (n = 1,211)	
• 21-30	586 (48%)
• 31-40	457 (38%)
• 41-50	123 (10%)
• 51-60	31 (3%)
• > 60	14 (1%)
Latest educational level (n = 1,210)	
• Pharmacist	1,097 (91%)
• Pharmacist and graduate programme	113 (9%)
Year of graduation (n = 1,209)	
• < 2000	100 (8%)
• 2000-2010	390 (32%)
• > 2010	719 (62%)
Take home pay received per month in IDR (n = 1,200)	
• < 1,000,000	14 (1%)
• 1,000,001 – 2,000,000	161 (13%)
• 2,000,001 – 3,000,000	379 (32%)
• 3,000,001 – 5,000,000	414 (35%)
• 5,000,001 – 10,000,000	156 (13%)
• 10,000,001 – 20,000,000	50 (4%)
• 20,000,001 – 30,000,000	16 (1%)
• > 30,000,000	10 (1%)

Table II shows the type of remuneration and/or benefits received by respondents. The respondents were commonly paid in the form of monthly salary (93%). Only less than half of respondents received fees for professional services (44%). In general, most of the respondents did not receive any other additional fees. However, they claimed that there is a remuneration increase periodically (62%).

Table III identifies pharmacists' preferences regarding the ideal remuneration model. When asked about whether a pharmacist is entitled to receive a fee for practice, the majority of respondents agreed (82%). Pharmacy owners, customers and the National health insurance agency (BPJS Health) are the top 3 payers preferred by the respondents to pay for pharmacist remuneration. With respect to the model of the remuneration, fee for service often sits in the most recommended model (5 out of 7) for paying pharmacists, followed by the capitation model (2 out of 7).

**Table II: Type of remuneration of the respondent**

Type of remuneration/benefits	Do you receive it?	
	Yes (%)	No (%)
Fee for professional services <sup>1</sup> (n = 1,168)	520 (44%)	648 (56%)
Monthly salary <sup>2</sup> (n = 1,179)	1,095 (93%)	84 (7%)
Fee per arrival <sup>3</sup> (n = 1,151)	516 (45%)	635 (55%)
Distribution of pharmacy profit <sup>4</sup> (n = 1,139)	443 (39%)	696 (61%)
Merit incentive <sup>5</sup> (n = 1,142)	198 (17%)	944 (83%)
Special holiday incentive <sup>6</sup> (n = 1,187)	1,057 (90%)	130 (10%)
Paid leave <sup>7</sup> (n = 1,178)	1,058 (90%)	120 (10%)
Periodical remuneration increase (n = 1,152)	712 (62%)	440 (38%)
Severance payment <sup>8</sup> (n = 1,108)	301 (27%)	807 (73%)

<sup>1</sup>Fees received for delivering professional services, including dispensing, counselling and medication review

<sup>2</sup>Monthly wages as employee pharmacist

<sup>3</sup>Fees paid every time employee pharmacist comes to work

<sup>4</sup>Fees received as part of profit made by the pharmacy

<sup>5</sup>Fees paid whenever pharmacist can achieve the specific target set by the pharmacy

<sup>6</sup>Annual mandatory incentive paid whenever employee pharmacist celebrating national religion festive such as Eid ul Fitr for Muslims or Christmas for Christians

<sup>7</sup>Fees given for approved leave, e.g. maternal leave

<sup>8</sup>Fees paid when the employee pharmacists resigned from their job

## Discussion

There is an increasing need to deliver sustainable and high-quality health care to achieve the best possible outcomes in the most cost-effective fashion in Indonesia. This study argued that community pharmacy is in a unique position to offer the most cost-effective treatment to the general public. Not only cost-effective, but pharmacist also plays an important role to ensure that both pharmaceuticals and pharmacy services are delivered safely and effectively to the targeted population. However, results from this study show that despite the vital role of the pharmacist, compensation for their work has been minimal to support such a role.

**Table III: Respondent's preferences regarding payment model**

Question	Response	Frequency (%)
Is a pharmacist entitled to receive a fee for practice? (n = 762)	Yes	625 (82%)
	No	137 (18%)
Who should pay for pharmacist remuneration?		
Central government (n = 547)	Yes	255 (47%)
	No	292 (53%)
Local government (n = 519)	Yes	236 (46%)
	No	283 (54%)
National health insurance agency (n = 533)	Yes	307 (58%)
	No	226 (42%)
Pharmacy association / the Guild (n = 479)	Yes	149 (31%)
	No	330 (69%)
Customer / the patient (n = 586)	Yes	395 (67%)
	No	191 (33%)
Commercial insurance company (n = 472)	Yes	196 (41%)
	No	276 (59%)
Pharmacy owner (n = 624)	Yes	472 (76%)
	No	152 (24%)
What are the most suitable types of remuneration that should be paid by these parties?		
Central government (n = 321)	Fee for service	58 (18%)
	Capitation	50 (15%)
	Subsidy	34 (11%)
	Others	
Local government (n = 296)	Capitation	46 (15%)
	Fee for service	45 (15%)
	Pay for performance	33 (11%)
	Others	
National health insurance company (n = 355)	Capitation	141 (40%)
	Fee for service	55 (16%)
	Pay for performance	18 (5%)
	Others	
Pharmacy association / the Guild (n = 232)	Fee for service	32 (14%)
	Pay for performance	27 (12%)
	Capitation	15 (6%)
	Others	
Customer / the patient (n = 414)	Fee for service	145 (35%)
	User charge	129 (31%)
	Pay for performance	29 (7%)
	Others	
Commercial insurance company (n = 268)	Fee for service	49 (18%)
	Capitation	43 (12%)
	Pay for performance	22 (8%)
	Others	
Pharmacy owner (n = 457)	Fee for service	124 (27%)
	Pay for performance	88 (19%)
	User charge	37 (8%)
	Others	

Most pharmacists in this study only received a monthly salary and another minimum additional fee resulting in the range of IDR 2-5 million (USD 150-350) as the income that they bring home every month. Given their roles and responsibilities as mandated in the Presidential Decree 73 of 2016 (Hermansyah *et al.*, 2020), this seems inadequate to pay for pharmacist practice. Fairly speaking, such amount is equivalent to the minimum payment set by the government for the blue-collar worker, which absolutely highlights a contrasting spectrum of responsibilities with professionals such as pharmacists (Siregar, 2020). As the workload of pharmacists is increasing, particularly after the introduction of Universal Health Coverage which may imply an increased risk of their job, such amount of remuneration may not necessarily portray a proper compensation for the frontline healthcare workers like pharmacists.

The underlying objective of remuneration to pharmacists is to support them to deliver cognitive services. A practising community pharmacist is believed to have invaluable skills acquired from university-based training and experiential learning. Such predicate suggests that they deserve to be fairly compensated according to the standard of professional healthcare providers. This is why most respondents in this study believed that they should be paid for their professional contributions.

Pharmacists are also aware that they cannot rely on the government to pay for their work. Interestingly, pharmacy owners were commonly selected as the most recommended payer for pharmacy practice. This is perhaps related to the fact that the majority of pharmacists in Indonesia work as employee pharmacists (Hermansyah *et al.*, 2018a). Despite the policy that community pharmacy only operates under the full authority of pharmacists, ownership of pharmacy in Indonesia is not restricted to pharmacists only. Any individuals or companies can own a pharmacy leading to most pharmacies owned by non-pharmacist. Arguably, ownership may determine the vision and mission of a pharmacy in delivering pharmaceutical care, and to some extent, it may influence pharmacist remuneration structure (Athiyah *et al.*, 2019). With most pharmacists working as an employee, it might be challenging to negotiate remuneration, for instance, professional fee, unless the owners are aware the significance of delivering professional pharmacy services. This can be an insight for the existing employee pharmacists to convey a message that pharmacy services should be properly remunerated.

It is also not surprising that the customer sits in second place for the most recommended payer. In the short run, charging customers directly for service can be an

effective – and the easiest – alternative to collect remuneration for pharmacists. The pharmacy can determine the rate and the customer, or the patient is at the position of “less of freedom” given that they will require the services or the pharmaceuticals. However, pharmacies often offer services at a low charge or even most of the time, free of charge (Anderson & Thornley, 2014). This will be problematic for most pharmacies to initiate such payment. In the long run, charging customers can be feasible if the customers or patients recognise and experience the positive outcomes of the services. It may not be difficult to charge customers. What makes it difficult is to show the value and benefits behind the payment. Accordingly, fee for service is the perfect remuneration model for such case, which is also illustrated as the most selected remuneration model for community pharmacists in Indonesia.

Fee for service model is not new to community pharmacists in Indonesia. Prior to the implementation of Universal Health Coverage in 2014, the former insurance model in Indonesia used fees for services to pay pharmacy practice (Agustina *et al.*, 2019). This model took place between 1992 and 2013 in particular pharmacies affiliated with the national health insurance agency. Fee for service is the traditional payment model in many countries to remunerate pharmacists. The benefits are twofold; pharmacists can tailor particular services suit to patient’s needs, and patients can opt for services and be flexible with the services provided by the pharmacists. However, the fee for service also exerts some disadvantages; particularly, it lacks accountability as there is uncertainty about the necessary service that should be provided to the customers and how it will cost the customers. There is no denying that fee for service is financially beneficial for providers, but in the long term, it is an unsustainable system that may lead to a lot of waste, unnecessary and perhaps inaccurate services.

The implementation of a national remuneration system is quite challenging in the context of Indonesia. The findings of this study showed that the level and type of remuneration varied among pharmacists. Implementing remuneration standards to community pharmacists is a multistage, collaborative process with a significant and complex interplay of stakeholders’ interests. A pilot study focusing on learning the effective development and implementation of such standards might be required. The results from the pilot study can be an initial assessment to understand pharmacy service utilization, pharmacist acceptance and community pharmacy viability. In this process, remuneration planning and design are critical as it should encompass regulatory requirements, government responsibilities and pharmacy characteristics as most pharmacies in Indonesia are

operated independently and owned by non-pharmacist. At the end of the day, the quality and competence of the pharmacist will determine the remuneration. An innovative pharmacist may have the potentials to gain more payment. However, it is not only about the payment; the positive outcome of the care is also substantial to help facilitating the ideal remuneration system for Indonesian pharmacists.

This study does have limitations that should be considered. First, this study used accidental sampling to recruit participants, which may not be accurate to portray the overall picture of the Indonesian community pharmacist. Second, the questionnaire was self-administered, highlighting that there is always a potential for recall and response biases from the respondents when answering the questions. Third and finally, it is also important to note that there is a variation of response between questions which may illustrate a lack of uniformity in drawing a conclusion for this study. Therefore, it is advised to interpret the findings of this study cautiously. Nevertheless, to the best of the authors’ knowledge, this is the first nationwide survey collecting data about community pharmacist remuneration in Indonesia. This can be an important piece of information to support the existing incentivisation policy and to provide an overview of the remuneration model for community pharmacies in Indonesia. Further research is warranted to seek an effective model of remuneration in association with the outcome of the services.

## Conclusion

Community pharmacists in Indonesia were commonly paid on the basis of monthly salary with a minimum additional fee provided to pay for the services. Such a remuneration model is indeed inadequate and not supportive to trigger professional and cognitive services in the community pharmacy. As pharmacists are uniquely positioned in the frontline of care, there is an imperative to properly compensate pharmacists considering their responsibilities, risks and qualifications.

## References

- Agustina, R., Dartanto, T., Sitompul, R., Susiloretni, K. A., Achadi, E. L., Taher, A., Wirawan, F., Sungkar, S., Sudarmono, P., & Shankar, A. H. (2019). Universal health coverage in Indonesia: concept, progress, and challenges. *The Lancet*, **393**(10166), 75-102. [https://doi.org/10.1016/S0140-6736\(18\)31647-7](https://doi.org/10.1016/S0140-6736(18)31647-7)
- Anderson, C., & Thornley, T. (2014). “It’s easier in pharmacy”: why some patients prefer to pay for flu jabs rather than use

the National Health Service. *BMC Health Services Research*, **14**(1), 35. <https://doi.org/10.1186/1472-6963-14-35>

Athiyah, U., Setiawan, C. D., Nugraheni, G., Zairina, E., Utami, W., & Hermansyah, A. (2019). Assessment of pharmacists' knowledge, attitude and practice in chain community pharmacies towards their current function and performance in Indonesia. *Pharmacy practice*, **17**(3), 1518-1518. <https://dx.doi.org/10.18549%2FPharmPract.2019.3.1518>

Bernsten, C., Andersson, K., Garipey, Y., & Simoens, S. (2010). A comparative analysis of remuneration models for pharmaceutical professional services. *Health Policy*, **95**(1), 1-9. <https://doi.org/10.1016/j.healthpol.2009.11.008>

Hashemi-Meshkini, A., Keshavarz, K., Nikfar, S., Vazirian, I., & Kebriaeezadeh, A. (2013). Pharmacists remuneration models in Iran and selected countries: a comparative study. *Iranian Journal of Pharmaceutical Research: IJPR*, **12**(4), 995

Hermansyah, A., Sainsbury, E., & Krass, I. (2016). Community pharmacy and emerging public health initiatives in developing Southeast Asian countries: a systematic review. *Health & Social Care in the Community*, **24**(5), e11-e22. <https://doi.org/10.1111/hsc.12289>

Hermansyah, A., Sainsbury, E., & Krass, I. (2018a). Investigating the impact of the universal healthcare coverage programme on community pharmacy practice. *Health & Social Care in the Community*, **26**(2), e249-e260. <https://doi.org/10.1111/hsc.12506>

Hermansyah, A., Sainsbury, E., & Krass, I. (2018b). Multiple policy approaches in improving community pharmacy practice: the case in Indonesia. *BMC Health Services Research*, **18**(1), 449. <https://doi.org/10.1186/s12913-018-3258-8>

Hermansyah, A., Wulandari, L., Kristina, S.A., & Meilianti, S. (2020). Primary health care policy and vision for community pharmacy and pharmacists in Indonesia. *Pharmacy Practice (Granada)*, **18**(3). <https://doi.org/10.18549%2FPharmPract.2020.3.2085>

Houle, S.K., Grindrod, K.A., Chatterley, T., & Tsuyuki, R.T. (2014). Paying pharmacists for patient care: a systematic review of remunerated pharmacy clinical care services. *Canadian Pharmacists Journal/Revue des Pharmaciens du Canada*, **147**(4), 209-232. <https://doi.org/10.1177%2F1715163514536678>

Miller, R., & Goodman, C. (2016). Performance of retail pharmacies in low-and middle-income Asian settings: a systematic review. *Health policy and planning*, **31**(7), 940-953. <https://doi.org/10.1093/heapol/czw007>

Moullin, J.C., Sabater-Hernández, D., Fernandez-Llimos, F., & Benrimoj, S.I. (2013). Defining professional pharmacy services in community pharmacy. *Research in Social and Administrative Pharmacy*, **9**(6), 989-995. <https://doi.org/10.1016/j.sapharm.2013.02.005>


Roberts, A.S., Benrimoj, S.I., Chen, T.F., Williams, K.A., & Aslani, P. (2006). Implementing cognitive services in community pharmacy: a review of facilitators used in practice change. *International Journal of Pharmacy Practice*, **14**(3), 163-170. <https://doi.org/10.1211/ijpp.14.3.0002>

Scahill, S. (2014). Barriers to effective pharmacy practice in low-and middle-income countries. *Integrated Pharmacy Research and Practice*, **3**, 25. <https://doi.org/10.2147/IPRP.S35379>

Siregar, T.H. (2020). Impacts of minimum wages on employment and unemployment in Indonesia. *Journal of the Asia Pacific Economy*, **25**(1), 62-78. <https://doi.org/10.1080/13547860.2019.1625585>



## Pharmacy Education

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
<a href="#">Netherlands</a>  Universities and research institutions in Netherlands  Media Ranking in Netherlands	<a href="#">Health Professions Pharmacy</a> <a href="#">Pharmacology, Toxicology and Pharmaceutics Pharmaceutical Science</a> <a href="#">Social Sciences Education</a>		<b>18</b>
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
Journals	14772701, 15602214	1973-1978, 2002-2021	<a href="#">Homepage</a> <a href="#">How to publish in this journal</a> <a href="mailto:pej@fip.org">pej@fip.org</a>

### SCOPE

Pharmacy Education journal provides a research, development and evaluation forum for communication between academic teachers, researchers and practitioners in professional and pharmacy education, with an emphasis on new and established teaching and learning methods, new curriculum and syllabus directions, educational outcomes, guidance on structuring courses and assessing achievement, and workforce development. It is a peer-reviewed online open access platform for the dissemination of new ideas in professional pharmacy education and workforce development. Pharmacy Education supports Open Access (OA): free, unrestricted online access to research outputs. Readers are able to access the Journal and individual published articles for free - there are no subscription fees or 'pay per view' charges. Authors wishing to publish their work in Pharmacy Education do so without incurring any financial costs.

 [Join the conversation about this journal](#)




Quartiles

FIND SIMILAR JOURNALS

options

<p>1 <b>American Journal of Pharmaceutical Education</b> USA</p> <p><b>83%</b> similarity</p>	<p>2 <b>Currents in Pharmacy Teaching and Learning</b> USA</p> <p><b>82%</b> similarity</p>	<p>3 <b>Journal of Educational Evaluation for Health</b> KOR</p> <p><b>30%</b> similarity</p>	<p>4 <b>Pharmacy Practice</b> ESP</p> <p><b>20%</b> similarity</p>	<p>5 <b>International Journal of Pharmacy Practice</b> GBR</p> <p><b>16%</b> similarity</p>
---	---	---	--	---



Pharmacy Education Show this widget in your





← own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com/journalsearch.php?q=21211&tip=sid&clean=0">Pharmaceutical Science</a>
```

Explore, visually communicate and make sense of data with our [new data visualization tool](#).

Metrics based on Scopus® data as of April 2022

A **Adaobi** 3 years ago

Good day.

I observed some discrepancies while attempting to submit an article at the Pharmacy Education journal. the information on this website states that the publisher of the journal is Taylor and Francis while on the journal website it states the International Pharmaceutical Federation (FIP).

Secondly, after clicking on the button for submission, I was redirected to the home page which has nothing to do with the submission portal. I really wonder if the journal is still active.

Please could you help me clarify my doubts?

I have registered and I am afraid I have given out my personal information.

Thank you.

reply

K **Kully Rennie** 3 years ago

Hi there, I can confirm that the journal Pharmacy Education is still active and our website homepage is: <https://pharmacyeducation.fip.org/pharmacyeducation/>

Since 2007 we have been published by FIP who took over publishing from T



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Adaobi,

Thank you for contacting us.

As you probably know, SJR is a portal with scientometric indicators of journals indexed in Scopus. All the data (like the Publisher's name) have been provided By Scopus /Elsevier and SCImago doesn't have the authority over this data which are property of Scopus/Elsevier. SCImago has a signed agreement that limits our performance to the generation of scientometric indicators derived from the metadata sent in the last update.

Referring this issue, please contact with Scopus support:

[https://service.elsevier.com/app/answers/detail/a\\_id/14883/kw/scimago/supporthub/scopus/](https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/scopus/) for reporting the corresponding inconsistencies or modifications.

Referring the Submission system of this journal, if you click on "How to Publish" above, you will be redirected to the Submission section indicated in the journal's website:

<http://pharmacyeducation.fip.org/pharmacyeducation/about/submissions#onlineSubmissions>

If you have some troubles to submit or access the platform, please contact the editorial's staff directly, so they can help you with this matter.

Best Regards, SCImago Team

J **Joydip Das** 3 years ago

Hi,

I am writing to inquire about the journal Pharmacy Education for submitting a manuscript. Do you have a website for this journal? Please send the author's guidelines.

Thank you,

Joydip Das

Professor of Medicinal Chemistry

University of Houston

reply



**Melanie Ortiz** 3 years ago

SCImago Team

Dear Joydip, thank you very much for your comment, we suggest you to look for author's instructions/submission guidelines in the journal's website or click on "How to Publish" just above. Best Regards, SCImago Team

#### Leave a comment

Name

Email

(will not be published)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS

Horatio (Satire 1.1.106)

[Cookie settings](#)

[Cookie policy](#)



# Source details

## Pharmacy Education

Scopus coverage years: from 1973 to 1978, from 2002 to Present

Publisher: International Pharmaceutical Federation

ISSN: 1560-2214 E-ISSN: 1477-2701

Subject area: Health Professions: Pharmacy Pharmacology, Toxicology and Pharmaceutics: Pharmaceutical Science  
Social Sciences: Education

Source type: Journal

CiteScore 2021 ⓘ  
**0.5**

SJR 2021 ⓘ  
**0.159**

SNIP 2021 ⓘ  
**0.315**

[View all documents >](#)

[Set document alert](#)

[Save to source list](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

### Improved CiteScore methodology ✕

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ▼

$$0.5 = \frac{107 \text{ Citations } 2018 - 2021}{195 \text{ Documents } 2018 - 2021}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$0.6 = \frac{242 \text{ Citations to date}}{427 \text{ Documents to date}}$$

Last updated on 05 April, 2023 • Updated monthly

### CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Health Professions		
Pharmacy	#26/36	29th
Pharmacology, Toxicology and Pharmaceutics		
Pharmaceutical Science	#125/171	27th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

---

## About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

## Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

## Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

---

## ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.





KOMISI ETIK PENELITIAN KESEHATAN  
*HEALTH RESEARCH ETHICS COMMITTEE*  
FAKULTAS KESEHATAN MASYARAKAT UNIVERSITAS AIRLANGGA  
*FACULTY OF PUBLIC HEALTH AIRLANGGA UNIVERSITY*

**KETERANGAN LOLOS KAJI ETIK**  
*DESCRIPTION OF ETHICAL APPROVAL*  
"ETHICAL APPROVAL"

No : 509-KEPK

Komite Etik Penelitian Kesehatan Fakultas Kesehatan Masyarakat Universitas Airlangga dalam upaya melindungi hak asasi dan kesejahteraan subyek penelitian kesehatan, telah mengkaji dengan teliti protokol berjudul :

*The Ethics Committee of the Faculty of Public Health Airlangga University, with regards of the protection of Human Rights and welfare in medical research, has carefully reviewed the research protocol entitled :*

**"SURVEY NASIONAL FARMASI KOMUNITAS 2018 (The Survey of Pharmacy Contribution and Excellence - The Surphace Project)"**

Peneliti utama : Andi Hermansyah, S. Farm., M.Sc., Ph.D., Apt  
*Principal In Investigator*

Nama Institusi : Fakultas Farmasi Universitas Airlangga  
*Name of the Institution*

Dan telah menyetujui protokol tersebut di atas.  
*And approved the above-mentioned protocol*

Surabaya, 05 September 2018

Ketua, (CHAIRMAN)

Prof. Dr. Merryana Adriani, S.KM., M.Kes  
NIP. 195905171994032001