



Journal of the Ecological Society

ECOLOGY

ENVIRONMENT & CONSERVATION

ISSN 0013-758X



JOHN WILEY & SONS

Shopping Bag (Items)

[Home](#)[International Journals](#)[Books](#)[Environmental Consulting](#)[About Us](#)[Contact](#)

Ecology, Environment and Conservation Editorial Advisory Board

Chief Editor

Prof.(Dr.) R.K.Trivedy, Pune, India

EDITORIAL ADVISORY BOARD

- | | |
|--|--|
| 1. Dr. Teresa Ferreira, Portugal | 19. Dr. A. Olawale, Nigeria |
| 2. Dr. Michael Ukwuru, Nigeria | 20. Dr. Ing. Agr. Mario Ridardo Sabbatini, Argentina |
| 3. Dr. Moses Inbaraj, Chennai | 21. Dr. Philip C. Reid, U.K. |
| 4. Dr. D.J. Lee, Taiwan | 22. Dr. Mohd. Yusuf, Malaysia |
| 5. Dr. Christial Paul P.delacruz, Phillipnes | 23. Dr. Oswaldo A. Feernandez, Argentina |
| 6. Dr. T. Bahorun, Mauritius | 24. Dr. Ms. Mirela Tulik, Warsaw, Poland |
| 7. Dr. Linda Blackwell, Australia | 25. Dr. L.L. Chukwu, Nigeria |
| 8. Dr. G. Zellner, Netherlands | 26. Dr. Azni Idris, UPM, Malaysia |
| 9. Dr. Wilson S. Tisera, Kupang, Indonesia | 27. Dr. Vikas Sharma, J&K, India |
| 10. Dr. M.F. Hamoda, Kuwait | 28. Dr. Amresh Chandra Pandey, Jharkhand, India |
| 11. Dr. H.A.Abrahamse, South Africa | 29. Prof.(Dr.) Agoes Soegianto, Indonesia |
| 12. Dr. Arulmozhiyal R., Salem | 30. Dr. A.K. Panigrahi, Berhampur, India |
| 13. Dr. Hassan Ibrahim Ali, Sudan | 31. Dr. Ahmed El Mahmoudi, Saudi Arabia |
| 14. Dr. A.R.Ghosh, Burdwan, India | 32. Dr. Seyed Mohammad Tajbakhsh, Iran |
| 15. Prof. M. Zaman, Bangladesh | 33. Dr. Amin L. Setyo, Indonesia |
| 16. Dr. Marcantonio Bragdin, Venice, Italy | 34. Dr. Francis Gbogbo, Ghana |
| 17. Dr. Z. Fuat Topark, Turkey | 35. Dr. S. Shabanlou, Iran |
| 18. Dr. Z. Li. Bonn, Germany | |

[Back to EEC Journal Details](#)

[Home](#) | [International Journals](#) | [Books](#) | [Environmental Consulting](#) | [About Us](#) | [Contact Us](#) | [Submit Paper](#) | [Search Journal Article](#) |

[Become a fan](#) on Facebook

[Follow us](#) on Twitter



© EM International 2012-2019 | **Developed by Eneblur Consulting**

Shopping Bag (Items)

[Home](#)[International Journals](#)[Books](#)[Environmental Consulting](#)[About Us](#)[Contact](#)

Ecology, Environment and Conservation Journal Papers

Issue: Vol 25, July Suppl. Issue, 2019

[INITIAL ASSESSMENT OF HOLOTHURIAATRA IN PANJANG ISLAND, JEPARA, INDONESIA](#)

Retno Hartati, Muhammad Zainuri, Ambariyanto Ambariyanto, Fabian Panji Ayodya, Widianingsih Widianingsih, Mustagpirin Mustagpirin and Agoes Soegianto

[Get Abstract](#)

[THE UTILIZATION OF POTENTIAL ADSORBENTS MADE OF SOLID WASTE OF TOFU INDUSTRY IMMOBILIZED BY SILICA FOR THE ADSORPTION OF PB \(II\) USING METHOD OF CONTINUOUS FLOW COLUMN](#)

Handoko Darmokoesoemo, Eko Prasetyo Kuncoro, Ganden Supriyanto, Yosephine Sri Wulan Mahuhara and Pradika Annas Kuswanto

[Get Abstract](#)

[THE EFFECTS OF PROBIOTIC FEED SUPPLEMENTATION ON TILAPIA \(OREOCHROMIS NILOTICUS\) IN COPPER-TAINTED WATER](#)

Aken Puti Wanguyun, Alfiah Hayati and Budi Utomo

[Get Abstract](#)

[IMPACT ASSESSMENT OF CHANNELIZATION ON RIVER CORRIDORS OF A MAJOR TRIBUTARY OF GANGES, INDIA USING GEO SPATIAL TECHNIQUES](#)

Urvashi Sharmaa, Ajey Kumar Pathakb and Venkatesh Duttaa

[Get Abstract](#)

[HARMFUL ALGAE IDENTIFICATION IN BOMO WATERENVIRONMENT, BANYUWANGI, EAST JAVA, INDONESIA](#)

L. A. Sari, P.D.W. Sari, D.D. Nindarwi, S. Arsad and M. Affandi

[Get Abstract](#)

[THE PERFORMANCE OF BATIK WASTEWATER TREATMENT BY ELECTRO COAGULATION PROCESS UNDER VARIATIONS OF ELECTRODES](#)

Budi Utomo, Mohammad Masykuri, Musywaroh, Aken Puti Wanguyun and Almando Geraldi

[Get Abstract](#)

[DEVELOPMENT OF MANGROVE HEALTHY CONDITION \(MHC\)INDEX BASED ON THEIR SYMBIOTIC ORGANISMS.](#)

Bambangrawan, Fatimah, 1Intan Ayu Pratiwi, Moch. Affandi, Ketut Wikantika, Lilik Budi Prasetyo and Thin Soedarti

[Get Abstract](#)

[ROLE OF AN ISLAMIC SACRED GROVE FOR BIODIVERSITY CONSERVATION](#)

Uday Kumar Sen and Ram Kumar Bhakat

[Get Abstract](#)

Search Articles

Journal Issues

[Vol 25, Issue 4 2019](#)[Vol 25, Issue 3 2019](#)[Vol 25, Nov Suppl. Issue, 2019](#)[Vol 25, Sept Suppl. Issue, 2019](#)[Vol 25, Aug Suppl. Issue, 2019](#)[Vol 25, July Suppl. Issue, 2019](#)[Vol 25, Issue 2 2019](#)[Vol 25, May Suppl. Issue, 2019](#)[Vol 25, April Suppl. Issue, 2019](#)[Vol 25, Issue 1 2019](#)[Vol 24, Issue 4 2018](#)[Vol 24, Issue 3 2018](#)[Vol 24, Issue 2 2018](#)[Vol 24, Issue 1 2018](#)[Vol 24, March Suppl. Issue 2018](#)[Vol 24, Feb. Suppl. Issue 2018](#)[Vol 23, Issue 4, 2017](#)[Vol 23, Nov. Suppl. Issue 2017](#)[Vol 23, Sept. Suppl. Issue 2017](#)[Vol 23, Issue 2, 2017](#)[Vol 23, Issue 3, 2017](#)[Vol 23, Issue 1, 2017](#)[Vol 23, Feb 2017 Suppl. Issue](#)[Vol 22, Dec 2016 Suppl. Issue](#)[Vol 22, Issue 4, 2016](#)[Vol 22, Sept. Suppl. Issue, 2016](#)[Vol 22, Issue 3, 2016](#)[Vol 22, June Suppl. Issue 2016](#)[Vol 22, Issue 2, 2016](#)[Vol 22, April Suppl. Issue 2016](#)[Vol 22, Issue 1, 2016](#)[Vol 21, Issue 4, 2015](#)[Vol. 21 Dec. 2015 Suppl. Issue](#)[Vol. 21 Nov. 2015 Suppl. Issue](#)[Vol 21, Issue 3, 2015](#)[Vol 21, Issue 2, 2015](#)[Vol. 21 Suppl. Issue August 2015](#)[Vol 21, Suppl. Issue June 2015](#)[Vol 21, Issue 1, 2015](#)[Supplement Issue, Dec. 2014](#)[Special Issue-2014](#)[Vol 20, Issue 4, 2014](#)[Vol 20, Issue 3, 2014](#)[Vol 20, Issue 2, 2014](#)[Vol. 20 Issue 01, 2014](#)[Vol. 19 Issue 04, 2013](#)

USE OF VEGETATED AGRICULTURAL DRAINAGE DITCHES TO IMPROVE THE ECOLOGICAL SERVICES OF IRRIGATION ECOSYSTEM

Catur Retnaningdyah and Endang Arisoelaningsih

[Get Abstract](#)

ASSESSMENT OF THE MANGROVE PROTECTED AREA IN THE EASTERN COAST OF SURABAYA

Viv Djanat Prasita, Nuhman, Agus Subianto and Agoes Soegianto

[Get Abstract](#)

IDENTIFICATION OF MERCURY-RESISTANT BACTERIA AS A POTENTIAL CANDIDATE FOR MERCURY BIO REMEDIATION.

Muhammad Fauzullmron, Setyo Budi Kurniawan and Agoes Soegianto

[Get Abstract](#)

STUDY OF THE PRESENCE OF METAL ELEMENTS IN SEA WATER IN THE STATE OF KUWAIT

Abdal-Kareem M.A. Dawagreh, Mohammad M. Hailat1, Hussam E. Al Khasawneh, Suresh Sundaramurthy and Salam J.J. Titinchi

[Get Abstract](#)

BIO PROSPECTING THERMOSTABLE ENZYMES-PRODUCING THERMOPHILES FROM INDONESIA

Almando Gerald, Aken Puti Wanguyun and Sucipto Hariyanto

[Get Abstract](#)

SUITABLE MODIFICATION OF BENTONITE AS MEDIA INANAEROBIC DIGESTION FOR TREATED WASTEWATER WITH HIGHAMMONIA CONCENTRATION

Siti Mariya Ulfa, Ivana Saumi Safitri, Eko Prasetyo Kuncoro and NurIndradewi Oktavetri

[Get Abstract](#)

POTENTIAL OF INDONESIAN ENDEMIC MICROBIAL CONSORTIUM IN DEGRADING PROFENOFOS AND CHLORANTRANILIPROLE PESTICIDE IN EAST JAVA INDONESIA TO SUPPORT AGRICULTURAL ECOSYSTEMS

Mahanani Tri Asri, Yuliani, Tarsan Purnomo, Fida Rachmadiarti, Evie Ratnasari and Agoes Soegianto

[Get Abstract](#)

EFFECT OF DIFFERENT WEED MANAGEMENT PRACTICES ON YIELD AND NUTRIENT UPTAKE OF AEROBIC RICE

Ritesh Kumar Parihar, V. K. Srivastava, Sandeep Kumar and Avijit Sen

[Get Abstract](#)

DATA COLLECTION OF BASIDIOMYCETES IN ECO CAMPUS AREA, SURABAYA: INITIAL EFFORTS FOR GREEN OPEN SPACE

Intan Ayu Pratiwi and BambangIrawan

[Get Abstract](#)

INFECTION STATUS OF INTESTINAL PARASITES IN SKIPJACK TUNA (KATSUWONUSPELAMIS) FROM SENDANG BIRUWATERS, INDIAN OCEAN, INDONESIA

D. Hidayati*, H.Y. Prabowo and A. Soegianto

[Get Abstract](#)

TOTAL PHENOLIC AND FLAVONOID CONTENTS OF ELEPHANTOPUSSCABER AND AGERATUM CONYZOIDES (ASTERACEAE) LEAVES EXTRACTS FROM VARIOUS ALTITUDE HABITATS

Yuliani, Fida Rachmadiarti, Sari Kusuma Dewi, Mahanani Tri Asri and Agoes Soegianto

[Vol. 19 Issue 03, 2013](#)

[Vol. 19, Issue 02, 2013](#)

[Vol. 19, Issue 01, 2013](#)

[Vol.18, Issue 04, 2012](#)

[Vol.18, Issue 3, 2012](#)

[Vol.18, Issue 2, 2012](#)

[Vol.18, Issue 1, 2012](#)

[Vol.17, Issue 4, 2011](#)

[Vol.17, Issue 3, 2011](#)

[Vol.17, Issue 2, 2011](#)

[Vol.17, Issue 1, 2011](#)

[Vol.16, Issue 4, 2010](#)

[Vol.16, Issue 3, 2010](#)

[Vol.16, Issue 2, 2010](#)

[Vol.16, Issue 1, 2010](#)

[Vol.15, Issue 04, 2009](#)

[Vol.15, Issue 03, 2009](#)

[Vol.15, Issue 02, 2009](#)

[Vol.15, Issue 1, 2009](#)

[Vol.14, Issue 04, 2008](#)

[Vol.14, Issue 2-3, 2008](#)

[Vol.14, Issue 2-3, 2008](#)

[Vol.14, Issue 1, 2008](#)

[Vol.14, Issue 2-3, 2008](#)

[Vol.13, Issue 04, 2007](#)

[Vol.13, Issue 2, 2007](#)

[Vol.13, Issue 1, 2007](#)

[Vol.12, Issue 4, 2006](#)

[Vol.12, Issue 3, 2006](#)

[Vol.12, Issue 2, 2006](#)

[Vol.12, Issue 1, 2006](#)

[Vol.12, Issue 01, 2006](#)

[Vol.11, Issue 3,4, 2005](#)

[Vol.11, Issue 2, 2005](#)

[Vol.11, Issue 1, 2005](#)

[Vol.10, Issue 04, 2004](#)

[Vol.10, Issue 03, 2004](#)

[Vol.10, Issue 02, 2004](#)

[Vol.10, Issue 01, 2004](#)

[Vol.09, Issue 04, 2003](#)

[Vol.09, Issue 03, 2003](#)

[Vol.09, Issue 02, 2003](#)

[Vol.08, Issue 04, 2002](#)

[Vol.08, Issue 03, 2002](#)

[Vol.08, Issue 01, 2002](#)

[Vol.07, Issue 04, 2001](#)

[Vol.07, Issue 03, 2001](#)

[Vol.07, Issue 02, 2001](#)

[Vol.07, Issue 01, 2001](#)

[Vol.06, Issue 04, 2000](#)

[Vol.06, Issue 03, 2000](#)

[Vol.06, Issue 02, 2000](#)

[Vol.06, Issue 01, 2000](#)

[Vol.05, Issue 04, 1999](#)

[Vol.05, Issue 03, 1999](#)

[Vol.05, Issue 02, 1999](#)

[Vol.05, Issue 01, 1999](#)

[Vol.04, Issue 1,2, 1998](#)

[Vol.03, Issue 3,4, 1997](#)

[Vol.03, Issue 01, 1997](#)

[Vol.02, Issue 1,2, 1996](#)

[Vol.01, Issue 14, 1995](#)

Looking for Past Issues?

[Click here to get them!!](#)

[Get Abstract](#)**EFFECT OF CRUMB RUBBER ON COMPRESSIVE STRENGTH OF CONCRETE**

Amit Arora, Parampreet Kaur, Munish Kumar and Sidhant Chopra

[Get Abstract](#)**SURVIVAL AND GROWTH OF MUD CRAB (SCYLLA SERRATA FORSSKÅL, 1775) REARED IN CRAB BUCKET RECIRCULATING AQUACULTURE SYSTEM**

Bambang Yulianto, Sunaryo, Nur Taufiq S.P.J., Ali Djunaedi, Subagiyo, Adi Santosa and Agoes Soegianto

[Get Abstract](#)**ENHANCED SOLAR STILL EVAPORATION RATE USING OPTICAL MODIFICATION**

Wahid Dianbudiyanto, Eko Prasetyo Kuncoro and Bambanglrawan

[Get Abstract](#)**ADSORPTION ZN(II) ON BLOOD COCKLE SHELL (ANADARAGRANOSA)**

Febri Eko Wahyudianto and Ali Masduqi

[Get Abstract](#)**DNA BARCODING OF INVASIVE FRESHWATER FISH REVEALS TWO SPECIES OF AMPHILOPHUS FROM TWO DAMS IN BRANTAS STREAM, EAST JAVA, INDONESIA**

Muhammad Hilman Fu'adil Amin, Alfiah Hayati, Win Darmanto and Manikya Pramudya

[Get Abstract](#)**ASPECTS OF GREEN-SUSTAINABLE TRIBOLOGY AND ITS IMPACTS ON FUTURE PRODUCT DEVELOPMENT: A REVIEW**

Amit Arora, Shivangi Jha and Vinay Saini

[Get Abstract](#)**DISTRIBUTION EXTENSION AND FIRST RECORD OF LOBOCHEILOSFALCIFER (CYPRINIFORMES, CYPRINIDAE) IN CENTRAL JAVA PROVINCE, INDONESIA**

Veryl Hasan, Soemarno, Maheno Sri Widodo, Dewa Gede Raka Wiadnya

[Get Abstract](#)**CARBON STORAGE OF MANGROVE ECOSYSTEMS IN PASURUAN AND PROBOLINGGO REGENCY, EAST JAVA, INDONESIA**

Muhammad Arif Asadi, Arizal Mahendra Rahardani, Bambang Semedi and Agoes Soegianto

[Get Abstract](#)**ASSESSMENT OF DIFFERENT TYPE OF PEAT PROPERTIES IN JOHOR FOR CARBON STOCK CONSERVATION**

Junita Abd Rahman, Radin Maya Saphira Radin Mohamed, Nor Haakmal Ab Durahim, Syafik AkmalTajuddin, Adel Ali Saeed Al-Gheethi and Nurina Fitriani

[Get Abstract](#)**COMBINATION EFFECT OF UV-C LIGHT AND OZONE FOR THE INHIBITION OF LISTERIA SPP. ON GALA APPLES SURFACE**

Phan Le Bao Ngoc and Patimakorn Pasuwan

[Get Abstract](#)**INACTIVATION OF HARMFUL ALGAL BLOOMS IN FRESH WATER USING ALGICIDAL BACTERIA PSEUDOMONAS SP. FROM WASTEWATER TREATMENT PLANT**

Mohammed Al-Sahari, Adel Al-Gheethi, Radin Maya Saphira Radin Mohamed and Nurina Fitriani

[Get Abstract](#)

RANGE EXPANSION OF THE INVASIVE NILE TILAPIA OREOCHROMIS NILOTICUS (PERCIFORMES: CICHLIDAE) IN JAVA SEA AND FIRST RECORD FOR KANGEAN ISLAND, MADURA, EAST JAVA, INDONESIA

Veryl Hasan, Akhmad Taufiq Mukti and Trisnadi Widyaleksono Catur Putranto

[Get Abstract](#)

A STUDY OF FAILURE CONVECTIVE SUPER HEATER OF INDUSTRIAL BIOMASS BOILER BASED ON CHEMICAL PROPERTIES OF DEPOSITS

Intan Ayu Pratiwi and Helmi Dadang Ardiansyah

[Get Abstract](#)

NEW HAPLOTYPES OF BLACK-BEARDED TOMB BAT (TAPOZOU SMELANOPOGON) FROM PUNCAKWANGI CAVE (EAST JAVA, INDONESIA)

Muhammad HilmanFu'adil Amin, Nabilatun Nisa' and BambangIrawan

[Get Abstract](#)

PHYSICO-CHEMICAL OCEANOGRAPHIC CONDITIONS OF PRIGI BAY, EAST JAVA, INDONESIA

Oktiyas Muzaky Luthfi, Andiklsdianto, Supriyadi, Riza Alifia, Niniklka Sulistianingrum, Rahmat Prasetyoaji, Muhammad Irlan Assidiq Kusuma Ramadhan and Agoes Soegianto

[Get Abstract](#)

MONITORING ON HEALTH CONDITION OF TUBIPORAMUSICA (STOLONIFERA) USING COLONY LIFE-FORM

Oktiyas Muzaky Luthfi, Muhammad Arif Asadi, Teguh Agustiadi and Agoes Soegianto

[Get Abstract](#)

WATER QUALITY IMPACT TO CORAL COMPROMISED HEALTH PREVALENCE OF PRIGI BAY, EAST JAVA, INDONESIA

Oktiyas Muzaky Luthfi, Abdur Rosyid, Andiklsdianto, Alfau Jauhari, Daduk Setyohadi, Rosdianto and Agoes Soegianto

[Get Abstract](#)

[Home](#) | [International Journals](#) | [Books](#) | [Environmental Consulting](#) | [About Us](#) | [Contact Us](#) | [Submit Paper](#) | [Search Journal Article](#) |

[Become a fan](#) on Facebook

[Follow us](#) on Twitter



© EM International 2012-2019 | **Developed by Eneblur Consulting**

Range expansion of the invasive Nile tilapia *Oreochromis niloticus* (Perciformes: Cichlidae) in Java Sea and first record for Kangean Island, Madura, East Java, Indonesia

¹Veryl Hasan*, ¹Akhmad Taufiq Mukti and ²Trisnadi Widyalaksana Catur Putranto

¹Department of Fish Health Management and Aquaculture, Faculty of Fisheries and Marine, Universitas Airlangga, Surabaya 60115, East Java, Indonesia

²Department of Biology, Faculty of Science and Technology, Universitas Airlangga, Surabaya 60115, East Java, Indonesia

(Received 27 March, 2019; Accepted 30 May, 2019)

ABSTRACT

Nile tilapia *Oreochromis niloticus* (Linnaeus, 1758) is native to Africa, with introductions reported from Bawean Island, Java Sea (Indonesia). On 17-18 April 2019 eight specimens of *O. niloticus* were captured from Batu Batu Estuary, conservation area in Kangean Island, Java Sea. This record is among first of this species from the East end of Java Sea. A description of meristic and morphometric features of a specimen are provided.

Key words: Nile tilapia, Kangean Island, Java Sea, Morphometric and meristic

Introduction

Oreochromis niloticus Linnaeus, 1758 is a tilapia native to the Nile (Africa), ranging from the upper Nile River South to the equator and West to the Atlantic Coast and now introduced to many countries worldwide for aquaculture (Trewavas, 1983). *Oreochromis niloticus* exhibits highly omnivory habits, euryhaline and a tolerance to new habitats (Peterson *et al.*, 2004). Because of this, *O. niloticus* has the potential to become an invasive species (Gu *et al.* 2015).

In Indonesia, *O. niloticus* is generally spread in mainland waters where aquaculture activities have been underway for some time (Basuki and Sri, 2014). In Java Sea, *O. niloticus* was described from freshwaters in the Danau Kastoba, Bawean Island

(Hasan and Tamam, 2019). Kangean Island, a medium, isolated island in the east end of Java Sea, is a conservation area, but there is no record of culturing tilapia there. The presence of *O. niloticus* in Kangean Island therefore constitutes a new record.

Materials and Methods

Study area

Eight (8) live specimens of *O. niloticus* were obtained from a local fishermen during a fieldwork carried out on 17-18 April, 2019 in Batu Batu estuary (6°55'19"S 115°19'43"E) (Fig. 1). Administratively, the site is located in Sumenep Regency, East Java Province, Indonesia. The fishing gear used by the fisherman was a medium hook with bottom and bait used were crustaceans (Stein *et al.* 2012).

*Corresponding author's email: veryl.hasan@fpk.unair.ac.id



Fig. 1. Batu Batu Estuary (Kangean Island), showing the location where *O. niloticus* was collected

Fish identification

Diagnostic morphological characters of the specimens were analysed following Trewavas (1983). The measurement from 6 landmarks of the morphometric and meristic characters followed the description provided by Simon *et al.* (2010).

Results

Specimens' collection

The eight live specimens of *O. niloticus* had a total length between 99 mm and 222 mm. Five of them were used as preserved specimens in 96% alcohol solution and deposited at the Hydrobiology Laboratory, Universitas Brawijaya, Malang, Indonesia (HB.On.II.2019) (Fig. 2). The remaining three were kept as livestock at the Fish Reproduction Laboratory, Universitas Brawijaya, Malang Indonesia. The three live individuals were transported in polyethylene bags with oxygen.

Diagnosis

Morphometric and meristic characteristics of *O. niloticus* are given in Table 1. Other specific morphological characters are as follows: scales cycloid; gill rakers short; three rows of scales on cheek; maxilla and lower jaw equal; teeth widen; pectoral fin pointed; dorsal, pectoral and anal fins blunt; caudal scaly. Coloration: caudal fin covered with narrow vertical stripes, anal fin faintly barred, upper margin of dorsal fin black or grey, the melanin some-

Table 1. Morphometric and meristic of *O. niloticus* from the Batu Batu Estuary, Kangean Island ($n = 8$ specimens).

Character	Morphometric (mm)
Total length	126
Standard length	10.1
Head length	33
Body depth	73
Eye diameter	8
Snouth length	7.2
Character	Meristic
Lateral line scales	30
Dorsal fin	XV+10
Pectoral fin	11
Pelvic fin	I+5
Anal fin	VIII+10

times slightly mixed with red, not orange or vermilion even in breeding males. Head and trunk of breeding male suffused with red; in some localities lower jaw, chest, pelvics and anterior part of anal fin black; caudal and soft dorsal fin sharply barred; about nine narrow dark bars on sides body; dark blotch at corner of operculum. All of these characters were found in every specimen collected from the Batu Batu Estuary, Kangean Island, Indonesia



Fig. 2. Specimen of *O. niloticus* caught on 18 April 2019 from the Batu Batu Estuary, Kangean Island.

(Fig. 2).

Discussion

O. niloticus has been introduced to more than 90 countries around the world for both brackish and fresh water aquaculture (Fitzsimmons, 2001). This species is one of the top ten introduced species of animals in the world (Picker and Griffiths, 2011).

Indonesia is the second largest producer of *O. niloticus* in the world after China (FAO, 2017). Due to intensive aquaculture, *O. niloticus* now occurs in all brackish and fresh waters of mainland Indonesia.

Its presence in the Kangean Island, in the East end of Java Sea and 150 km from the nearest mainland (East Java) and 350 km from type locality (Bawean Island) (Fig. 3), is new record.




Fig. 3. Distribution of *O. niloticus* in Java Sea. (A) is the previous known localities of the species in the Bawean Island. (B) is the recent record from the Kangean Island.

We speculate that *O. niloticus* was released into Batu Batu Estuary in Kangean Island by exotic fish hobbyists but the purpose is not clear. As the island does not have an aquaculture industry, further investigation is warranted to determine the source of *O. niloticus* in Kangean Island. The control and prevention of further introductions is needed so that *O. niloticus* does not disturb the natural ecosystem (Ishikawa *et al.*, 2012; Vicente and Fonseca-Alves, 2013).

References

Basuki, F. and Sri, R. 2014. Analysis on the survival rate and growth of Larasati Tilapia (*Oreochromis niloticus*) F5 seed in saline media. *Procedia Environmental Sciences*. 23 : 142-147.
 FAO, 2017. Global aquaculture production. Food and Agriculture Organization of the United Nations,

Rome. <http://www.fao.org/fishery/statistics/global-production/en>. Accessed on: 2018-11-15.
 Fitzsimmons, K. 2001. Environmental and conservation issues in tilapia aquaculture. In: Subasinghe R, Singh T (Eds) *Tilapia: Production, Marketing, and Technological Developments*. FAO Infofish, Kuala Lumpur, Malaysia 128-131.
 Gu, D.A., Guang, M.A., Yun, J.Z., Meng, X., Du, L., Ying, Y.L., Hui, W., Xi, D.M., Jian, R.L. and Yin, C.H. 2015. The impacts of invasive Nile Tilapia (*Oreochromis niloticus*) on the fisheries in the main rivers of Guangdong Province, China. *Biochemical Systematics and Ecology*. 59 : 1-7.
 Hasan, V. and Tamam, M.B. 2019. First record of the invasive Nile Tilapia, *Oreochromis niloticus* (Linnaeus, 1758) (Perciformes, Cichlidae), on Bawean Island, Indonesia. *Check List*. 15(1) : 225-227.
 Ishikawa, T., Tamaki, S. and Katsunori, T. 2012. Life history of an invasive and unexploited population of Nile Tilapia (*Oreochromis niloticus*) and geographical variation across its native and non-native ranges. *Environmental Biology of Fishes*. 96 (5): 603-616.
 Peterson, M.S., Slack, W.T., Brown-Peterson, N.J. and McDonald, J.L. 2004. Reproduction in non-native environments: establishment of Nile tilapia, *Oreochromis niloticus* (Linnaeus) in coastal Mississippi watersheds. *Copeia*. 2004(4) : 842-849.
 Picker, M.D. and Griffiths, C.L. 2011. *Alien and Invasive Animals a South African Perspective*. Randomhouse/Struik, Cape Town, 240 p.
 Simon, K.D., Bakar, Y., Temple, S.E. and Mazlan, A.G. 2010. Morphometric and meristic variation in two congeneric archer fishes *Toxotes chatareus* (Hamilton 1822) and *Toxotes jaculatrix* (Pallas 1767) inhabiting Malaysian coastal waters. *J. Zhejiang Univ. Sci*. 11: 871-9.
 Stein, J.A., Shultz, A.D., Cooke, S.J., Danylchuk, A.J., Hayward, K. and Suski, C.D. 2012. The influence of hook size, type, and location on hook retention and survival of angled bonefish (*Albula vulpes*). *Fisheries Research*. 113 : 147-152.
 Trewavas, E. 1983. *Tilapiine Fishes of the Genera Sarotherodon, Oreochromis and Danakilia*. British Museum (Natural History), London, 583 p.
 Vicente, I.S.T. Fonseca-Alves, C.E. 2013. Impact of introduced Nile tilapia (*Oreochromis niloticus*) on non-native aquatic ecosystems. *Pakistan J. Biol. Sci*. 16(3): 121e126.