





Association between percentag... x BMC Public Health | Volume 22... x


link.springer.com/journal/12889/volumes-and-issues/22-1?page=6

SpringerLink Search Q Log in

 **BMC Public Health** 

Volumes and issues > Volume 22, issue 1

Search within journal

 **Volume 22, issue 1, December 2022**  
2460 articles in this issue

[Submission guidelines](#)  
[Contact the journal](#)  
[Submit manuscript](#)

Explore  
[Volumes and issues](#)  
[Collections](#)

Characterizing fall risk factors in Belgian older

Search 2011 01/04/2023



# BMC Public Health



[Volumes and issues](#) > Volume 22, issue 1

Search within journal

## Volume 22, issue 1, December 2022


2460 articles in this issue

### [Characterizing fall risk factors in Belgian older adults through machine learning: a data-driven approach](#)

Elke Lathouwers, Arnau Dillen ... Kevin De Pauw

Research | [Open Access](#)

Published: 29 November 2022 | Article: 2210




## [Tobacco chewing and associated factors among a vulnerable youth population in Sri Lanka](#)

Manori Dhanapriyanka, R. D. F. C. Kanthi ... Diep Hong Ha

Research | [Open Access](#)

Published: 29 November 2022 | Article: 2209




## [Lifestyles and health-related quality of life in Chinese people: a national family study](#)

Shiqian Zou, Guanrui Feng ... Wai-kit Ming

Research | [Open Access](#)

Published: 29 November 2022 | Article: 2208



## [Under age five children survival times in Nigeria: a Bayesian spatial modeling approach](#)

Osafu Augustine Egbon, Mariella Ananias Bogoni ... Francisco Louzada

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2207



## [HIV and syphilis knowledge, perceptions, and practices among Myanmar migrant workers in Samut Sakhon Province, Thailand](#)

Alfrison Paloga, Dumrongkiet Arthan ... Ngamphol Soonthornworasiri

Research | [Open Access](#) | Published: 28 November 2022 | Article: 2206

## [Factors associated with COVID-19 booster vaccine willingness among migrants from the Eastern Mediterranean living in Australia: a cross-sectional study](#)

Keeley Allen, Stephen B. Lambert ... Davoud Pourmarzi


Research | [Open Access](#) | Published: 28 November 2022 | Article: 2205

## [Relative acquisition evaluation of health poverty alleviation project: a quantitative study of data from different regions of China](#)

Xinjie Zhang, Ying Luo ... Jingru Huang

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2204



## [Psychological experience of Juvenile patients' parents in Fangcang shelter hospital during the Omicron wave of COVID-19 pandemic in Shanghai, China: a qualitative study](#)

Hongmei Wu, Kexi Liao ... Chunmei Luo

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2203



## [Association between percentage of smokers and prevalence of smoking attributable morbidity in Indonesia: one decade after implementation of smoke-free area regulation](#)

Santi Martini, Kurnia Dwi Artanti ... Yayi Suryo Prabandari

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2202




## [The effect of the street environment on two types of essential physical activity in industrial neighborhoods from the perspective of public health: a study from the Harbin low-income population health survey, China](#)

Yunjing Hou, Chaofan Zhai ... Wen Li

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2201




## [Is pinworm infection still a public health concern among children in resource-rich regions? Trends in pinworm infection prevalence and associated factors among children in Hualien County, Taiwan: a retrospective cross-sectional study](#)

Yu-Chao Hsiao, Jen-Hung Wang ... Ming-Chun Chen

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2200




## [Dental hesitancy: a qualitative study of culturally and linguistically diverse mothers](#)

Kanchan Marcus, Madhan Balasubramanian ... Woosung Sohn

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2199



## [Associations of functional health literacy with socioeconomic and demographic status among Filipinos](#)

Lourdes Marie S. Tejero, Kathryn Lizbeth L. Siongco ... Ma. Carmen C. Tolabing

Research | [Open Access](#) | Published: 28 November 2022 | Article: 2198

## [Assessing core capacities for addressing public health emergencies of international concern at designated points of entry in Cameroon during the COVID-19 Pandemic](#)

Viviane Fossou Ndoungué, Arouna Njayou Ngapagna ... Omer Njajou

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2197




## [Sedentary behaviour, physical activity, and sleep among office workers during the COVID-19 pandemic: a comparison of Brazil and Sweden](#)

Luiz Augusto Brusaca, Leticia Bergamin Januario ... David M. Hallman

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2196




## [Correlates of co-occurring physical child punishment and physical intimate partner violence in Colombia, Mexico and Peru](#)

Sarah Bott, Ana P. Ruiz-Celis ... Alessandra Guedes

Research | [Open Access](#)

Published: 28 November 2022 | Article: 2195



## [Lyme borreliosis in Belgium: a cost-of-illness analysis](#)

Laurence Geebelen, Brecht Devleeschauwer ... Philippe Beutels

Research | [Open Access](#) | Published: 28 November 2022 | Article: 2194

## [The association between social determinants of health and psychological distress during the COVID-19 pandemic: a secondary analysis among four racial/ethnic groups](#)

Yan Luo, Qingyi Li ... Leah Cheatham

Research | [Open Access](#) | Published: 28 November 2022 | Article: 2193

## BMC Public Health

Home [About](#) Articles Submission Guidelines Collections

### About ▾

[Contact](#)

[Editorial board](#)

[In Review](#)

## Editorial Board

### Natalie Pafitis, Senior Editor

[Back to top](#)



Natalie joined BMC after having completed an MSc in Environmental Health at the Cyprus International Institute, in Association with the Harvard School of Public Health, USA where she completed courses including global climate change, environmental epidemiology, sustainable development and exposure assessment. Prior to this, she gained her BSc in Environmental Science at the University of Indianapolis, USA.

Natalie has been Editor of *BMC Public Health* since 2007, also having worked on several biology and medical journals since this time. She has a keen interest in the use of research evidence to underpin public health policy and to advance the Sustainable Development Agenda. She is an Editor of the [BMC Series blog](#) and an ambassador of the Sustainable Development Goals for the BMC Series journals.

### Lorena Verduci, Associate Editor

Lorena has a master's degree in Biomolecular Sciences and Technologies (University of Pisa, Pisa, Italy) and a PhD in Innovative Strategies in Biomedical Research (Scuola



Superiore Sant'Anna, Pisa, Italy). After her PhD she worked in research institutes, universities and life science companies in Italy and in the UK, including the Italian National Cancer Institute "Regina Elena" in Rome, "Sapienza" Università di Roma, Rome, Italy, and the University of Cambridge, Cambridge, UK. Her research focused on cardiovascular regeneration, role of microRNAs and circRNAs in cancer, assessment of new cancer drug *in vitro* and *in vivo*, and development of new technologies.

Before joining *BMC Public Health* in September 2022, Lorena was an Associate Editor at *PLOS ONE* in the Public Health and Medicine Team.

## Senior Editorial Board Members

### Chris I. Ardern


[Back to top](#)



Chris I. Ardern is an Associate Dean of Research and Innovation in the Faculty of Health at York University (Toronto, Canada) and Associate Professor in the School of Kinesiology and Health Science. Chris' primary interest is in the epidemiology of obesity and 24-hour movement behaviors (sleep, sedentary time, and physical activity) in relation to cardiometabolic risk, microvascular dysfunction, and dementia. Most recently, his work has focused

on the health risks associated with weight stigma, and the use of risk algorithms and behavioral profiling for the identification of high-risk subgroups of the population. This work incorporates both social and physical determinants, drawing on large scale open data infrastructure, national surveys, and administrative healthcare data to conduct time-to-event and geospatial analyses, to move knowledge into action with collaborating healthcare groups. He holds a Research Scientist position at Southlake Regional Health Centre, is member of the York University Centre for Aging Research and Education (YU-CARE), and is active in obesity organizations at the local to national level. Professor Ardern joined the Editorial Board of *BMC Public Health* in 2017, and has been a Senior Editor since 2019.

## Noriko Cable

[Back to top](#)


Noriko is a Senior Research Fellow at the Department of Epidemiology and Public Health, University College London. She works on social relationships, alcohol use and mental health from childhood to late adulthood as well as on cross-national examinations of mental health. Her work appears in the booklets *Life gets under your skin* and *Never too early, never too late* published by her research group, the International Centre for Lifecourse Studies in Society and Health (ICLS). She currently works on her ESRC funded project, UK-Japan Social relationships and well-being across ageing nations (UK-Japan SWAN) to establish early career researchers' networks between the UK and Japan. Dr. Cable joined the Editorial Board of *BMC Public Health* as Section Editor in 2019.

## Jennifer Emond



Jennifer is Associate Professor in the Departments of Biomedical Data Science and Pediatrics at the Geisel School of Medicine at Dartmouth College and co-Director of the Media & Health Behaviors Laboratory at Dartmouth College. Jennifer's research focuses on the development of health behaviors during early childhood including dietary behaviors, physical activity and sleep. Jennifer's research also examines the role of child-directed food marketing on shaping children's dietary behaviors. She is actively involved in teaching in the Quantitative Biomedical Sciences graduate program at Dartmouth College and greatly enjoys mentoring others within statistical methodology.

## Youcheng Liu

[Back to top](#)

Youcheng is currently an Associate Professor at Wayne State University School of Medicine. He trained in medicine and public health with specialties in industrial hygiene, environmental health, occupational health and epidemiology. His research



focuses on assessing occupational and environmental exposures to chemical hazards and biological agents, evaluating the resultant health outcomes (asthma, COPD, cardiovascular diseases and diabetes) and identifying effective and feasible measures and strategies to reduce exposures and prevent diseases. Current research projects include dermal exposure to nicotine in migrant tobacco farm workers in Kentucky and the development of a barrier cream and other intervention methods to reduce exposure and green tobacco sickness, isocyanate exposure in neonates and the identification of user barriers of Powered Air-Purifying Respirators (PAPRs) in health care workers. He joined the Editorial Board of *BMC Public Health* in 2010.

## Carol Maher

[Back to top](#)


Carol is a Research Professor and Deputy Director of the Alliance for Research in Exercise, Nutrition and Activity (ARENA) at the University of South Australia. Her research focuses on the links between lifestyle behaviors (particularly physical activity, sedentary behavior and sleep) and health and obesity in children and adults. She is particularly interested in technology-based approaches for measuring and improving health behaviors, including wearables, smart devices, apps and online social media. Professor Maher joined the Editorial Board of *BMC Public Health* in May of 2014.

## Monica Malta

[Back to top](#)


Dr. Monica Malta is a researcher at the Centre for Addiction and Mental Health (CAMH) and a professor at the University of Toronto. She has been engaged in global health research focusing on social and structural factors influencing health inequalities and the impact of gender-based violence among female-identified persons from Latin America. Her work contributed to change local legislations and informed several



interventions protecting the rights of people living with HIV, survivors of gender-based violence and the LGBTQ2S community.

## Isabelle Niedhammer

[Back to top](#)



Isabelle is a Research Director at the French National Institute for Health and Medical Research (INSERM, France). She is currently working at the Research Institute for Environmental and Occupational Health (IRSET-INSERM U1085). Her background is in occupational health epidemiology. Her research topics are related to occupational and social epidemiology and she is particularly interested in job stress, psychosocial work exposures and workplace violence, and their impact on health, as well as in the contribution of these occupational exposures to social inequalities in health. She is the author of more than 100 publications in international peer-reviewed journals and participated in the writing of 8 books. She joined the Editorial Board of *BMC Public Health* in 2011.

## Patrick Palmieri

[Back to top](#)



Dr. Patrick Palmieri is a global health expert and research methodologist with more than 20 years work experience in academia and industry. Dr. Palmieri leads two research centers based in South America including the EBHC South America: A JBI Affiliated Group and the South American Center for Qualitative Research. He is a full professor and senior research scientist at the Universidad Norbert Wiener (Peru), where he previously served as Vice Chancellor for Research and Dean of the School of Nursing. In addition, Dr. Palmieri is an adjunct professor in doctoral programs at A.T. Still University and Texas Woman's University. Previously in Peru, he co-led a \$300+ million project resulting in the largest private vertically integrated health delivery system and led the first successful international hospital accreditation. His research interests include generating evidence to guide clinical practice through scoping and systematic reviews, applied psychometrics for cross-cultural research, quality improvement projects, and qualitative inquiry. Dr.

Palmieri is certified as a senior researcher by the Peruvian National Committee for Science, Technology, and Innovation, and he is a fellow of the American Academy of Nurses and the Royal College of Surgeons in Ireland.

## Louisa Peralta

[Back to top](#)



Louisa is a Senior Lecturer in the Sydney School of Education and Social Work at the University of Sydney, Australia. With a background in health and physical education, her research focuses on the design, implementation, and evaluation of school- and community-based health promoting programs (particularly focusing on physical activity) in children, adolescents and postpartum women. She is particularly interested in the implementation processes, including technology platforms, and the impact of these interventions on a range of health knowledge, capabilities, and behaviours. Dr Peralta joined the Editorial Board of *BMC Public Health* in 2018.

## David Rehkopf

[Back to top](#)




David is an Assistant Professor of Medicine at Stanford University, in the Division of Primary Care and Population Health, with an appointment in Health Research and Policy, and affiliations with the Stanford Center on Poverty and Inequality and the Stanford Center for Population Health. He received his Masters in Public Health in Epidemiology and Biostatistics from the University of California, Berkeley, and his doctorate at the Harvard School of Public Health in the Department of Health and Social Behavior. He was a Robert Wood Johnson Health and Society Scholar at the University of California, Berkeley and the University of California, San Francisco. His research focus is on understanding the health effects of income and work policy on health, as well as understanding the biological pathways through which the social and economic environment impacts disease and death. He joined the Editorial Board of *BMC Public Health* in 2016.

## Akira Shibamura

[Back to top](#)


Akira is a Lecturer at the Department of Community and Global Health, Graduate School of Medicine, the University of Tokyo. As a social scientist, he has been involved in community health research studies in low- and middle-income countries and Japan. His research mainly focuses on health and healthcare service-seeking behaviors, social determinants of health, and inequity in health in the field of reproductive, maternal, newborn, child, and adolescent health as well as migration and health. He currently works on research projects regarding discrimination and wellbeing and the quality of healthcare service provisions. He joined the Editorial Board of *BMC Public Health* in 2020.

## Henri Tilga

[Back to top](#)


Henri is a Research Fellow of Sports Sciences in the Institute of Sport Sciences and Physiotherapy, University of Tartu. The theoretical background of his work is based mainly on the self-determination theory. More specifically, he works on the topic of teachers' multidimensional autonomy-supportive and controlling behaviours, students' psychological need satisfaction and frustration, and students' autonomous and controlled forms of motivation in the context of physical education. He has also developed and tested the effectiveness of several intervention programs with the aim to improve psychological need satisfaction and autonomous forms of motivation among students in the context of physical education. He joined the Editorial Board of *BMC Public Health* in 2021.

## Shankar Viswanathan

[Back to top](#)

Shankar is an Assistant Professor of Biostatistics at the Albert Einstein College of Medicine, in the Department of Epidemiology and Population Health. He received his



doctoral degree in Biostatistics from the University of North Carolina at Chapel Hill. His methods research focuses on multivariate survival analysis, longitudinal data, and missing data analysis. His applied area focusses on Global Health, Injury Epidemiology, and Chronic Disease Epidemiology. He joined the Editorial Board of *BMC Public Health* in 2018.

### Senior Editorial Board Members

Chris Ardern, *York University, Canada*

Noriko Cable, *University College London, UK*

Jennifer Emond, *Dartmouth College, USA*

Youcheng Liu, *Wayne State University, USA*

Carol Maher, *University of South Australia, Australia*

Monica Malta, *University of Toronto, Canada*

Isabelle Niedhammer, *Inserm, France*

Patrick Palmieri, *Norbert Wiener University, Peru*

Louisa Peralta, *The University of Sydney, Australia*

David Rehkopf, *Stanford University, USA*

Akira Shibamura, *The University of Tokyo, Japan*

Henri Tilga, *University of Tartu, Estonia*

Shankar Viswanathan, *Albert Einstein College of Medicine, USA*

### Editorial Board Members

Edimansyah Abidin, *Institute of Mental Health, Singapore*

Sandra Abreu, *Lusófona University of Porto, Portugal*

Pawan Acharya, *University of Oklahoma, USA*

Ishag Adam, *Qassim University, Saudi Arabia*

Oyelola Adegboye, *James Cook University, Australia*

Tara Ballav Adhikari, *Aarhus University, Denmark*

Bipin Adhikari, *Nepal Community Health and Development Centre, Nepal*

Wafa Aftab, *Aga Khan University, Pakistan*

Marcela Agudelo-Botero, *Universidad Nacional Autónoma de México, Mexico*

Bright Ahinkorah, *University of Technology Sydney, Australia*

Shoaib Ahmad, *Punjab medical college, Faisalabad, Pakistan*

Reza Ahmadkhaniha, *Tehran University of Medical Sciences, Iran*

Shakeel Ahmed, *Wah Medical College, Pakistan*  
 Collins Stephen Ahorlu, *University of Ghana, Ghana*  
 Catherine Aicken, *University of Brighton, UK*  
 Hirotsuga Aiga, *Japan International Cooperation Agency, Japan*  
 Aderonke Akinkugbe, *Virginia Commonwealth University, USA*  
 Blessing Akombi-Inyang, *The University of New South Wales, Australia*  
 Mayar Al Mohajer, *Baylor College of Medicine, USA*  
 Abdullah Al-Taiar, *Old Dominion University, USA*  
 Arsham Alamian, *University of Miami, USA*  
 Habiba Ali, *United Arab Emirates University, United Arab Emirates*  
 Amir Almasi-Hashiani, *Arak University of Medical Sciences, Iran*  
 Iris Iglesia Altaba, *Instituto de Investigación Sanitaria de Aragón, Spain*  
 Olufemi Aluko, *Obafemi Awolowo University, Nigeria*  
 Javier Alvarez-Galvez, *University of Cadiz, Spain*  
 Donne Kofi Ameme, *University of Ghana School of Public Health, Ghana*  
 Edward Kwabena Ameyaw, *University of Technology Sydney, Australia*  
 Leopold Aminde, *School of Medicine, Griffith University, Australia*  
 Hubert Amu, *University of Health and Allied Sciences, Ghana*  
 Michael Anastario, *Florida International University, USA*  
 Jennifer Andersen, *University of Arkansas for Medical Sciences, USA*  
 Johnny Andoh-Arthur, *University of Ghana, Ghana*  
 Fabíola Bof de Andrade, *Oswaldo Cruz Foundation - FIOCRUZ, Brazil*  
 Carl Abelardo Antonio, *University of the Philippines, Philippines*  
 Marzieh Araban, *Ahvaz Jundishapur University of Medical Sciences, Iran*  
 Hisatomi Arima, *Fukuoka University, Japan*  
 Danilo Arnone, *United Arab Emirates University, UAE*  
 Monika Arora, *Public Health Foundation of India, India*  
 Lauren Arundell, *Deakin University, Australia*  
 Nirmal Aryal, *Bournemouth University, UK*  
 Umesh Aryal, *Public Health and Environment Research Center Nepal, Nepal*  
 Kwaku Oppong Asante, *University of Ghana, Ghana*  
 Diane Ashiru-Oredope, *Public Health England, UK*  
 S Maria Awaluddin, *Institute for Public Health, Ministry of Health Malaysia, Malaysia*  
 Ashish Awasthi, *Public Health Foundation of India, India*  
 Getinet Ayano, *Curtin University, Australia*  
 Dawit Getnet Ayele, *John Hopkins University, USA*

Giridhara Babu, *Public Health Foundation of India, Indian Institute of Public Health, India*  
 Migle Baceviciene, *Lithuanian Sports University, Lithuania*  
 SeungJin Bae, *Ewha Womans University, College of Pharmacy, South Korea*  
 Mohan Bairwa, *IIHMR University, India*  
 Ram Bajpai, *Keele University, United Kingdom*  
 Karin Bammann, *University of Bremen, Germany*  
 Jorge Banda, *Purdue University, USA*  
 Jason Bantjes, *Institute for Life Course Health Research, Department of Global Health, Faculty of Medicine and Health Sciences, Stellenbosch University, South Africa*  
 Aleksandra Barac, *University of Belgrade, Serbia*  
 Gustavo Barcelos, *Federal University of São Paulo, Brazil*  
 Kate Bartlem, *University of Newcastle, Australia*  
 Saurav Basu, *Public Health Foundation of India, India*  
 Leonelo Bautista, *University of Wisconsin-Madison, United States*  
 Estifanos Baye, *Harvard Medical School, USA*  
 Jeannette Beasley, *NYU School of Medicine, USA*  
 Charles Beck, *National Infection Service, Public Health England, UK*  
 Elisardo Becona, *University of Santiago de Compostela, Spain*  
 Asres Bedaso-Tilahune, *University of Technology Sydney, Australia*  
 Masoud Behzadifar, *Lorestan University of Medical Sciences, Iran*  
 Britni Belcher, *University of Southern California, USA*  
 Gabriele Berg-Beckhoff, *University of Southern Denmark, Denmark*  
 Maria Berghs, *De Montfort University, UK*  
 Danielle Berkovic, *Monash University, Australia*  
 Devender Bhalla, *PÃ´le Universitaire euclide Intergovernmental UN Treaty 49006/49007, Central African Republic*  
 Aida Bianco, *Magna Græcia University of Catanzaro, Italy*  
 Hassan Haghparast Bidgoli, *University College London, UK*  
 Katie Biello, *Brown University, USA*  
 Godfrey Biemba, *National Health Research Authority, Zambia*  
 Jean Joel Bigna, *Centre Pasteur of Cameroon, Cameroon*  
 Boris Bikbov, *Istituto di Ricerche Farmacologiche Mario Negri IRCCS, Italy*  
 Mawuena Binka, *British Columbia Centre for Disease Control, Canada*  
 Raaj Kishore Biswas, *The University of Sydney, Australia*  
 Antony Black, *Institut Pasteur du Laos, Laos*

Nicole Blackburn, *Ulster University, United Kingdom*  
 Michael Boah, *University for Development Studies, Ghana*  
 Petri Böckerman, *Jyväskylä University School, Finland*  
 Henrik Boggild, *Aalborg University, Denmark*  
 Obasanjo Bolarinwa, *University of KwaZulu-Natal, South Africa*  
 Michele Hilton Boon, *University of Glasgow, UK*  
 Melissa Bopp, *Pennsylvania State University, USA*  
 Alessandra Buja, *Università di padova, Italy*  
 Christopher Bunn, *University of Glasgow, UK*  
 Ryan Donald Burns, *University of Utah, USA*  
 Thomas Butt, *University College London, UK*  
 Zahid Ahmad Butt, *University of Waterloo, Canada*  
 Francisco Félix Caballero, *Universidad Autónoma de Madrid, Spain*  
 Baltica Cabieses, *Universidad del Desarrollo, Chile*  
 Chiara Cadeddu, *Università Cattolica del Sacro Cuore, Italy*  
 Cristina Cadenas-Sánchez, *University of Cádiz, Spain*  
 Samuel Cai, *University of Leicester, United Kingdom*  
 Alison Caele, *The Australian National University, Australia*  
 Wangnan Cao, *Brown University, USA*  
 Jun Cao, *Jiangsu Institute of Parasitic Diseases, China*  
 Zhen-Bo Cao, *Shanghai University of Sport, China*  
 Pasquale Caponnetto, *University of Catania, Italy*  
 Renee Carey, *Curtin University, Australia*  
 Tara Carney, *South African Medical Research Council, South Africa*  
 Genny Carrillo, *Texas A&M School of Public Health, USA*  
 Massimo Caruso, *University of Catania, Italy*  
 Lucinda Cash-Gibson, *The Johns Hopkins University - Pompeu Fabra University Public Policy Center, Spain*  
 Enrique Castro-Sanchez, *Imperial College London, UK*  
 Ferrán Catalá-López, *National School of Public Health, ISCIII, Spain*  
 Katrina Champion, *The University of Sydney, Australia*  
 Jie Chang, *Xi'an Jiaotong University, China*  
 Jung-Chen Chang, *National Taiwan University & National Taiwan University Hospital, Taiwan R.O.C.*  
 Shu-Sen Chang, *National Taiwan University, Taiwan R.O.C.*  
 Daniel Chemtob, *Hebrew University-Hadassah Medical School, Israel*

Tzu-An Ann Chen, *University of Houston, USA*  
 Kei Long Cheung, *Brunel University London, UK*  
 Yit Siew Chin, *Universiti Putra Malaysia, Malaysia*  
 Tawanda Chivese, *Qatar University, Qatar*  
 Young Cho, *University of Wisconsin-Milwaukee, Zilber School of Public Health, USA*  
 Ka Chun Chong, *The Chinese University of Hong Kong, Hong Kong*  
 Abhiroop Chowdhury, *O.P. Jindal Global University, India*  
 Enayet Chowdhury, *Monash University, Australia*  
 Andrea Cioffi, *University of Foggia, Italy*  
 Els Clays, *Ghent University, Belgium*  
 Claudia Coipin, *National Institute for Public Health and the Environment, The Netherlands*  
 Won Kim Cook, *Alcohol Research Group, USA*  
 Sandra Cortes Arancibia, *Pontificia Universidad Catolica de Chile, Chile*  
 Claudio Costantino, *University of Palermo, Italy*  
 Adam Craig, *The University of New South Wales, Australia*  
 Pascal Crepey, *University of Rennes, France*  
 Agnieszka Ćwirlej-Sozańska, *University of Rzeszow, Poland*  
 Flavio Da Silva Júnior, *Universidade Federal do Rio Grande, Brazil*  
 Berihun Dachew, *Curtin University, Australia*  
 Abel Fekadu Dadi, *University of Gondar/Flinders University, Ethiopia/Australia*  
 Omid Dadras, *Western Norway University of Applied Sciences, Norway*  
 Mahamed Aqiel Dalvie, *University of Cape Town, South Africa*  
 Kelsey Dancause, *University of Quebec in Montreal, Canada*  
 Catherine Darker, *Trinity College Dublin, Ireland*  
 Daniel Datiko, *MSH, Ethiopia*  
 Biplab Datta, *Augusta University, USA*  
 Ranjit Dehury, *University of Hyderabad, India*  
 Daniel Demant, *School of Public Health, University of Technology Sydney, Australia*  
 Zewditu Demissie, *CDC/NCHHSTP, USA*  
 Evangelia Demou, *University of Glasgow, UK*  
 Amare Deribew, *Jimma University, Ethiopia*  
 Henok Derso, *University of Tasmania, Australia*  
 Nicola Desmond, *Liverpool School of Tropical Medicine, United Kingdom*  
 Meghnath Dhimal, *Nepal Health Research Council (NHRC), Nepal*  
 Ramesh Dhiman, *ICMR - National Institute of Malaria Research, India*

Mostafa Dianatinasab, *Maastricht University, Netherlands*  
 Sonia Dias, *National School of Public Health, Universidade NOVA Lisboa, Portugal*  
 Danae Dinkel, *University of Nebraska at Omaha, USA*  
 David Teye Doku, *University of Tampere, Finland*  
 Pete Driezen, *University of Waterloo, Canada*  
 Dean Alan Dudley, *Macquarie University, Australia*  
 Lara Dugas, *Loyola University Chicago, USA*  
 Bereket Duko, *Curtin University, Australia*  
 Ebenezer Durojaye, *Dullah Omar Institute, University of the Western Cape, South Africa*  
 Anindita Dutta, *University of Chicago, USA*  
 Angel Dzhambov, *Medical University of Plovdiv, Bulgaria*  
 Ejemai Eboreime, *University of Alberta, Canada*  
 Victoria Egli, *The University of Auckland, New Zealand*  
 Maria Ekstrand, *University of California, San Francisco, USA*  
 Ziad El-Khatib, *Karolinska Institutet, Sweden*  
 Ksenia Eritsyana, *National Research University Higher School of Economics, Russia*  
 Reuben Escorpizo, *The University of Vermont, USA*  
 Chiedu Eseadi, *University of Nigeria Nsukka, Nigeria*  
 Mohamed Estai, *Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australia*  
 Dabney Evans, *Emory University, USA*  
 Kaniz Fatema, *Centre for Health Equity Training, Research & Evaluation, Australia*  
 Syed Fatmi, *Aga Khan University, Pakistan*  
 Giampiero Favato, *Kingston University, UK*  
 Shaffi Fazaludeen Koya, *Boston University School of Public Health, USA*  
 Mehdi Fazlzadeh, *Ardabil university of Medical Sciences, Iran*  
 Katia E Ferrar, *University of South Australia, Australia*  
 Pietro Ferrara, *Center for Public Health Research, University of Milan - Bicocca, Italy*  
 Florian Fischer, *Kempton University of Applied Sciences, Bavarian Research Center for Digital Health and Social Care, Germany*  
 Amanda Fitzgerald, *University College Dublin, Ireland*  
 Joel Francis, *University of the Witwatersrand, South Africa*  
 Paul Freeman, *University of Washington, USA*  
 Giovanni Gabutti, *University of Ferrara, Italy*  
 Francesca Gallè, *Parthenope University of Naples, Italy*  
 Danielle Gallegos, *Queensland University of Technology, Australia*

Yong Gan, *Huazhong University of Science and Technology, China*  
 Manuela Garcia de la Hera, *Universidad Miguel Hernández, Spain*  
 Juan Jesús García-Iglesias, *University of Huelva, Spain*  
 Lauren Gardner, *University of Sydney, Australia*  
 Joshua Garn, *University of Nevada, Reno, USA*  
 Ezra Gayawan, *Federal University of Technology, Akure, Nigeria*  
 Teshome Gebre, *The Task Force for Global Health Inc., Ethiopia*  
 Mekdes Gebremariam, *University of Oslo, Norway*  
 Ajesh George, *Western Sydney University, Australia*  
 Badicu Georgian, *Transilvania University of Brasov, Romania*  
 Hailay Gesesew, *Flinders University, Australia*  
 Anat Gesser-Edelsburg, *School of Public Health, University of Haifa, Israel*  
 Hasanain Ghazi, *Al-Bayan University, Iraq*  
 Saruna Ghimire, *University of Miami, USA*  
 Emilio Gianicolo, *Institute for Medical Biostatistics, University Medical Center of the Johannes Gutenberg University Mainz, Germany*  
 Andrew Gibbs, *South African Medical Research Council, South Africa*  
 Gail Gilchrist, *King's College London, UK*  
 Emma Giles, *Teesside University, UK*  
 Zemichael Gizaw, *University of Gondar, Ethiopia*  
 Shira Goldenberg, *Centre for Gender and Sexual Health Equity and Simon Fraser University, Canada*  
 Mahaveer Golechha, *Indian Institute of Public Health-Gandhinagar, India*  
 Krzysztof Goniewicz, *Polish Air Force Academy, Poland*  
 Luis González de Paz, *August Pi i Sunyer Biomedical Research Institute (IDIBAPS), Barcelona, Spain*  
 Esther M. González-Gil, *Universidad de Zaragoza, Spain*  
 Lesley Gray, *University of Otago, New Zealand*  
 Mary Greaney, *University of Rhode Island, USA*  
 Diana Grigsby-Toussaint, *University of Illinois, USA*  
 Ashley Grosso, *Rutgers University, USA*  
 Mutsa Gumbie, *Macquarie University Centre for the Health Economy, Australia*  
 Jong-Long Guo, *National Taiwan Normal University, Taiwan*  
 Wei Guo, *Nanjing University, China*  
 Bhawna Gupta, *Griffith University, Australia*  
 Emily Guseman, *Ohio University Heritage College of Osteopathic Medicine, USA*

Sally Guttmacher, *New York University, USA*  
 Giorgio Guzzetta, *Bruno Kessler Foundation, Italy*  
 Anna Gyarmathy, *Johns Hopkins University, USA*  
 Zelalem Haile, *Ohio University Heritage College of Osteopathic Medicine, USA*  
 Christian Hakulinen, *University of Helsinki, Finland*  
 Randah Hamadeh, *Arabian Gulf University, Bahrain*  
 Chisato Hamashima, *Teikyo University, Japan*  
 Harapan Harapan, *Universitas Syiah Kuala, Indonesia*  
 Andrew Hatala, *University of Manitoba, Canada*  
 Summer Hawkins, *Boston College, USA*  
 Khezar Hayat, *University of Veterinary and Animal Sciences, Pakistan*  
 Afeez A Hazzan, *University of New York, USA*  
 Qi-qiang He, *Wuhan University, China*  
 Yves Henchoz, *University of Lausanne Hospital Centre, Switzerland*  
 Juliana Balbinot Hilgert, *Universidade Federal do Rio Grande do Sul, Brazil*  
 Jennie Hill, *University of Utah, USA*  
 Hung Chak Ho, *The University of Hong Kong, Hong Kong SAR*  
 Ka Yan Ho, *The Hong Kong Polytechnic University, Hong Kong SAR*  
 Jun Sung Hong, *Wayne State University, School of Social Work, USA*  
 Emiel O. Hoogendijk, *Amsterdam University medical centers, Netherlands*  
 Md. Golam Hossain, *University of Rajshahi, Bangladesh*  
 Md Mosharaf Hossain, *Universiti Malaysia Terengganu, Malaysia*  
 Mohammad Bellal Hossain, *University of Dhaka, Bangladesh*  
 Firoozeh Hosseini-Esfahani, *Nutrition and Endocrine Research Center, Research Institute for Endocrine Sciences, Shahid Beheshti University of Medical Sciences, Iran*  
 Gang Hu, *Pennington Biomedical Research Center, USA*  
 Yen-Ming Huang, *Graduate Institute of Clinical Pharmacy, National Taiwan University, Taiwan*  
 Wendy Yajun Huang, *Hong Kong Baptist University, Hong Kong*  
 Mehwish Hussain, *Dow University of Health Sciences, Pakistan*  
 Paul Hutchinson, *Tulane University, USA*  
 Nguyen Tien Huy, *Nagasaki University School of Tropical Medicine and Global Health, Japan*  
 Bing-Fang Hwang, *Department of Occupational Safety and Health, College of Public Health, China Medical University, Taiwan*  
 Mustapha Immurana, *University of Health and Allied Sciences, Ho-Ghana, Ghana*

Maia Ingram, *University of Arizona, USA*  
 Md Rafiqul Islam, *Goulburn Valley Health, Australia*  
 Chinwe Juliana Iwu, *Stellenbosch University, South Africa*  
 Charlotte Jackson, *MRC Clinical Trials Unit, University College London, UK*  
 Mihajlo Jakovljevic, *Institute of Comparative Economic Studies, Hosei University Tokyo, Japan*  
 Shazia Jamshed, *Universiti Sultan Zainal Abidin, Malaysia*  
 Heidi Janssens, *Ghent University, Belgium*  
 Heng Jiang, *La Trobe University, Australia*  
 Seow Wei Jie, *National University of Singapore, Singapore*  
 Fengyi Jin, *The Kirby Institute, UNSW, Sydney, Australia*  
 Nattinee Jitnarin, *NDRI-USA, Inc, USA*  
 Denny John, *Campbell Collaboration, India*  
 Russell Kabir, *Anglia Ruskin University, UK*  
 Atif Kamal, *Pir Mehr Ali Shah Arid Agriculture University, Pakistan*  
 Kehinde Kanmodi, *Teesside University, United Kingdom*  
 Ariadne Kapetanaki, *University of York, UK*  
 Tessa Keegel, *Monash University, Australia*  
 Matthew Kelly, *Research School of Population Health, Australian National University, Australia*  
 Deanna Kepka, *University Of Utah, United States*  
 Syed Afroz Keramat, *The University of Queensland, Australia*  
 Brent D. Kerger, *Exponent Inc, USA*  
 Ejaz Khan, *Health Services Academy, Pakistan*  
 Yusra Habib Khan, *Jouf University, Kingdom of Saudi Arabia, Saudi Arabia*  
 Md Nuruzzaman Khan, *Jatiya Kabi Kazi Nazrul Islam University, Bangladesh*  
 Hafiz Khan, *University of West London, UK*  
 Resham Khatri, *School of Public Health, The University of Queensland, Australia*  
 Kaveh Khoshnood, *Yale School of Public Health, USA*  
 Zahra Kiani, *Shahid beheshti university of medical sciences, Iran*  
 Solomon Kibret, *University of California Irvine, USA*  
 Kim Kiely, *School of Psychology, University of NSW, Australia*  
 Ryung Kim, *Albert Einstein College of Medicine, USA*  
 Irma Klrtadze, *Iliia State University, Georgia*  
 Peter Kolarčik, *Safarik University in Kosice, Slovakia*  
 Tracy Kolbe-Alexander, *University of Queensland, Australia*

Srikanth Kondreddy, *Bruyere Research Institute, Canada*  
 Malcolm Koo, *Tzu Chi University of Science and Technology, Taiwan*  
 Antonis Kousoulis, *Mental Health Foundation, UK*  
 Julia Kravchenko, *Duke University School of Medicine, USA*  
 Yuvaraj Krishnamoorthy, *ESIC Medical College & PGIMSR, Chennai, India*  
 Nuworza Kugbey, *University of Environment and Sustainable Development, Ghana*  
 Jennifer Kuk, *York University, Canada*  
 Satyajit Kundu, *North South University, Bangladesh*  
 Om Kurmi, *Coventry University, UK*  
 Yu Heng Kwan, *Duke-NUS Medical School, Singapore*  
 Jojo Y.Y. Kwok, *The University of Hong Kong, Hong Kong*  
 Yiannis Kyratsis, *Vrije Universiteit Amsterdam, The Netherlands*  
 Amos Laar, *University of Ghana, Ghana*  
 Chandrakant Lahariya, *World Health Organization India, India*  
 Yvonne Laird, *University of Sydney, Australia*  
 Timo Lajunen, *Norwegian University of Science and Technology, Norway*  
 Aparna Lal, *Australian National University, Australia*  
 Dharmesh Lal, *Indian Council of Medical Research, India*  
 Ratilal Laloo, *University of Queensland, Australia*  
 Dirga Kumar Lamichhane, *Inha University School of Medicine, South Korea*  
 Heidi Larson, *London School of Hygiene & Tropical Medicine, UK*  
 Kayla Laserson, *CDC, India*  
 Patrick WC Lau, *Hong Kong Baptist University, China*  
 Saranath Lawpoolsri, *Faculty of Tropical Medicine, Mahidol University, Thailand*  
 Michael Laxy, *Technical University of Munich, Germany*  
 Yo Han Lee, *Ajou University, South Korea*  
 Jungeun Olivia Lee, *University of Southern California, USA*  
 Wei-Chen Lee, *University of Texas Medical Branch, USA*  
 Jami Leichliter, *Centers for Disease Control and Prevention, USA*  
 Thabo Ishmael Lejone, *SolidarMed, Lesotho*  
 Helen-Maria Lekas, *Nathan Kline Institute for Psychiatric Research and NYU School of Medicine, USA*  
 Leah Li, *University College London, UK*  
 Yan Li, *Cleveland Clinic, USA*  
 Guoxing Li, *Peking university, China*  
 Ming-Chieh Li, *National Taiwan Normal University, Taiwan*

Shanshan Li, *Monash University, Australia*  
 Haochu Li, *Shandong University, China*  
 Jinghua Li, *Sun Yat-sen University, China*  
 Rongrong Li, *China University of Petroleum (East China), China, People's Republic*  
 Qiguo Lian, *NHC Key Lab. of Reproduction Regulation (Shanghai Institute of Planned Parenthood Research), Fudan University, China*  
 Sin How Lim, *University of Malaya, Malaysia*  
 Hualiang Lin, *Sun Yat-sen University, China*  
 Jiying Ling, *Michigan State University, USA*  
 Gang Liu, *Huazhong University of Science and Technology, China*  
 Yuewei Liu, *Sun Yat-sen University, China*  
 Yisi Liu, *University of Washington, United States*  
 Kawika Liu, *University of Hawaii, USA*  
 Sze Yan Liu, *Montclair State University, USA*  
 Nanette Lopez, *Northern Arizona University, USA*  
 Daniel López-Cevallos, *University of Massachusetts Amherst School of Public Health & Health Sciences, USA*  
 Lucia Maria Lotrean, *University of Medicine and Pharmacy, Cluj-Napoca, Romania*  
 Zheng Feei Ma, *Xi'an Jiaotong University, China*  
 Rona Macniven, *The University of New South Wales, Australia*  
 Catherine MacPhailq, *University of Wollongong, Australia*  
 Nicola Magnavita, *Università Cattolica del Sacro Cuore, Italy*  
 Racheli Magnezi, *Bar Ilan University, Israel*  
 Mahdi Mahdizadeh, *Hakim Sabzevari University, Iran*  
 Jaclyn Maher, *University of North Carolina at Greensboro, USA*  
 Rashidul Alam Mahumud, *University of Southern Queensland, Australia*  
 Tauqeer Mallhi, *Jouf University, Saudi Arabia*  
 Samuel Manda, *South Africa Medical Research Council, South Africa*  
 Justin Manjourides, *Northeastern University, USA*  
 Haider Mannan, *Western Sydney University, Australia*  
 Borhan Mansouri, *Kermanshah University of Medical Sciences, Iran*  
 Adilson Marques, *University of Lisbon, Portugal*  
 Rafaela Martins, *Federal University of Pelotas, Brazil*  
 João Martins, *University of Lisbon, Portugal*  
 Thais Martins-Silva, *Federal University of Pelotas, Brazil*  
 Joseph Matovu, *Makerere University School of Public Health, Uganda*

Mika Matsuzaki, *Johns Hopkins Bloomberg School of Public Health, USA*  
 Maria Maynard, *Leeds Beckett University, UK*  
 Mustafa Mümtaz Mazicioglu, *Erciyes University, Turkey*  
 Leonard MBOERA, *SACIDS Foundation for One Health, Sokoine University of Agriculture, Tanzania*  
 Grant McGeechan, *Teesside University, UK*  
 Hario Megatsari, *University of Airlangga, Indonesia*  
 Birhanie Mekuriaw, *Dilla University, Ethiopia*  
 Gustavo Velasquez Melendez, *Univesidade Federal de Minas Gerais (Federal University of Minas Gerais), Brazil*  
 Addisu Melese, *Bahir Dar University, Ethiopia*  
 Peter Memiah, *University of Maryland School of Medicine, USA*  
 Louise Mewton, *University of NSW, Australia*  
 Gregore Iven Mielke, *The University of Queensland, Australia*  
 Emma Miller, *Flinders University, Australia*  
 Adrienne Milner, *Brunel University London, UK*  
 Siroos Mirzaei, *Clinic Ottakring, Austria*  
 Prem Mishra, *Indian Institute of Management Bangalore, India*  
 Ritesh Mistry, *University of Michigan, United States*  
 Elia John Mmbaga, *Muhimbili University of Health and Allied Sciences, Tanzania*  
 Inacio Crochemore Mohnsam, *Federal University of Pelotas, Brazil*  
 Abolfazl Mollalo, *Baldwin Wallace University, USA*  
 Roberto Monastero, *University of Palermo, Italy*  
 Pravi Moodley, *National Health Laboratory Service and University of KwaZulu, South Africa*  
 Carly J Moores, *The University of Adelaide, Australia*  
 Seyyed Meysam Mousavi, *Kerman University of Medical Sciences, Iran*  
 Zindoga Mukandavire, *Coventry University, UK*  
 Arpita Mukhopadhyay, *St. John's Research Institute, India*  
 Keiko Murakami, *Tohoku University, Japan*  
 Emily Murray, *University College London, United Kingdom*  
 David Muscatello, *New South Wales Department of Health, Australia*  
 Alfred Musekiwa, *University of Pretoria, South Africa*  
 David Musoke, *Makerere University School of Public Health, Uganda*  
 Godfrey Musuka, *ICAP at Columbia University, USA*  
 Patience A. Muwanguzi, *Makerere University, Uganda*

Monde Muyoyeta, *CIDRZ, Zambia*  
 Juliet Nabyonga, *WHO African Regional Office, Uganda*  
 Nisha Naicker, *National Institute for Occupational Health, South Africa*  
 Cho Naing, *International Medical University, Malaysia*  
 Faisal Nawaz, *Al Amal Psychiatric Hospital, Utd.Arab.Emir.*  
 Giesje Nefs, *Radboud University Medical Center, Netherlands*  
 Seyed Aria Nejadghaderi, *Shahid Beheshti University of Medical Sciences, Iran*  
 Susana Vaz Nery, *Kirby Institute - University of New South Wales, Australia*  
 Subas Neupane, *Tampere University, Finland*  
 Kwok Ng, *University of Eastern Finland, Finland & University of Limerick, Ireland*  
 Peng Nie, *Xi'an Jiaotong University, China*  
 Thomas Niederkrotenthaler, *Medical University of Vienna, Austria*  
 Leila Nikniaz, *Golgasht St. Tabriz University of Medical Sciences, Tabriz, Iran*  
 Sisse Njor, *Randers Regional Hospital, Denmark*  
 Edward Nketiah-Amponsah, *University of Ghana, Ghana*  
 Chukwudi Nnaji, *School of Public Health and Family Medicine, University of Cape Town, South Africa*  
 Emma Norris, *Brunel University, UK*  
 Fredrik Norström, *Umeå University, Sweden*  
 Behdin Nowrouzi-Kia, *University of Toronto, Canada*  
 Fred Nuwaha, *Makerere University, Uganda*  
 Ezekiel Uba Nwose, *University of Southern Queensland, Australia*  
 Anna Odone, *University Vita-Salute San Raffaele, Italy*  
 Babatunde Odugbemi, *Lagos State University College of Medicine, Nigeria*  
 Adedotun Ogunbajo, *Harvard T.H. Chan School of Public Health, USA*  
 Victor Oguoma, *Health Research Institute, University of Canberra, Australia*  
 Olanrewaju Oladimeji, *University of Namibia, Namibia*  
 Jonathan Olsen, *University of Glasgow, UK*  
 Olumuyiwa Omonaiye, *Deakin University, Australia*  
 Moshood Omotayo, *Massachusetts General Hospital/Harvard Medical School, USA*  
 Livia Elisa Ortensi, *University of Milano - Bicocca, Italy*  
 Roger O'Sullivan, *Institute of Public Health, Ireland*  
 Joris Van Ouytsel, *University of Antwerp, Belgium*  
 Eugenia Oviedo-Joekes, *University of British Columbia, Canada*  
 Eytayo Owolabi, *Arizona State University, USA*  
 Amir Pakpour, *Qazvin University of Medical Sciences, Iran*



Chen-Wei Pan, *Medical College of Soochow University, China*  
 Feng Pan, *Menzies Institute for Medical Research, University of Tasmania, Australia*  
 Jay Pan, *Sichuan University, China*  
 Jeemon Panniyammakal, *Sree Chitra Tirunal Institute for Medical Sciences and Technology, India*  
 Jasmina Panovska-Griffiths, *University College London, UK*  
 Maria Papadakaki, *Hellenic Mediterranean University, Greece*  
 Catherine Paquet, *Faculté des Sciences de l'administration, Université Laval, Canada*  
 Tarang Parekh, *George Mason University, USA*  
 Ju Ok Park, *Hallym University College of Medicine, South Korea*  
 Shradha S. Parsekar, *Prasanna School of Public Health, Manipal Academy of Higher Education, Manipal, India*  
 Kamalesh Kumar Patel, *All India Institute of Medical Science, India*  
 Marinelle Payton, *Jackson State University, USA*  
 Amy Peden, *The University of New South Wales, Australia*  
 Nasheeta Peer, *South African Medical Research Council, South Africa*  
 Sarah Peitzmeier, *University of Michigan, USA*  
 Christopher Pell, *Amsterdam Institute for Global Health and Development, Netherlands*  
 Antonio Peña-Fernández, *De Montfort University, UK*  
 Tarra Penny, *York University, Canada*  
 Julian Perelman, *Nova National School of Public Health, Nova University of Lisbon, Portugal*  
 Jamie Perin, *Johns Hopkins University, USA*  
 Patrizio Pezzotti, *Lazio Sanità - Agenzia di Sanità Pubblica, Italy*  
 Ngoc Minh Pham, *Curtin University, Australia*  
 Mariamma Philip, *National Institute of Mental Health and NeuroSciences, India*  
 Francesco Pistelli, *Pisa University Hospital, Italy*  
 Khem Narayan Pokhrel, *Tropical Health and Education Trust, Nepal*  
 Igor Portoghese, *University of Cagliari, Italy*  
 Jalandhar Pradhan, *National Institute of Technology Rourkela, India*  
 Sarva Mangeela Praveena, *Universiti Putra Malaysia, Malaysia*  
 Luis Prieto, *London School of Hygiene & Tropical Medicine, UK*  
 Charlotte Probst, *University of Heidelberg, Germany*  
 Karin Proper, *National Institute for Public Health and the Environment, Netherlands*  
 Men-Bao Qian, *National Institute of Parasitic Diseases, Chinese Center for Disease Control and Prevention, China*

Gang Qin, *Nantong University, China*  
 Emmanuel Quarshie, *University of Leeds, UK*  
 Katayoun Rabiei, *Isfahan University of Medical Sciences, Iran*  
 Peter Rabinowitz, *Yale University School of Medicine, USA*  
 George Rachiotis, *Athens University, Greece*  
 Ata Rafiee, *Department of Medicine, University of Alberta, Canada*  
 Muhammad Aziz Rahman, *Federation University, Australia*  
 Omar Rahman, *Independent University, Bangladesh*  
 Amutha Ramadas, *Monash University Malaysia, Malaysia*  
 Venkataraghavan Ramamoorthy, *University of Central Missouri, USA*  
 Alok Ranjan, *All India Institute of Medical Sciences, India*  
 Andrea Ranzi, *Regional Agency for Prevention, Environment and Energy, Italy*  
 Lal Rawal, *Central Queensland University, Australia*  
 Elizabeth Reifsnider, *Arizona State University, USA*  
 Jinma Ren, *Pfizer Inc., USA*  
 Fulvio Ricceri, *University of Turin, Italy*  
 Tiarney Ritchwood, *Duke University School of Medicine, USA*  
 Jose Rodriguez-Llanes, *European Commission Joint Research Centre, Italy*  
 Rosa Rodriguez-Monguio, *University of Massachusetts Amherst, USA*  
 Alfonso J. Rodriguez-Morales, *Universidad Tecnológica de Pereira – Fundacion Universitaria Autonoma de las Americas, Colombia*  
 Fernando Rodríguez-Rodríguez, *Pontificia Universidad Católica de Valparaíso, Chile*  
 Ahmed Jerome Romain, *University of Montreal, Canada*  
 Matthew Romo, *City University of New York, USA*  
 Janet Rosenbaum, *SUNY Downstate Health Sciences University, USA*  
 Ash Routen, *University of Leicester, United Kingdom*  
 Zengliang Ruan, *Southeast University, China*  
 Muni Rubens, *Miami Cancer Institute, USA*  
 Jillian Ryan, *Commonwealth Scientific and Industrial Research Organisation, Australia*  
 Sivalal Sadasivan, *Monash University, Malaysia*  
 Marc Saez, *Universitat de Girona, Spain*  
 Unnati Saha, *University Medical Center Rotterdam, The Netherlands*  
 Jennifer Salinas, *Texas Tech University Health Sciences Center El Paso, USA*  
 Ferdinand Salonna, *Palacky University Olomouc, Czech Republic*  
 János Sándor, *University of Debrecen, Hungary*  
 Maria Paula Santos, *University of Porto, Portugal*

Md Nazirul Islam Sarker, *Neijiang Normal University, China*  
 Abdur Razzaque Sarker, *Bangladesh Institute of Development Studies, Bangladesh*  
 Odile Sauzet, *Bielefeld University, Germany*  
 Yu Mon Saw, *Nagoya University Graduate School of Medicine, Japan*  
 Anshul Saxena, *Florida International University, USA*  
 Monica Schoch-Spana, *Johns Hopkins University, USA*  
 Cristina Sechi, *University of Cagliari, Italy*  
 Pich Seekaew, *Columbia University Mailman School of Public Health, USA*  
 Abdul-Aziz Seidu, *University of Cape Coast, Ghana*  
 Kashif Shafique, *Dow University of Health Sciences, Karachi, Pakistan*  
 Gulzar Shah, *Jiann-Ping Hsu College of Public Health (JPHCOPH), Georgia Southern University, USA*  
 Mohd Razif Shahril, *National University of Malaysia, Malaysia*  
 Manik Sharma, *DAV University, India*  
 Rajesh Sharma, *Delhi Technological University, India*  
 Santosh Sharma, *The George Institute for Global Health, India*  
 Yu-Sheng Shen, *University of Chinese Academy of Sciences, China*  
 Sheela Shenoï, *Yale University School of Medicine, USA*  
 Cha-Nam Shin, *Arizona State University, USA*  
 David Shoham, *East Tennessee State University, USA*  
 Rob Siebers, *University of Otago, New Zealand*  
 Erik Sigmund, *Palacký University Olomouc, Czech Republic*  
 Anabela Silva, *University of Aveiro, Portugal*  
 Aditya Singh, *Banaras Hindu University, India*  
 Aklilu Sinshaw, *Bahir Dar University, Ethiopia*  
 Bola Lukman Solanke, *Obafemi Awolowo University, Nigeria*  
 Sajid Soofi, *Aga Khan University, Pakistan*  
 Luis Sordo, *Universidad Complutense de Madrid, Spain*  
 Kyriakos Souliotis, *University of Peloponnese, Greece*  
 Sofia Sousa, *FEUP, Portugal*  
 Eldon Spackman, *University of Calgary, Canada*  
 Jacob Spallek, *Brandenburg University of Technology Cottbus-Senftenberg. Department of Public Health, Germany*  
 Jerry Spiegel, *University of British Columbia, Canada*  
 Lindsay Stark, *Washington University in St. Louis, USA*  
 Sherri Stewart, *Centers for Disease Control and Prevention, USA*

Jonathan Stokes, *University of Glasgow, UK*  
 Saverio Stranges, *Western University, Canada*  
 Catherine Striley, *University of Florida, USA*  
 Mark Sullman, *University of Nicosia, Cyprus*  
 Shengzhi Sun, *Boston University, USA*  
 Mei Sun, *Fudan University, China*  
 Larry Svenson, *University of Alberta, Canada*  
 James Swartz, *University of Illinois at Chicago, USA*  
 Santosh Kumar Tadakamadla, *Griffith University, Australia*  
 Bertrand Tambe, *University of Buea, Cameroon*  
 Rayner Kay Jin Tan, *University of North Carolina Project-China, Guangzhou, China*  
 Jane Taylor, *University of the Sunshine Coast, Australia*  
 Norman Temple, *Athabasca University, Canada*  
 JS Thakur, *Ghent University, Belgium*  
 Tinku Thomas, *St John's Medical College, India*  
 Shane Thomas, *Australian National University, Australia*  
 Louise Thornton, *The University of Sydney, Australia*  
 Jing Tian, *University of Tasmania, Australia*  
 Linwei Tian, *School of Public Health, The University of Hong Kong, China*  
 Sofonyas Tiruneh, *Debre Tabor University, Ethiopia*  
 Filiberto Toledano-Toledano, *Hospital Infantil de México Federico Gómez National Institute of Health. Universidad Nacional Autónoma de México., Mexico*  
 Igor Toskin, *World Health Organization, Switzerland*  
 Katy Town, *Public Health England, UK*  
 Samuel Dominic Castiglione Towne, *Texas A&M University, USA*  
 Chukwuma Umeokonkwo, *Alex Ekwueme Federal University Teaching Hospital Abakaliki, Nigeria*  
 Leanne Unicomb, *International Centre for Diarrhoeal Disease, Bangladesh*  
 Janhavi Vaingankar, *Institute of Mental Health, Singapore*  
 Antonio Valenti, *Italian Workers Compensation Authority, Italy*  
 Donna Vallone, *Truth Initiative, USA*  
 Ines Varela-Silva, *Loughborough University, UK*  
 Lavanya Vasudevan, *Emory University, USA*  
 Fenicia Vescio, *Istituto Superiore di Sanità, Italy*  
 Andreas Vilhelmsson, *Lund University, Sweden*  
 Emilio Villa-González, *University of Granada, Spain*

Denis Vinnikov, *al-Farabi Kazakh National University, Kazakhstan*  
 Charlotte Vrinten, *Imperial College London, UK*  
 Khin Thet Wai, *Department of Medical Research, Myanmar*  
 Linda Waldman, *University of Sussex, UK*  
 Jack Wallace, *Burnet Institute, Australia*  
 Richard Wamai, *Northeastern University, USA*  
 Stephen Ojiambo Wandera, *Makerere University, Uganda*  
 Dongming Wang, *Huazhong University of Science and Technology, China*  
 JianLi Wang, *University of Ottawa, Canada*  
 Man Ping Wang, *School of Nursing, University of Hong Kong, China*  
 Peizhong Peter Wang, *Memorial University of Newfoundland, Canada*  
 Qiang Wang, *China University of Petroleum (East China), China*  
 Senhu Wang, *National University of Singapore, Singapore*  
 ShaoMing Wang, *Peking Union Medical College, China*  
 Wei Wang, *Jiangsu Institute of Parasitic Diseases, China*  
 Youxin Wang, *Capital Medical University, China*  
 Yuan-Pang Wang, *University of São Paulo, Brazil*  
 Paul Ward, *Flinders University, Australia*  
 Jennifer Welsh, *Australian National University, Australia*  
 Tzai-Hung Wen, *National Taiwan University, Taiwan*  
 Guy Whembolua, *University of Cincinnati, USA*  
 James White, *Cardiff University, UK*  
 Dean Whitehead, *Flinders University, Australia*  
 Melissa Willoughby, *Murdoch Children's Research Institute, Australia*  
 Ho Ting Wong, *National Taiwan Normal University, Taiwan*  
 Jyh Eiin Wong, *Universiti Kebangsaan Malaysia, Malaysia*  
 Janet Yuen-Ha Wong, *The University of Hong Kong, Hong Kong*  
 Edwin Wouters, *University of Antwerp, Belgium*  
 Darren Wraith, *Queensland University of Technology, Australia*  
 Tsu-Yin Wu, *Eastern Michigan University, USA*  
 Chih-Da Wu, *Department of Geomatics, National Cheng Kung University, Taiwan*  
 Kusheng Wu, *Shantou University Medical College, China*  
 Dan Wu, *London School of Hygiene and Tropical Medicine, UK*  
 Luh Putu Lila Wulandari, *The Kirby Institute, UNSW, Australia*  
 Hao Xiang, *Wuhan University, China*  
 Meiqi Xin, *The Hong Kong Polytechnic University, Hong Kong SAR*

Chengdong Xu, *Institute of Geographic Sciences and Natural Resources Research, Chinese Academy of Sciences, China*  
 Fei Xu, *Nanjing Municipal Center for Disease Control and Prevention, China*  
 Uday Narayan Yadav, *The Australian National University, Australia*  
 Xueyan Yang, *Xi'an Jiaotong University, China*  
 Farah Yasmin, *Dow Medical College, Pakistan*  
 Jerf Yeung, *City University of Hong Kong, China*  
 Naohiro Yonemoto, *Kyoto University School of Public Health, Japan*  
 Chin Kok Yong, *Universiti Kebangsaan, Malaysia*  
 Zafar Zafari, *University of Maryland School of Pharmacy, USA*  
 Rubeena Zakar, *University of the Punjab, Pakistan*  
 Hadi Zamanian, *Qom University of Medical Sciences, Iran*  
 Hamed Zandian, *University of the West of England, United Kingdom*  
 Qiang Zeng, *Huazhong University of Science and Technology, China*  
 Taddese Zerfu, *Dilla University, Ethiopia; University of Edinburgh, UK*  
 Fuhua Zhai, *Fordham University School of Social Science, USA*  
 Xiaotao Zhang, *Baylor College of Medicine, USA*  
 Chen Zhang, *University of Rochester, USA*  
 Xiaochen Zhang, *Fred Hutchinson Cancer Center, USA*  
 Xing Zhao, *Sichuan University, China*  
 Yingxi Zhao, *University of Oxford, UK*  
 Shaoling Zhong, *The Affiliated Brain Hospital of Guangzhou Medical University, China*  
 Chengchao Zhou, *Shandong University School of Public Health, China*  
 Yaara Zisman-Ilani, *Temple University, USA*  
 Guanyang Zou, *School of Economics and Management, Guangzhou University of Chinese Medicine, China*  
 Huachun Zou, *Sun Yat-sen University, China*

#### Editorial Advisors

Lalit Dandona, *Public Health Foundation of India, India*  
 Luca Cegolon, *University of Trieste, Department of Medical, Surgical and Health Sciences, Trieste, Italy*



Submit manuscript

## Important information

[Editorial board](#)  
[For authors](#)  
[For editorial board members](#)  
[For reviewers](#)

[Manuscript editing services](#)

[Contact Us](#)

## Annual Journal Metrics

### Citation Impact

4.135 - [2-year Impact Factor](#) (2021)  
4.545 - [5-year Impact Factor](#) (2021)  
1.703 - [SNIP](#) (Source Normalized Impact per Paper)  
1.156 - [SJR](#) (SCImago Journal Rank)

### Speed

67 days to first decision for all manuscripts (Median)  
79 days to first decision for reviewed manuscripts only (Median)

### Usage

21,016,836 downloads (2021)  
23,901 Altmetric mentions (2021)

[More about our metrics](#)

## Peer-review Terminology

The following summary describes the peer review process for this journal:

**Identity transparency:** Single anonymized

**Reviewer interacts with:** Editor

**Review information published:** Review reports. Reviewer Identities reviewer opt in. Author/reviewer communication

[More information is available here](#)

## Follow



[Sign up for article alerts and news from this journal](#)

## BMC Public Health

ISSN: 1471-2458

## Contact us

Submission enquiries: [bmcpublichealth@biomedcentral.com](mailto:bmcpublichealth@biomedcentral.com)

General enquiries: [ORSupport@springernature.com](mailto:ORSupport@springernature.com)

[Read more on our blogs](#)

[Policies](#)

[Support and Contact](#)

[Receive BMC newsletters](#)

[Accessibility](#)

[Leave feedback](#)

[Manage article alerts](#)

[Press center](#)

[Careers](#)

[Language editing for authors](#)

[Scientific editing for authors](#)

Follow BMC



By using this website, you agree to our [Terms and Conditions](#), [California Privacy Statement](#), [Privacy statement](#) and [Cookies](#) policy. [Manage cookies/Do not sell my data](#) we use in the preference centre.

## SPRINGER NATURE

© 2023 BioMed Central Ltd unless otherwise stated. Part of [Springer Nature](#).



## ETHICS COMMITTEE APPROVAL

Ref. No. : KE/FK/0433/EC/2021

Title of the Research Protocol : Mekanisme, Monitoring, serta Evaluasi Penggunaan Dana Bagi Hasil Cukai Hasil Tembakau dan Pajak Rokok Daerah

Document(s) Approved and version : 1. Study Protocol version 01 2021  
2. Information for Subjects version 02 2021  
3. Informed consent form version 02 2021

Principle Investigator : Dr. Abdillah Ahsan, S.E., M.S.E.

Participating Investigator(s) : 1. Prof. Dra. R.A.Yayi Suryo Prabandari, M.Si., Ph.D.  
2. Dr. Santi Martini, dr., M.Kes.

Date of Approval : **05 MAY 2021**  
(Valid for one year beginning from the date of approval)


Institution(s)/place(s) of research : Wilayah Provinsi Jawa Barat, Jawa Tengah, dan Jawa Timur


The Medical and Health Research Ethics Committee (MHREC) states that the document above meets the ethical principle outlined in the International and National Guidelines on ethical standards and procedures for researches with human beings.

The Medical and Health Research Ethics Committee (MHREC) has the right to monitor the research activities at any time.

The investigator(s) is/are obliged to submit:

- Progress report as a continuing review (state its due time)
- Report of any serious adverse events (SAE)
- Final report upon the completion of the study

  
Prof. dr. Madarina Julia, Sp.A(K), MPH., Ph.D.  
Panel's chairperson

  
dr. Ahmad Hamim Sadewa, Ph.D.  
Panel's secretary

P.S: This letter uses signature scan of the panel's chairperson and Secretary of the Ethics Committee. The hardcopy official letter with authority's signature will be issued when it is possible and are kept as an archive of the Ethics Committee

Validation number :  
609354c9e8401  
(<http://komisietk.fk.ugm.ac.id/validasi>)



RESEARCH

Open Access



# Association between percentage of smokers and prevalence of smoking attributable morbidity in Indonesia: one decade after implementation of smoke-free area regulation

Santi Martini<sup>1\*</sup> , Kurnia Dwi Artanti<sup>1</sup> , Arief Hargono<sup>1</sup> , Sri Widati<sup>1</sup> , Abdillah Ahsan<sup>2</sup>  and Yayi Suryo Prabandari<sup>3</sup> 

## Abstract

**Background:** For more than ten years, Indonesia has health law, one of which states that local governments are mandated to establish Smoke Free Area (SFA). The results of 2018 National Basic Health Research shows tobacco consumption is still quite high and increasing compared to the results of 2007 and 2013 National Basic Health Research. The burden of disease in Indonesia is increasing every year.

**Methods:** This study aims to describe SFA regulation and analyze the relationship between the percentage of smokers and the prevalence of smoking attributable morbidity. Data from the 2018 Basic Health Research in Indonesia with the number of units of analysis were 514 districts and cities level. The design of the study was cross-sectional study. The variables analyzed were the percentage of smokers, the prevalence of diabetes, hypertension, upper respiratory tract infections (URTI), pneumonia, lung tuberculosis, asthma, and mental emotional disorders. Geographical mapping of the distribution of District/City with Smoking-Free Areas was made using QGIS 3-16.

**Results:** Around 72% of districts/cities in Indonesia already had local regulations of SFA after more than ten years implementation of the regulation of the health law. There was a significant relationship between the high percentage of smokers and the high prevalence of diabetes ( $p$  value: 0-000, PR: 1-342, 95%CI 1-135 to 1-587), hypertension ( $p$  value: 0-000, PR 1-631, 95%CI 1-252 to 2-124), and lung tuberculosis ( $p$  value: 0-008, PR 1-219, 95%CI 1-049 to 1-417) at the District/City level. However, there was no significant association between URTI, pneumonia, asthma, and mental emotional disorders.

**Conclusion:** The percentage of smokers in an area was associated with diabetes, hypertension, and lung tuberculosis. The implementation of Smoke Free Area should be evaluated.

**Keywords:** Smoking, Public health, Hypertension, Diabetes mellitus, Tuberculosis, Mental health

## Introduction

The proportion of the population aged 15 years who smoked and chewed tobacco in 2007 to 2013 in Indonesia tended to increase based on the 2007 National Basic Health Research by 34.2% and the 2010 National Basic

\*Correspondence: santi-m@fkm.unair.ac.id

<sup>1</sup> Department of Epidemiology, Biostatistics, Population Studies and Health Promotion, Universitas Airlangga, Surabaya, Indonesia  
Full list of author information is available at the end of the article



Health Research by 34.7% [1, 2]. While at National Basic Health Research 2013, the proportion of active smokers every day at the age of ten years and over was 33.4% which then decreased in 2018 to 24.3%. Nevertheless, conditions in Indonesia at this time indicate that tobacco consumption is still quite high. There are 60.8 million adult men and 3.7 million adult women who are smokers. The 2018 Basic Health Research showed that 62.9% of men and 4.8% of women aged 15 years and over were tobacco users [3]. In addition, the data also show an increasing trend of tobacco use among children and adolescents. The prevalence of smoking in the 10–19 years age group has increased from 7.2% in 2013 to 9.1% in 2018 or almost 20% higher than the prevalence in the previous five years.

Trends in the number of non-communicable diseases cause changes in the burden of disease in Indonesia. Cases of catastrophic disease or diseases that require special expertise and therapy in handling, using sophisticated medical devices and/or requiring lifelong health services continue to increase [4]. It can be noticed from the absorption of health fund claims from the treatment of catastrophic diseases which is high in Indonesia. Each year, about 17–19% of the total cost of health care is for catastrophic diseases. The results of the National Health Insurance of Indonesia (BPJS Kesehatan) report on the use of catastrophic disease funds show that the total cost reached IDR 55.41 trillion or 18.58% of the total cost of health services in 2018 to 2020 [5]. The catastrophic disease with the highest cases and costs was heart disease with 13,041,463 cases and a cost of 10.2 trillion, in the second rank was cancer with 2,452,749 cases and cost of 3.5 trillion, and stroke in the third position with 2,127,609 cases and a cost of 2.5 trillion [6]. Many risk factors related to catastrophic disease, but the main cause is unhealthy lifestyle. Most of these catastrophic diseases are included in the list of diseases related to smoking called Smoking-Attributable Morbidity (SAM). The Centers for Disease Control and Prevention (CDC) regularly publish estimates of smoking-related mortality and the economic costs but the burden of smoking-related disease in the population has been less studied [7]. Estimates of smoking-attributable morbidity in the United States in 2000 found that 8.6 million people had 12.7 million smoking-attributable morbidity [8]. Diseases that are mostly the cause are chronic bronchitis and emphysema or are often classified as chronic obstructive lung disease (COPD).

The health and economic impacts of tobacco consumption outweigh the overall contribution of the tobacco business. Data from the Indonesian Ministry of Health estimates that the total direct and indirect costs of smoking reached almost IDR 440 trillion (USD 34 billion) in

2015. Then, if added to the impact of exposure to secondhand smoke and the lost opportunity cost of spending on tobacco i.e. spending that can be used to buy other commodities such as essential food, is much higher compare to the overall of the tobacco business. In addition, tobacco use also has a significant impact on public health because it can lead to the emergence of various chronic diseases in the productive age, which in turn causes high morbidity and premature mortality. Based on data from the World Health Organization [9], tobacco use in Indonesia is estimated to be the biggest cause of death for smokers, with around 225,700 people dying prematurely or about 15% of all deaths.

Indonesia has several rules controlling tobacco such as Tobacco Advertising, Promotion, and Sponsorship (TAPS) ban and pictorial health warnings on the tobacco packaging and labeling. Another effort of the Indonesian government in preventing and overcoming the adverse effects of cigarette smoke is the application of Smoke Free Area (SFA) in accordance with Law Number 36 of 2009 concerning Health which requires Local Governments to establish a Smoke Free Area. SFA is a room or area that is prohibited for production, sales, advertising, promotion or smoking. Smoke Free Area here in after abbreviated as SFA, is a room or area that is declared prohibited for smoking or producing, selling, advertising, and/or promoting tobacco products. Based on these regulations, the non-smoking areas include health service facilities; place of teaching and learning process; where children play; worship place; public transportation; workplace; and public places and other designated places. The SFA designated as an effort to protect the community against the risk of health problems resulted of the polluted environment by cigarette smoke. The regional governments in Indonesia are obliged to establish a smoke-free area in each of its territory. As a policy concession, specifically for workplaces, public places, and other places, it may provide a certain place for smoking, which is commonly called a smoking room. Any person who intentionally violates the SFA as referred to the law, shall be subject to a maximum fine of Rp. 50,000,000.00 (fifty million rupiah). Tobacco control regulations in various countries have succeeded in protecting non-smokers, increasing smoking cessation, and reducing cigarette consumption [10]. Since this law was passed in 2009, various regions in Indonesia have begun to make regulations regarding SFA in their respective regions, but until now this rule has not been 100% implemented in all regions. In 2012 out of 497 regencies/cities in Indonesia, only 22 regencies/cities had local regulations on SFA, and then in 2014 the number of regencies/cities that had local regulations on SFA increased to 49 spreads over 13 provinces (out of 34 provinces) in Indonesia [11].

Cigarettes are still a problem in Indonesia with a high number of consumers. Smoke Free Areas as an effective form of protection from the dangers of cigarette smoke, provide a clean and healthy environment, and expected to control smoking behavior which can affect the number of smokers in each area. Cigarette taxes provide support to local governments to achieve better health services. This study aims to describe the Smoke Free Area regulation and analyze the relationship between the percentage of smokers and the prevalence of smoking attributable morbidity.

## Method

This study uses a quantitative method with a cross-sectional design. Secondary data was obtained from the 2018 Basic Health Research national survey data. Basic Health Research is a 5-year survey conducted by the Ministry of Health of the Republic of Indonesia that describes information on health status and information on the magnitude of the problem of risk factors related to health status, as a consideration in formulating health development policies in Indonesia. Until this manuscript was compiled, the latest Basic Health Research and the data officially published is in 2018. The unit of analysis used in this study was 514 districts/cities in Indonesia. The variables studied were the percentage of smokers and outcome of this study were the prevalence of smoking-attributable morbidity, namely diabetes, hypertension, upper respiratory tract infections (URTI), pneumonia, asthma, lung tuberculosis, and mental emotional disorders. The measurement result category of these variables is divided to be high if the percentage or prevalence of smokers and smoking-related diseases is above the national figure. The percentage of smoking is categorized as high if the percentage of smokers is above national percentage, was >24.5% for the 2018 National Basic Health Research. While the diseases prevalence was categorized as high if the prevalence of diabetes was >1.5%; hypertension was >8.36%; URTI was >4.4%; pneumonia was >2.0%; lung tuberculosis was >0.42%; asthma was >2.4%; and mental emotional disorders was >9.8%. On the other hand, it is said to be low if the percentage of smokers and the prevalence of smoking-attributable morbidity are below the national figures. Data analysis using Chi-Square Test and Prevalence Ratio.

Smoker variable is population with smoking habit every day in the last one month which was asked to respondents with age more than ten years. The diseases variable was asked to respondents aged >15 years. Diagnosed of diabetes mellitus based on American Diabetic Association criteria, hypertension based on Joint National Committee (JNC) VII, asthma based on medical doctor examination, lung tuberculosis based on thorax photo or


sputum examination or both, pneumonia based on three questions (thorax photo, medical doctor examination and, symptoms), URTI based on two questions (medical doctor examination and symptoms), and mental emotional disorders based on 20 questions of Self-Reporting Questionnaire (SRQ). All of those data could be accessed on the official website <https://www.litbang.kemkes.go.id/laporan-riiset-kesehatan-dasar-risikesdas/>. Furthermore, the mapping was made using the QGIS 3.16 application and District/City data with the 2021 SFA regulation sourced from data from the Indonesian Health Service Association (ADINKES) [12]. The Indonesian Health Service Association (ADINKES) is an association organization established to meet the aspirations and participation of Health Offices throughout Indonesia. ADINKES has a vision to become the main partner of the Government and Regional Governments throughout Indonesia in realizing the Health Service and its Technical Implementation Units as a trusted and reliable health affairs implementer.

## Results

In 2021, out of 514 districts/cities in Indonesia, there are 369 districts/cities (71.8%) that already had SFA regulations in their regions and as many as 145 districts/cities (28.2%) did not have regulations on SFA in the area (Fig. 1). The number was much higher than the number of the districts/cities with SFA regulation before 2009. These regulations can be in the form of local regulations; regent's or mayor's regulations; or decrees. Local regulations were formed based on an agreement between the government (executive role) and parliament (legislative role). While other regulations are made only by the government (executive role) without involving parliament.

The condition of the prevalence of Smoke Attributable Morbidity from 2007 to 2018 shows the difference between before the regional regulation on Non-Smoking Areas in 2009 and the allocation of cigarette taxes for the health sector was implemented, with the condition after the enactment of regional regulations on non-smoking areas that have been implemented by most regions in Indonesia, as well as affirmation of the allocation of cigarette taxes for the health sector (Fig. 2). The data is analyzed from 72% districts/cities that have SFA which the total is 344 districts/cities (districts/cities with expansion and missing data in 2007 are not included). The trendline of each Smoke Attributable Morbidity shows the number of districts/cities with hypertension, pneumonia, asthma, and TB in the high category has increased. Meanwhile, the number of districts/cities with diabetes, URTI and mental emotional disorders in the high category has decreased.





### Overview of Smoking Attributable Morbidity in Districts/Cities of Indonesia


The percentage of smokers in districts or cities according to 2018 National Basic Health Research with a high category was 217 districts/cities (43.8%) after ten years implementation of Health Law. It showed that as many as 217 districts or cities in Indonesia had more than 24.3% of smokers. The number of districts/cities which had high prevalence of diabetes were 322 districts/cities (64.5%). It meant that 322 districts/cities had prevalence of diabetes more than 1.5% as the national figure. The number of districts/cities which had high prevalence of hypertension were 218 districts/cities (44.6%). It meant that 218 districts/cities had prevalence of hypertension more than 8.36% as the national figure. The number of districts/cities which had high prevalence of lung tuberculosis were 196 districts/cities (45.3%). It meant that 196 districts/cities had prevalence of lung tuberculosis more than 0.42% as the national figure. While the disease with the high category and the lowest number was pneumonia with 151 districts/cities (30.4%). It meant that 151 districts/cities had prevalence of pneumonia more than 2.0% as the national figure (Table 1).

### The Association between Smoking and Smoking-Attributable Morbidity in Districts/Cities of Indonesia

Result of the analysis of the association between the percentage of smokers and the prevalence of smoking-attributable morbidity showed significant results with  $p$  value  $< 0.005$  on the variables of diabetes mellitus ( $p = 0.000$ ), hypertension ( $p = 0.000$ ), and lung tuberculosis ( $p = 0.008$ ). Districts/Cities with a high percentage of the category had a risk of 1.342 times (CI: 1.135-1.587) to be districts/cities with a high prevalence of diabetes, 1.631 times (CI: 1.252-2.124) with high prevalence of hypertension, and 1.219 times (CI: 1.049 – 1.417) with high prevalence of lung tuberculosis as well. However, URTI, pneumonia, asthma, and mental emotional disorders were not associated significantly with the percentage of smokers. Although pneumonia ( $p = 0.051$ ) and mental emotional disorders ( $p = 0.061$ ) had  $p$  values that were close to significant value (Table 2).

### Discussion

Smoke Free Area regulation is one of the government's efforts to control diseases caused by smoking and exposure to cigarette smoke in the environment.



**Fig. 2** Trendline of the prevalence of Smoke Attributable Morbidity from 2007 to 2018

**Table 1** Description of Districts/Cities with percentage of Smokers and Prevalence of Smoking Attributable Morbidity in Indonesia

Variable	District and City (n = 514)		Missing data
	High (%)	Low (%)	
Smoking	217 (43.8)	279 (56.3)	18
Diabetes Mellitus	322 (64.5)	173 (35.5)	1
Hypertension	218 (44.6)	278 (55.4)	-
URTI	184 (36)	312 (64)	-
Pneumonia	151 (30.4)	345 (69.6)	-
Lung TBC	196 (45.3)	298 (54.7)	-
Asthma	222 (39.5)	274 (60.5)	2
Mental emotional disorder	203 (41.2)	293 (58.8)	-

A meta-analysis research shows that smoke free area regulation as implementation of WHO’s recommended tobacco control policies (MPOWER) was associated

with substantial benefits to health especially on perinatal and children health, especially who got in tobacco smoke exposure [13, 14]. The WHO MPOWER recommendation were able to reduce the adult daily smoking prevalence significantly the countries with higher initial tobacco control preparedness and higher smoking burden [15]. Children were among the most exposed to cigarette smoke or become passive smokers compared to other age groups. Other research show that smoking regulation associated with reduction in severe asthma exacerbations requiring hospital admission [16]. The Smoke Free Area regulation was expected to have an effect on reducing the number of smokers. This is in accordance with Rahajeng’s research in 2015 which stated that the application of SFA regulations and legislation can reduce the proportion of smokers every day. One of the areas, for example the Special Region of Yogyakarta, the number of smokers every day from 2007 to 2013 decreased by 2.6% [17]. Even though the regulation of Smoke Free Area had been implemented since 2009, the number of smokers

**Table 2** Analysis between percentage of smokers and prevalence of smoking attributable morbidity in Indonesia based on Districts/Cities as unit of analysis

Variable	Number of Districts/Cities with High Percentage of Smokers		Missing data	p	PR	95% CI
	Yes	No				
Prevalence of Diabetes						
High	161	161	18	.000	1.342	1.135–1.587
Low	56	117				
Prevalence of Hypertension						
High	115	103	1	.000	1.631	1.252–2.124
Low	102	176				
Prevalence of URTI						
High	79	105	-	.779	.981	.856–1.123
Low	138	174				
Prevalence of Pneumonia						
High	76	75	-	.051	1.125	.997–1.270
Low	141	204				
Prevalence of Lung TBC						
High	100	96	-	.008	1.219	1.049–1.417
Low	116	100				
Prevalence of Asthma						
High	103	119	2	.285	1.092	.928–1.284
Low	114	160				
Prevalence of Mental Emotional Disorder						
High	99	104	-	.061	1.153	.991–1.343
Low	118	175				

in Indonesia was still high. It showed that there was low compliance on the regulation due to poor enforcement, as the study result of Ravara et al. (2013) [18]. This was also related to Smoking-Attributable Morbidity which was also still a large disease burden for the country.

The results showed that districts/cities with high smoking category had a high prevalence of diabetes mellitus, hypertension, and lung tuberculosis. The strong association between smoking and the diabetes is consistent with studies and the development of micro and macrovascular complications. Smoking causes changes in insulin secretion by pancreatic cells and can also cause insulin resistance associated with impaired glucose metabolism. In addition, smoking-induced endothelial dysfunction has a key role in the development of vascular complications in this condition [19]. Smokers had a 2.30 (95%CI 1.47 to 3.60) risk of developing diabetes mellitus than non-smokers [20]. In this study, districts/cities with high smoking category had a risk of 1.631 times (95%CI 1.252 to 2.124) to become districts/cities with high prevalence of diabetes mellitus.

The results showed that districts/cities with a high percentage of smokers had a high prevalence of hypertension as well (95%CI 1.252 to 2.124). Smoking was significantly

correlated with higher blood pressure, especially among former smokers and new smokers [21]. Hypertension had been common and is still considered as one of the main risk factors for coronary heart disease. Endothelial dysfunction, increased arterial stiffness, and changes in platelet function caused by smoking exposure contribute to increased blood pressure, which is strongly associated with hypertension. The results of another study [22] also showed that cigarette smoke is a factor that can cause functional damage, especially to the endothelium due to the effects of nicotine and carbon monoxide.

Meanwhile, the high percentage of smokers in districts/cities also showed a significant relationship with a high prevalence of lung tuberculosis (95%CI 1.049 to 1.417). Previous studies have stated that excessive tobacco consumption in men ( $\geq 20$  cigarettes per day) was a risk factor for tuberculosis (OR: 4.509; CI: (1.971–10.859) [23]. However, Ghambir et.al's study explains that the association between smoking and tuberculosis can be influenced by confounding factors such as socioeconomic conditions, population density at home, previous contact with tuberculosis patients, previous TB infection, malnutrition, use of intravenous drugs, alcohol consumption, and high-risk occupations [24].

The high blood glucose associated with diabetes can damage the blood vessels and nerves that control the heart. Over time, this damage can lead to heart disease. Heart disease is associated with various complications of other diseases, from stroke to kidney failure [25, 26]. Complications of diseases such as these are more likely to cause disability and loss of productivity, especially if they occur in people of productive age. Meanwhile, the total health care expenditure due to Smoking-Attributable diseases is 5.7% of global health expenditure or reaches US\$422 billion if calculated according to Purchasing Power Parity (PPP) in 2012 [27].

There were 706 million DALYs (Disability Adjusted Life Year) worldwide attributable to non-communicable diseases in 2017 and diabetes is one of the top five causes of DALYs by association with major risk [28]. The Global Burden of Diseases, Injuries, and Risk Factors Study (GBD) 2017 showed that stroke was the third leading cause of death and disability combined (measured by disability-adjusted years of life [DALYs]). Meanwhile in Indonesia, the main causes of DALYs in 2016 were ischemic heart disease, cerebrovascular disease, diabetes, and lung tuberculosis which took the fourth position. Diabetes recorded an average rate from 2006 to 2016 of 54.9%, after previously in 1990–2006 it was 81.6% [29].

Many areas with SFA regulations are not followed by a good public health status as well. This can be seen from the high percentage of smokers and the high prevalence of smoking-related diseases. So, it's time not only to add regions that have SFA regulations but also to apply the regulations correctly, which will be effective in reducing smokers and the diseases they cause. Although in this study asthma was not associated significantly with smokers, as we know there were many studies showed that there are association between cigarette smoke exposure and asthma, as the result showed that smoking from younger age is a dominant factor in the incidence of Chronic Obstructive Pulmonary Disease, such as asthma [30, 31].

The data in this research is secondary data which based on 2018 Basic Health Research, the smoking variable was defined as anyone smoking every day in the last month which was asked to respondents above 10 years old, however, the disease's variable was asked to respondents aged > 15 years, this is the limitation of the study. In addition, the number of smokers aged 10–15 is 0.7%. The prevalence data of smoking-related morbidity/diseases consist of diseases which age manifestations mostly on people aged > 30 years, therefore, we may consider this will not give much differences affect the analysis.

## Conclusion

This study showed that around 72% of districts/cities in Indonesia already have local regulations of Smoke Free Area. There was a significant association between the high percentage of smokers with high prevalence of smoking attributable morbidity, such as diabetes mellitus, hypertension, and lung tuberculosis in the District/City in Indonesia. Certainly, Smoke Free Area should be evaluated in the implementation. It will have an impact on the health status of the people in the area at this time and in the future considering that the disease is a chronic disease and requires very high treatment costs.

## Acknowledgements

We thank Rizma Dwi Nastiti for assistance in preparing and analyzing the data and writing the manuscript. As well as the Ministry of Health for providing the data and no charge.

## Authors' contributions

SM designed the study and wrote the protocol. SM, KDA, AH, SW did the study. SM supervised all the steps in the review process. SM, KDA and AH did the data analysis and created the figures. All authors interpreted the findings. SM, KDA, and AH drafted the manuscript. SM supervised the writing. KDA, AH, SW, AA, YSP provided feedback. The author(s) read and approved the final manuscript.

## Funding

This research was funded by the Ministry of Education, Culture, Research & Technology, grant No 173/UN3.15/PT/2021.

## Availability of data and materials

All data set generated and analysis are available in the article. The raw data is available in the website <https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-risikesdas/>.

## Declarations

### Ethics approval and consent to participate

This study does not involve human participants or animal subjects.

### Consent for publication

Not required.

### Competing interests

We declare no competing interests.

### Author details

<sup>1</sup>Department of Epidemiology, Biostatistics, Population Studies and Health Promotion, Universitas Airlangga, Surabaya, Indonesia. <sup>2</sup>Faculty of Economics and Business, Universitas Indonesia, Jakarta, Indonesia. <sup>3</sup>Faculty of Medicine, Public Health and Nursing, Gadjah Mada University, Yogyakarta, Indonesia.

Received: 19 August 2022 Accepted: 25 October 2022

Published online: 28 November 2022

## References

1. Badan Penelitian dan Pengembangan Kesehatan. Laporan Nasional Riset Kesehatan Dasar 2007. Laporan Nasional 2007. 2007. Available from: <https://toolkits.knowledgesuccess.org/toolkits/indonesia/laporan-nasional-riset-kesehatan-dasar-indonesia-2007>.
2. Kementerian Kesehatan Republik Indonesia. Laporan Riset Kesehatan Dasar Indonesia 2013. Riskesdas 2013. 2013. Available from: <https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-risikesdas/>.

3. Kementerian Kesehatan Republik Indonesia. Laporan Nasional Riset Kesehatan Dasar Indonesia 2018. Riskesdas 2018. 2018. Available from: <https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-riskesdas/>.
4. Wati H, Thabrany H. Perbandingan Klaim Penyakit Katastropik Peserta Jaminan Kesehatan Nasional di Provinsi DKI Jakarta dan Nusa Tenggara Timur Tahun 2014. *J Ekon Kesehat Indones*. 2017;1(2):18–2 Available from: <https://journal.fkm.ui.ac.id/jurnal-eki/article/view/1771>.
5. Media Info BPJS Kesehatan. Info BPJS Kesehatan : Kinerja BPJS Kesehatan 2020 - Edisi 97. 2021. Available from: <https://bpjs-kesehatan.go.id/bpjs/dmdocuments/31f940e42441c591f7fd604fd510e0ca.pdf>.
6. Kesehatan BPJS. Ringkasan Eksekutif Laporan Pengelolaan Program dan Laporan Keuangan BPJS Kesehatan tahun 2019 (Auditan). 2020. Available from: <https://www.bpjs-kesehatan.go.id/bpjs/arsip/detail/1520>.
7. Rostron BL, Chang CM, Pechacek TF. Estimation of cigarette smoking-attributable morbidity in the United States. *JAMA Intern Med*. 2014;174(12):1922–8. 10.1001/jamainternmed.2014.5219.
8. Centers for Disease Control and Prevention. Cigarette Smoking-Attributable Morbidity— United States, 2000. *MMWR Morb Mortal Wkly* ... 2003;52(35):842–4. Available from: <https://pubmed.ncbi.nlm.nih.gov/12966360/>.
9. Organization WH. Heart disease and stroke are the commonest ways by which tobacco kills people. *Who*. 2018;1(1):1–2 Available from: [http://www.searo.who.int/tobacco/data/ino\\_rtc\\_reports](http://www.searo.who.int/tobacco/data/ino_rtc_reports).
10. Juanita. Kebijakan Kawasan Tanpa Rokok: Peluang Dan Hambatan. *J Kebijak Kesehat Indones*. 2012;01(2):112–9. Available from: <https://journal.uugm.ac.id/jkki/article/view/36014>.
11. Tobacco Control Support Center IAKMI. Fakta Tembakau Dan Permasalahannya di Indonesia [Internet]. *Kemkes RI*. 2014. p. 1–190.
12. Indonesia ADKS. Kerangka Acuan Kerja Lokakarya Penyusunan Kebijakan Regulasi KTR Untuk 147 Kabupaten/Kota, Batch I. 2021.
13. Faber T, Kumar A, Mackenbach JP, Millett C, Basu S, Sheikh A, et al. Effect of tobacco control policies on perinatal and child health: a systematic review and meta-analysis. *Lancet Public Heal*. 2017;2(9):e420–37 Available from: [https://doi.org/10.1016/S2468-2667\(17\)30144-5](https://doi.org/10.1016/S2468-2667(17)30144-5).
14. Radó MK, Möhlenberg FJM, Westenberg LEH, Sheikh A, Millett C, Burdorf A, et al. Effect of smoke-free policies in outdoor areas and private places on children's tobacco smoke exposure and respiratory health: a systematic review and meta-analysis. *Lancet Public Heal*. 2021;6(8):e566–78 Available from: [https://doi.org/10.1016/S2468-2667\(21\)00097-9](https://doi.org/10.1016/S2468-2667(21)00097-9).
15. Husain MJ, Datta BK, Nargis N, Iglesias R, Perucic A-M, Ahluwalia IB, et al. Revisiting the association between worldwide implementation of the MPOWER package and smoking prevalence, 2008–2017. *Tob Control*. 2021;30(6):630–7 Available from: <https://doi.org/10.1136/tobaccocontrol-2020-055758>.
16. Mackay DF, Turner SW, Semple SE, Dick S, Pell JP. Associations between smoke-free vehicle legislation and childhood admissions to hospital for asthma in Scotland: an interrupted time-series analysis of whole-population data. *Lancet Public Heal*. 2021;6(8):e579–86 Available from: [https://doi.org/10.1016/S2468-2667\(21\)00129-8](https://doi.org/10.1016/S2468-2667(21)00129-8).
17. Rahajeng E. Pengaruh Penerapan Kawasan Tanpa Rokok Terhadap Penurunan Proporsi Perokok Di Provinsi Dki Jakarta, Daerah Istimewa Yogyakarta Dan Bali. *J Ekol Kesehat*. 2016;14(3):2015 Available from: <http://weekly.cnbnews.com/news/article.html?no=124000>.
18. Ravara SB, Castelo-Branco M, Aguiar P, Calheiros JM. Compliance and enforcement of a partial smoking ban in Lisbon taxis: An exploratory cross-sectional study. *BMC Public Health*. 2013;13(1):134 Available from: <https://doi.org/10.1186/1471-2458-13-134>.
19. Sliwinska-Mosson M, Milnerowicz H. The impact of smoking on the development of diabetes and its complications. *Diabetes Vasc Dis Res*. 2017;14(4):265–76 Available from: <https://doi.org/10.1177/1479164117701876>.
20. Hilawe EH, Yatsuya H, Li Y, Uemura M, Wang C, Chiang C, et al. Smoking and diabetes: Is the association mediated by adiponectin, leptin, or C-reactive protein? *J Epidemiol*. 2015;25(2):99–109 Available from: <https://doi.org/10.2188/jea.20140055>.
21. Andriani H, Kosasih RI, Putri S. Effects of changes in smoking status on blood pressure among adult males and year females in Indonesia : a 15-based cohort study. 2020. Available from: <https://doi.org/10.1136/bmjopen-2020-038021>.
22. Leone A. Smoking and Hypertension. *J Cardiol Curr Res*. 2015;2(2):00057. Available from: <https://medcraveonline.com/JCCR/smoking-and-hypertension.html>.
23. Padrão E, Oliveira O, Felgueiras Ó, Gaio AR, Duarte R. Tuberculosis and tobacco: is there any epidemiological association? *Eur Respir J*. 2018Jan 25;51(1):1702121 Available from: <http://erj.ersjournals.com/lookup/doi/10.1183/13993003.02121-2017>.
24. Gambhir HS, Kaushik RM, Kaushik R, Sindhvani G. Tobacco smoking-associated risk for tuberculosis : a case-control study. *Int Health*. 2010;2(3):216–22 Available from: <https://doi.org/10.1016/j.inhe.2010.07.001>.
25. Bill F, Foundation MG. Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet Neurol*. 2021;20(10):795–820 Available from: [https://doi.org/10.1016/s1474-4422\(21\)00252-0](https://doi.org/10.1016/s1474-4422(21)00252-0).
26. Simanjuntak TD, Wahyono TYM. The Relationship between Type 2 Diabetes Mellitus with Chronic Kidney Disease In Indonesian Population In 2014–2015 (Data Analysis of IFLS 5). *J Epidemiol Kesehat Indones*. 2021;4(2):37–42 Available from: <https://journal.fkm.ui.ac.id/epid/article/view/4037>.
27. Goodchild M, Nargis N, D'Espaignet ET. Global economic cost of smoking-attributable diseases. *Tob Control*. 2018;27(1):58–64. Available from: <https://doi.org/10.1136/tobaccocontrol-2016-053305>.
28. James SL, Abate D, Abate KH, Abay SM, Abbafati C, Abbasi N, et al. Global, regional, and national incidence, prevalence, and years lived with disability for 354 Diseases and Injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2018;392(10159):1789–858.
29. Mboi N, Murty Surbakti I, Trihandini I, Elyazar I, Houston Smith K, Bahjuri Ali P, et al. On the road to universal health care in Indonesia, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet*. 2018;392(10147):581–91. Available from: [https://doi.org/10.1016/S0140-6736\(18\)30595-6](https://doi.org/10.1016/S0140-6736(18)30595-6).
30. Safitri W, Martini S, Artanti KD, Li CY. Smoking from a younger age is the dominant factor in the incidence of chronic obstructive pulmonary disease: Case-control study. *Int J Environ Res Public Health*. 2021;18(11):0–7. Available from: <https://doi.org/10.3390/ijerph18116047>.
31. Firdausi NL, Artanti KD, Li C-Y. Analysis of Risk Factors Affecting The Occurrence of Chronic Obstructive Pulmonary Disease in Indonesia. *J Berk Epidemiol*. 2021;9(1):18. Available from: <https://doi.org/10.20473/jbe.V9I12021.18-25>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more [biomedcentral.com/submissions](https://biomedcentral.com/submissions)

