



Source details

Gaceta Medica de Caracas

Scopus coverage years: from 1954 to 1957, from 1959 to 1965, from 1971 to 1976, from 1978 to 1988, from 2008 to 2014, from 2017 to Present

Publisher: Academia Nacional de Medicina

ISSN: 0367-4762

Subject area: Medicine: General Medicine

Source type: Journal

CiteScore 2021

0.2



SJR 2021

0.117



SNIP 2021

0.289



[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology



CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ▼

$$0.2 = \frac{61 \text{ Citations 2018 - 2021}}{309 \text{ Documents 2018 - 2021}}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$0.2 = \frac{119 \text{ Citations to date}}{507 \text{ Documents to date}}$$

Last updated on 05 April, 2023 • Updated monthly

CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Medicine		
General Medicine	#742/826	10th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.





Gaceta Medica de Caracas








<p>COUNTRY</p> <p>Venezuela</p> <p> Universities and research institutions in Venezuela</p> <p> Media Ranking in Venezuela</p>	<p>SUBJECT AREA AND CATEGORY</p> <p>Medicine</p> <ul style="list-style-type: none"> Medicine (miscellaneous) 	<p>PUBLISHER</p> <p>Academia Nacional de Medicina</p>	<p>H-INDEX</p> <p>6</p>
<p>PUBLICATION TYPE</p> <p>Journals</p>	<p>ISSN</p> <p>03674762</p>	<p>COVERAGE</p> <p>1954-1957, 1959-1965, 1971-1976, 1978-1988, 2008-2014, 2017-2021</p>	<p>INFORMATION</p> <p>Homepage</p> <p>How to publish in this journal</p> <p>editorenjefegmc@gmail.com</p>
<p>SCOPE</p> <p>Information not localized</p>			

Join the conversation about this journal

FIND SIMILAR JOURNALS ⓘ

options ⋮

<p>1 F1000Research GBR</p> <p>40% similarity</p>	<p>2 Science Translational Medicine USA</p> <p>37% similarity</p>	<p>3 Current Opinion in Pharmacology NLD</p> <p>35% similarity</p>	<p>4 Journal of Internal Medicine GBR</p> <p>35% similarity</p>	<p>5 Advances in Experimental Medicine and Biology USA</p> <p>35% similarity</p>
--	---	--	---	--



Gaceta Medica de Caracas

Show this widget in your own website

Q4 Medicine (miscellaneous) best quartile

SJR 2021 0.12

powered by scimagojr.com

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com">
```

SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool**.





Yraiceles Jiménez 12 months ago

Por favor podrían corregir el link a la pagina principal de la Revista Gaceta Médica de Caracas : <https://academianacionaldemedicina.org/categoria/publicaciones/gaceta-medica-de-caracas/>

← reply



Melanie Ortiz 11 months ago

SCImago Team

Dear Yraiceles, thank you for contacting us. We will proceed to update the journal's website information as soon as possible. Greetings from Spain and thank you for using the SCImago products, SCImago Team



Jaime Benchimol 4 years ago

Alguien tine noticia de un trabajo de MATTA, Alfredo Augusto da. Subsidio para el estudio de la physionomia clinica, clasificacion y sinonimias de la leishmaniose en América do Sul na Gaceta Médica de Caracas (n. 18, 1915, p. 143 – 146)

← reply



Yraiceles Jiménez 12 months ago

En este link, <https://academianacionaldemedicina.org/?s=leishmaniasis> , encontrará la búsqueda sobre la enfermedad publicada en la gaceta médica de caracas, Saludos



Melanie Ortiz 4 years ago

SCImago Team

Dear Jaime, thanks for your participation! Best Regards, SCImago Team

Leave a comment

Name

Email
(will not be published)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

Inicio (http://saber.ucv.ve/ojs/index.php/rev_gmc/index)

/ Archivos (http://saber.ucv.ve/ojs/index.php/rev_gmc/issue/archive) / Vol. 129 Núm. 2S (2021)

Depósito legal DC2020001347 ISSN 2739-0012



(http://saber.ucv.ve/ojs/index.php/rev_gmc/issue/view/2407)

Publicado: 2021-09-04

NÚMERO COMPLETO

Acceso a la Revista completa GMC 129(Suplemento 2)2021 (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22902)

Gaceta Médica

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22902/144814489193)

ÍNDICE

Ver el contenido del presente número en español (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22903)

Gaceta Médica

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22903/144814489194)

INDEX

Ver el contenido del presente número en inglés (<http://saber.ucv.ve/ojs/index.php>)

/rev_gmc/article/view/22904)

Gaceta Médica

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22904/144814489195)

ACADÉMICOS

Junta Directiva, Individuos de Número, Miembros Correspondientes Nacionales y Extranjeros, Invitados de Cortesía y Comisiones de la ANM (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22905)

Gaceta Médica

V-VI

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22905/144814489196)

COMISIONES CIENTÍFICAS

Comisiones Científicas para el bienio 2020-2022 (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22907)

Gaceta Médica

IX-XI

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22907/144814489198)

NORMAS

Revise las Normas para los autores de publicaciones en la Gaceta Médica de Caracas (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22908)

Gaceta Médica

XII-XIV

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22908/144814489199)

EDITORIAL

Multidisciplinary Research in Medicine Science during COVID-19 Pandemic (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22909)

Muhammad Miftahussurur

S273-S276

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22909/144814489200)

Serum HDL-c and LDL-c levels as the predictors of COVID-19 severity (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22910)

Andro P. Witarto, Achmad JE. Putra, Shidi L. Pramudito
S277-S292

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22910/144814489201)

Correlation of HbA1c levels and diabetic neuropathy complications in diabetes mellitus patients (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22911)

Anisatul Hamida, Laily Irfana, Detty Nur Irawati
S293-S298

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22911/144814490658)

The proper use of face mask during COVID-19 pandemic in urban community (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22912)

Jongky Hendro Prajitno, Sulistiawati Kahexa Firman, Jefferson Caessario, Nihal Sofyan, Bagus Ari, Anak Agung Putri, Alfi Nureta, Aulia Rafikasari, Liofelita Christi, Hamzah Farouq
S299-S304

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22912/144814489202)

Soluble CD163 and small dense LDL cholesterol levels in type 2 diabetes patients (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22913)

Hermina Novida, Soebagijo Adi Soelistijo, Ari Sutjahjo
S305-S312

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22913/144814489203)

Analysis of eosinophil and lymphocyte concentrations on the incidence of mild and severe acute asthma exacerbations. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22914)

Raihan Syarif Humaidy, Mohammad Subkhan, Nurma Yuliyanasari, Nabil Salim Ambar
S313-S318

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22914/144814489204)

The effect of smoking degree on the incidents of cataracts. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22915)

Nyimas Salsabila Rahma, Yudith Annisa Ayu Rezkitha, Kaniraras Lintang Prameswari, Kartika Prahasanti
S319-S323

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22915/144814489205)

Immunoglobulin-E and Thyroid-Stimulating Hormone Receptor Antibody in Graves' disease with Atopy (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22916)

Rio Wironegoro, Ari Baskoro, Chairul Effendi, Agung Pranoto
S324-S327

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22916/144814489206)

Maternal age and parity associated with low birth weight infants (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22917)

Intan Afifah, Ninuk Dwi Ariningtyas, Gina Noor Djalilah, Muhammad Anas
S328-S333

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22917/144814489207)

Etiological pathogen causes of diarrhea in children (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22918)

Esa Widhanar, Musa Ghuftron, Nenny Triastuti, Edim Hartati
S334-S339

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22918/144814489208)

A descriptive analysis of the spatiotemporal distribution of hepatitis A virus outbreak in Pacitan, East Java, Indonesia (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22919)

Aditya Doni Pradana, Raissa Virgy Rianda, Zhanna Ovitha Riskhathusa, Swastika A. S. Asri, Rama Azalix Rianda, Aris Istianah, Ratha-korn Vilaichone, Muhammad Miftahussurur
S340-S349

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22919/144814489209)

Characteristics of patients with dengue hemorrhagic fever and its relationship with the prevalence of dengue shock syndrome in children (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22920)

Edim Hartati, Muhammad Anas, Gina Noor Djalilah, Ayu Lidya Paramita
S350-S356

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22920/144814489210)

Effects of treadmill exercises on pancreatic β cell function through the role of vitamin D in patients with type 2 diabetes mellitus. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22921)

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22921/144814489211)

Malondialdehyde levels and clinical outcomes assessed by the modified Rankin scale in patients with acute intracerebral hemorrhagic stroke (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22922)

Abdulloh Machin, Nurlisa Naila Aulia, Sita Setyowatie
S367-S372

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22922/144814489212)

Association between bleeding volume with heme oxygenase-1 and malondialdehyde levels in patients of acute intracerebral hemorrhage. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22923)

Sita Setyowatie, Abdulloh Machin, Nurlisa Naila Aulia
S373-S378

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22923/144814489213)

Triple elimination in pregnant women in Indonesia (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22924)

Dinda Sella Octaviana, Afif Nurul Hidayati, Muhammad Ilham Aldika Akbar, Muhammad Miftahussurur
S379-S89

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22924/144814489214)

COVID-19 and hepatitis B Ambassador of Surabaya, Indonesia: Motivation, commitment, and knowledge of youth generation towards health programs in the pandemic era. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22925)

Ricky Indra Alfaray, Firyal Nadiah Rahmah, Lionardy Yodianto, Abu Rizal Dwikatmono Johan, Muhammad Raihan Habibi, Shod Abdurrachman, Yudith Annisa Ayu Rezkitha, Reny l'tishom, Yoshio Yamaoka, Muhammad Miftahussurur
S390-S402

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22925/144814489215)

Relationship on the performance of doctors in inpatients towards the level of patient satisfaction. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22926)

Ilham Daud Samodra, Tjatur Prijambodo, Musa Ghuftron, Sri Widyaningsih
S403-S408

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22926/144814489216)

Differences in the characteristics of long-term contraceptive device acceptors compared to short-term ones (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22927)

M. Frando Ghiffari Ekwanda, Uning Marlina, Nova Primadina
S409-S415

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22927/144814489217)

Factors associated with the success of exclusive breastfeeding in the rural area (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22928)

Reza Putri Maghriza, Ninuk Dwi Ariningtyas, Yelvi Levani, Musa Ghufron
S416-S422

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22928/144814489218)

Admission assessment criteria in predicting students' academic performance in newly established medical school (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22929)

Nurma Yuliyanasari, Laily Irfana, Kartika Prahasanti, Syafarinah Nur Hidayah Akil
S423-S428

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22929/144814489219)

The effect of Ramadan fasting on clinical and laboratory parameters in chronic kidney disease patients underwent hemodialysis (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22930)

Langgeng Perdhana, Shofa Chasani
S429-S435

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22930/144814489220)

Effect of astaxanthin on malondialdehyde level in damaged cerebral cortex tissue in male rat (*Rattus norvegicus*) induced by formaldehyde orally. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22931)

Erik Ahmad Hasyim, Virhan Novianry, Mistika Zakiah, Andriani ., Dyan Roshinta Laksmi Dewi
S436-S441

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22931/144814489221)

Intradialytic and post-dialytic complications in chronic kidney disease patients undergoing maintenance hemodialysis (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22932)

Alvin Henri, Christine Christine, Mario Gregorius Barbarigo Nara
S442-S447

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22932/144814489222)

Pulmonary tuberculosis patients with diabetes mellitus have a more severe degree of chest X-ray compared to pulmonary tuberculosis patients without diabetes mellitus (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22933)

Muhammad Ramzi, Muslim Andala Putra, Mohammad Subkhan
S448-S453

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22933/144814489223)

The importance of health-related to quality-of-life assessment in pulmonary tuberculosis patients: A literature review. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22934)

Angga Dimas Mahendra, Yudith Annisa Ayu Rezkitha, Nur Mujaddidah Mochtar, Afrita Amalia Laitupa
S454-S462

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22934/144814489224)

Correlation of pre-operating antibiotic types with surgical site infection in post-appendectomy patients (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22935)

Fitria Romadoni, Handayani ., Aditya Bhayusakti
S463-S468

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22935/144814489225)

Respiratory allergy with concentration ability in young adults (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22936)

Handayani ., Evi Sylvia Awwalia
S469-S475

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22936/144814489226)

Mental health, depression, and quality of life levels in heart failure patients. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22937)

Abraham Ahmad Ali Firdaus, Nur Azizah, Silvia .
S476-S483

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22937/144814489227)

Profile of unnatural mortality at tertiary hospital. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22938)

Mustika Chasanatusy Syarifah, Diyan Wahyu Kurniasari
S484-S488

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22938/144814489228)

Characteristics of reproductive-aged women with unmet need for family planning (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22939)

Nadia Rochmaya, Uning Marlina, Nova Primadina
S489-S494

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22939/144814489229)

Karo Traditional Oil, a traditional herbal medicine from Indonesia promote wound healing acceleration by suppressing tumor necrosis factor - α and stimulating interleukin 10 production (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22940)

Nova Primadina
S495-S502

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22940/144814489230)

Información

Para lectores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/readers)

Para autores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/authors)

Para bibliotecarios/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/librarians)

Desarrollado por

Open Journal Systems (<http://pkp.sfu.ca/ojs/>)

Enviar un artículo

Enviar un artículo (http://saber.ucv.ve/ojs/index.php/rev_gmc/about/submissions)

Navegar

Platform &
workflow by
OJS / PKP

(http://saber.ucv.ve/ojs/index.php/rev_gmc/about/aboutThisPublishingSystem)

Equipo editorial

Comité Editorial de la Gaceta Médica de Caracas (Editorial Board)

Editor en jefe (Editor in Chief)

Dr. Enrique Santiago López Loyo (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Editor Gerente (Senior Editor)

Dra. Anita Stern de Israel (UCV, Venezuela)

Editores Honorarios (Honorary Editors in Chief)

Dr. Antonio Clemente (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Rafael Muci Mendoza (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Doris Perdomo de Ponce (ACADEMIA NACIONAL DE MEDICINA, México)

Editores Asociados (Associate Editors)

Dr. Harry Acquatella (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Lissé Chiquinquirá Angarita Dávila (Universidad Andres Bello: Talcahuano, Concepción, Biobio, CL Chile)

Dr. Claudio Aoün (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Gustavo Aroca (Universidad Simón Bolívar, Colombia)

Dr. Franco Calderaro di Ruggiero (ACADEMIA NACIONAL DE MEDICINA, Clínica Razetti, Venezuela)

Dra. Lilia Cruz (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Jorge Escobedo (UNIVERSIDAD AUTÓNOMA DE MÉXICO, México)

Dr. Mariano Fernández (UCV, Venezuela)

Dr. José Francisco (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. José María Guevara (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Saúl Kízer (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Saúl Krivoy (ACADEMIA NACIONAL DE MEDICINA, EE. UU)

Dr. Felipe Martín Piñate (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. José Parra (Universidad de Guadalajara, México)

Dra. Diana Marcela Rojas (Universidad Andrés Bello: Talcahuano, Concepción, Biobio, CL, Chile)

Dr. Tomas Sanabria (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Enriqueta Sileo (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Gastón Silva (ACADEMIA NACIONAL DE MEDICINA y Policlínica Metropolitana, Caracas, Venezuela)

Dr. Marco Sorgi (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Andrés Soyano (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Huníades Urbina (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Ofelia Uzcátegui (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Horacio Vanegas (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Juan Yabur (ACADEMIA NACIONAL DE MEDICINA, Venezuela) Comité Editorial de la Gaceta Médica de Caracas (Editorial Board) Continuación

Editores Ejecutivos (Executive Guest Editors)

Dr. Luis Alcocer (Universidad Autónoma de México, México)

Dr. Ezequiel Bellorin Font (Universidad de Cleveland, EE. UU)

Dr. Raúl Carlini (Hospital Universitario, Caracas, Venezuela)

Dr. Guillermo Colmenares (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Manuel Guzmán Blanco (Centro Médico de Caracas, Venezuela)
Dr. Zafar Israili (Universidad de Emory, EE. UU)
Dra. Isis Nézer de Landaeta (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dra. Alicia Ponte Sucre (IME-UCV, Venezuela)
Dr. Heberto Suarez Roca (LUZ, EE. UU)
Dr. Herbert Stegeman (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Editores de Sección (Section Editors)
Dr. Oscar Aldrey (Instituto Médico, La Floresta, Venezuela)
Dr. Valmore Bermúdez (USB, Colombia)
Dra. Claudia Blandenier de Suárez (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dr. Claudio Borghi (Universidad de Bologna, Italia)
Dr. Juan De Sanctis (Universidad de Olomouc, República Checa)
Dr. José Esparza (ACADEMIA NACIONAL DE MEDICINA, EE.UU)
Dr. Luis Juncos (J Robert Cade Foundation, Argentina)
Dr. Carlos Ferrario (Universidad de Carolina del Norte, EE. UU)
Dr. Claudio Ferri (Università degli Studi dell'Aquila, Italia)
Dr. Patricio López Jaramillo (Universidad Autónoma de Bucaramanga (UNAB), Colombia)
Dr. Héctor Marcano (Hospital Universitario de Caracas, Venezuela)
Dr. Oscar Noya (Instituto de Medicina Tropical, UCV, Venezuela)
Dr. José Andrés Octavio (Hospital de Clínicas Caracas, Venezuela)
Dr. José A O'Daly (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dr. Stefano Omboni (Italian Institute of Telemedicine, Italia)
Dr. Gianfranco Parati (University of Milano-Bicocca, Italia)
Dr. José Ramón Poleo (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dr. Bernardo Rodríguez Iturbe (Instituto Nacional Ignacio Chávez, México)
Dr. Félix Tapia (Instituto de Biomedicina-UCV, Venezuela)
Editores Asistentes (Assistant Editors)
Dr. Henry Collet Camarillo (Clínica Ávila, Venezuela)
Dr. Freddy Contreras (UCV, Venezuela)
Dr. Giuseppe Crippa (Unidad de Hipertensión Arterial Piacenza, Italia)
Dra. Maricarmen Chacín (USB, Colombia)
Dra. María Sofía Martínez Cruz (Universidad de Virginia, EE. UU)
Dra. Dolores Moreno (Instituto de Biología Molecular -UCV, Venezuela)
Dr. Alexis García (Instituto de Inmunología, UCV, Venezuela)
Dra. Jenny Garmendía (Instituto de Biología Molecular-UCV, Venezuela)
Dr. Edward Rojas (Universidad de Virginia, EE. UU)
Dr. Juan Salazar (La Universidad del Zulia, Venezuela)
Dr. Francisco Tortoledo (España)

Información

Para lectores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/readers)

Para autores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/authors)

Para bibliotecarios/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/librarians)

Desarrollado por

Open Journal Systems (<http://pkp.sfu.ca/ojs/>)

Enviar un artículo

Enviar un artículo (http://saber.ucv.ve/ojs/index.php/rev_gmc/about/submissions)

Navegar

Platform &
workflow by
OJS / PKP

(http://saber.ucv.ve/ojs/index.php/rev_gmc/about/aboutThisPublishingSystem)

Malondialdehyde levels and clinical outcomes assessed by the modified Rankin scale in patients with acute intracerebral hemorrhagic stroke

Niveles de malondialdehído y resultados clínicos evaluados por la escala de Rankin modificada en pacientes con accidente cerebrovascular hemorrágico intracerebral agudo

Abdulloh Machin¹•, Nurlisa Naila Aulia², Sita Setyowatie³

SUMMARY

Background: Oxidative stress plays an important role in secondary brain injury after a stroke of intracerebral hemorrhage. This study aimed to determine the association between malondialdehyde (MDA) levels with clinical outcomes assessed using the modified Rankin Scale (mRS) in patients with acute intracerebral hemorrhagic stroke.

Methods: A cohort study was enrolled in patients with intracerebral hemorrhagic stroke in Dr. Soetomo General Hospital Surabaya, Indonesia. The study subjects were blood drawn for the examination of MDA levels at hospital admission, and the examination of

clinical outcomes was assessed using the mRS when the patient was discharged from the hospital.

Results: In 34 study subjects, 23 subjects with poor mRS and 11 subjects with good mRS were obtained. The results of the study analysis showed that subjects who had MDA levels >494.95 ng/mL with poor mRS were 17 subjects (73.9%), higher than those with good mRS, 3 subjects (27.3%). There were not statistically significant differences between age, GCS, bleeding volume, and MDA with clinical outcomes ($p > 0.06$). However, there was an association between MDA levels clinical outcomes with $p = 0.023$ and relative risk (RR) of 1.983 (95% CI 1.054-3.732).

Conclusion: There was a significant association between MDA levels and clinical outcomes assessed using the mRS in patients with acute intracerebral hemorrhagic stroke.

DOI: <https://doi.org/10.47307/GMC.2021.129.s2.14>

ORCID: <https://orcid.org/0000-0003-0369-0898>¹

ORCID: <https://orcid.org/0000-0003-2824-4413>²

ORCID: <https://orcid.org/0000-0003-0763-0198>³

Department of Neurology, Faculty of Medicine, Universitas Airlangga-Dr. Soetomo Teaching Hospital, Surabaya 60286, Indonesia

Recibido: 11 de mayo 2021
Aceptado: 22 de junio 2021

Keywords: Levels of malondialdehyde, modified Rankin Scale, cardiovascular disease.

• Corresponding Author: Abdulloh Machin, MD, PhD
Department of Neurology, Faculty of Medicine, Universitas Airlangga-Dr. Soetomo Teaching Hospital, Surabaya 60286, Indonesia
Mayjen. Prof. Dr. Moestopo No. 6-8 Surabaya 60286, Indonesia
Tel: +6231-5501670; Fax: +6231-502-2472
E-mail: dr.machin95@gmail.com

RESUMEN

Antecedentes: *El estrés oxidativo juega un papel importante en la lesión cerebral secundaria después de un accidente cerebrovascular de hemorragia intracerebral. Este estudio tuvo como objetivo determinar la asociación entre los niveles de malondialdehído (MDA) y los resultados clínicos evaluados mediante la escala de Rankin modificada (mRS) en pacientes con accidente cerebrovascular hemorrágico intracerebral agudo.*

Métodos: *Se realizó un estudio de cohorte en pacientes con accidente cerebrovascular hemorrágico intracerebral en el Hospital General Dr. Soetomo de Surabaya, Indonesia. A los sujetos del estudio se les extrajo sangre para el examen de los niveles de MDA en el momento de la admisión al hospital, y el examen de los resultados clínicos se evaluó mediante la mRS cuando el paciente fue dado de alta del hospital.*

Resultados: *En 34 sujetos de estudio, se obtuvieron 23 sujetos con mRS pobre y 11 sujetos con mRS buena. Los resultados del análisis del estudio mostraron que 17 sujetos (73,9 %), presentaban niveles de MDA > 494,95 ng/mL con mRS pobre, y 3 sujetos (27,3 %) más altos que aquellos con mRS buena. No hubo diferencia estadísticamente significativa entre la edad, la GCS, el volumen de sangrado y la MDA con los resultados clínicos ($p > 0,06$). Sin embargo, hubo una asociación entre los resultados clínicos de los niveles de MDA con $p = 0,023$ y el riesgo relativo (RR) de 1,983 (IC del 95 %: 1,054-3,732).*

Conclusión: *Hubo una asociación significativa entre los niveles de MDA y los resultados clínicos evaluados mediante la mRS en pacientes con accidente cerebrovascular hemorrágico intracerebral agudo.*

Palabras clave: *Niveles de malondialdehído, escala de Rankin modificada, resultados clínicos.*

INTRODUCTION

Stroke is the second leading cause of death in the world and the highest cause of disability in the world, with intracerebral hemorrhagic strokes having an incidence of 10-20 cases per 100 000 population and reaching 10-15 % of all strokes worldwide each year (1,2). Indonesian stroke registry data in 2014 reported that the number of hemorrhagic strokes was 32.9 % of all strokes in Indonesia. The highest mortality rate was recorded in hemorrhagic stroke, which was 20.3 % after 48 hours and 18.3 % in less than 48

hours. This amount is higher than the mortality rate in ischemic stroke. As many as 52 % of patients die within the first month, and only 20 % will live independently within six months (3).

Compared with the same infarction size, intracerebral hemorrhage produces more inflammation and cell death. The pathophysiological process playing a role in inflammatory damage mediated by cellular and non-cellular components (4). Oxidative stress plays an important role in secondary brain injury after intracerebral hemorrhagic stroke because it causes permanent disruption in the cortex and subcortex components followed by impaired brain-blood barrier and brain edema with massive brain cell death (5). The lysis of red blood cells on the first day after intracerebral hemorrhagic stroke will release hemoglobin converted by the enzyme heme oxygenase-1 (HO-1) into neurotoxic components, such as heme and iron, that play a role in secondary brain injury (6). Early microglial activation, the release of pro-inflammatory mediators, and the influx of peripheral leukocytes will trigger neuroinflammation after intracerebral hemorrhagic stroke releasing large amounts of reactive oxygen species (ROS), causing excessive consumption of superoxide dismutase (SOD) and lipid peroxidation (5,6). Lipid hydroperoxide is the main product of the lipid peroxidation process. The structure of lipid hydroperoxides is very unstable and can easily change into malondialdehyde (MDA), 4-hydroxy-2-nonenal (4-HNE), and several other forms of aldehyde. MDA is the main secondary product in the lipid peroxidation process because it is more mutagenic than other aldehydes (7). Currently, MDA is more often used in biomedical research as a marker of oxidative stress, especially in various clinical conditions related to the lipid peroxidation process. The chemically stable nature of MDA makes it more often used as a marker of oxidative stress compared to 4-HNE (8).

A previous study showed that MDA levels increased in patients with both acute hemorrhagic and ischemic strokes compared to healthy controls (9). Another study also stated that serum MDA levels were significantly higher in patients with intracerebral hemorrhagic stroke compared to healthy controls and in patients who did not survive compared to patients who

survived. Furthermore, serum MDA levels were associated with 30-day mortality (OR= 6.279; 95 % CI= 1.940-20.319; p= 0.002) (10).

Modified Rankin Scale (mRS) is used to assess functional limitations after stroke, including aspects of daily personal life, such as eating, toileting, bathing, walking, preparing meals, traveling, shopping and social life of work, family responsibilities, social activities, and entertainment. mRS is a global measurement tool with good reliability and validity. This study aimed to prove the association between MDA levels and clinical outcomes assessed using the mRS in patients with acute intracerebral hemorrhagic stroke.

METHODS

The study design used in this study was a cohort. This study was conducted from August 2019 to November 2019 in Dr. Soetomo General Hospital, Surabaya. The inclusion criteria were patients aged 20 years and over, patients with the first attack of acute intracerebral hemorrhagic stroke that has been done clinical examination and head CT scan without contrast, patients' onset 24-72 hours, and patients who were willing to follow the study. Meanwhile, the exclusion criteria of this study were patients with acute intracerebral hemorrhagic stroke accompanied by intraventricular or subarachnoid hemorrhage, having an infection at the time of hospital admission, diabetes mellitus, acute coronary heart disease, history of malignancy, and Parkinson's disease.

The sample size was determined by the sample size formula for the unpaired categorical analytic study, the two-way hypothesis with a type I error of 5 %, and a type II error of 20 %. The value of the proportion of effects in groups with risk factors (P1) and groups without risk factors (P2) was determined based on a previous study, and the minimum sample size was 17 people for each group so that the sample size was 34 people. If a minimum of 10 % dropout was added, the total sample size was 38 people. The sampling method was conducted according to consecutive cases (sampling on consecutive admission) until a predetermined number of samples has been

reached. There were 40 study subjects. Six subjects were dropped out of the study because of an infection during hospitalization in 2 subjects and blood lysis when storing in 4 subjects so that 34 (thirty-four) study subjects were collected.

The study subjects were blood drawn for examination of malondialdehyde levels at hospital admission and examination of clinical outcomes assessed using the mRS carried out when the patient was discharged from the hospital. Statistical analysis was performed with SPSS 21. The results of the study were analyzed using Chi-Square statistical tests, and Relative Risk (RR) calculations were performed.

RESULTS

Demographic data of study subjects, including age, sex, length of education, level of education, occupation, marital status, and ethnicity, can be seen in Table 1. Demographic characteristics include sex and age.

Table 1
Demographic characteristics of subjects

Variables	N (%)	Mean±SD
Sex		
Male	20 (58.8)	
Female	14 (41.2)	
Age		57.32±12.51
>75 years old	3 (8.8)	
≤75 years old	31 (91.2)	

Clinical characteristics include hypertension, smoking, location of stroke lesions, bleeding volume, GCS, MDA levels, and mRS. The clinical characteristics of study subjects can be seen in Table 2.

MALONDIALDEHYDE LEVELS AND CLINICAL OUTCOMES ASSESSED

Table 2
Clinical characteristics of study subjects

Variables	N (%)	Mean±SD
Hypertension		
Grade I	12 (35.3)	
Grade II	22 (64.7)	
Smoking		
Yes	8 (23.5)	
No	26 (76.5)	
Location of Stroke lesions		
Right	16 (47.1)	
Left	18 (52.9)	
Bleeding Volume		16.41±12.30
<30 cc	30 (88.2)	
≥30 cc	4 (11.8)	
GCS		
Good (13-15)	23 (67.6)	
Poor (<13)	11 (32.4)	
MDA levels		1136.50±1042.78
<494.95	14 (41.2)	
>494.95	20 (58.8)	
mRS		
Good	11 (32.4)	
Poor	23 (67.6)	

MDA: malondialdehyde; mRS: Modified Rankin Scale

The results of the analysis of the association between age, GCS, bleeding volume, and MDA with clinical outcomes can be seen in Table 3. There was no statistically significant between age, GCS, bleeding volume, and MDA with clinical outcomes ($p>0.06$). However, there was an association between MDA levels clinical outcomes with $p= 0.023$ and relative risk (RR) of 1.983 (95 % CI 1.054-3.732).

DISCUSSION

The results of the analysis of the association between MDA levels and clinical outcomes assessed using mRS showed statistically significant results. The subjects with high MDA levels >494.950 ng/mL had a 1.9 times higher risk of experiencing poor clinical outcomes of mRS compared to subjects who had low MDA levels <494.950 ng/mL. The results of this study are in accordance with a recent study showing that high MDA levels were associated with 30-day mortality with a p value=0.002 and an odds ratio value of 6.279 (95 % CI, 1.940-20.319) (10).

Table 3
The result of correlation test

Variables	mRS		Total	p
	Poor	Good		
Age				0.53
Age ≥ 75 y.o.	3 (13.0 %)	0 (0.0 %)	3	
Age < 75 y.o.	20 (87.0 %)	11 (100 %)	31	
GCS				1.000
Poor GCS (<13)	8 (34.8 %)	3 (27.3 %)	11	
Good GCS (13-15)	15 (65.2 %)	8 (72.7 %)	23	
Bleeding Volume				1.000
Volume ≥30cc	3 (13.0 %)	1 (9.1 %)	4	
Volume <30cc	20 (87.0 %)	10 (90.9 %)	30	
MDA				0.023
High MDA >494.95 ng/mL	17 (73.9 %)	3 (27.3 %)	20	
Low MDA <494.95 ng/mL	6 (26.1 %)	8 (72.7 %)	14	

MDA: malondialdehyde; mRS: Modified Rankin Scale

The basic characteristics of the study subjects include demographic characteristics and clinical data. Demographic characteristics include age and sex. Based on demographic data, most of the study subjects aged <75 years and were male. The results of the analysis for the association between confounding variables and clinical outcomes assessed using the mRS in this study showed no statistically significant differences for age, initial GCS, and bleeding volume variables.

In this study, we found that subjects who were >75 years old with poor mRS did not have a statistically significant difference when compared with subjects who were >75 years old with good mRS. This result differs from previous studies which stated that older age had poor mRS values (11). This difference in results could be due to the fact that in this study, most of the subjects had an age of <75 years. In addition, subjects who at the time of initial hospital admission had decreased consciousness with GCS <13 with poor mRS did not have a statistically significant difference when compared to subjects who at the time of initial hospital admission had decreased consciousness with GCS <13 with good mRS. These results are different from previous studies stating that subjects who entered with poor initial GCS had poor mRS outcomes (12). The difference in these results could be due to the fact that in this study, the majority of subjects at hospital admission had a good initial GCS.

In this study, subjects with bleeding volume ≥ 30 cc with poor mRS did not have a statistically significant difference compared to subjects with bleeding volume ≥ 30 cc with good mRS. These results are different from previous studies stating that bleeding volume ≥ 30 cc had poor mRS outcome (12). This difference in results could be caused by most subjects having a bleeding volume of <30 cc.

MDA levels increase in patients with both acute hemorrhagic and ischemic strokes compared to healthy controls (9). These findings are consistent with several previous studies that examined levels of oxidative stress using MDA and Total Antioxidant Capacity (TAC) in 24 hemorrhagic stroke patients and 24 ischemic stroke patients confirmed by head CT-Scan associated to awareness level and the National Institutes of Health Stroke Scale (NIHSS) in ischemic

stroke, as well as the location and volume of the hematoma in hemorrhagic stroke. A significant positive correlation was obtained between MDA levels and bleeding volume in hemorrhagic stroke patients and a negative correlation between TAC levels and bleeding volume (13). This is different from another study that compared levels of Total Oxidant Status (TOS), Total Antioxidant Status (TAS), and MDA in patients with intracerebral hemorrhagic strokes with healthy controls. Compared to the control group, TOS, TAS, and MDA levels were significantly higher in patients with intracerebral hemorrhagic stroke. However, there was no correlation between TOS, TAS, and MDA levels with the Glasgow Coma Scale (GCS) total score and hematoma volume (14).

MDA is the main secondary product in the lipid peroxidation process often used as a marker of oxidative stress because it has a more stable chemical compound. Oxidative stress is involved not only in pathological processes but also at various important stages in the pathophysiological response during intracerebral hemorrhage, including causing brain cell death. Brain cell death will result in impairment of function and ADL that can be assessed with the mRS.

This study has advantages. This is the first study conducted in Indonesia, especially in Surabaya, focusing on the association between MDA levels and clinical outcomes assessed using the mRS in patients with acute intracerebral hemorrhagic stroke in Dr. Soetomo General Hospital, Surabaya. The limitation of this study is that this study was only conducted in one hospital and based on hospital data so that it cannot be generalized to the population. In addition, the mRS assessment was only done when the patient was discharged from the hospital regardless of the length of time of treatment.

CONCLUSION

There was a significant association between MDA levels and clinical outcomes assessed using the mRS in patients with acute intracerebral hemorrhagic stroke in Dr. Soetomo General Hospital, Surabaya.

REFERENCES

1. Benjamin EJ, Virani SS, Callaway CW, Chamberlain AM, Chang AR, Cheng S, et al. Heart disease and stroke statistics—2018 update: A report from the American Heart Association. *Circulation*. 2018.
2. Ikram MA, Wieberdink RG, Koudstaal PJ. International Epidemiology of Intracerebral Hemorrhage. *Curr Atheroscler Rep* [Internet]. 2012;14(4):300-306. Available from: <https://doi.org/10.1007/s11883-012-0252-1>
3. Yudianto F, Machfoed M, Darwin A, Ong A, Karyana M, Siswanto -. Indonesia Stroke Registry (S12.003). *Neurology* [Internet]. 2014;82(10 Suppl):S12.003. Available from: http://n.neurology.org/content/82/10_Supplement/S12.003.abstract
4. Saulle MF, Schambra HM. Recovery and rehabilitation after intracerebral hemorrhage. *Semin Neurol* [Internet]. 2016/05/23. 2016;36(3):306-312. Available from: <https://pubmed.ncbi.nlm.nih.gov/27214706>
5. Duan X, Wen Z, Shen H, Shen M, Chen G. Intracerebral hemorrhage, oxidative stress, and antioxidant therapy. *Oxid Med Cell Longev* [Internet]. 2016;2016:1203285. Available from: <http://europepmc.org/abstract/MED/27190572>
6. Mracsko E, Veltkamp R. Neuroinflammation after intracerebral hemorrhage [Internet]. *Frontiers in Cellular Neuroscience*. 2014;8:388. Available from: <https://www.frontiersin.org/article/10.3389/fncel.2014.00388>
7. Ayala A, Muñoz MF, Argüelles S. Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. In: Ramana K V, editor. *Oxid Med Cell Longev* [Internet]. 2014.p.360438. Available from: <https://doi.org/10.1155/2014/360438>
8. Grotto D, Maria LS, Valentini J, Paniz C, Schmitt G, Garcia SC, et al. Importance of the lipid peroxidation biomarkers and methodological aspects FOR malondialdehyde quantification. *Química Nova. Química Nova. sciELO* ; 2009;32:169-174.
9. Beg M, Ahmad S, Gandhi S, Akhtar N, Ahmad Z. A study of serum malondialdehyde levels in patients of cerebrovascular accident. *J Indian Acad Clin Med*. 2005;6(3):229-231.
10. Lorente L, Martín MM, Abreu-González P, Sabatel R, Ramos L, Argueso M, et al. Serum malondialdehyde levels and mortality in patients with spontaneous intracerebral hemorrhage. *World Neurosurg* [Internet]. 2018;113:e542–7. Available from: <http://europepmc.org/abstract/MED/29477698>
11. Kongsawasdi S, Klaphajone J, Wivatvongvana P, Watcharasaksilp K. Prognostic factors of functional outcome assessed by using the modified rankin scale in subacute ischemic Sstroke. *J Clin Med Res*. 2019;11(5):375-382.
12. Sarder AH, Das BK, Mondal KJ, Kabir MA, Basu B, Alam MM. 30-days' outcome of hemorrhagic stroke: correlation between intracerebral hemorrhage score and modified Rankin score. *Mediscope* [Internet]. 2018 Jun 4;5(1 SE-Original Article). Available from: <https://www.banglajol.info/index.php/MEDISCOPE/article/view/36720>
13. Shoeibi A, Razmi N, Ghabeli Juibary A, Hashemy I. The evaluation and comparison of oxidative stress in hemorrhagic and ischemic stroke. *Casp J Neurol Sci*. 2017;3:206-213.
14. Çevik MU, Acar A, Yücel Y, Varol S, Akıl E, Arıkanoğlu A, et al. Investigation of total oxidants/antioxidants in patients with intracerebral haemorrhage. *Turkish J Neurol* [Internet]. 2013;19(1):1–4. Available from: <https://dx.doi.org/10.4274/Tnd.77698>