



Source details

Gaceta Medica de Caracas

Scopus coverage years: from 1954 to 1957, from 1959 to 1965, from 1971 to 1976, from 1978 to 1988, from 2008 to 2014, from 2017 to Present

Publisher: Academia Nacional de Medicina

ISSN: 0367-4762

Subject area: Medicine: General Medicine

Source type: Journal

CiteScore 2021

0.2



SJR 2021

0.117



SNIP 2021

0.289



[View all documents >](#) [Set document alert](#) [Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology



CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ▼

$$0.2 = \frac{61 \text{ Citations 2018 - 2021}}{309 \text{ Documents 2018 - 2021}}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$0.2 = \frac{119 \text{ Citations to date}}{507 \text{ Documents to date}}$$

Last updated on 05 April, 2023 • Updated monthly

CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Medicine		
General Medicine	#742/826	10th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.





Gaceta Medica de Caracas








<p>COUNTRY</p> <p>Venezuela</p> <p> Universities and research institutions in Venezuela</p> <p> Media Ranking in Venezuela</p>	<p>SUBJECT AREA AND CATEGORY</p> <p>Medicine</p> <ul style="list-style-type: none"> Medicine (miscellaneous) 	<p>PUBLISHER</p> <p>Academia Nacional de Medicina</p>	<p>H-INDEX</p> <p>6</p>
<p>PUBLICATION TYPE</p> <p>Journals</p>	<p>ISSN</p> <p>03674762</p>	<p>COVERAGE</p> <p>1954-1957, 1959-1965, 1971-1976, 1978-1988, 2008-2014, 2017-2021</p>	<p>INFORMATION</p> <p>Homepage</p> <p>How to publish in this journal</p> <p>editorenjefegmc@gmail.com</p>
<p>SCOPE</p> <p>Information not localized</p>			

Join the conversation about this journal

FIND SIMILAR JOURNALS ⓘ

options ⋮

<p>1 F1000Research GBR</p> <p>40% similarity</p>	<p>2 Science Translational Medicine USA</p> <p>37% similarity</p>	<p>3 Current Opinion in Pharmacology NLD</p> <p>35% similarity</p>	<p>4 Journal of Internal Medicine GBR</p> <p>35% similarity</p>	<p>5 Advances in Experimental Medicine and Biology USA</p> <p>35% similarity</p>
--	---	--	---	--



Gaceta Medica de Caracas ← Show this widget in your own website

Q4
Medicine (miscellaneous)
best quartile

SJR 2021
0.12


powered by scimagojr.com

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" data-bbox="195 755 295 770">
```

SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool**.





Yraiceles Jiménez 12 months ago

Por favor podrían corregir el link a la pagina principal de la Revista Gaceta Médica de Caracas : <https://academianacionaldemedicina.org/categoria/publicaciones/gaceta-medica-de-caracas/>

← reply



Melanie Ortiz 11 months ago

SCImago Team

Dear Yraiceles, thank you for contacting us. We will proceed to update the journal's website information as soon as possible. Greetings from Spain and thank you for using the SCImago products, SCImago Team



Jaime Benchimol 4 years ago

Alguien tine noticia de un trabajo de MATTA, Alfredo Augusto da. Subsidio para el estudio de la physionomia clinica, clasificacion y sinonimias de la leishmaniose en América do Sul na Gaceta Médica de Caracas (n. 18, 1915, p. 143 – 146)

← reply



Yraiceles Jiménez 12 months ago

En este link, <https://academianacionaldemedicina.org/?s=leishmaniasis> , encontrará la búsqueda sobre la enfermedad publicada en la gaceta médica de caracas, Saludos



Melanie Ortiz 4 years ago

SCImago Team

Dear Jaime, thanks for your participation! Best Regards, SCImago Team

Leave a comment

Name

Email
(will not be published)

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

Inicio (http://saber.ucv.ve/ojs/index.php/rev_gmc/index)

/ Archivos (http://saber.ucv.ve/ojs/index.php/rev_gmc/issue/archive) / Vol. 129 Núm. 2S (2021)

Depósito legal DC2020001347 ISSN 2739-0012



(http://saber.ucv.ve/ojs/index.php/rev_gmc/issue/view/2407)

Publicado: 2021-09-04

NÚMERO COMPLETO

Acceso a la Revista completa GMC 129(Suplemento 2)2021 (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22902)

Gaceta Médica

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22902/144814489193)

ÍNDICE

Ver el contenido del presente número en español (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22903)

Gaceta Médica

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22903/144814489194)

INDEX

Ver el contenido del presente número en inglés (<http://saber.ucv.ve/ojs/index.php>)

/rev_gmc/article/view/22904)

Gaceta Médica

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22904/144814489195)

ACADÉMICOS

Junta Directiva, Individuos de Número, Miembros Correspondientes Nacionales y Extranjeros, Invitados de Cortesía y Comisiones de la ANM (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22905)

Gaceta Médica

V-VI

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22905/144814489196)

COMISIONES CIENTÍFICAS

Comisiones Científicas para el bienio 2020-2022 (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22907)

Gaceta Médica

IX-XI

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22907/144814489198)

NORMAS

Revise las Normas para los autores de publicaciones en la Gaceta Médica de Caracas (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22908)

Gaceta Médica

XII-XIV

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22908/144814489199)

EDITORIAL

Multidisciplinary Research in Medicine Science during COVID-19 Pandemic (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22909)

Muhammad Miftahussurur

S273-S276

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22909/144814489200)

Serum HDL-c and LDL-c levels as the predictors of COVID-19 severity (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22910)

Andro P. Witarto, Achmad JE. Putra, Shidi L. Pramudito
S277-S292

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22910/144814489201)

Correlation of HbA1c levels and diabetic neuropathy complications in diabetes mellitus patients (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22911)

Anisatul Hamida, Laily Irfana, Detty Nur Irawati
S293-S298

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22911/144814490658)

The proper use of face mask during COVID-19 pandemic in urban community (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22912)

Jongky Hendro Prajitno, Sulistiawati Kahexa Firman, Jefferson Caessario, Nihal Sofyan, Bagus Ari, Anak Agung Putri, Alfi Nureta, Aulia Rafikasari, Liofelita Christi, Hamzah Farouq
S299-S304

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22912/144814489202)

Soluble CD163 and small dense LDL cholesterol levels in type 2 diabetes patients (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22913)

Hermina Novida, Soebagijo Adi Soelistijo, Ari Sutjahjo
S305-S312

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22913/144814489203)

Analysis of eosinophil and lymphocyte concentrations on the incidence of mild and severe acute asthma exacerbations. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22914)

Raihan Syarif Humaidy, Mohammad Subkhan, Nurma Yuliyanasari, Nabil Salim Ambar
S313-S318

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22914/144814489204)

The effect of smoking degree on the incidents of cataracts. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22915)

Nyimas Salsabila Rahma, Yudith Annisa Ayu Rezkitha, Kaniraras Lintang Prameswari, Kartika Prahasanti
S319-S323

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22915/144814489205)

Immunoglobulin-E and Thyroid-Stimulating Hormone Receptor Antibody in Graves' disease with Atopy (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22916)

Rio Wironegoro, Ari Baskoro, Chairul Effendi, Agung Pranoto
S324-S327

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22916/144814489206)

Maternal age and parity associated with low birth weight infants (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22917)

Intan Afifah, Ninuk Dwi Ariningtyas, Gina Noor Djalilah, Muhammad Anas
S328-S333

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22917/144814489207)

Etiological pathogen causes of diarrhea in children (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22918)

Esa Widhanar, Musa Ghufron, Nenny Triastuti, Edim Hartati
S334-S339

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22918/144814489208)

A descriptive analysis of the spatiotemporal distribution of hepatitis A virus outbreak in Pacitan, East Java, Indonesia (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22919)

Aditya Doni Pradana, Raissa Virgy Rianda, Zhanna Ovitha Riskhathusa, Swastika A. S. Asri, Rama Azalix Rianda, Aris Istianah, Ratha-korn Vilaichone, Muhammad Miftahussurur
S340-S349

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22919/144814489209)

Characteristics of patients with dengue hemorrhagic fever and its relationship with the prevalence of dengue shock syndrome in children (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22920)

Edim Hartati, Muhammad Anas, Gina Noor Djalilah, Ayu Lidya Paramita
S350-S356

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22920/144814489210)

Effects of treadmill exercises on pancreatic β cell function through the role of vitamin D in patients with type 2 diabetes mellitus. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22921)

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22921/144814489211)

Malondialdehyde levels and clinical outcomes assessed by the modified Rankin scale in patients with acute intracerebral hemorrhagic stroke (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22922)

Abdulloh Machin, Nurlisa Naila Aulia, Sita Setyowatie
S367-S372

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22922/144814489212)

Association between bleeding volume with heme oxygenase-1 and malondialdehyde levels in patients of acute intracerebral hemorrhage. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22923)

Sita Setyowatie, Abdulloh Machin, Nurlisa Naila Aulia
S373-S378

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22923/144814489213)

Triple elimination in pregnant women in Indonesia (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22924)

Dinda Sella Octaviana, Afif Nurul Hidayati, Muhammad Ilham Aldika Akbar, Muhammad Miftahussurur
S379-S89

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22924/144814489214)

COVID-19 and hepatitis B Ambassador of Surabaya, Indonesia: Motivation, commitment, and knowledge of youth generation towards health programs in the pandemic era. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22925)

Ricky Indra Alfaray, Firyal Nadiah Rahmah, Lionardy Yodianto, Abu Rizal Dwikatmono Johan, Muhammad Raihan Habibi, Shod Abdurrachman, Yudith Annisa Ayu Rezkitha, Reny l'tishom, Yoshio Yamaoka, Muhammad Miftahussurur
S390-S402

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22925/144814489215)

Relationship on the performance of doctors in inpatients towards the level of patient satisfaction. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22926)

Ilham Daud Samodra, Tjatur Prijambodo, Musa Ghuftron, Sri Widyaningsih
S403-S408

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22926/144814489216)

Differences in the characteristics of long-term contraceptive device acceptors compared to short-term ones (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22927)

M. Frando Ghiffari Ekwanda, Uning Marlina, Nova Primadina
S409-S415

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22927/144814489217)

Factors associated with the success of exclusive breastfeeding in the rural area (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22928)

Reza Putri Maghriza, Ninuk Dwi Ariningtyas, Yelvi Levani, Musa Ghufro
S416-S422

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22928/144814489218)

Admission assessment criteria in predicting students' academic performance in newly established medical school (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22929)

Nurma Yuliyanasari, Laily Irfana, Kartika Prahasanti, Syafarinah Nur Hidayah Akil
S423-S428

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22929/144814489219)

The effect of Ramadan fasting on clinical and laboratory parameters in chronic kidney disease patients underwent hemodialysis (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22930)

Langgeng Perdhana, Shofa Chasani
S429-S435

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22930/144814489220)

Effect of astaxanthin on malondialdehyde level in damaged cerebral cortex tissue in male rat (*Rattus norvegicus*) induced by formaldehyde orally. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22931)

Erik Ahmad Hasyim, Virhan Novianry, Mistika Zakiah, Andriani ., Dyan Roshinta Laksmi Dewi
S436-S441

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22931/144814489221)

Intradialytic and post-dialytic complications in chronic kidney disease patients undergoing maintenance hemodialysis (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22932)

Alvin Henri, Christine Christine, Mario Gregorius Barbarigo Nara
S442-S447

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22932/144814489222)

Pulmonary tuberculosis patients with diabetes mellitus have a more severe degree of chest X-ray compared to pulmonary tuberculosis patients without diabetes mellitus (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22933)

Muhammad Ramzi, Muslim Andala Putra, Mohammad Subkhan
S448-S453

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22933/144814489223)

The importance of health-related to quality-of-life assessment in pulmonary tuberculosis patients: A literature review. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22934)

Angga Dimas Mahendra, Yudith Annisa Ayu Rezkitha, Nur Mujaddidah Mochtar, Afrita Amalia Laitupa
S454-S462

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22934/144814489224)

Correlation of pre-operating antibiotic types with surgical site infection in post-appendectomy patients (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22935)

Fitria Romadoni, Handayani ., Aditya Bhayusakti
S463-S468

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22935/144814489225)

Respiratory allergy with concentration ability in young adults (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22936)

Handayani ., Evi Sylvia Awwalia
S469-S475

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22936/144814489226)

Mental health, depression, and quality of life levels in heart failure patients. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22937)

Abraham Ahmad Ali Firdaus, Nur Azizah, Silvia .
S476-S483

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22937/144814489227)

Profile of unnatural mortality at tertiary hospital. (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22938)

Mustika Chasanatusy Syarifah, Diyan Wahyu Kurniasari
S484-S488

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22938/144814489228)

Characteristics of reproductive-aged women with unmet need for family planning (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22939)

Nadia Rochmaya, Uning Marlina, Nova Primadina
S489-S494

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22939/144814489229)

Karo Traditional Oil, a traditional herbal medicine from Indonesia promote wound healing acceleration by suppressing tumor necrosis factor - α and stimulating interleukin 10 production (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22940)

Nova Primadina
S495-S502

PDF (http://saber.ucv.ve/ojs/index.php/rev_gmc/article/view/22940/144814489230)

Información

Para lectores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/readers)

Para autores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/authors)

Para bibliotecarios/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/librarians)

Desarrollado por

Open Journal Systems (<http://pkp.sfu.ca/ojs/>)

Enviar un artículo

Enviar un artículo (http://saber.ucv.ve/ojs/index.php/rev_gmc/about/submissions)

Navegar

Platform &
workflow by
OJS / PKP

(http://saber.ucv.ve/ojs/index.php/rev_gmc/about/aboutThisPublishingSystem)

Equipo editorial

Comité Editorial de la Gaceta Médica de Caracas (Editorial Board)

Editor en jefe (Editor in Chief)

Dr. Enrique Santiago López Loyo (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Editor Gerente (Senior Editor)

Dra. Anita Stern de Israel (UCV, Venezuela)

Editores Honorarios (Honorary Editors in Chief)

Dr. Antonio Clemente (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Rafael Muci Mendoza (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Doris Perdomo de Ponce (ACADEMIA NACIONAL DE MEDICINA, México)

Editores Asociados (Associate Editors)

Dr. Harry Acquatella (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Lissé Chiquinquirá Angarita Dávila (Universidad Andres Bello: Talcahuano, Concepción, Biobio, CL Chile)

Dr. Claudio Aoün (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Gustavo Aroca (Universidad Simón Bolívar, Colombia)

Dr. Franco Calderaro di Ruggiero (ACADEMIA NACIONAL DE MEDICINA, Clínica Razetti, Venezuela)

Dra. Lilia Cruz (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Jorge Escobedo (UNIVERSIDAD AUTÓNOMA DE MÉXICO, México)

Dr. Mariano Fernández (UCV, Venezuela)

Dr. José Francisco (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. José María Guevara (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Saúl Kízer (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Saúl Krivoy (ACADEMIA NACIONAL DE MEDICINA, EE. UU)

Dr. Felipe Martín Piñate (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. José Parra (Universidad de Guadalajara, México)

Dra. Diana Marcela Rojas (Universidad Andrés Bello: Talcahuano, Concepción, Biobio, CL, Chile)

Dr. Tomas Sanabria (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Enriqueta Sileo (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Gastón Silva (ACADEMIA NACIONAL DE MEDICINA y Policlínica Metropolitana, Caracas, Venezuela)

Dr. Marco Sorgi (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Andrés Soyano (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Huníades Urbina (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dra. Ofelia Uzcátegui (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Horacio Vanegas (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Juan Yabur (ACADEMIA NACIONAL DE MEDICINA, Venezuela) Comité Editorial de la Gaceta Médica de Caracas (Editorial Board) Continuación

Editores Ejecutivos (Executive Guest Editors)

Dr. Luis Alcocer (Universidad Autónoma de México, México)

Dr. Ezequiel Bellorin Font (Universidad de Cleveland, EE. UU)

Dr. Raúl Carlini (Hospital Universitario, Caracas, Venezuela)

Dr. Guillermo Colmenares (ACADEMIA NACIONAL DE MEDICINA, Venezuela)

Dr. Manuel Guzmán Blanco (Centro Médico de Caracas, Venezuela)
Dr. Zafar Israili (Universidad de Emory, EE. UU)
Dra. Isis Nézer de Landaeta (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dra. Alicia Ponte Sucre (IME-UCV, Venezuela)
Dr. Heberto Suarez Roca (LUZ, EE. UU)
Dr. Herbert Stegeman (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Editores de Sección (Section Editors)
Dr. Oscar Aldrey (Instituto Médico, La Floresta, Venezuela)
Dr. Valmore Bermúdez (USB, Colombia)
Dra. Claudia Blandenier de Suárez (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dr. Claudio Borghi (Universidad de Bologna, Italia)
Dr. Juan De Sanctis (Universidad de Olomouc, República Checa)
Dr. José Esparza (ACADEMIA NACIONAL DE MEDICINA, EE.UU)
Dr. Luis Juncos (J Robert Cade Foundation, Argentina)
Dr. Carlos Ferrario (Universidad de Carolina del Norte, EE. UU)
Dr. Claudio Ferri (Università degli Studi dell'Aquila, Italia)
Dr. Patricio López Jaramillo (Universidad Autónoma de Bucaramanga (UNAB), Colombia)
Dr. Héctor Marcano (Hospital Universitario de Caracas, Venezuela)
Dr. Oscar Noya (Instituto de Medicina Tropical, UCV, Venezuela)
Dr. José Andrés Octavio (Hospital de Clínicas Caracas, Venezuela)
Dr. José A O'Daly (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dr. Stefano Omboni (Italian Institute of Telemedicine, Italia)
Dr. Gianfranco Parati (University of Milano-Bicocca, Italia)
Dr. José Ramón Poleo (ACADEMIA NACIONAL DE MEDICINA, Venezuela)
Dr. Bernardo Rodríguez Iturbe (Instituto Nacional Ignacio Chávez, México)
Dr. Félix Tapia (Instituto de Biomedicina-UCV, Venezuela)
Editores Asistentes (Assistant Editors)
Dr. Henry Collet Camarillo (Clínica Ávila, Venezuela)
Dr. Freddy Contreras (UCV, Venezuela)
Dr. Giuseppe Crippa (Unidad de Hipertensión Arterial Piacenza, Italia)
Dra. Maricarmen Chacín (USB, Colombia)
Dra. María Sofía Martínez Cruz (Universidad de Virginia, EE. UU)
Dra. Dolores Moreno (Instituto de Biología Molecular -UCV, Venezuela)
Dr. Alexis García (Instituto de Inmunología, UCV, Venezuela)
Dra. Jenny Garmendía (Instituto de Biología Molecular-UCV, Venezuela)
Dr. Edward Rojas (Universidad de Virginia, EE. UU)
Dr. Juan Salazar (La Universidad del Zulia, Venezuela)
Dr. Francisco Tortoledo (España)

Información

Para lectores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/readers)

Para autores/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/authors)

Para bibliotecarios/as (http://saber.ucv.ve/ojs/index.php/rev_gmc/information/librarians)

Desarrollado por

Open Journal Systems (<http://pkp.sfu.ca/ojs/>)

Enviar un artículo

Enviar un artículo (http://saber.ucv.ve/ojs/index.php/rev_gmc/about/submissions)

Navegar

Platform &
workflow by
OJS / PKP

(http://saber.ucv.ve/ojs/index.php/rev_gmc/about/aboutThisPublishingSystem)

Association between bleeding volume with heme oxygenase-1 and malondialdehyde levels in patients of acute intracerebral hemorrhage

Asociación entre el volumen de sangrado con la hemo oxigenasa-1 y los niveles de malondialdehído en pacientes con hemorragia intracerebral aguda

Sita Setyowatie¹, Abdulloh Machin²•, Nurlisa Naila Aulia³

SUMMARY

Background: Oxidative stress plays an important role in secondary brain damage after a stroke of intracerebral hemorrhage because it causes permanent damage to grey matter, white matter taken by brain blood barrier disorders, and brain edema with brain cells. This study aimed to determine the correlation between bleeding volume and heme oxygenase-1 (HO-1) and malondialdehyde (MDA) levels in stroke patients with acute intracerebral hemorrhage at Dr. Soetomo Hospital, Surabaya.

DOI: <https://doi.org/10.47307/GMC.2021.129.s2.15>

ORCID: <https://orcid.org/0000-0003-0763-0198>¹

ORCID: <https://orcid.org/0000-0003-0369-0898>²

ORCID: <https://orcid.org/0000-0003-2824-4413>³

Department of Neurology, Faculty of Medicine, Universitas Airlangga-Dr. Soetomo Teaching Hospital, Surabaya 60286, Indonesia

• Corresponding Author: Abdulloh Machin, MD, PhD
Department of Neurology, Faculty of Medicine, Universitas Airlangga-Dr. Soetomo Teaching Hospital, Surabaya 60286, Indonesia

Mayjen. Prof. Dr. Moestopo No. 6-8 Surabaya 60286, Indonesia
Tel: +6231-5501670; Fax: +6231-502-2472
E-mail: dr.machin95@gmail.com

Recibido: 11 de mayo 2021

Aceptado: 22 de junio 2021

Methods: This was a cross-sectional analytic study with 34 study subjects who met the inclusion and exclusion criteria from August 2019 to November 2019. Subjects were measured for bleeding volume and blood collection for examination of HO-1 levels and MDA levels at hospital admission in stroke patients with acute intracerebral hemorrhage.

Results: The mean bleeding volume in this study was 15.34 ± 10.26 mL, the mean level of HO-1 was 55.51 ± 138.06 ng/mL, and the mean level of MDA was 1066.03 ± 907.97 ng/mL. Statistical analysis did not obtain any significant correlation between bleeding volume and HO-1 level ($p = 0.605$). However, there was a significant correlation statistically between bleeding volume and MDA level ($r = 0.509$; $p = 0.002$).

Conclusion: There was a correlation between bleeding volume level and the level of MDA in stroke patients with acute intracerebral hemorrhage, although there was no significant correlation between bleeding volume and HO-1 levels.

Keywords: Intracerebral hemorrhage stroke, heme oxygenase 1, malondialdehyde, oxidative stress, lipid peroxidation

RESUMEN

Antecedentes: El estrés oxidativo juega un papel importante en el daño cerebral secundario después de un accidente cerebrovascular con hemorragia intracerebral porque causa daño permanente a la sustancia gris, sustancia blanca tomada

por los trastornos de la barrera hematoencefálica y edema cerebral con las células cerebrales. Este estudio tuvo como objetivo determinar la correlación entre el volumen de sangrado y los niveles de hemo oxigenasa-1 (HO-1) y malondialdehído (MDA) en pacientes con accidente cerebrovascular con hemorragia intracerebral aguda en el Hospital Dr. Soetomo, Surabaya.

Métodos: Este fue un estudio analítico transversal con 34 sujetos que cumplieron con los criterios de inclusión y exclusión, desde agosto de 2019 hasta noviembre de 2019. Se midió el volumen de sangrado y se recolectó sangre de los sujetos para examinar los niveles de HO-1 y los niveles de MDA, al ingreso hospitalario en pacientes con accidente cerebrovascular con hemorragia intracerebral aguda.

Resultados: El volumen de sangrado medio en este estudio fue de $15,34 \pm 10,26$ mL, el nivel medio de HO-1 fue de $55,51 \pm 138,06$ ng/mL y el nivel medio de MDA fue de $1\,066,03 \pm 907,97$ ng/mL. El análisis estadístico no obtuvo ninguna correlación significativa entre el volumen de sangrado y el nivel de HO-1 ($p = 0,605$). Sin embargo, hubo una correlación estadísticamente significativa entre el volumen de sangrado y el nivel de MDA ($r = 0,509$; $p = 0,002$).

Conclusión: Hubo una correlación entre el volumen de sangrado y el nivel de MDA en pacientes con ictus con hemorragia intracerebral aguda, aunque no hubo una correlación significativa entre el volumen de sangrado y los niveles de HO-1.

Palabras clave: Ictus hemorragia intracerebral, hemo oxigenasa-1, malondialdehído, estrés oxidativo, peroxidación lipídica.

INTRODUCTION

Stroke is the second leading cause of death in the world and the highest cause of disability in the world, with intracerebral hemorrhage strokes having an incidence of 10-20 cases per 100 000 population and an estimated 10-15 of all strokes worldwide each year (1,2). Indonesian stroke registry data in 2014 reported that the number of hemorrhage strokes was 32.9 % of all strokes in Indonesia. The highest mortality recorded in hemorrhage strokes is equal to 20.3 % after 48 hours and 18.3 % less than 48 hours, greater than the mortality rate in infarct stroke. 52 % of patients died within the first month and only 20 % lived independently within 6 months (3).

In an intracerebral hemorrhage stroke, it

will form a hematoma that can damage the anatomical structure of the brain, causing a neurological deficit and the effect of the urgency of space that can cause an increase in intracranial pressure. Hematoma volume >30 mL is associated with increased mortality due to intracerebral hemorrhage stroke, with mortality rates that increase to >90 % in hematoma volumes >60 mL (4). Hematoma expansion and perihematomal edema result in secondary brain injury and worsen clinical outcomes (4,5).

The interactions between cytotoxicity, excitotoxicity, oxidative stress, and lysis product inflammation from red blood cells and plasma components are the cause of secondary brain injury after intracerebral hemorrhage stroke (6). Lysis of red blood cells in the hematoma will release hemoglobin which is converted by the enzyme heme oxygenase-1 (HO-1) into neurotoxic components, heme, and iron which play a role in secondary brain injury through the induction of oxidative stress by HO-1 activation and iron-related free radicals through the Fenton reaction (7). The early activation of microglia, the release of proinflammatory mediators, and the influx of peripheral leukocytes will trigger neuroinflammation after intracerebral hemorrhage stroke that releases large amounts of reactive oxygen species and lipid peroxidation (5,7). Lipid hydroperoxide is the main product of the lipid peroxidation process. The structure of lipid hydroperoxide is very unstable and can easily turn into malondialdehyde (MDA), 4-hydroxy-2-nonenal (4-HNE), and several other forms of aldehyde. MDA is the main secondary product in the lipid peroxidation process because it is more mutagenic than other aldehydes (8). This compound was first used in 1950 as a sign of damage to food. Currently, MDA is more often used in biomedical research as a marker of oxidative stress, especially in various clinical conditions related to the lipid peroxidation process. The chemically stable nature of MDA makes it more often used as a marker of oxidative stress compared to 4-HNE (9).

Research on intracerebral hemorrhage stroke and its relation to oxidative stress has not been conducted in Indonesia and has never been performed in Dr. Soetomo Hospital, Surabaya. This study aims to determine the volume of bleeding with levels of HO-1 and MDA as a

marker of oxidative stress in stroke patients with acute intracerebral hemorrhage.

METHODS

Subjects

This was a cross-sectional observational analytic study aiming to determine the correlation between bleeding volume with HO-1 and MDA levels. The study was conducted at Dr. Soetomo Hospital, Surabaya, Indonesia, from August to November 2019. The study population was intracerebral hemorrhage stroke patients who came for treatment at Dr. Soetomo Hospital, Surabaya. The study sample was all hemorrhage stroke patients who came for treatment and met the criteria for sample acceptance. Criteria for acceptance of the sample were stroke patients with the first acute intracerebral hemorrhage who had clinical examinations and head CT scans without contrasting the onset of stroke between 24-72 hours, aged ≥ 20 years, were willing to participate in the study, and signed informed consent. Criteria for rejection of the sample were stroke patients with acute intracerebral hemorrhage accompanied by intraventricular hemorrhage or subarachnoid hemorrhage, having an infection upon hospital admission, suffering from diabetes mellitus, acute coronary heart disease, Parkinson's disease, and a history of malignancy. The sampling technique was conducted by consecutive sampling by taking research subjects who meet the criteria for receiving samples sequentially until the desired sample size was met. The total sample of the study was 34 patients.

Methods

Bleeding volume was measured from digital CT images with the ABC/2 formula described by Broderick (A: the largest bleeding diameter by CT, B: Diameter 90 to A, and C: estimated number of CT slices with bleeding multiplied by slice thickness).

Blood samples were centrifuged at 4°C at a speed of 3 000 rpm for 10 minutes; and after the serum was separated, it was stored at -80°C until

analysis. HO-1 and MDA levels were measured by the Enzym-linked immunosorbent assay (ELISA) technique.

Data analysis

Data obtained from the data collection sheet were analyzed. Data analysis was performed using the Statistical Package for Social Science (SPSS) version 21.0 program with a statistical significance of $p < 0.05$. The correlation between bleeding volume with HO-1 and MDA levels in stroke patients with acute intracerebral hemorrhage was analyzed by Spearman rank correlation tests.

RESULTS

Demographic characteristics based on age obtained that the youngest age of patients with intracerebral hemorrhage stroke in this study was 40 years, and the oldest was 87 years, with an average age of study 60.74 ± 13.10 years. Based on the sex, there were 22 (64.7 %) male subjects and 12 (35.3 %) female subjects.

Clinical characteristics of the study subjects included hypertension, smoking, bleeding volume, HO-1 levels, and MDA levels. In this study, 26 subjects (76.5 %) had hypertension, and 8 subjects (23.5 %) did not suffer from hypertension. Patients with a history of smoking were 8 subjects (23.5 %), and the non-smokers were 26 subjects (76.5 %). In this study, the minimum value of bleeding volume was 0.5 mL, and the maximum value of bleeding volume was 37.40 mL, with the mean value of bleeding volume being 15.34 ± 10.26 mL. At the level of HO-1, the minimum value was 0.08 ng/ml, and the maximum value was 816.00 ng/ml, with the mean value of HO-1 being 55.51 ± 138.06 ng/ml. The level of MDA obtained a minimum value of 202.50 ng/mL and the maximum value of 3173 ng/mL, with an average value of MDA levels of 1066.03 ± 907.97 ng/mL. The characteristics of study subjects, including demographic and clinical data, are summarized in Table 1.

The mean value of HO-1 levels in study

Table 1
Characteristics of study subjects

Variable	n	Percentage (%)	Mean±SD
Age (years)			60.74±13.10
Sex			
Male	22	64.7	
Female	12	35.3	
Hypertension			
Yes	26	76.5	
No	8	23.5	
Smoking			
Yes	8	23.5	
No	26	76.5	
Bleeding volume (cc)			15.34±10.26
HO-1 levels (ng/mL)			55.51±138.06
MDA levels (ng/mL)			1066.03±907.97

HO-1: Heme oxygenase-1; MDA: Malondialdehyde

subjects who smoked was 23.31±16.37 ng/mL, while the mean value of HO-1 levels in non-smoking study subjects was 65.42±157.01 ng/mL. Based on statistical analysis, there was no difference in the levels of HO-1 in the smoking and non-smoking groups with p= 0.569. The mean value of MDA levels in smoking subjects was 1283.78±952.89 ng/ml, while the mean value of MDA in non-smoking research subjects was 999.03±902.30 ng/mL. Based on statistical analysis, there were no differences in the levels of MDA in the smoking and non-smoking groups (p= 0.503).

The results of the correlation analysis between age and HO-1 levels found a statistically significant correlation between age and HO-1 levels with p=0.043. The results of the correlation analysis between age and MDA levels found no statistically significant correlation between age with MDA heme levels with a value of p=0.613.

In this study, the normality test was first performed on the variable bleeding volume with levels of HO-1 and MDA with the Kolmogorov-Smirnov test. From the analysis, it was found that the bleeding volume variable has a normal data distribution, but the variable HO-1 and MDA levels had an abnormal data distribution. Hence, the next analysis was performed using

the spearman rank correlation. The results of this study did not find a statistically significant correlation between the volume of bleeding with HO-1 levels with a value of p= 0.605, but there was a positive correlation between the volume of bleeding with levels of MDA and statistically significant correlation with values of p= 0.002 and r= 0.509.

DISCUSSION

Our finding showed that there was a significant positive correlation between the bleeding volume with MDA levels. The results of this study are consistent with an earlier study examining the levels of oxidative stress using MDA and Total Antioxidant Capacity (TAC) in 24 bleeding stroke patients and 24 ischemic stroke patients confirmed by CT head scan associated with the level of consciousness and National Institutes of Health Stroke Scale (NIHSS) in infarction strokes, as well as the location and volume of the hematoma in bleeding strokes. In hemorrhage stroke patients, a strong positive association has been established between MDA levels and bleeding volume, and a negative correlation between TAC levels and bleeding volume (10). This finding is consistent with several reports. MDA levels increased in patients with both bleeding and acute ischemic strokes compared to controls in healthy people (11). This is different from a previous study that compared the levels of Total Oxidant Status (TOS), Total Antioxidant Status (TAS), and MDA in intracerebral hemorrhage stroke patients with healthy controls. The TOS, TAS, and MDA levels in intracerebral hemorrhage stroke were substantially higher than in the control group. Nevertheless, the Glasgow Coma Scale (GCS) total value and the volume of hematoma were not correlated between TOS, TAS, and MDA (12).

Several factors affecting levels of HO-1 and MDA include age and smoking activity. In this study, the results of the analysis of the correlation between smoking and HO-1 levels were not statistically significant. These results are different from studies in experimental animals which reported that the expression of HO-1 in the carotid arteries of rats that smoked was much higher than in normal rats. HO-1 levels can protect vascular cells from oxidative stress induced

by cigarette smoke by reducing endogenous ROS (13). Similarly, the results of the analysis for the correlation of smoking with MDA levels were not statistically significant. This result is different from another study which stated that smoking significantly increased levels of MDA with a value of $p=0.001$ (14). This difference in results can be caused because in this study most of the study subjects did not smoke (76.5 %).

The results of the analysis of age variables with HO-1 levels were statistically significant. This is in accordance with a research in 2003 stating that there is a significant positive correlation between age and HO-1 levels with $r=0.894$ and $p<0.01$ (15). The results of the analysis of age variables with MDA levels were not statistically significant with a p-value of 0.613. Thus, age was not a confounding factor for MDA levels although these results differed from other studies which stated that age >50 years had MDA levels higher than age ≤ 49 years (16).

The results of the analysis of the correlation between bleeding volume with HO-1 levels were not statistically significant. The results of this study differ from studies in 2015 stating that levels of HO-1 increase in stroke patients with intracerebral hemorrhage compared with healthy people ($p<0.001$) (17). Extracellular heme is derived from hemoglobin after bleeding or released from damaged cells induces the expression of HO-1 which metabolizes heme to carbon monoxide, iron, and biliverdin. Immunohistochemical studies showed that the HO-1 protein was highly detected in the peri-ICH region, especially in microglia/macrophages and endothelial cells after ICH (18).

This study has advantages. This is the first study conducted in Indonesia, especially in Surabaya, about the correlation between bleeding volume and levels of HO-1 and MDA in stroke patients with acute intracerebral hemorrhage in Dr. Soetomo Hospital Surabaya. The limitation of this study is the small number of study subjects because this study was only conducted in one hospital and many confounding factors, such as age and smoking activity that can bias the results of the study.

CONCLUSION

There was a significant correlation between the level of bleeding volume with the level of MDA in stroke patients with acute intracerebral hemorrhage in Dr. Soetomo Hospital, Surabaya, although there was no significant correlation between bleeding volume and HO-1 levels.

REFERENCES

1. Broderick J, Connolly S, Feldmann E, Hanley D, Kase C, Krieger D, et al. Guidelines for the management of spontaneous intracerebral hemorrhage in adults: 2007 update: A guideline from the American Heart Association/American Stroke Association Stroke Council, High Blood Pressure Research Council, and the Quality of Care and Outcomes Research Working Group. *Circulation*. 2007;116(16):e391-413.
2. Ikram MA, Wieberdink RG, Koudstaal PJ. International epidemiology of intracerebral hemorrhage. *Curr Atheroscler Rep* [Internet]. 2012;14(4):300-306. Available from: <https://doi.org/10.1007/s11883-012-0252-1>
3. Yudiarto F, Machfoed M, Darwin A, Ong A, Karyana M, Siswanto -. Indonesia Stroke Registry (S12.003). *Neurology* [Internet]. 2014;82(10 Suppl):S12.003. Available from: http://n.neurology.org/content/82/10_Supplement/S12.003.abstract
4. Elliott J, Smith M. The acute management of intracerebral hemorrhage: a clinical review. *Anesth Analg*. 2010 May;110(5):1419-27.
5. Duan X, Wen Z, Shen H, Shen M, Chen G. Intracerebral hemorrhage, oxidative stress, and antioxidant therapy. *Oxid Med Cell Longev* [Internet]. 2016;2016:1203285. Available from: <http://europepmc.org/abstract/MED/27190572>
6. Hu X, Tao C, Gan Q, Zheng J, Li H, You C. Oxidative stress in intracerebral hemorrhage: Sources, mechanisms, and therapeutic targets. In: Santos R, editor. *Oxid Med Cell Longev* [Internet]. 2016.p.3215391. Available from: <https://doi.org/10.1155/2016/3215391>
7. Mracsko E, Veltkamp R. Neuroinflammation after intracerebral hemorrhage [Internet]. *Frontiers in Cellular Neuroscience*. 2014;8:388. Available from: <https://www.frontiersin.org/article/10.3389/fncel.2014.00388>
8. Ayala A, Muñoz MF, Argüelles S. Lipid Peroxidation: Production, Metabolism, and Signaling Mechanisms of Malondialdehyde and 4-Hydroxy-2-Nonenal. In: Ramana K V, editor. *Oxid Med Cell Longev*

- [Internet]. 2014.p.360438. Available from: <https://doi.org/10.1155/2014/360438>
9. Grotto D, Maria LS, Valentini J, Paniz C, Schmitt G, Garcia SC, et al. Importance of the lipid peroxidation biomarkers and methodological aspects FOR malondialdehyde quantification. *Química Nova. scielo*; 2009;32:169-174.
 10. Shoeibi A, Razmi N, Ghabeli Juibary A, Hashemy I. The evaluation and comparison of oxidative stress in hemorrhagic and ischemic stroke. *Casp J Neurol Sci*. 2017;3:206-213.
 11. Beg M, Ahmad S, Gandhi S, Akhtar N, Ahmad Z. A study of serum malondialdehyde levels in patients of cerebrovascular accident. *J Indian Acad Clin Med*. 2005;6(3):229-231.
 12. Çevik MU, Acar A, Yücel Y, Varol S, Akıl E, Arıkanoğlu A, et al. Investigation of Total Oxidants/Antioxidants in Patients with Intracerebral Haemorrhage. *Turkish J Neurol [Internet]*. 2013;19(1):1-4. Available from: <https://dx.doi.org/10.4274/Tnd.77698>
 13. Yang G, Li Y, Wu W, Liu B, Ni L, Wang Z, et al. Antioxidant effect of heme oxygenase-1 on cigarette smoke-induced vascular injury. *Mol Med Rep [Internet]*. 2015;12(2):2481-2486. Available from: <https://doi.org/10.3892/mmr.2015.3722>
 14. Shah AA, Khand F, Khand TU. Effect of smoking on serum xanthine oxidase, malondialdehyde, ascorbic acid and α -tocopherol levels in healthy male subjects. *Pakistan J Med Sci*. 2015;31(1):146-149.
 15. Hirose W, Ikematsu K, Tsuda R. Age-associated increases in heme oxygenase-1 and ferritin immunoreactivity in the autopsied brain. *Leg Med (Tokyo)*. 2003;5(Suppl 1):S360-S366.
 16. Suresh D, Kumaran S, Annam V, Veena H. Age-related changes in malondialdehyde: Total antioxidant capacity ratio - A novel marker of oxidative stress. *Int J Pharma Bio Sci*. 2010;1.
 17. Li X, Li C, Hou L, He M, Song G, Ren S, et al. Higher level of serum heme oxygenase-1 in patients with intracerebral hemorrhage. *Int Surg [Internet]*. 2015;100(7-8):1220-1224. Available from: <https://doi.org/10.9738/INTSURG-D-14-00086.1>
 18. Wang J, Doré S. Heme oxygenase-1 exacerbates early brain injury after intracerebral hemorrhage. *Brain*. 2007;130(Pt 6):1643-1652.