

ISSN 1744-2615 (print) / 1744-2623 (online)

VOLUME 10

Clinical Epidemiology and Global Health

An Official Publication of
WORLD CLINICAL TRIALS SOCIETY

Editorial Board
Dr. [Name]

Editorial Board
Dr. [Name]



www.cegh.oxfordjournals.org



Actions for selected articles


Select all / Deselect all

 Download PDFs Export citations Show all article previews Discussion ● Open access

An approach towards COVID-19 pandemic with Yoga and Naturopathy interventions- Tamilnadu model

T. Prabu, K. Kahlil Subramanian, N. Manavalan, S.T. Venkateswaran, K. Maheshkumar

Article 100807

 Download PDF Research article ● Open access

Hematological and serum biochemistry parameters as a prognostic indicator of severally ill versus mild Covid-19 patients: A study from tertiary hospital in North India

Deval B. Dubey, Sridhar Mishra, Himanshu D. Reddy, Aliya Rizvi, Wahid Ali

Article 100806

 Download PDF Article preview ▾ Research article ● Open access

Burden of illness of dog-mediated rabies in India: A systematic review

Denny John, Abhishek Royal, Omesh Bharti

Article 100804

 Download PDF Article preview ▾ Research article ● Open access

Perception of earbuds side effects among teenager and adults in Eastern Province of Saudi Arabia: A cross sectional study

Abdullah A. Alarfaj, Lujain M. ALAhmmmed, Sayed Ibrahim Ali

Article 100784

 Download PDF Article preview ▾

Actions for selected articles

Select all / Deselect all

 Download PDFs Export citations Show all article previews Research article ● Open access

Clinical presentation and prognosis of non valvular mitral regurgitation-A single institution experience

G.V. Senthilnathan, V.E. Dhandapani, Balaji Ramraj, Muthunayanan Logaraj

Article 100781

 Download PDF Article preview ▾ Research article ● Open access

Ambivalence in distinguishing double burden of malnutrition among school children in three districts of south India

Chandana Hombaiiah, Anil S. Bilimale, B. Madhu, M.R. Narayana Murthy

Article 100805

 Download PDF Article preview ▾ Research article ● Open access

End-stage kidney disease in Sidi Bel Abbes, Algeria: Epidemiological profile of hemodialysis patients from 2015 to 2018

Katia Berkache, Zohra Bengharez, Bastien Pottier, Djamilia Ouabdesslam, ... Mourad Amrane


Article 100808

 Download PDF Article preview ▾ Correspondence ● Open access

Letter in response to the article "The global prevalence of musculoskeletal disorders among operating room personnel: A systematic review and meta-analysis" by Tavakkol et al.

Clari Marco, Godono Alessandro, Boffetta Paolo, Dimonte Valerio

Article 100798

 Download PDF

Actions for selected articles
[Select all](#) / [Deselect all](#)

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access
Impact of demographic, environmental, socioeconomic, and government intervention on the spreading of COVID-19

Fazla Rabbi Mashrur, Amit Dutta Roy, Anisha Parsub Chhoan, Sumit Sarker, ... Shumit Saha
Article 100811

 Download PDF [Article preview](#) 

Research article ● Open access
Prevalence of diarrhoea among under five children in India and its contextual determinants: A geo-spatial analysis

Koustav Ghosh, Atreyee Sinha Chakraborty, Mithun Mog
Article 100813

 Download PDF [Article preview](#) 

Research article ● Open access
Assess the knowledge, utilization, level of satisfaction of utilization and barriers of non-utilization regarding Integrated Child Development Services (ICDS) among women of Ernakulam District, Kerala, India

Preethy Jawahar, Sudha A. Raddi
Article 100815

 Download PDF [Article preview](#) 

Research article ● Open access
Differential access to facilities for medical termination of pregnancy and delivery in India: A secondary analysis

Shantanu Sharma, Ajit Kumar Jaiswal, Rajesh Kumar Singh, Paramhans Kumar, Sunil Mehra
Article 100825

 Download PDF [Article preview](#) 



Actions for selected articles
[Select all](#) / [Deselect all](#)

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access
Differential access to facilities for medical termination of pregnancy and delivery in India: A secondary analysis

Shantanu Sharma, Ajit Kumar Jaiswal, Rajesh Kumar Singh, Paramhans Kumar, Sunil Mehra
Article 100825

 Download PDF [Article preview](#) 

Research article ● Open access
Prevalence of Hepatitis C virus and determination of its genotypes in subjects of Tehsil Daggar District Buner, KP, Pakistan

Zeeshan Qamar, Faheem Anwar, Raiz Ahmad, Ihteshamul Haq, ... Jawad Khan
Article 100809

 Download PDF [Article preview](#) 

Research article ● Open access
Coverage and determinants of protective dose tetanus toxoid vaccine among postnatal women delivered at university of Gondar comprehensive specialized hospital, northwest Ethiopia, 2019

Dereje Nibret Gessesse, Ayenew Engida Yismaw, Yazachew Engida Yismaw, Tadesu Wondu Workneh
Article 100814

 Download PDF [Article preview](#) 

Review article ● Open access
The antiviral activity of iota-, kappa-, and lambda-carrageenan against COVID-19: A critical review

Andri Frediansyah
Article 100826

 Download PDF [Article preview](#) 



Actions for selected articles
[Select all](#) / [Deselect all](#)

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access
A machine learning logistic classifier approach for identifying the determinants of Under-5 child morbidity in Bangladesh

Md. Injamul Haq Methun, Anowarul Kabir, Saiful Islam, Md. Ismail Hossain, Md Abud Darda
Article 100812

[Download PDF](#) [Article preview](#) 

Research article ● Open access
Inhaled Corticosteroid phobia among parents of Egyptian asthmatic children

Amira SA. Said, Nadia Hussain, Lamiaa N. Abdelaty, Amal HI. Al Haddad, Abdullah Abu Mellal
Article 100810

[Download PDF](#) [Article preview](#) 

Research article ● Open access
Impact of COVID-19 pandemic on mental health, risk perception and coping strategies among health care workers in Albania - evidence that needs attention

Fatjona Kamberi, Enkeleida Sinaj, Jerina Jaho, Brunilda Subashi, ... Mila Nu Nu Htay
Article 100824

[Download PDF](#) [Article preview](#) 

Research article ● Open access
A cross-sectional study on COVID19 mortality among people below 30 years of age in Tamilnadu-2020

V. Vijay Anand, G. Arunkumar Yogaraj, S. Priya, P. Priya Raj, ... P.N. Sridevi
Article 100827

[Download PDF](#) [Article preview](#) 



Actions for selected articles
[Select all](#) / [Deselect all](#)

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access
The Behavioral Model development of pregnant women in accordance to pregnancy treatment lifestyle

Evi Pratami, Sukesi Sukesi, Ervi Husni, Nursalam Nursalam
Article 100802

[Download PDF](#) [Article preview](#) 

Research article ● Open access
Prevalence of atopic disorders in 10–15 years age group students from Kasaragod district, Kerala: A cross-sectional study

Madhur Guruprasad Aggithaya, Pradeepa P. Narayana, K.S. Prasanna, S.R. Narahari
Article 100823

[Download PDF](#) [Article preview](#) 

Research article ● Open access
Intensified case finding for screening tuberculosis among antenatal women in Delhi, India; A facility-based prospective observational study

Pragya Sharma, Yamini Marimuthu, Saurav Basu, Nandini Sharma, ... Bharathnag Nagappa
Article 100816

[Download PDF](#) [Article preview](#) 

Research article ● Open access
Adherence to respectful maternity care guidelines during COVID-19 pandemic and associated factors among healthcare providers working at hospitals in northwest Ethiopia: A multicenter, observational study

Azmeraw Ambachew Kebede, Birhan Tsegaw Taye, Kindu Yinges Wondie, Agumas Eskezia Tiguh, ... Muhabaw Shumye Mihret
Article 100830

[Download PDF](#) [Article preview](#) 



Actions for selected articles
Select all / Deselect all

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access

Analogy of Del Nido and conventional cardioplegia in patients undergoing isolated mitral valve replacement surgery: A single-center retrospective study

Guruprasad Rai, Ramesh Chandrababu, Ganesh Sevagur Kamath, Shivashankar Pai B
Article 100829

 Download PDF [Article preview](#) 

Research article ● Open access

Prevalence and risk factors of female sexual dysfunction among women infected with HIV in conakry

Alloune Camara, Thierno Mamadou Tounkara, Alexandre Delamou, Raghiaou Baldé, ... Mohamed Cissé
Article 100828

 Download PDF [Article preview](#) 

Research article ● Open access

Hypertension and its determinants among school going adolescents in selected urban slums of Nagpur city, Maharashtra: A cross-sectional study

Sitikantha Banerjee, Mubashshera F. Khan, Kajari Bandyopadhyay, Kalaiselvi Selvaraj, Pradeep Deshmukh
Article 100832

 Download PDF [Article preview](#) 

Research article ● Open access

BA.plot: An R function for Bland-Altman analysis

Kalesh M. Karun, Amitha Puranik
Article 100831

 Download PDF [Article preview](#) 

Actions for selected articles
Select all / Deselect all

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access

Factors associated with women's exposure to mass media for Health Care Information in Ethiopia. A case-control study

Kassahun Dessie Gashu, Ayenew Engida Yismaw, Dereje Nibret Gessesse, Yazachew Engida Yismaw
Article 100833

 Download PDF [Article preview](#) 

Research article ● Open access

Comprehensive review of the Universal Immunization Programme (UIP) – Identifying gaps and assist in formulating improvement plan for routine immunization in few states of India

Vandana Gurnani, Pritu Dhalaria, Pradeep Haldar, Mahesh Kumar Aggarwal, ... Gopal Krishna Soni
Article 100834

 Download PDF [Article preview](#) 

Research article ● Open access

Tobacco use pattern and quitting behaviour among healthcare professionals during the COVID-19 pandemic: Insights from a pan India online survey

Bijaya Nanda Naik, Bijit Biswas, Chandramani Singh, Sanjay Pandey, ... Neha Chaudhary
Article 100838

 Download PDF [Article preview](#) 

Research article ● Open access

Evaluation of sleep quality, psychological states and subsequent self-medication practice among the Bangladeshi population during Covid-19 pandemic

K.M. Yasif Kayes Sikdar, Juhaer Anjum, Nasiba Binte Bahar, Maniza Muni, ... A.S.M. Monjur Al-Hossain
Article 100836

 Download PDF [Article preview](#) 




Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

 Show all article previews

Research article Open access
Prevalence and detecting spatial clustering of anaemia among children 6–59 months in the districts of India

Koustav Ghosh, Gayatri Sanjiv Desai
Article 100845

 Download PDF [Article preview](#) 

Research article Open access
Malnutrition status and other common comorbidities among inmates of childcare homes in puducherry, India - An Analytical Cross-Sectional study

Madhu Karam, Swaroop Kumar Sahu, Sathish Rajaa
Article 100837

 Download PDF [Article preview](#) 

Discussion Open access
Impact of poor disease surveillance system on COVID-19 response in africa: Time to rethink and rebuilt

Abdullahi Tunde Aborode, Mohammad Mehedi Hasan, Shubhika Jain, Melody Okereke, ... Ayoola S. Fasawe
Article 100841

 Download PDF [Article preview](#) 

Research article Open access
Assessment of direct medical cost using cost of illness analysis in patients with dengue fever - Retrospective study

Shaikh Rafiya Rafikahmed, Uday Venkat Mateti, Chethan Subramanya, Shraddha Shetty, ... Anjana Madhusoodanan
Article 100842

 Download PDF [Article preview](#) 



Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

 Show all article previews

Research article Open access
Smokeless tobacco use among women in northeastern states, India: A study of spatial clustering and its determinants using National Family Health Survey-4 data

Kh Jitenkumar Singh, Nirendra Haobijam, Saritha Nair, Aheibam Sharmila Devi, ... M. Vishnu V. Rao
Article 100840

 Download PDF [Article preview](#) 

Research article Open access
Safe motherhood practices - Knowledge and behaviour among pregnant women in Belagavi, Karnataka. A descriptive study

Pooja S. Dhagavkar, Anita Dalal, Amit Nilgar, Mubashir Angolkar
Article 100846

 Download PDF [Article preview](#) 


Research article Open access
Diagnostic comparison of biochemical profile in patients with Covid-19, dengue and Acute Febrile illness: Implications for patient management

Himanshu Bansal, Vijay Kumar, Rachna Mehta
Article 100844

 Download PDF [Article preview](#) 

Research article Open access
Knowledge, awareness and prevalence of Human Papillomavirus among local University students and Healthcare workers in South India: A cross-sectional study

Pushkal Sinduvadi Ramesh, Sowmyashree Krishnamurthy, Sunita Shrestha, Suma M. Nataraj, Devananda Devegowda
Article 100839

 Download PDF [Article preview](#) 



Actions for selected articles
[Select all](#) / [Deselect all](#)

 Download PDFs

 Export citations

Show all article previews

Review article ● Open access

A comprehensive review of various categories of face masks resistant to Covid-19

Sonali Das, Sagarika Sarkar, Anusree Das, Shreyosree Das, ... Joy Sarkar
Article 100835

 Download PDF [Article preview](#) 

Research article ● Open access

The factors predicting mortality in pulmonary tuberculosis with acute respiratory failure

Daniel Maranatha, Desak Putu Agung Krisdanti
Article 100843

 Download PDF [Article preview](#) 

Correspondence ● Open access

Dual burden of COVID-19 and TB in Africa

Yusuf Hassan Wada, Muhammad Kabir Musa, Shuaibu Saidu Musa, Garba M. Khalid, Don Eliseo Lucero Priso
Article 100847

 Download PDF

Research article ● Open access

Association between nutritional status of scheduled caste children and their educational performance in rural Barabanki district, Uttar Pradesh, India

Ramu Rawat, Sayeed Unisa
Article 100849

 Download PDF [Article preview](#) 

Actions for selected articles
[Select all](#) / [Deselect all](#)

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access

A simple mathematical tool to forecast COVID-19 cumulative case numbers

Naci Balak, Deniz Inan, Mario Ganau, Cesare Zoia, ... Mijgan Tez
Article 100853

 Download PDF [Article preview](#) 

Research article ● Open access

Coronavirus disease 2019 vaccine acceptance and perceived barriers among university students in northeast Ethiopia: A cross-sectional study

Birhan Tsegaw Taye, Fetene Kasahun Amogne, Tesfaneh Lemma Demisse, Mulualem Silesh Zerihun, ... Azmeraw Ambachew Kebede
Article 100848

 Download PDF [Article preview](#) 

Research article ● Open access

High prevalence of metabolic syndrome among overweight adults in Vietnam based on different criteria: Results from a community-based study

Sang Ngoc Nguyen, Van Dinh Tran, Trinh Thi Mai Le, Hoang Thu Nga, Nguyen Thi Thi Tho
Article 100852

 Download PDF [Article preview](#) 

Short communication ● Open access

Prevalence and change detection of child growth failure phenomena among under-5 children: A comparative scrutiny from NFHS-4 and NFHS-5 in West Bengal, India

Partha Das, Ranjan Roy, Tanu Das, Tamal Basu Roy
Article 100857


 Download PDF [Article preview](#) 



Actions for selected articles
Select all / Deselect all

 Download PDFs


 Export citations


 Show all article previews

Actions for selected articles
Select all / Deselect all

 Download PDFs

 Export citations


 Show all article previews

Research article  Open access

Effect of Covid 19 lockdown on the lifestyle and dietary diversity of women handloom workers

A. Aiswarya, D. Bhagya
Article 100856


 Download PDF [Article preview](#) 

Research article  Open access

Prevalence of communication disorders among school children in Ballari, South India: A cross-sectional study

Sunil Kumar Ravi, P. Sumanth, T. Saraswathi, Mohammed Asif Basha Chinoor, ... Ejaz Ahemed
Article 100851


 Download PDF [Article preview](#) 

Review article  Open access

Estimates of malnutrition associated with chronic kidney disease patients globally and its contrast with India: An evidence based systematic review and meta-analysis

Ishfaq Rashid, Aamir Bashir, Pramil Tiwari, Sanjay D'Cruz, Shivani Jaswal
Article 100855

 Download PDF [Article preview](#) 


Research article  Open access

Knowledge of gestational diabetes mellitus among pregnant women in a semiurban hospital - A cross-sectional study

Karthiga Prabhu J, Surya Deepthi Kondamuri, Sunita Samal, Maitrayee Sen
Article 100854

 Download PDF [Article preview](#) 



Research article  Open access

Spatial distribution and associated factors of female genital cutting among reproductive-age women in Ethiopia: Further analysis of EDHS 2016

Ayewen Engida Yismaw, Zemenu Tadesse, Dereje Nibret Gessesse, Abebe Ayinalem Tarekegn, Yazachew Engida Yismaw
Article 100858

 Download PDF [Article preview](#) 

Research article  Open access

Efficacy of nurse-led cardiac rehabilitation on health care behaviours in adults with chronic heart failure: An experimental design

Porkodi Arjunan, Melba Sheila D'Souza
Article 100859

 Download PDF [Article preview](#) 

Research article  Open access

Carotid artery stiffness measured by strain elastography ultrasound is a stroke risk factor

Anastasia Tjan, I. Gde Raka Widiana, Elysanti Dwi Martadiani, I. Made DwijaPutra Ayusta, ... Firman Parulian Sitanggang
Article 100850

 Download PDF [Article preview](#) 

Research article  Open access

Knowledge, attitude, and practice on insulin administration among diabetic patients and their caregivers – Cross-sectional study

Anu Sunny, Uday Venkat Mateti, Adithi Kellarai, Shradha Shetty, ... Anjana Madhusoodanan
Article 100860

 Download PDF [Article preview](#) 



Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access

Rate of smoking cessation and factors associated with successful quit smoking in Seremban District of Malaysia

Mohd Ammar Ihsan Ahmad Zamzuri, Syuaib Aiman Amir Kamarudin, Ahmad Husni Ariffin, Ariff Azfarahim Ibrahim, ... Nicholas Tze Ping Pang
Article 100862

 Download PDF [Article preview](#) 

Research article ● Open access

Treatment seeking behavior and level of treatment among brick kiln workers: A Study in Azamgarh District, Uttar Pradesh

Kumar Parimal Shrestha, Harihar Sahoo, Mrinmoy Pratim Bharadwaz
Article 100861

 Download PDF [Article preview](#) 

Research article ● Open access

Maternal and child factors of under-five mortality in India. Findings from NFHS-4

Namita Patel, Jeby Jose Ollickal
Article 100866

 Download PDF [Article preview](#) 

Research article ● Open access

Epidemiological characteristics and genetic diversity of clinically isolated dengue vector in Khyber Pakhtunkhwa, Pakistan

Fazli Zahir, Ihteshamul Haq, Mohsina Haq, Mahruk, ... Iqbal Munir
Article 100863

 Download PDF [Article preview](#) 



Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

Show all article previews

Research article ● Open access

Depression and anxiety in Malaysian population during third wave of the COVID-19 pandemic

Roy Rillera Marzo, Vineet Vinay, Rafidah Bahari, Shekhar Chauhan, ... Sonu Goel
Article 100868

 Download PDF [Article preview](#) 

Review article ● Open access

Effective interventions in road traffic accidents among the young and novice drivers of low and middle-income countries: A scoping review

Gyan Gifty, Sabah Mohd Zubair, Amudha Poobalan, Kumar Sumit
Article 100865

 Download PDF [Article preview](#) 

Correspondence ● Open access

Insecurity in northern Nigeria: Implications for maternal and child health

Obafemi Arinola Olarewaju
Article 100869

 Download PDF [Article preview](#) 

Correspondence ● Open access

Malaria amidst COVID-19 in India: Challenges, Efforts, and Recommendations

Anmol Mohan, Um Ul Wara, Syeda Wania Amjad, Sudhan Rackimuthu, ... Mohammad Yasir Essar
Article 100867

 Download PDF [Article preview](#) 


Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations


Show all article previews

Research article  Open access

Demographic profile of COVID-19 positive mothers & their outcome in government Rajaji hospital, Madurai, Tamilnadu – A cross sectional Study

C. Brinda Priyadharshini, S. Priya, M. Selvarameena, S. Waseemsha, ... M. Shalini
Article 100864


 Download PDF Article preview 

Research article  Open access

Predictor for cardiovascular risk in patients with type-2 diabetes mellitus

Md Azharuddin, Prem Kapur, Ritu Mishra, Shakir Saleem, ... Manju Sharma
Article 100870


 Download PDF Article preview 

Research article  Open access

Development and validation of tool to assess the perception, expectation & satisfaction about the patient care services provided by the community pharmacist

Atiqulla Shariff, U.R. Rakshith, M.S. Srikanth
Article 100873

 Download PDF Article preview 

Research article  Open access

Does body mass index influence cognitive functions among young medical students?

Yogitha Khade, A.V. Siva Kumar, K.N. Maruthy, P. Sasikala
Article 100874

 Download PDF Article preview 



Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

Show all article previews

Research article  Open access

Predictors and health-related quality of life with short form-36 for multidrug-resistant tuberculosis patients in Jambi, Indonesia: A case-control study

M. Dody Izhar, Marta Butar Butar, Fajrina Hidayati, Ruwayda Ruwayda
Article 100872

 Download PDF Article preview 

Research article  Open access

Development of a scoring system for the prediction of in-hospital mortality among COVID-19 patients

Mohammad Haji Aghajani, Mohammad Sistanizad, Asma Pourhoseingholi, Ziba Asadpoordezaki, Niloufar Taherpour
Article 100871


 Download PDF Article preview 

Research article  Open access

Comparing COVID-19 mortality across selected states in India: The role of age structure

Mohamed Jainul Azarudeen, Khyati Aroskar, Karishma Krishna Kurup, Tanzin Dikid, ... S.K. Singh
Article 100877

 Download PDF Article preview 

Correspondence  Open access

COVID-19 vaccines inequity and hesitancy among African Americans

Ayobami Jadesola Sina-Odunsi
Article 100876

 Download PDF Article preview 

Actions for selected articles

Select all / Deselect all



Download PDFs



Export citations



Show all article previews

Correspondence Open access

Mutations in SARS-CoV-2 genomes and future strategies

Nirav Nimavat, Shruti Singh, Amit Agrawal, Md Abdur Rafi, ... Ashish Shah

Article 100875

[Download PDF](#)

Correspondence Open access

HIV/AIDS among children in Ratodero, Pakistan amidst the COVID-19 pandemic: Challenges, efforts, and recommendations

Anmol Mohan, Muhammad Taha Arshad Shaikh, Um-Ul Wara, Sudhan Rackimuthu, ... Mohammad Yasir Essar

Article 100878

[Download PDF](#) [Article preview](#)

Research article Open access

Households' responses on medical pluralism: Dynamics and determinants of access to traditional medicines in India

Pratap C. Mohanty, Kamal Sharma

Article 100880

[Download PDF](#) [Article preview](#)

Research article Open access

Characterization of the patellar tendon reflex response using an indigenously developed system and implementation of a strategic protocol to assess its clinical usefulness

S.K. Kareem, Dilara K, K.N. Maruthy, Prisilla Johnson, A.V. Siva Kumar

Article 100881

[Download PDF](#) [Article preview](#)



Research article Open access

Spirulina supplementation: A double-blind, randomized, comparative study in young anemic Indian women

Lucia C. Leal-Esteban, Renata Campos Nogueira, Mariana Veauvy, Benedict Mascarenhas, ... Denis von der Weid

Article 100884

[Download PDF](#) [Article preview](#)

Research article Open access

Gender differences in relation to hyperuricemia and nonalcoholic fatty liver disease among Type 2 diabetics in Telangana, India

Usha Sree Puneem, Subburaya Mudaliyar Rajendran Ramakrishnan, Vasudeva Murthy Sindgi, Vanitha Rani Nagasubramanian

Article 100879

[Download PDF](#) [Article preview](#)

Research article Open access

Review of COVID-19 epidemiology and public health response in Europe in 2020

Mehak Nanda, Aashima, Rajesh Sharma

Article 100882

[Download PDF](#) [Article preview](#)

Research article Open access

Acceptance of COVID-19 vaccination and correlated variables among global populations: A systematic review and meta-analysis

Ricvan Dana Nindrea, Elly Usman, Yusticia Katar, Nissa Prima Sari

Article 100899

[Download PDF](#) [Article preview](#)



Actions for selected articles

Select all / Deselect all



Download PDFs



Export citations



Show all article previews

Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations


 Show all article previews

Research article  Open access

The comparison of health literacy between health science and non-health science members-A cross sectional study of multifaceted public health affair


Felcita Lavina Cuthino, Melita Shellini, Ramesh Chandrababu
Article 100893


 Download PDF Article preview 

Correspondence  Open access

Sickle cell exerted protection against malarial infection in Nigerian children (6–59 months)

Jahid Hasan Shourove, G.M. Rabiul Islam
Article 100896


 Download PDF

Review article  Open access

Utilisation of maternity waiting homes and its associated factors in Ethiopia: Systematic reviews and meta-analysis

Bekalu Getnet Kassa, Alemu Degu Ayele, Habtamu Gebrehana Belay, Gedefaye Nibret Mihiretie, Mulugeta Dile Worke
Article 100891

 Download PDF Article preview 

Review article  Open access

Mucormycosis: A deadly black fungus infection among COVID-19 patients in India

Naveen Kumar Choudhary, Amit K. Jain, Rupesh Soni, Neha Gahlot
Article 100900

 Download PDF Article preview 




Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

 Show all article previews

Research article  Open access

The effects of aspirin on the outcome of COVID-19: A systematic review and meta-analysis

Indra Wijaya, Rizky Andhika, Ian Huang, Aga Purwiga, Kevin Yonatan Budiman
Article 100883

 Download PDF Article preview 

Research article  Open access

Epidemiology of hospital-based COVID-19 cluster in a tertiary care cancer hospital, Chennai, India 2020

Suganya Barani, Nuzrath Jahan, Mathan Karuppiah, Sirshendu Chaudhuri, ... Alby John Varghese
Article 100889

 Download PDF Article preview 

Research article  Open access

A study to investigate the elevated maternal haemoglobin value as a risk biomarker for gestational diabetes: A nested case control study

Binith Mamkootathil Benny, Greeshma Sai Sree Nayudu, Maria Adil Khan, Pavithra Gobinath, Roopa Satyanarayan Basutkar
Article 100897

 Download PDF Article preview 

Research article  Open access

Impact of health education intervention in promoting cervical cancer screening among rural women of Chengalpattu district - The community based interventional study

I. Thahirabanuibrhim, Muthunarayanan Logaraj
Article 100895

 Download PDF Article preview 





Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations


 Show all article previews

Review article  Open access

Depression and anxiety associated with COVID- 19 pandemic among healthcare professionals in India- A systematic review and meta-analysis

E.K. Abdulla, Saleena Ummer Velladath, Aneena Varghese, M. Anju
Article 100888

 Download PDF Article preview 

Research article  Open access

Alcohol and tobacco influencing prevalence of hypertension among 15–54 years old Indian men: An application of discriminant analysis using National Family Health Survey (NFHS), 2015–16

Jeetendra Yadav, Shaziya Allarakha, Chander Shekhar, Ganesh Prasad Jena
Article 100894


 Download PDF Article preview 

Research article  Open access

Clinical profile and role of serology in pediatric acute febrile illness: Experience from a tertiary care hospital in South India

Vaishnavi Kavirayani, Mridula Madiyal, Shrikiran Aroor, Sonakshi Chhabra
Article 100898

 Download PDF Article preview 

Research article  Open access

Risk assessment for varicose veins among city Police-A cross sectional study

Ramesh Timilsina, M.R. Prasad, Mubashir Angolkar, Nagaraj Patil
Article 100886

 Download PDF Article preview 




Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations


 Show all article previews

Research article  Open access

Adolescents' mental health status and influential factors amid the Coronavirus Disease pandemic

Stella Angelina, Andree Kurniawan, Fransisca Handy Agung, Devina Adella Halim, ... Audrey Hamdoyo
Article 100903


 Download PDF Article preview 

Research article  Open access

Community-based case control study on the risk of fall among elderly in Kaniyambadi block, Vellore, Tamil Nadu, India

Alex Joseph, Jayaprakash Muliyl
Article 100907


 Download PDF Article preview 

Review article  Open access

Slippery slopes in public health practice

Mathew George
Article 100904

 Download PDF Article preview 

Research article  Open access

Burden of water, sanitation and hygiene related diseases in India: prevalence, health care cost and effect of community level factors

Roopali Goyanka
Article 100887


 Download PDF Article preview 

Actions for selected articles

Select all / Deselect all

 Download PDFs

 Export citations

 Show all article previews

Research article ● Open access

Stress, internet use, substance use and coping among adolescents, young-adults and middle-age adults amid the 'new normal' pandemic era

Shweta Singh, Nisha Mani Pandey, Manjistha Datta, Saakshi Batra
Article 100885

 Download PDF [Article preview](#) 

Research article ● Open access

The voice of Indian women on family planning: A qualitative systematic review

Shradha S. Parsekar, Praveen Hoogar, Vijay Shree Dhyani, Uday Narayan Yadav
Article 100906

 Download PDF [Article preview](#) 

Research article ● Open access

Smokeless tobacco quitting during COVID-19: A mixed-methods pilot study among participants screened for a cessation trial in India

Prashant Kumar Singh, Pankhuri Jain, Varsha Pandey, Shikha Saxena, ... Shalini Singh
Article 100902

 Download PDF [Article preview](#) 

Research article ● Open access

Association of lifestyle factors with menstrual problems and its treatment-seeking behavior among adolescent girls

Shekhar Chauhan, Pradeep Kumar, Ratna Patel, Shobhit Srivastava, ... T. Muhammad
Article 100905

 Download PDF [Article preview](#) 



Research article ● Open access

Epidemiology and risk factors of *Helicobacter pylori* infection in Timergara city of Pakistan: A cross-sectional study

Syed Rafiq Hussain Shah, Babiker Saad Almugadam, Akbar Hussain, Tauseef Ahmad, ... Shahida Sadiqui
Article 100909

 Download PDF [Article preview](#) 

Research article ● Open access

A seroprevalence study of Covid 19 antibody after 1st wave of the pandemic in South Andaman district, India



Deepak Kumar, Amrita Burma, Ashish Kumar Mandal
Article 100901

 Download PDF [Article preview](#) 

Research article ● Open access

First report on health-related quality of life among children with chronic immune thrombocytopenia in Vietnam

Sang Ngoc Nguyen, Nguyen Thi Phuong Thao, Pham Thi Quynh Van, Van Dinh Tran
Article 100914

 Download PDF [Article preview](#) 

Correspondence ● Open access

Dual tension as Nigeria battles cholera during the COVID-19 pandemic

Shuaibu Saidu Musa, Dawa Gyeltshen, Emery Manirambona, Yusuf Hassan Wada, ... Don Eliseo Lucero-Priso
Article 100913

 Download PDF

Research article ● Open access

The role of high serum uric acid levels in androgenic and non-androgenic polycystic ovarian syndrome patients

Ranakishor Pelluri, Kongara Srikanth, Harika Paritala, Vamsi Ravi, ... Srinivasababu Puttagunta
Article 100910

 Download PDF [Article preview](#) 




Actions for selected articles

Select all / Deselect all


 Download PDFs

 Export citations


 Show all article previews

Actions for selected articles
Select all / Deselect all

 Download PDFs


 Export citations

 Show all article previews

Research article  Open access
Prevalence of and factors associated with prehypertension and hypertension among Bangladeshi young adults: An analysis of the Bangladesh Demographic and Health Survey 2017–18


Md Ashfikur Rahman, Mahmood Parvez, Henry Ratul Halder, Uday Narayan Yadav, Sabuj Kanti Mistry
Article 100912

 Download PDF Article preview 

Research article  Open access
Prevalence and predictors of musculoskeletal disorders (MSDs) among weavers of Varanasi, India: A cross-sectional study


Laeek Ahemad Siddiqui, Adrita Banerjee, Praveen Chokhandre, Sayeed Unisa
Article 100918

 Download PDF Article preview 

Research article  Open access
Intranatal (labor & child birth) and postnatal care services – Role of ASHAs

Annapurna Kari, Mubashir Angolkar
Article 100915


 Download PDF Article preview 

Research article  Open access
The outbreak of COVID-19: Resilience and its predictors among parents of schoolchildren carrying out online learning in Indonesia

Abd Nasir, Susilo Harianto, Cucuk Rahmadi Purwanto, Iswaton, ... I.Putu.G.Y.S. Putra
Article 100890


 Download PDF Article preview 



Discussion  Open access
From black to white: A roadmap to containing the rise of candidiasis amidst COVID-19 and mucormycosis in India

Faisal A. Nawaz, Sadia Yaqoob, Abhishek Sharma, Abdul Rahman Khan, ... Mohammad Yasir Essar
Article 100917


 Download PDF Article preview 

Research article  Open access
Sociodemographic, behavioral, and environmental factors associated with the incidence of leptospirosis in highlands of Ponorogo Regency, Province of East Java, Indonesia

Hari Basuki Notobroto, Yudied Agung Mirasa, Firman Suryadi Rahman
Article 100911

 Download PDF Article preview 

  Previous Page 2 of 2 Next  

 Previous vol/issue

Next vol/issue 



[Articles & Issues](#) ▾

[About](#) ▾

[Publish](#) ▾

[Q Search in this journal](#)

[Submit your article](#) ↗

[Guide for authors](#) ↗

- [> Aims and scope](#)
- [> Editorial board](#)
- [> Abstracting & indexing](#)
- [> Announcements](#)
- [> Forthcoming Special Issues](#)

Gender diversity of editors

[> More details](#)

Based on 90.50% responding editors



- 68% man
- 32% woman
- 0% non-binary or gender diverse
- 0% prefer not to disclose

Editorial board by country

39 editors and editorial board members
in 8 countries/regions

- 1 India (28)
- 2 United States of America (4)
- 3 Philippines (2)

[> See more editors by country](#)

Editorial board

Editor-in-Chief

Professor Shally Awasthi, MD, DNB, M Clin Epid,Phd

King George's Medical University Department of Pediatrics, Lucknow, India

Epidemiology, Pediatrics and Health economics

[Email this editor](#) ↗

Associate Editors

Dr. Jyotsna Agarwal, MD

Dr. Ram Manohar Lohia Institute of Medical Sciences, Department of Microbiology, Lucknow, India

Microbiology

Dr. Girdhar Aggarwal, PhD

University of Lucknow, Lucknow, India

Biostatistics, Clinical Epidemiology

Dr. Ashish Awasthi, PhD

Public Health Foundation of India, New Delhi, India

Biostatistics

Dr. Avivar Awasthi, MD (Medicine)

Medical College and Hospital Kolkata, Kolkata, India

Endocrinology, Epidemiology

Dr. Rajiv Awasthi, MD (Medicine)

Medical College and Hospital Kolkata, Kolkata, India

Endocrinology, Epidemiology

Dr. Sujith John Chandy, MBBS, MD, PhD

Christian Medical College Vellore, Vellore, India

Medicine Use, Medicine safety

Dr. Arun Chaturvedi, MS, MCh

Atal Bihari Vajpayee Institute of Medical Sciences & Dr Ram Manohar Lohia Hospital, New Delhi, India

Epidemiology, Surgical Oncology

Dr. Manoja Das, MD, MBBS

The INCLIN Trust International, New Delhi, India
Pediatrics, Public Health, Epidemiology, Vaccines

Dr. Thambu David, MD, DipNB

Christian Medical College Department of Medicine, Vellore, India
Epidemiology, Internal Medicine, Infectious disease, Stroke

Dr. Rashmi Kumar, MD, FNASc, FAMS

Community Empowerment Lab, Lucknow, India
Pediatric neurology, Infectious disease

Professor Sandeep Kumar, MS FRCS PhD MMSc

All India Institute of Medical Science - Bhopal, Bhopal, India
General Surgery, Surgical Oncology, Breast Surgery, Wound healing, Geriatric Surgery, Clinical Epidemiology

Dr. Narayan Bahadur Mathur, MD, FNNF

Maulana Azad Medical College, New Delhi, India
Pediatrics, Neonatology

Dr. Saumya Misra, MBA, PhD

IBS Pune, Pune, India
Health care Finance, Management

Dr. Mohammad Javad Mohammadi, PhD (Environmental Health Engineering)

Ahvaz Jondishapour University of Medical Sciences, Ahvaz, Iran
Air pollution, Ambient particulate matter, Environmental health, Medical Sciences, Occupational hazards

Dr. Bholu Nath, PhD, MD, DNB, MBBS

All India Institute of Medical Sciences, Bathinda, Bathinda, India
Epidemiology, NCD and Public Health

Dr. Ansuman Panigrahi, MD, MBBS

NASI-ICMR Chair-Public Health Research, Rajasthan University of Health Sciences, Rajasthan, India
Epidemiology, NCD, Public Health

Dr. Archana Patel, MD, DNB, MSCE, PhD

Datta Meghe Institute of Medical Sciences - Wardha Campus, Wardha, India
Maternal & Child Health, Clinical Epidemiology, Public Health

Dr. Abraham Peedicayil, MPH, MD, FRCOG

Sultan Qaboos Comprehensive Cancer Center, Muscat, Oman
Epidemiology, Gynaecologic Oncology

Dr. Rajamohan Kumar Pillai, MD, MD, MSE, PhD

Trivandrum Medical College Department of Pediatrics, Trivandrum, Kerala, India
Epidemiology Clinical health economics, Health Policy

Dr. Rajendra Prasad, MD, DTCD, FAMS

Era's Lucknow Medical College and Hospital, Lucknow, India

Pulmonary Medicine

Dr. Manorama Purwar, M.D, D.G.O, MSc(Clinical Epidemiology)

Indira Gandhi Government Medical College and Hospital, Nagpur, India

Epidemiology, Reproductive research, Fetal growth, Preterm birth

Dr. Chythra Rao, MD, DNB

Kasturba Medical College Manipal, Manipal, India

Epidemiology, NCDs, Maternal & Child health, Vaccine studies, Public Health

Dr. Tuhina Rastogi, PhD

King George's Medical University, Lucknow, India

Public Health, Maternal and Child Health and Nutrition, Qualitative Research, Social Medicine

Dr. Ian Christopher N. Rocha, MD

Centro Escolar University, School of Medicine, Manila, Philippines

Global Health, Public Health, Tropical medicine

Dr. Ranjitha Shetty, MBBS, MD

Kasturba Medical College Manipal, Manipal, India

Women's health, Cancer cervix prevention, Indigenous Health, Geriatric Health, Vaccine Studies

Dr. Jaivir Singh, MD, DPH, FAMS

King George's Medical University, Lucknow, India

Epidemiology & Public Health

Dr. Sunit Singhi, MD,FAMS,FIAP,FCCM

Medanta The Medicity, Gurgaon, India

Pediatrics, Public Health

Dr. Neeraj Mohan Srivastava, M.Sc, PhD

Uttar Pradesh Technical Support Unit, Lucknow, Uttar Pradesh, India

Public Health, Epidemiology, Health Systems, Child Health

Dr. Kurien Thomas, MD, MSc

Pondicherry Institute of Medical Sciences, Puducherry, India

Epidemiology, Internal Medicine, Health Policy

Dr. Suresh Ughade, PhD

Government Medical College and Hospital Nagpur, Nagpur, India

Biostatistics, Epidemiology

Editorial Board

Dr. Narendra K. Arora, MD, FAMS, FIAP, FIPHA

The INCLEN Trust International, New Delhi, India

Public Health, Immunization and Child Health

Professor Mahendra Bhandari, MS, MCh

Henry Ford Hospital, Detroit, Michigan, United States of America

Urology, Public Health

Dr. Francois Chapuis, MD, MPH, PhD

University Lyon 1 Faculty of Medicine Lyon-Est, Lyon, France

Clinical research - Ethics

Dr. Robert Fletcher, MD

Harvard Medical School, Boston, Massachusetts, United States of America

Epidemiology, Internal Medicine

Dr. Suzanne Fletcher, MD, MSc

Harvard Medical School Department of Population Medicine, Boston, Massachusetts, United States of America

Internal Medicine, Clinical Epidemiology

**Dr. Nirmal Kumar Ganguly, MBBS, MD, FRC (Path), FNA, FNASC, FASC, FAMS,
Fellow - Third world academy**

Global Health Strategies Emerging Economies Pvt Ltd, New Delhi, India

Immunology, Biotechnology, Public Health, Infectious diseases

Dr. Devendra Kumar Gupta, MS, M.Ch, FRCS, FAMS, D.Sc,

All India Institute of Medical Sciences, New Delhi, India

Pediatric surgery, Urology, Malformations

Dr. Trudie Lang, PhD

University of Oxford, Oxford, United Kingdom

Public Health

Dr. Mary Ann D. Lansang, MD, MMedSc

University of the Philippines Manila, Manila, Philippines

Infectious diseases, Clinical epidemiology, Health policy, Systems research, Monitoring and Evaluation

Dr. Anand Manoharan, MD, PhD

INDIALEN, New Delhi, India

Microbiology

Dr. Jose Martines, MD, PhD

University of Bergen, Bergen, Norway

Public Health, Epidemiology, Neonatology, Nutrition

Professor Suneeta Mittal, MD, FRCOG, FICOG, FAMS, FIMCH, FIMSA, FICLS

Fortis Memorial Research Institute, Gurgaon, India

Infertility, Reproductive Endocrinology and Reproductive research

Professor Mark Nichter, PhD, MPH

The University of Arizona, Tucson, Arizona, United States of America

Medical anthropology, Global Health, Public Health, Tobacco Control

Professor Vinod Paul, MD

NITI Aayog, New Delhi, India

Neonatology, Pediatrics, Public Health

Professor Sanjay Zodpey, MD, PhD

Public Health Foundation of India, New Delhi, India

Public Health, Epidemiology, Health Systems

All members of the Editorial Board have identified their affiliated institutions or organizations, along with the corresponding country or geographic region. Elsevier remains neutral with regard to any jurisdictional claims.

[access](#) [Shopping cart](#) [Advertise](#) [Contact and support](#) [Terms and conditions](#) [Privacy policy](#)

id enhance our service and tailor content and ads. By continuing you agree to the use of cookies.

its licensors or contributors. ScienceDirect® is a registered trademark of Elsevier B.V.



KOMISI ETIK PENELITIAN KESEHATAN
HEALTH RESEARCH ETHICS COMMITTEE
FAKULTAS KESEHATAN MASYARAKAT UNIVERSITAS AIRLANGGA
FACULTY OF PUBLIC HEALTH AIRLANGGA UNIVERSITY

KETERANGAN LOLOS KAJI ETIK
DESCRIPTION OF ETHICAL APPROVAL
"ETHICAL APPROVAL"

No : 121-KEPK

Komite Etik Penelitian Kesehatan Fakultas Kesehatan Masyarakat Universitas Airlangga dalam upaya melindungi hak asasi dan kesejahteraan subyek penelitian kesehatan, telah mengkaji dengan teliti protokol berjudul :

The Ethics Committee of the Faculty of Public Health Airlangga University, with regards of the protection of Human Rights and welfare in medical research, has carefully reviewed the research protocol entitled :

**"PENYUSUNAN MODEL KERAWANAN DAERAH SEBAGAI INDIKATOR
KEWASPADAAN DINI LEPTOSPIROSIS DI DATARAN TINGGI"**


Peneliti utama : Yudied Agung Mirasa, S.KM., M.Kes.
Principal Investigator

Nama Institusi : Fakultas Kesehatan Masyarakat Universitas Airlangga
Name of the Institution

Dan telah menyetujui protokol tersebut di atas.
And approved the above-mentioned protocol

07 April 2016
Ketua, (CHAIRMAN)

Prof. Bambang W., dr., M.S., M.CN., Ph.D., Sp.GK.
NIP. 1903201977031002



Sociodemographic, behavioral, and environmental factors associated with the incidence of leptospirosis in highlands of Ponorogo Regency, Province of East Java, Indonesia

Hari Basuki Notobroto^{a,*}, Yudied Agung Mirasa^b, Firman Suryadi Rahman^a

^a Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia

^b The Environmental Health Center and Disease Control, Surabaya, Indonesia

ARTICLE INFO

Keywords:

Behavioral
Environmental
Highlands
Leptospirosis
Sociodemographic

ABSTRACT

Leptospirosis is a zoonotic disease that globally spreads and has the potential to become an epidemic. In Indonesia, the incidence of leptospirosis tends to increase with case fatality rate ranged from 5 to 12%. Ponorogo is one regency in Province of East Java, Indonesia that has high incidence of leptospirosis. The objective of this study was to identify sociodemographic, behavioral, and environmental factors associated with incidence of leptospirosis in highlands of Ponorogo regency. The study used case control design conducted in 15 villages in the highlands of Ponorogo regency. The sample was composed of 28 cases of leptospirosis and 112 non-leptospirosis. The variables of this study were sociodemographic, behavioral factors, environmental factors, and incidence of leptospirosis. Data was collected by interview using questionnaire and observation of environmental conditions. Data was analyzed using chi square and logistic regression. The result showed that factors associated with the incidence of leptospirosis were education ($p = 0.019$), occupation ($p = 0.003$), health practice ($p = 0.007$), house density ($p = 0.013$), livestock ownership ($p = 0.004$), distance from house to cowshed ($p = 0.024$), cow ownership ($p = 0.010$), and the presence of rats in the house ($p = 0.050$). The result of logistic regression analysis showed that the variables dominantly associated with the incidence of leptospirosis were livestock ownership, education (low), house density (crowded), and distance from house to cowshed (less than 10 m). In conclusion, sociodemographic, behavioral, and environmental factors were associated with the incidence of leptospirosis in highlands of Ponorogo Regency.

1. Introduction

Leptospirosis is a zoonotic disease that is widespread in the world, can attack humans or animals, and has the potential to become an epidemic that has a significant impact on health.¹ This disease is caused by a spiral-shaped bacterial infection of the genus *Leptospira* pathogens that can naturally be transmitted from vertebrate animals to humans or vice versa.² It can be transmitted through direct contact of mucous membranes or opened skin with a source of infection or through intermediary media such as water, soil and food. One of the most important reservoirs that can transmit leptospirosis are mammals including rats, cattle, dogs, and cats.^{3–5}

The incidence of leptospirosis in the world is estimated at 320,000 per year,⁶ mostly in tropical and subtropical areas, both in the highlands and lowlands.^{7–9} The incidence of leptospirosis often occurs in areas

with dense population, flooded areas, poor waste management, reservoirs and poor sanitation conditions.¹⁰ Leptospirosis cases in Indonesia tend to increase in the number of cases and deaths in the period 2004–2013. The highest incidence occurred in DKI Jakarta due to heavy flooding in 2007 with 113 cases and 20 people died (CFR = 19.4%).¹¹ From 2007 to 2013 leptospirosis cases in Indonesia were always high with a CFR of 5–12%.¹² In Ponorogo Regency the number of leptospirosis cases until 2015 was 92 with 5 deaths. The highest number of cases was in 2011 with 30 cases and 4 deaths (CFR 13.3%), 74 cases (80%) occurred in the highlands that were not flooded areas. The distribution of leptospirosis cases in Ponorogo Regency until 2015 was spread over 10 subdistricts and there are 4 subdistricts that have height of more than 500 m.¹³

The high cases of leptospirosis in the tropics and subtropics areas can be associated with unfavorable environmental conditions. This makes

* Corresponding author.

E-mail addresses: haribasuki.n@fkm.unair.ac.id (H.B. Notobroto), ymirasa@gmail.com (Y.A. Mirasa), firmanrahman@gmail.com (F.S. Rahman).

<https://doi.org/10.1016/j.cegh.2021.100911>

Received 2 October 2021; Received in revised form 2 November 2021; Accepted 14 November 2021

Available online 30 November 2021

2213-3984/© 2021 The Authors. Published by Elsevier B.V. on behalf of INDIACLEN. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Leptospirosis bacteria grow and reproduce.¹⁴ The wide spread of leptospirosis that attacks the community can potentially cause outbreaks. Therefore, it is important to carry out cross-sectoral outbreak control efforts in assisting health workers in conducting epidemiological investigations, coordinating the formation of fast-moving teams, empowering communities, and carrying out community control.^{15–17}

According to the Directorate General of P2PL, Ministry of Health, RI, the type of occupation is an important risk factor for humans.¹⁸ The results of an epidemiological investigation of the Ponorogo District Health Office showed that leptospirosis cases were often found in farmers (60.5%) both farmers in rice fields and farmers in clove and pine plantations, cattle farmers, and sand miners in rivers (17.4%). Most cases were male with productive age between 30 and 55 years and 79% cases have cattle.¹⁹ This occupational risk factor fits within the risk groups, but there are other occupational factors for the Ponorogo area, namely sand mining in the river.²⁰

Environmental risk factors related to the incidence of leptospirosis included housing and workplace sanitation conditions. These conditions include open sources of wastewater disposal and the presence of rats. Semipermanent houses and buildings that do not have ceilings make it easier for rats to enter the house. The presence of garbage around the house also makes the rat population around the house increase. Other environmental risk factors are history of flooding, the presence of water around the house, the waterways that are not smooth, the sanitation of the house that is not good, and high rainfall.^{21,22}

The risk in the highlands in Ponorogo is the factors of unhealthy settlement such as semi-permanent house walls, house floors made of soil, cowshed in the house, the presence of potential disease vectors, namely the presence of rats inside and outside the house.²³ These conditions indicate that the potential for the spread of leptospirosis cases is still high and requires more comprehensive control in terms of health, farming, and agriculture.^{24,25} In addition to individual and environmental characteristics, behavior is an important factor in the incidence of leptospirosis. Knowledge, attitudes, and individual practice in the prevention of leptospirosis play important role for the incidence of leptospirosis. The objective of this study was to analyze the influence of sociodemographic characteristics, behavior and environmental factors on the incidence of leptospirosis in the highlands of Ponorogo Regency, East Java Province.

2. Materials and methods

This research was analytic observational with case control design. The study was conducted in 15 villages of 4 subdistricts in the highlands of Ponorogo Regency, East Java Province, Indonesia in the period March 2016 to February 2017. Cases were populations who had suffered from leptospirosis one-year period prior to the data collection period. Data of cases were obtained from the Primary Health Cares. Controls were populations that had never suffered from leptospirosis, living in the same village with the leptospirosis cases. Sample of case were all cases of leptospirosis in 15 villages as many as 28 people. Sample of controls were neighbors of leptospirosis cases drawn by simple random technique with the ratio of case and control is 1–4. So 112 people were taken as controls. The variables studied in this research were socio-demographic characteristics, including age, gender, education, and occupation; behavior, including knowledge about leptospirosis, attitudes, practices for preventing leptospirosis, and mobility; environmental factors, including house density, livestock ownership, distance from house to cowshed, sewerage, puddle, source of clean water, the presence of rats in the house and around the house, trash cans, vegetation, and road conditions. Data was collected by interview using questionnaire and observation of environmental conditions. Data was analyzed descriptively by tabulating the distribution of data, bivariate analysis using Chi Square test or Fisher's exact test, and multivariate analysis using multiple logistic regression.

3. Results

This research was conducted in 15 villages from 4 sub-districts in Ponorogo Regency, East Java Province. One hundred and forty respondents consisting of 28 cases of Leptospirosis and 112 controls were interviewed. The distribution of respondents is described as follows.

1 Sociodemographic Characteristics

The average age of the respondents is 45.86 ± 9.41 years. The mean age in the case group was 47.86 ± 7.18 years while in the control group is 45.36 ± 9.86 years. There was no significant difference in mean age between case and control groups ($p > 0.05$). The distribution of respondents by age, sex, education, and occupation is described in Table 1.

Table 1 shows that the age of cases ranged from 31 to 60 years, most of the them were male (60.7%), had low education (85.7%), and worked as farmers or breeders (82.1%). There was no significant difference in age and gender distributions between the case and control groups ($p > 0.05$), but there were significant differences in the distribution of education and occupation between the case and control groups ($p < 0.05$). It seems that low education and employment as farmers or breeders have a relationship with the incidence of leptospirosis.

2 Behavioral Factors

There are four behavioral aspects observed in this study, namely the respondent's knowledge about leptospirosis, attitudes, leptospirosis prevention practices, and mobility. The score of each aspect is classified into two categories, good and poor. The distribution of each behavioral aspect is described in Table 2.

In Table 2 it can be seen that the practice of leptospirosis prevention is the only aspect that has a relationship with the incidence of leptospirosis. Respondents who had poor practice had a higher probability of suffering from leptospirosis ($p < 0.05$). Knowledge about leptospirosis, attitude, and mobility had no relationship with the incidence of leptospirosis ($p > 0.05$).

3 Environmental Factors

There are 13 environmental aspects discussed in this study, namely: house density, livestock ownership, distance from house to cowshed, cow ownership, goat ownership, sewerage, puddle, source of clean water, the presence of rats in the house, the presence of rats around the house, vegetation, trash can, and road conditions. Each aspect is categorized based on the aspects presented in Table 3.

Based on the results of the bivariate test of environmental factors with cases and controls, it is known that, environmental aspects related to the incidence of leptospirosis are: house density (0.013), livestock ownership (0.004), distance from house to cowshed (0.024), cow ownership (0.010) and the presence of rats in the house (0.050) with a value of $p < 0.05$.

Table 1
Distribution of respondents based on sociodemographic characteristics.

Characteristics	Category	Case (n = 28)	Control (n = 112)	P
Age (years)	30	0 (0.0%)	7 (6.3%)	0.258
	31–40	4 (14.3%)	26 (23.2%)	
	41–50	12 (42.9%)	40 (35.7%)	
	51–60	12 (42.9%)	34 (30.4%)	
	>60	0 (0.0%)	5 (4.5%)	
Gender	Male	17 (60.7%)	60 (53.6%)	0.640
	Female	11 (39.3%)	52 (46.4%)	
Education	Low	24 (85.7%)	67 (59.8%)	0.019
	Medium to High	4 (14.3%)	45 (40.2%)	
Occupation	Farmers/ breeders	23 (82.1%)	54 (48.2%)	0.003
	Another	5 (17.9%)	58 (51.8%)	

Table 2
Distribution of respondents based on behavioral factors.

Behavior	Category	Case (n = 28)	Control (n = 112)	P
Knowledge	Good	13 (46.4%)	62 (55.4%)	0.525
	Poor	15 (53.6%)	50 (44.6%)	
Attitude	Good	19 (67.9%)	85 (75.9%)	0.530
	Poor	9 (32.1%)	27 (24.1%)	
Practice	Good	13 (46.4%)	84 (75.0%)	0.007
	Poor	15 (53.6%)	28 (25.0%)	
Mobility	Low	25 (89.3%)	97 (86.6%)	1000
	High	3 (10.7%)	15 (13.4%)	

Table 3
Distribution of respondents by environmental factors.

Environment	Category	Case (n = 28)	Control (n = 112)	P
House density	Not crowded	13 (46.4%)	82 (73.2%)	0.013
	Crowded (<8m ² /prs)	15 (53.6%)	30 (26.8%)	
Livestock ownership	No	1 (3.6%)	37 (33.0%)	0.004
	Yes	27 (96.4%)	75 (67.0%)	
Distance from house to cowshed	10 m or more	10 (35.7%)	69 (61.6%)	0.024
	Less than 10 m	18 (64.3%)	43 (38.4%)	
Cow ownership	No	8 (28.6%)	65 (58.0%)	0.010
	Yes	20 (71.4%)	47 (42.0%)	
Goat ownership	No	6 (21.4%)	39 (34.8%)	0.258
	Yes	22 (78.6%)	73 (65.2%)	
Sewerage	Eligible	21 (75.0%)	101 (90.2%)	0.053
	Not eligible	7 (25.0%)	11 (9.8%)	
Puddle	No	11 (39.3%)	65 (58.0%)	0.117
	Yes	17 (60.7%)	47 (42.0%)	
Source of clean water	Boreholes	1 (3.6%)	11 (9.8%)	0.134
	Dug well	5 (17.9%)	36 (32.1%)	
	Water springs	22 (78.6%)	65 (58.0%)	
The presence of rats in the house	No	2 (7.1%)	30 (26.8%)	0.050
	Yes	26 (92.9%)	82 (73.2%)	
The presence of rats around the house	No	6 (21.4%)	30 (26.8%)	0.735
	Yes	22 (78.6%)	82 (73.2%)	
Vegetation	No	5 (17.9%)	31 (27.7%)	0.411
	Yes	23 (82.1%)	81 (72.3%)	
Trash can	Yes, well managed	18 (64.3%)	82 (73.2%)	0.483
	No, scattered	10 (35.7%)	30 (26.8%)	
Road conditions	Dry	17 (60.7%)	58 (51.8%)	0.525
	Watery	10 (39.3%)	54 (48.2%)	

4 Result of Multivariate Analysis

Based on the results of bivariate analysis, aspects of education, practice of prevention, house density, livestock ownership, and the distance from the house to the cowshed, and the presence of rats in the house have significant relationship with the incidence of leptospirosis. Furthermore, multivariate analysis of these variables was carried out using multiple logistic regression tests in analyzing the dominant aspect and the magnitude of risk (OR) described in [Table 4](#).

Table 4
Results of multiple logistic regression in analyzing leptospirosis risk factors.

Independent Variable	B	P	OR	95% CI for OR	
				Lower	Upper
Education (Low)	1.463	0.019	4.319	1.278	14.594
House density (Crowded)	1.300	0.008	3.671	1.398	9.638
Livestock ownership (Yes)	2.627	0.014	13.830	1.702	112.382
Distance from house to cowshed (Less than 10 m)	1.146	0.019	3.146	1.206	8.210
Constant	-5.836	0.000			

Based on the results of the multivariate analysis in [Table 4](#), it is known that livestock ownership was the dominant aspect associated with the incidence of leptospirosis, followed by education, house density, and distance from house to cowshed. Livestock ownership had OR 13.830 (with 95% CI of 1.702–112.382), means that respondents with livestock ownership had a 13.830 times greater risk of developing leptospirosis compared to respondents with no livestock ownership. Education had an OR value of 4.319 (with 95% CI of 1.278–14.594), means that respondents with low education were at risk of developing leptospirosis 4.329 times than respondents with higher education. Furthermore, house density had an OR of 3.671 (with 95% CI of 1.398–9.638). This means that respondents lived in a crowded house were at risk of leptospirosis 3.671 greater than those lived in uncrowded house, while the distance from house to cowshed had OR 3.146 (with 95% CI of 1.206–8.210), means that respondents who had house close to the cowshed had a 3.146 times greater risk of developing leptospirosis compared to respondents who had a house far from the cowshed.

This result shows that environmental factors and education have main role in the transmission of leptospirosis. House and environmental sanitation should receive more attention in efforts to prevent and control leptospirosis. Community behavior, especially practice of prevention, must be improved so that efforts to control leptospirosis can provide the expected results.

4. Discussion

Based on the results of the study, the most of leptospirosis cases were 41–60 years old and male. This is in line with the results of research conducted in Brazil which stated that leptospirosis sufferers were found in the adult male group (over 35 years) which was as much as 80%.²⁶ This result occurred because most of the male population in the age group of 40 years work as farmers and cattle breeders as well as sand miners in rivers. This is evidenced by the results of this study that most of the sufferers also work as farmers or breeders. In addition, the results of this study are in line with research conducted by Pramestuti et al., in 2015 which stated that most leptospirosis attack men of productive age who work outside the home.²⁷ The high risk of farmers getting leptospirosis occurs because the animals or mammals call reservoirs that appear healthy but are actually infected and can transmit leptospirosis to humans.²⁸ Reservoirs that are in contact with the community can increase the risk of leptospirosis transmissions. Direct or indirect contact between farmers or breeders and reservoirs can be the reason for the spread of leptospirosis transmissions.^{29,30}

Furthermore, based on the level of education, most people with leptospirosis have low level of education. The results of statistical tests also showed that respondents with a low level of education had a 4.319 times greater risk of developing leptospirosis than respondents with a high level of education. The low level of education is related to the level of knowledge about leptospirosis.³¹ The low level of knowledge and education about the dangers of leptospirosis can lead to a decrease in the level of awareness about leptospirosis, so that leptospirosis can easily spread among the community.³²

Human behavior factors are aspects that determine human activity. Based on the results of the study in [Table 2](#), it is known that the majority

of leptospirosis sufferers have a lower level of knowledge, and poor practice of leptospirosis prevention. A low level of knowledge can cause a low level of public awareness of leptospirosis. Based on Table 2, it is known that leptospirosis prevention practice is associated with the incidence of leptospirosis. The results of this study mean that the incidence of leptospirosis is closely related to community behavior, especially efforts to prevent disease, especially leptospirosis. The level of education can affect the incidence of leptospirosis; people who have high level of education have an effect on disease prevention behavior which is also high by applying the importance of clean and healthy living behavior in daily life. Practices of leptospirosis prevention behavior that can be carried out include maintaining individual hygiene after activities outside the home, especially in areas or activities with a high risk of exposure to leptospirosis such as breeders and farmers.³³ In addition, using personal protective equipment is also recommended for people who directly contact with livestock that can be a reservoir of leptospirosis.³⁴ Furthermore, environmental sanitation behavior, namely maintaining the cleanliness of the house environment is also very important to do because leptospirosis is not only transmitted by livestock, but can also be transmitted by rats.³⁵

Environmental factors are one of the main factors that cause the spread of leptospirosis transmission. The house component is one of the environmental factors related to the spread of leptospirosis. House components that do not meet the requirements can lead to the presence of disease-carrying vectors, namely rats.³⁶ House density is one aspect associated with the incidence of leptospirosis. House density is defined as the floor area in the house compared to the number of residents in the house. Based on Regulation of the Minister of Health of the Republic of Indonesia Number 829 of 1999 concerning Housing Health Requirements, the standard for house density is the unit of square meters per person under 8 square meters per person. Based on the results of the study, respondents with high housing density (crowded) had a 3.671 times greater risk of developing leptospirosis than respondents with low house density. The majority of leptospirosis sufferers in Ponorogo Regency live with a large number of family members in one house. A narrow house with a large number of residents will cause many diseases, especially infectious diseases that will easily spread to all members of the house such as leptospirosis.

Community ownership of livestock is also a source of disease transmission. Based on the multivariate logistic regression test, it yielded information that respondents who own livestock were at risk of contracting leptospirosis 13,830 times than respondents who did not own livestock (Table 4). Leptospirosis can be transmitted through livestock or mammals such as cattle or goats. This is caused by infection with pathogenic bacteria directly through the urine of infected animals or indirectly due to contact between humans and water or soil that has been contaminated with urine from infected animals.³⁷ The results of this study were in line with the research which stated that the most of leptospirosis cases occurred in areas with ownership of pets and livestock such as dogs, buffalo, and cows.³⁸ Also, Noach and Noach in their research found that the prevalence of leptospirosis in cattle was 20%. Furthermore, the area where people live with livestock tend to be close to the cage, with the reason that they can monitor their livestock.³⁹ The distance between the cowshed and house that are close (less than 10 m) can increase the risk of leptospirosis transmission by 3146 times. This is because infected livestock do not always show symptoms. Infected livestock manure will pollute the environment around the house such as sewerages, clean water sources, and vegetation.

Furthermore, puddles of water, sewerage, and waste management are also factors associated with disease transmission, one of which is leptospirosis. But, based on the results of this study, puddles of water, sewerage, and trash can were not related to the incidence of leptospirosis in highlands of Ponorogo Regency. This happens because based on the results of interview and observations, the aspects of environmental conditions of cases and controls were the same. This finding differs from the research result of Cahyati & Kumalasari⁴⁰ that garbage storage and

the existence of puddles and sewerage were risk factors of leptospirosis. Their research was conducted in lowlands. Other environmental factor associated with the incidence of leptospirosis in this study was the presence of rats in the house. Most of the respondents stated that in their house, especially in leptospirosis cases, rats were found. This can be the reason for the spread of leptospirosis that can occur in some people in Ponorogo Regency. Rats as the main reservoir of leptospirosis can transmit leptospirosis bacteria directly to humans through rat droppings, or through rat tracks in trash cans, sewerages, puddles, and vegetation.

Different from several studies that have been carried out, which mostly take one aspect or factor to be analyzed, this study comprehensively analyzed individual characteristics, behavior, and environmental factors to identify risk factors for leptospirosis in highland areas. Likewise, the selection of locations in rural areas in the highlands is related to geographical conditions and the risk factors studied do not change quickly or relatively stable. However, several variables that are theoretically associated with the occurrence of leptospirosis have not been analyzed in this study, such as the type of house building, permanent or semi-permanent, floor material, and climate.

In the future, in addition to examining variables that have not been studied in this study, it is recommended to conduct further research by conducting laboratory examinations of the urine of livestock (cow or goat) or the kidneys of rats to find the presence of leptospirosis bacteria.

5. Conclusion

Sociodemographic factors, namely the level of education and occupation, behavioral factor, namely practice of leptospirosis prevention, and environmental factors, namely house density, livestock ownership, distance from house to cowshed and the presence of rats in the house are associated with the incidence of leptospirosis in highlands of Ponorogo Regency.

Acknowledgements

Authors would like to acknowledge the heads of Health Office and Primary Health Centers of 4 subdistricts in the highlands of Ponorogo Regency for providing secondary data on Leptospirosis.

References

- Schneider MC, Jancloes M, Buss DF, et al. *Leptospirosis: A Silent Epidemic Disease*. 2013.
- Chin J. *Control of Communicable Diseases Manual*. seventeenth ed. Washington: American Public Health Association; 2000.
- Ristiyanto R, Wibawa T, Budiharta S, Supargiono S. Prevalence of rats infected with leptospira interrogans. *Vektora: Jurnal Vektor dan Reservoir Penyakit*. 2015 Oct 10;7(2):85–92.
- Wynwood SJ, Graham GC, Weier SL, Collet TA, McKay DB, Craig SB. Leptospirosis from water sources. *Pathog Glob Health*. 2014 Oct 1;108(7):334–338.
- Plowright RK, Parrish CR, McCallum H, et al. Pathways to zoonotic spillover. *Nat Rev Microbiol*. 2017 Aug;15(8):502–510.
- Costa F, Martinez-Silveira MS, Hagan JE, Hartskeerl RA, Reis MG, Ko AI. Surveillance for leptospirosis in the Americas, 1996–2005: a review of data from ministries of health. *Rev Panam Salud Pública*. 2012;32:169–177.
- Marami LM, Gebremedhin EZ, Sarba EJ, et al. Seroprevalence and associated risk factors of canine leptospira and Brucella species infection in west shewa zone, Central Ethiopia. *Vet Med Res Rep*. 2021;12:33.
- Marami LM, Gebremedhin EZ, Sarba EJ, et al. Seroprevalence and associated risk factors of canine leptospira and Brucella species infection in west shewa zone, Central Ethiopia. *Vet Med Res Rep*. 2021;12:33.
- Zakharova OI, Korennoy FI, Toropova NN, Burova OA, Blokhin AA. Environmental risk of leptospirosis in animals: the case of the republic of sakha (yakutia), Russian federation. *Pathogens*. 2020 Jun;9(6):504.
- Barcellos C, Sabroza PC. The place behind the case: leptospirosis risks and associated environmental conditions in a flood-related outbreak in Rio de Janeiro. *Cad Saude Publica*. 2001;17:S59–S67.
- Susanna D, Nova RI, Rozek L. The existence and characteristics of rats and shrews in endemic leptospirosis areas and types of ectoparasites: a case study of West Jakarta, Indonesia. *Res*. 2021 Apr 30;10(335):335.
- Ministry of Health of the Republic of Indonesia. *Indonesia Health Profile 2015*. 2016. Jakarta.

- 13 Mirasa YA, Yudhastuti R, Wahyuni CU, Adi MS. Study of risk factor and epidemiology surveillance system of leptospirosis. *Damage. Int. J. Res.* 2017;2(7): 12–23.
- 14 Zakharova OI, Korennoy FI, Iashin IV, et al. Ecological and socio-economic determinants of livestock animal leptospirosis in the Russian arctic. *Front. Vet. Sci.* 2021 Apr 12;8:323.
- 15 Asaaga FA, Young JC, Oommen MA, et al. Operationalising the “One Health” approach in India: facilitators of and barriers to effective cross-sector convergence for zoonoses prevention and control. *BMC Publ Health.* 2021 Dec;21(1):1–21.
- 16 Haake DA, Levett PN. *Leptospirosis in Humans.* Leptospira and leptospirosis; 2015: 65–97.
- 17 Felzemburgh RD, Ribeiro GS, Costa F, et al. Prospective study of leptospirosis transmission in an urban slum community: role of poor environment in repeated exposures to the Leptospira agent. *PLoS Neglected Trop Dis.* 2014 May 29;8(5):e2927.
- 18 Directorate General of P2PL Ministry of Health RI. *Technical Instructions of Leptospirosis Control.* 2014. Jakarta.
- 19 Ponorogo Health Office. *Ponorogo District Health Profile 2015.* Ponorogo; 2015.
- 20 Sohail ML, Khan MS, Ijaz M, et al. Seroprevalence and risk factor analysis of human leptospirosis in distinct climatic regions of Pakistan. *Acta Trop.* 2018 May 1;181: 79–83.
- 21 Kamath R, Swain S, Pattanshetty S, Nair NS. Studying risk factors associated with human leptospirosis. *J Global Infect Dis.* 2014 Jan;6(1):3.
- 22 Hinjoy S, Kongyu S, Doung-Ngern P, et al. Environmental and behavioral risk factors for severe leptospirosis in Thailand. *Trop. Med. Infect. Dis.* 2019 Jun;4(2):79.
- 23 Trimawan HW, Tuhu P, Rusmiati. *Study of Factors Influencing the Incidence of Leptospirosis in Ponorogo.* Surabaya Polytechnic; 2014.
- 24 Mwachui MA, Crump L, Hartskeerl R, Zinsstag J, Hattendorf J. Environmental and behavioural determinants of leptospirosis transmission: a systematic review. *PLoS Neglected Trop Dis.* 2015 Sep 17;9(9), e0003843.
- 25 Hartskeerl RA, Collares-Pereira M, Ellis WA. Emergence, control and re-emerging leptospirosis: dynamics of infection in the changing world. *Clin. Microbiol. Infect.* 2011 Apr 1;17(4):494–501.
- 26 Tsay AJ. *report Leptospirosis Pulmonary Hemorrhage Syndrome in Salvador, Brazil from 2003–2012 (Doctoral Dissertation, Yale University).*
- 27 Pramestuti N, Djati AP, Kesuma AP. Risk factors of leptospirosis outbreak after flood in pati district 2014. *Vektora.* 2015;7(1):1–6.
- 28 Marbawati D, Harilsmanto H, Pramestuti N. Characteristic of rats as reservoirs of leptospirosis. *Kes. Mass: Jurnal Fakultas Kesehatan Masyarakat Universitas Ahmad Daulan.* 2016;10(1):69–74.
- 29 Lau CL, Smythe LD, Craig SB, Weinstein P. Climate change, flooding, urbanisation and leptospirosis: fuelling the fire? *Trans R Soc Trop Med Hyg.* 2010 Oct 1;104(10): 631–638.
- 30 Putz EJ, Nally JE. Investigating the immunological and biological equilibrium of reservoir hosts and pathogenic leptospira: balancing the solution to an acute problem? *Front Microbiol.* 2020 Aug 14;11:2005.
- 31 Dewi M, Wawan A. *Theory and Measurement of Knowledge of Attitudes and Human Behavior.* Yogyakarta: Nuha Medika; 2010.
- 32 Azhari NN, Abdul Manaf R, Ng SW, et al. Gamification, a successful method to foster leptospirosis knowledge among university students: a pilot study. *Int J Environ Res Publ Health.* 2019 Jan;16(12):2108.
- 33 Alexander MN. *The Prevalence of Leptospira Species in Fresh Water Fish in Selected Areas of Morogoro Municipality, Tanzania (Doctoral Dissertation, Sokoine University of Agriculture);* 2017.
- 34 Balamurugan V. Agent specific biosafety and biosecurity practices: leptospira spp. *SAARC Reg. Train.* 2019 Aug 19:18.
- 35 Azfar ZM, Nazri SM, Rusli AM, et al. Knowledge, attitude and practice about leptospirosis prevention among town service workers in northeastern Malaysia: a cross sectional study. *J. Prev. Med. Hyg.* 2018 Mar;59(1):E92.
- 36 Equator NA, Lestari KS. Analysis of house conditions and the presence of rats that affect the incidence of leptospirosis in klaten regency. *J Environ Health* 8(1): 1 2016.
- 37 Rees EM, Minter A, Edmunds WJ, Lau CL, Kucharski AJ, Lowe R. Transmission modelling of environmentally persistent zoonotic diseases: a systematic review. *Lancet. Planet. Health.* 2021 Jul 1;5(7):e466–e478.
- 38 Deresa B, Tulu D, Deressa FB. Epidemiological investigation of cattle abortion and its association with brucellosis in jimma zone, Ethiopia. *Vet Med Res Rep.* 2020;11:87.
- 39 Noach SM, Noach YR. Prevalence rate and causes of leptospirosis serovar on cattle at Giwangan’s abattoir of Yogyakarta. *J. Trop. Anim. Sci. Technol.* 2020 Jul 31;2(1): 37–42.
- 40 Cahyati WH, Kumalasari LD. Spatial analysis of environmental factors of leptospirosis in bonang subdistrict. *Demak District 2018. Visikes.* 2020;19(1): 196–211.