

# Kesmas

Jurnal Kesehatan Masyarakat Nasional  
(National Public Health Journal)

**Quarterly Journal**

**Special Issue: *Evaluating of the COVID-19 Pandemic Responses***

**Handling by: Dewi Susanna, MS., Zarfiel Tafal, MPH.,  
Dumilah Ayuningtyas, MARS.**

**Strengthening the Strategic and Operational Response for Reducing  
COVID-19 Transmission in Indonesia** (pp. 3-10)

**Epidemiological and Clinical Features of COVID-19 Patients at National  
Emergency Hospital Wisma Atlet Kemayoran, Jakarta, Indonesia** (pp. 11-16)

**Burundi's 'Worst Enemy': the Country's Fight Against COVID-19** (pp. 55-58)

**Outdoor Activity: Benefits and Risks to Recreational Runners during the  
COVID-19 Pandemic** (pp. 82-89)

**The Psychological and Sleep-Related Impact of Coronavirus Disease  
2019 (COVID-19): A Systematic Review** (pp. 65-74)

**Economic or Public Health? Southeast Asia's Tackling of COVID-19 a  
Year Later** (pp. 90-96)

**Epidemiological Patterns and Spatial Distribution of COVID-19 Cases in  
DKI Jakarta (March–December 2020)** (pp.17-22)

# Editorial Team

## Editor-in-chief

1. Dewi Susanna, Department of Environmental Health Faculty of Public Health Universitas Indonesia, Indonesia

## International Editorial Board

1. Dumilah Ayuningtyas, Department of Health Policy and Administration Faculty of Public Health Universitas Indonesia, Indonesia
2. Dian Kusuma, Imperial College London, the United Kingdom
3. Jalaludin Bin Badrudin, University of New South Wales, Australia
4. Don Eliseo Lucero-Priso III, London School of Hygiene and Tropical Medicine, United Kingdom
5. Tri Yunis Miko Wahyono, Faculty of Public Health Universitas Indonesia, Indonesia
6. Mellissa Withers, University of Southern California, the United State of America
7. Hidayatulfathi Othman, Universiti Kebangsaan Malaysia, Malaysia
8. Prathung Hongsrangon, University of Chulalongkorn, Thailand
9. Tris Eryando, Faculty of Public Health, Universitas Indonesia, Indonesia
10. Budi Haryanto, Faculty of Public Health, Universitas Indonesia, Indonesia
11. Peter D Sly, University of Queensland, Australia
12. Rajendra Prasad, Merit India Consultant Pvt Ltd, India, India
13. Yodi Mahendradhata, Faculty of Medicine, Universitas Gadjah Mada, Indonesia
14. Upik Kesumawati Hadi, Faculty of Veterinary Medicine, Bogor Agricultural University, Indonesia
15. Ahmad Sulaeman, Faculty of Human Ecology Bogor Agricultural University, Indonesia
16. Doni Hikmat Ramdhan, Faculty of Public Health Universitas Indonesia, Indonesia
17. Zarfiel Tafal, Faculty of Public Health Universitas Indonesia, Indonesia
18. Ahmad Syafiq, Faculty of Public Health Universitas Indonesia, Indonesia
19. Orawan Kaewboonchoo, Mahidol University, Thailand

## Managing Editor

1. Ella Ayu Septia Mustika, Faculty of Public Health, Universitas Indonesia, Indonesia

## Language Editor

1. Anandani Difratia Prihabida, Faculty of Public Health, Universitas Indonesia, Indonesia

## Secretary Editor

1. Ayu Lestari Purborini, Faculty of Public Health, Universitas Indonesia, Indonesia

## Web Programmer

1. Eddy Affriansyah, Faculty of Public Health, Universitas Indonesia, Indonesia
2. Nico Kurnia Pratama, Faculty of Public Health, Universitas Indonesia, Indonesia

## Articles

Evaluating the COVID-19 Pandemic Responses  
DOI : 10.21109/kesmas.v0i0.5254  
Abstract view : 339 times  
Dewi Susanna

[PDF |](#)

Strengthening the Strategic and Operational Response for Reducing COVID-19 Transmission in Indonesia  
DOI : 10.21109/kesmas.v0i0.5104  
Abstract view : 1127 times  
Sumengen Sutomo, Salord Sagala, Bebi Sutomo, William Liem, Hamzah Al Hamid

[PDF |](#)

Epidemiological and Clinical Features of COVID-19 Patients at National Emergency Hospital Wisma Atlet Kemayoran, Jakarta, Indonesia  
DOI : 10.21109/kesmas.v0i0.5233  
Abstract view : 1387 times  
Agus Dwi Susanto, Anna Rozaliyani, Budi Prasetyo, Heidy Agustin, Hario Baskoro, Arief Riadi Arifin, Satria Pratama, Jamal Zaini, Bambang Dwi Hasto, Tugan Ratmono, Ary Indriana Savitri, Erlang Samoedro, Bahtiar Husain, Arifin Nawas, Erlina Burhan

[PDF |](#)

Epidemiological Patterns and Spatial Distribution of COVID-19 Cases in DKI Jakarta (March–December 2020)  
DOI : 10.21109/kesmas.v0i0.5074  
Abstract view : 773 times  
Rajesh Kumar Das, Mondastri Korib Sudaryo

[PDF |](#)

Epidemiological Pattern of COVID-19 Infection from March to November 2020 in Situbondo District, East Java, Indonesia  
DOI : 10.21109/kesmas.v0i0.5049  
Abstract view : 1025 times  
Mohmed Gesmalah, Atik Choirul Hidayah

[PDF |](#)

Knowledge, Attitude, and Practice Regarding COVID-19 among Residents of Pesantren  
DOI : 10.21109/kesmas.v0i0.5174  
Abstract view : 870 times  
Milla Herdayati, Besral Besral, Juliana Karniastuti

[PDF |](#)

Analysis Implementation of COVID-19 Prevention Policy for Disability in Social Institution (Case Study: Jakarta Capital City)  
DOI : 10.21109/kesmas.v0i0.5250  
Abstract view : 742 times  
Cindy Margaretha, Dumilah Ayuningtyas

[PDF |](#)

Spatial-Temporal Analysis of Solar Radiation Exposure and COVID-19 Cases in Jakarta 2020  
DOI : 10.21109/kesmas.v0i0.5255  
Abstract view : 713 times  
Yoerdy Agusmal Saputra, Dewi Susanna

[PDF |](#)

Large-Scale Social Restriction (LSSR) Policy and Dengue Hemorrhagic Fever Cases during COVID-19 Pandemic in Indonesia (Case Studies: Five Cities/Districts in East Java Province)  
DOI : 10.21109/kesmas.v0i0.5008  
Abstract view : 405 times  
Aldio Yudha Trisandy, Muhammad Azmi Maruf, Ririn Yudhasuti, Muhammad Farid Dimjati Lusno, Hari Basuki Notobroto

[PDF |](#)

# Large-Scale Social Restriction (LSSR) Policy and Dengue Hemorrhagic Fever Cases during the COVID-19 Pandemic in Indonesia: A Case Study of Five Subregions of East Java Province

Aldio Yudha Trisandy<sup>1</sup>, M. Azmi Maruf<sup>1</sup>, Ririh Yudhastuti<sup>2\*</sup>, M. Farid D. Lusno<sup>2</sup>, Hari Basuki Notobroto<sup>3</sup>

<sup>1</sup>Master Student of Environmental Health Department, Faculty of Public Health, Universitas Airlangga

<sup>2</sup>Environmental Health Department, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia

<sup>3</sup>Biostatistics and Demography Department, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia

## Abstract

The first case of coronavirus disease 2019 (COVID-19) in Indonesia was announced in March 2020. Since then, the number of COVID-19 cases has continued to rise. This prompted the government to adopt *Pembatasan Sosial Berskala Besar* (PSBB) or large-scale social restrictions (LSSR). Certain areas within dengue fever endemic regions face two challenges: simultaneously tackling COVID-19 and dengue hemorrhagic fever (DHF). Five economic growth centers (a city and four districts) in East Java Province (Gresik, Bangkalan, Surabaya, Sidoarjo, and Lamongan) were affected by the COVID-19 pandemic and a dengue fever outbreak. This is a quantitative research with a comparative study design that used the Wilcoxon test to compare cases of DHF pre-COVID-19 versus during the COVID-19 pandemic. The Wilcoxon test result showed no significant difference at a p-value of 0.319 (p-value > 0.05). It can be concluded that DHF still became a challenge in five regions in East Java Province, even though LSSR were implemented. Additional effort is required to tackle DHF. A method of preventing and controlling DHF during the COVID-19 pandemic is to build community independence through the "one house, one health cadre movement."

**Keywords:** COVID-19, dengue hemorrhagic fever, large-scale social restrictions

## Introduction

On March 11, 2020, the World Health Organization (WHO) declared coronavirus disease 2019 (COVID-19) a global pandemic.<sup>1,2</sup> In Indonesia, public health emergency status was announced on March 31, 2020, through Presidential Decree No. 11 of 2020. On the same day, the Indonesian government adopted *Pembatasan Sosial Berskala Besar* (PSBB) or a large-scale social restrictions (LSSR) policy as a form of government intervention to prevent the spread of COVID-19. The policy was issued through Government Regulation No. 21 of 2020<sup>3,4</sup> and implements LSSR to reduce the spread rate of COVID-19.<sup>3,4</sup> The LSSR policy leads to limited community activity and mobility, including efforts to control dengue hemorrhagic fever (DHF).<sup>2,5</sup>

Dengue hemorrhagic fever is an infectious disease caused by the dengue virus and is transmitted through mosquito vectors of the *Aedes aegypti* and *Aedes albopictus* species, which attack approximately 400 million people worldwide annually. Dengue fever is caused by four closely related dengue virus serotypes (which contributes to its endemicity as serotypes tend to

mutate over time) and morbidity due to secondary and subsequent dengue infection has a higher likelihood of developing into dengue fever.<sup>6</sup> As of June 25, 2021, there were 2,072,867 confirmed cases of COVID-19 in Indonesia, with a death toll of 56,371 people, across 510 cities and districts in 34 provinces. The provinces with the highest cases of COVID-19 are Jakarta, West Java, and Central Java.<sup>7</sup> As of April 19, 2021, there were 6,122 cases of dengue fever, with a death rate of 65 people. The cases were spread over 252 cities and districts in 20 provinces.<sup>8</sup>

The LSSR have the effect of limiting community activities due to measures such as social distancing, imposing work from home (WFH) arrangements on workers, school from home, closing offices, and limiting religious activities.<sup>9,10</sup> Regarding DHF, East Java Province is one of ten provinces with a high case fatality rate (CFR). The CFR is considered high when a province has an CFR above 1%, and East Java Province's CFR is approximately 1.34%. The other nine provinces are Gorontalo (2.18%), North Sulawesi (1.55%), Southeast Sulawesi (1.47%), Central Kalimantan (1.37%), Central

**Correspondence\*:** Ririh Yudhastuti, Environmental Health Department, Faculty of Public Health, Universitas Airlangga, Kampus C Mulyorejo Surabaya 60115, Indonesia, E-mail: ririh.unair@gmail.com, Phone: +62-87854862677, Fax: +62-031 - 5924618

Received : May 8, 2021  
Accepted : July 30, 2021  
Published : July 31, 2021

Java (1.24%), West Papua (1.23%), Riau Islands (1.20%), West Kalimantan (1.16%), and Papua (1.12%).<sup>11</sup> A high CFR indicates that steps must be taken to improve the quality of health services in that province.

The Surabaya Metropolitan Area, known locally as *Gerbangkertosusila* (an acronym of Gresik-Bangkalan-Mojokerto-Surabaya-Sidoarjo-Lamongan), is the country’s second-largest metropolitan area, after the Jakarta metropolitan area.<sup>12</sup> It is the most crowded area in the East Java Province and its subregions of Gresik, Bangkalan, Surabaya, Sidoarjo, and Lamongan have become the center of economic growth in East Java Province. The government implemented the LSSR to prevent the spread of COVID-19, considering the various activities that typically take place in the area. However, no study has been conducted to determine whether LSSR impacts the spread of endemic communicable diseases, such as DHF. Hence, this research was undertaken to determine whether there is a significant difference between the number of DHF cases in the year before the COVID-19 pandemic (2019) and during the COVID-19 pandemic (2020). This research concentrated on the impact of the LSSR on the prevalence of DHF in five subregions of East Java Province (Gresik, Bangkalan, Surabaya, Sidoarjo, and Lamongan).

**Method**

This is a quantitative research with a comparative study design. This study compared the number of DHF cases in five subregions of East Java Province (Gresik, Bangkalan, Surabaya, Sidoarjo, and Lamongan) during a pre-COVID-19 pandemic period (2019) against the COVID-19 pandemic period (2020). The data used in this research include monthly DHF data for 2019 as data for the pre-LSSR period and monthly DHF data for 2020 as DHF data for the period during which the LSSR was implemented. This data was obtained from the health offices of each district and city: the Health Office of Gresik District, Health Office of Bangkalan District, Health Office of Surabaya City, Health Office of Sidoarjo District, and the Health Office of Lamongan District. The data obtained was ratio data, which was edited, processed, cleaned, and then described. Next, the normality of the data was determined to select a suitable statistical test. The normality test was performed to assess the condition of the data and ascertain what tests could be performed. Because the data is not a normal distribution (Table 1), the Wilcoxon test was used. The Wilcoxon test was performed to determine whether there is a significant difference between the prevalence of DHF cases in 2019 (before the COVID-19 pandemic) and in 2020 (during the COVID-19 pandemic). The results of the analysis are presented as tables and narratives.

**Table 1. Normality Test for the Data**

Data	Cities/Districts	DHF Cases	Normality Test
2019	Gresik	441	0.000
	Bangkalan	172	
	Surabaya	277	
	Sidoarjo	367	
	Lamongan	381	
2020	Gresik	84	0.003
	Bangkalan	104	
	Surabaya	73	
	Sidoarjo	148	
	Lamongan	111	

**Table 2. Wilcoxon Test**

Data	Cities/Districts	DHF Cases	Wilcoxon Test ( $\alpha = 0.05$ ) p-value
2019	Gresik	441	0.319
	Bangkalan	172	
	Surabaya	277	
	Sidoarjo	367	
	Lamongan	381	
2020	Gresik	84	
	Bangkalan	104	
	Surabaya	73	
	Sidoarjo	148	
	Lamongan	111	

**Data sources:** a.) Bangkalan District Health Office, b.) Lamongan District Health Office, c.) Gresik District Health Office, d.) Sidoarjo District Health Office, e.) Surabaya City Health Office

**Results**

The Wilcoxon test returned a p-value score greater than  $\alpha$  (0.05). The result indicated that there was no significant difference between the prevalence of DHF cases during the pre-COVID-19 pandemic period (2019) and the COVID-19 pandemic period (2020).

**Discussion**

The COVID-19 pandemic has become the major health focus for all countries because of its high mortality and morbidity rates. The health care system in Indonesia has been affected, with most of the available resources diverted to tackling COVID-19. Consequently, LSSR were implemented to prevent a rise in the number of COVID-19 cases.<sup>13</sup> The LSSR policy was issued by the central government through the Ministry of Health of the Republic of Indonesia to overcome the COVID-19 pandemic.<sup>14</sup> This policy is stated in the Regulation of the Minister of Health of the Republic of Indonesia No. 9 of 2020 concerning Guidelines for Large-Scale Restrictions in Handling Coronavirus Disease 2019 (COVID-19). Regarding government policies linked to the COVID-19 pandemic, the government of the Lamongan District also adopted policies to reduce the spread of the disease. The Lamongan District Government issued Lamongan District Government Regulation No. 35 of 2020 concern-

ing Guidelines for Preventing and Controlling the COVID-19 in the Emergency Transition to Recovery, which established a COVID-19 Acceleration Handling Task Force/*Gugus Tugas Percepatan Penanganan (GTPP)* to accelerate the handling of COVID-19.<sup>15</sup>

The Ministry of Health projected that the spread of COVID-19—with the number of cases and deaths increasing—across the globe would impact the political, economic, social, cultural, and defense and security facets of the Indonesian nation, as well as the welfare of the people in Indonesia.<sup>16</sup> In East Java Province, Greater Surabaya has a relatively high COVID-19 spread rate. As a critical business center in the East Java Province, Surabaya has direct regional interaction with Sidoarjo and Gresik Districts.<sup>17</sup> Mutation of the causative pathogen cannot be discounted in an epidemic, nor should conditions that facilitate its adaption to new behaviors such as limiting people's activity to prevent the spread of the virus. For example, the era of the new normal, during which the people of Indonesia are unignorably impacted by a DHF epidemic and have to adjust to the epidemic. This was also done in the face of the global COVID-19 pandemic.<sup>18</sup>

There is a cyclical pattern, with DHF virus transmission increasing during the rainy season. The interaction between temperature and rainfall is an essential determinant of dengue virus transmission because colder temperatures improve the survival rate of adult mosquitoes, which in turn affects the rate of dengue virus transmission.<sup>19</sup> In addition, rainfall and temperature affect diet and mosquito reproduction and increase the density of vector mosquitoes.<sup>20</sup> In the COVID-19 pandemic situation—currently being experienced—the model of the independent *juru pemantau jentik (jumantik)* program (one house, one health cadre movement) is the most effective method for preventing DHF. The success of this dengue fever prevention effort is determined primarily by the cohesiveness and awareness of the community as a whole, because mosquitoes—as disease vectors—have high mobility to move from place to place, spreading disease. Therefore, it is hoped that through the activities of the independent jumantik program, participants can socialize and proliferate their respective areas in their neighborhoods with mosquito repellent plants.<sup>21</sup>

## Conclusion

It can be concluded that DHF is still a challenge in five sub-regions of East Java Province. Adopting LSSR have no impact on resolving the spread of DHF because there is no significant relationship between the prevalence of DHF prior to the COVID-19 pandemic and during the COVID-19 pandemic. The COVID-19 pandemic did not make the prevalence of DHF any different from the rates recorded in the previous year. Therefore, addi-

tional effort is required to reduce the number of dengue cases occurring during the COVID-19 pandemic. An effective method for lowering the growing prevalence of DHF is to build community independence through the one house, one health cadre movement.

## Abbreviations

COVID-19: coronavirus disease 2019, CFR: Case Fatality Rate, WHO: World Health Organization, DHF: Dengue Hemorrhagic Fever, LSSR: Large-Scale Social Restrictions, WFH: Work from Home, GTPP: Gugus Tugas Percepatan Penanganan (Acceleration Handling Task Force)

## Ethics Approval and Consent to Participate

Permission to use the data used in this study was granted by the Research Center, Faculty of Dental Medicine, Universitas Airlangga Ethical Clearance Commission (number: 276/HRECC.FODM/VI/2021).

## Competing Interest

The authors declare that there are no competing interests to disclose.

## Availability of Data and Materials

The data used in this study are available in the COVID-19 Task Force database of the Ministry of Health, Republic of Indonesia, and existing literature related to DHF data during the COVID-19 Pandemic.

## Authors' Contribution

The research design was developed jointly by AYT and MAM. MFDL and HBN performed the analysis, and RY drafted the manuscript.

## Acknowledgment

The authors thank the Directorate of Research and Community Service and the Directorate General of Research and Development, Ministry of Research, Technology and Higher Education for providing funding for this research (SK 27/E1/KPT/2020 and contract number 865/UN5.14/PT/2020).

## References

1. World Health Organization. Corona virus disease (COVID-19) pandemic; 2020.
2. Ministry of Health of the Republic Indonesia. Guidelines for the prevention and control of corona virus disease (COVID-19). Emerging Infection Ministry of Health; 2020.
3. Badan Pemeriksa Keuangan Republik Indonesia. Peraturan Pemerintah (PP) nomor 21 tahun 2020 mengenai pembatasan sosial berskala besar dalam rangka percepatan penanganan corona virus disease 2019 (COVID-19); 2020.
4. Nasruddin R, Haq I. Pembatasan sosial berskala besar (PSBB) dan masyarakat berpenghasilan rendah. SALAM: Jurnal Sosial dan Budaya Syar-i. 2020;7(7):639-48.
5. Sari DN. Efek samping PSBB terhadap masyarakat. Suara.com; 2020.
6. Mussumeci E, Coelho FC. Large-scale multivariate forecasting models for dengue-LSTM versus random forest regression. Spatial and Spatio-

- Temporal Epidemiology. 2020;35:100372.
7. Satuan Tugas Penangan COVID-19. Data sebaran COVID-19; 2019.
  8. Rini RAP. Sepanjang 2021 total ada 6.122 kasus DBD di Indonesia, tertinggi di kelompok 15-44 tahun. *Tribun News*; 2021.
  9. Kementerian Kesehatan Republik Indonesia. Surat edaran nomor HK 02.02 / IV/2360/2020 tentang pelaksanaan pencegahan dan pengendalian DBD dalam situasi pandemi COVID-19; 2020.
  10. Panda PK, Sharawat IK. COVID-19 and/with dengue infection: a curse in an overburdened healthcare system. *Tropical Doctor*. 2021;51(1):106-8.
  11. Kementerian Kesehatan Republik Indonesia. Situasi penyakit demam berdarah di Indonesia; 2017.
  12. Wikipedia. Surabaya metropolitan area; 2021.
  13. Pebrianto F. 8 Poin utama perbedaan PSBB jilid satu, PSBB transisi, dan PSBB kedua. *Tempo*; 2020.
  14. Wardhani NK. Penerapan kebijakan pembatasan sosial berskala besar di Indonesia dalam perspektif hukum dan HAM. *KELUWIH: Jurnal Sosial Dan Humaniora*. 2021;2(1):34-8.
  15. Anas F. Kebijakan Pemerintah Daerah dalam penanggulangan wabah corona virus disease 2019 di Kabupaten Lamongan. *Madani Jurnal Politik Dan Sosial Kemasyarakatan*. 2021;13(1):86-108.
  16. Hasrul M. Aspek hukum pemberlakuan pembatasan sosial berskala besar (PSBB) dalam rangka penanganan corona virus disease 2019 (COVID-19). *Jurnal Legislatif*. 2020:385-98.
  17. Santoso EB, Siswanto VK, Umilia E, Syafitri RA, Desiana TA. Modeling the effectiveness of the PSBB based on COVID-19 case in greater Surabaya area. In *IOP Conference Series: Earth and Environmental Science*. IOP Publishing. 2021:778(1).
  18. Wowor R. Pengaruh kesehatan lingkungan terhadap perubahan epidemiologi demam berdarah di Indonesia. *e-CliniC*. 2017:5(2).
  19. Yudhastuti R. Pengendalian penyakit yang ditularkan binatang. *Zifatama*; 2020.
  20. Pratama F. Menyikapi new normal setelah pandmei. *Puspensos*; 2020.
  21. Kusumawati A, Ayu AK, Saputri AM, Putriadi PB, Qurrohman MT, Dewi N. Edukasi cara menjadi jumentik mandiri untuk mencegah DBD di tengah pandemi COVID-19 pada kader posyandu di Dusun Jetis, Bakungan, Karangdowo, Klaten. *Logista-Jurnal Ilmiah Pengabdian kepada Masyarakat*. 2021;5(1):147-52.