

ISSN 1365-3113
ISSN 1365-3121

Volume 35
Number 1 June 2019

Systematic Reviews in Pharmacy

an Official Journal of the Royal Society of Pharmacy

www.sysrevpharm.org



Systematic Reviews in Pharmacy is a peer-reviewed journal, published quarterly, covering all areas of pharmacy practice, including clinical, community, hospital, and research. The journal is the only one of its kind in the world, providing a platform for the dissemination of high-quality research and practice-based evidence. The journal is published by the Royal Society of Pharmacy, the professional body for pharmacists in the United Kingdom.


Wiley-Blackwell
2019

Pharmacy

2020: Volume 11, Issue 11

Research Article

Gadget Use, Pocket Money, and Snacking Habits of Children with and without Overweight/Obesity Problem in Surabaya, Indonesia


 *Trias Mahmudiono, Qonita Rachmah, Diah Indriani, Triska Susila Nindya, Calista Segalita, Susi Hidayah, Azizah Ajeng Pratiwi, Loh Su Peng*

SRP. 2020; 11(11): 1087 - 1090

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.155

Review Article

Ameliorative Effect Of Thiamine Pyrophosphate Against Cisplatin-Induced Reproductive System Damage Within Male Rats


 *Maitham Abd Ali Mnati, Bahir Abdul Razzaq Mshimesh, Mustafa Mohammed Ibraheem, Suzan Yousif Jasim*

SRP. 2020; 11(11): 396 - 403

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.59

Research Article

Neutrophil Extracellular Traps in Coronavirus Infection: Interaction Network Analysis


 *Amal Bouzid, Asmaa T Uthman, Noor N Al-Rawi, Natheer H Al-Rawi*

SRP. 2020; 11(11): 1091 - 1101

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.156

Review Article

An Observational Study Of Coronavirus (Covid-19) In Iraqi Patients At Al-Shifa Medical Center In Baghdad's Capital, Al-Rusafa


 *Saad Abdul Kareem Mohammed, Suha Hussein Ahmed, Ali I. Omran Al-Saadawi, Mohammed Mahmood Mohammed*

SRP. 2020; 11(11): 404 - 411

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.60

Research Article

Next-Generation Sequencing Technologies for Environmental DNA as an Efficient Bio Indicator for Bacterial Biodiversity in Tigris River, Iraq


 *Fikrat M Hassan, Warqaa Y. Salih and Halah H Al-Haideri*

SRP. 2020; 11(11): 1107 - 1114

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.158

Review Article

Analysis of the Prophet Saleh in Al Quran through the food Science Approach to the Miracle of She-Camel


 *Endin Mujahidin, Nur Richana, Adian Husaini, Didin Hafidhuddin*

SRP. 2020; 11(11): 771 - 775

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.111

Review Article

The Relationship of Family Support to the Success of the Treatment of Tuberculosis (TB) Patients in Kediri


 *Fauzan Adima, Chatarina U. Wahjuni, Hari Basuki Notobroto, Shrimarti Rukmini Devy*

SRP. 2020; 11(11): 776 - 778

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.112

Research Article

Levels of Myeloperoxidase, Malondialdehyde and Lipid Profile in Type 2 Diabetic Patients on Metformin Versus Glibenclamide Therapy

 *Zainab H. Fathi, Jehan A. Mohammad, Marwah H. Mohammed*

SRP. 2020; 11(11): 1777 - 1782

[» Abstract](#) [» PDF](#) DOI: 10.31838/srp.2020.11.248

Editorial Board

Editor-in-Chief

Dr. Ayad F. Alkaim

University of Babylon, College of Science for Women, Babylon, Scopus Author ID:
55255310600, Iraq

Editorial Board

FILIPIC Bratko, PhD

Professor, Department of Experimental and Translation Oncology

Croatian Institute for experimental and translation oncology, Zagreb, Croatia, Croatia

Dr Lucius, MBBS

General Practice

Ludwig Maximilians University Munich, Germany

Dr. Aygul Z. Ibatova

Department of Natural Sciences

Tyumen Industrial University, Scopus Author ID: 57191110632 <http://orcid.org/0000-0003-0565-8533>, Russia

Dr Ahmad Faisal Ismail

Kulliyah of Dentistry

International Islamic University Malaysia, Kuantan Campus, 25200 Kuantan, Pahang,
Scopus Author ID: 35388596700, Malaysia

Dr. Huiliang ZHAO, Ph.D

Guizhou Minzu University, Huaxi District, Guiyang, China

Dr. Mohd Armi Abu Samah

International Islamic University Malaysia, (IIUM) 25200 Kuantan Pahang

Dr. Baded ramji

Sri Lanka

Dr. Chris randea

South Africa

Dr. Yingwen ZHAO

Researcher of Guizhou Rural Economic and Social Development Research Institute,
China

Dr. Li Zihan, Ph.D

University of Glasgow, UK

Gabriela Cioca

Faculty of Medicine, Pharmacology Department

Lucian Blaga University of Sibiu, Romania, Lucian Blaga street, no 2A, Sibiu, Romania



KOMISI ETIK PENELITIAN KESEHATAN
HEALTH RESEARCH ETHICS COMMITTEE
FAKULTAS KEPERAWATAN UNIVERSITAS AIRLANGGA
FACULTY OF NURSING UNIVERSITAS AIRLANGGA

KETERANGAN LOLOS KAJI ETIK
DESCRIPTION OF ETHICAL APPROVAL

"ETHICAL APPROVAL"
No : 1983-KEPK

Komite Etik Penelitian Kesehatan Fakultas Keperawatan Universitas Airlangga dalam upaya melindungi hak asasi dan kesejahteraan subyek penelitian kesehatan, telah mengkaji dengan teliti protokol berjudul:

The Committee of Ethical Approval in the Faculty of Nursing Universitas Airlangga, with regards of the protection of Human Rights and welfare in health research, carefully reviewed the research protocol entitled:

**"MODEL PENDAMPINGAN PASIEN TB PARU DAN KELUARGA OLEH
KADER KESEHATAN SECARA KOMPREHENSIF UNTUK
MENINGKATKAN KEBERHASILAN PENGOBATAN DI KOTA KEDIRI"**

Peneliti utama : FAUZAN ADIMA
Principal Investigator
Nama Institusi : Fakultas Kesehatan Masyarakat Universitas Airlangga
Name of the Institution
Unit/Lembaga/Tempat Penelitian : Wilayah Dinas Kesehatan Kota Kediri
Setting of research

Dan telah menyetujui protokol tersebut di atas melalui Dipercepat.
And approved the above-mentioned protocol with Expedited.

Surabaya, 18 Mei 2020
Ketua, (CHAIRMAN)

Dr. Joni Haryanto, S.Kp, M.Si.
NIP. 1963 0608 1991 03 1002

**Masa berlaku 1 tahun
1 year validity period*

The Relationship of Family Support to the Success of the Treatment of Tuberculosis (TB) Patients in Kediri

Fauzan Adima¹, Chatarina U. Wahjuni², Hari Basuki Notobroto³, Shrimarti Rukmini Devy⁴

¹Doctoral Student in Faculty of Public Health Universitas Airlangga

²Doctoral lecturer in Faculty of Public Health Universitas Airlangga

³Doctoral lecturer in Faculty of Public Health Universitas Airlangga

⁴Doctoral lecturer in Faculty of Public Health Universitas Airlangga

Email: fauzanadimadr72@gmail.com

ABSTRACT

The purpose of this study was to determine how the relationship of family support to the successful treatment of tuberculosis (TB) patients was established. The population in this study were all TB patients in Kediri city, East Java, totaling 400 patient cases. The sample in this study amounted to 200 were determined using simple random sampling with Slovin formula and analyzed using SEM. The results showed that family support influenced the successful treatment of tuberculosis (TB) patients.

Keywords: Family Support, Tuberculosis (TB)

Correspondence:

Fauzan Adima

Doctoral Student in Faculty of Public Health Universitas Airlangga

Email: fauzanadimadr72@gmail.com

BACKGROUND

Tuberculosis (TB) is an infectious disease that can infect various age groups and is the second leading cause of death in Indonesia. TB is an infectious disease caused by the bacterium *Mycobacterium tuberculosis*. This disease mainly attacks the lungs as a place of primary infection. In addition, TB can also attack the skin, lymph nodes, bones and the lining of the brain. TB is classified as very infectious and contagious through infectious droplets that are inhaled by healthy people. A Tuberculosis TB sufferer can transmit the disease to 10 people around him. WHO (2005) estimates that one third of the world's population is currently infected with *M. tuberculosis*. However, people infected with *M. tuberculosis* do not always have TB. The body's immunity is very important to limit infection, so it does not manifest as TB disease (BPN TB, 2011, Ministry of Health Republic of Indonesia, 2011; WHO 2010).

Assistance is a strategy that determines the success of community empowerment programs (Suharto, 2005). Social approach, which is to hold discussions, exchange ideas, and tell stories. Give opportunity to gather together with fellow sufferers to create their socialization. Spiritual approach, namely the nurse must be able to provide inner peace and satisfaction in relation to the creator according to belief, especially if the patient is sick or near death. The approach taken will not be separated from the role of the family as the closest person to the patient. The Republic of Indonesia Government Regulations No. 21 of 1994 concerning the Implementation of Prosperous Family Development states that the family has eight functions. The eight functions of the family that are fulfilled are as follows: religious, social, cultural, love, protecting, reproduction, education, economy and environment.

LITERATURE REVIEW

Family

Family is one of the important elements that motivates and encourages TB patients to take proper treatment (Subhakti et al., 2014).

The Success of TB treatment

The success of TB treatment is the absence of symptoms such as bloody cough, fever, loss of appetite and weight loss (Department of Health RI)

RESEARCH METHODS

Research Design

This research is explanatory research with quantitative descriptive analysis using SEM analysis with AMOS tool that aims to determine the relationship of family support to the success of the treatment of tuberculosis (TB) patients in Kediri.

Definition of Operational Variables

The family is the smallest unit of society consisting of the head of the family and the mother and child who live under one roof that is interdependent, which has indicators including: Religious, Socio-cultural, Love, Protect, Reproduction, Education, Economy and Environment. The success of TB treatment is the return of the health of patients with tuberculosis, such as before illness, indicators include: Coughing lost, weight gain, increased appetite, chills missing, and night sweats

Population and Samples

Population

The population in this study were all TB patients in the City of Kediri, East Java, totaling 400 patient cases.

Sample

The sampling technique in this study uses simple random sampling. The number of samples in this study was determined by the Slovin formula as follows:


$$n = \frac{N}{1 + Ne^2}$$
$$n = \frac{400}{1 + 400(5\%)^2} = 200$$

ANALYSIS RESULTS

SEM Analysis Results

Based on literature and operational definitions the research variables produce the following model structure:

The Relationship of Family Support to the Success of the Treatment of Tuberculosis (TB) Patients in Kediri



X Family

- X1.1 = Religious
- X1.2 = Social culture
- X1.3 = love
- X1.4 = Protect
- X1.5 = Reproduction
- X1.6 = Education
- X1.7 = Economy
- X1.8 = Environment

Y Treatment success

- Y1.1 = Coughing is missing
- Y1.1 = weight gain
- Y1.1 = Increased appetite
- Y1.1 = feverishly lost
- Y1.1 = Do not sweat at night

e1 = unobserved endogenous variable from the loading factor (endogenous latent variable) Y1

a1 = unobserved endogenous variable from the loading factor (endogenous latent variable) X

Z1 = unobserved variable for latent endogenous variables

Table 1. Goodness of-fit Index and SEM Model cut-off values

Criteria	Cut off value	Model Test Results	Information
Chi Square		122.219	Good
Probability	≥0.005	0.000	Not Goog
GFI	≥0.90	0.914	Good
RMSEA	≤ 0.08	0.072	Good

Source: Primary data processed in 2020

Table 2. Hypothesis testing

HIP	Variable	Estimate	Probability
H ₁	Family Againts	0.571	0.000

At a significance level of 5%

DISCUSSION

Based on the results of the research showed that: 1) The family support formed by religious, socio-cultural, love, protect, reproduction, education, economy and environment. Family support reflected in the socio-cultural sector contributed the most while religion contributed the least. 2) the success treatment of tuberculosis (TB) which is formed by coughing is lost, weight gain, appetite increases, fever is lost and does not

sweat at night. The success of TB treatment which is reflected in the cough missing has the biggest contribution while the increased appetite has the smallest contribution.

The results also showed that family support influenced the success of the treatment of tuberculosis (TB) patients. Family support is reflected in religious, socio-cultural, loving, protecting, reproductive, educational, economic and environmental, with socio-culture contributing the

The Relationship of Family Support to the Success of the Treatment of Tuberculosis (TB) Patients in Kediri

most applied to the noble values prevailing in society through family teaching goodness and preserving a culture that is considered good can increase success the treatment of tuberculosis (TB) patients is characterized by the coughing loss in the patient which means that the tuberculosis (TB) patient is said to be cured if the patient no longer coughs. This study supports research conducted by Febrina and Rahmi (2017) which states that the role of the family as PMO for pulmonary tuberculosis patients in supervising, motivating, ensuring repeat examination and giving education to tuberculosis patients will help the healing process of tuberculosis patients.

CONCLUSION

Family support given to tuberculosis (TB) patients influences the success of the treatment of tuberculosis (TB) patients. Which means that the recovery of tuberculosis (TB) patients requires family support, especially socio-culture which is applied to the noble values prevailing in society through family teaching goodness and preserving a culture that is considered good can increase the successful treatment of tuberculosis (TB) patients characterized by the loss of cough in patients.

SUGGESTATION

Based on the results of this study it is suggested that in preventing the increase of tuberculosis (TB) patients, it is expected that family support to improve religion reflected in the family teaches to obey religious teachings and adhere to the norms prevailing in the community so that the development of tuberculosis (TB) can be prevented. Further researchers are advised to examine the factors that cause the development of tuberculosis (TB) in the community, so that it will contribute to more useful knowledge.

BIBLIOGRAPHY

1. Febrina dan Rahmi 2017, Analisis peran keluarga sebagai pengawas minum obat (PMO) pasien TB paru. E-ISSN;2528-66510; Volume 3; No.2(Juni,2018);118-129
2. Kementerian Kesehatan Republik Indonesia. 2011. *Strategi Nasional Pengendalian TB di Indonesia 2010-2014*. Jakarta: Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan Kementerian Kesehatan Republik Indonesia.
3. Subhakti 2013. *Hubungan antara Pekerjaan, PMO, Pelayanan Kesehatan, Dukungan Keluarga dan Diskriminasi dengan perilaku berobat pasien TB Paru di Puskesmas Batua dan Puskesmas Tamamaung Kota makasar*. Jurnal Kesehatan Volume 4 Nomor 2
4. Suharto, Edi. 2005. *Membangun Masyarakat Memberdayakan Rakyat*. Bandung: PT. Refika Aditama
5. WHO., 2014. *Global strategy and targets for tuberculosis prevention, care and control after 2015*, The Official text approved by the Sixty Seventh World Health Assembly, May 2014.