



Health Notions

ISSN: 2580-4936
(online version only)

Published by:
Humanistic Network for Science and Technology

Cemara Street 25, RT.01 RW.02, Ds./Kec. Sukorejo, Ponorogo, East Java, Indonesia
63453

Phone: +6285853252665

Email: hunescite@gmail.com, admin@heanoti.com

<http://heanoti.com/index.php/hn>

"Health Notions" is a media for the publication of articles on research, book review and literature review in the areas of health science and practice such as public health, medicine, dentistry, pharmaceutical, environmental health, nursing, midwifery, nutrition, health technology, clinical laboratories, health education, health information system, health management, and health popular.

EDITORIAL TEAM

Editor in Chief:

Dr. Heru Santoso Wahito Nugroho, S.Kep., Ns., M.M.Kes., C.P.M.C.
Leader & Research Consultant, *Forum Ilmiah Kesehatan* (Scientific Forum of Health);
Lecturer, Health Polytechnic of Health Ministry at Surabaya, Indonesia.

Editors:

Dr. David Ackah-Ph.D, CPMC, FPMP, FCISCM, FCICRM, FCE, PGDPM, M.Sc, B.Sc, Dip.
President, Institute of Project Management Professionals, Ghana.

Dr. Michael Burns-Ph.D.
Director, Medical Practitioner, Med Hospital USA

Dr. Hadi Prayitno, Drs., M.Kes.
Lecturer, University of Jember, Indonesia.

Dr. Noer Saudah, S.Kep., Ns., M.Kes.
Lecturer, College of Health Science "Bina Sehat", Indonesia

Dr. Tri Niswati Utami, S.K.M., M.Kes.
Lecturer, Islamic University of Medan, Indonesia.

Dr. Muhammad Anshari, Apt., M.M.
Lecturer, Muhammadiyah University of Banjarmasin, Indonesia.

Dr. Elvis Lotten,
Dean of Medical School, University of Regional Medicals, Costa Rica.

Dr. Huger Vinnit
Head of Pharmacy Department, University of Science and Technology, China.

Wiwin Martiningsih, S.Kep., Ns., M.Kep, Ph.D., NS (c)
Lecturer, Health Polytechnic of Ministry of Health at Malang, Indonesia.

Joel Rey Ugsang Acob, MA, RN, DNS (c)
Lecturer, Faculty of Nursing, Visayas State University, Philippines.

Auta Tanko Titus, RN, Bsc. Nursing Scie., DPA, ADL, PGDE, MSc. Nur Scie. FWACN
Deputy Director, Nursing Services, MOH & Hospital Services, Minna, Niger State,
Nigeria; Lecturer, College of Nursing Sciences, School of Midwifery, Minna, Niger
State, Nigeria

Dr. Yessy Dessy Arna, S.Kp., M.Kep. Sp.Kom.
Lecturer, Health Polytechnic of Health Ministry at Surabaya, Indonesia.

Dr. Indah Lestari, S.Kep., Ns., M.Kes.
Lecturer, College of Health Science "Bina Sehat", Indonesia.

Dr. Kennedy Edem Kukuia
Neuropharmacologist, University of Ghana Hospital; Lecturer, University of Ghana,
Ghana.

Dr. Sahrir Sillehu, S.K.M., M.Kes.
Lecturer, Institute of Health Science "Maluku Husada", Indonesia.

Dr. K. G. Agyenim Boateng
Physician, University of Ghana Hospital; Lecturer, University of Ghana, Ghana.

Dr. Byba Melda Suhita, S.Kep., Ns., M.Kes.
Lecturer, Institute of Health Science "Surya Mitra", Indonesia

Secretariate:

Suparji, S.S.T., S.K.M., M.Pd.
Secretary, *Forum Ilmiah Kesehatan* (Scientific Forum of Health); Lecturer, Health
Polytechnic of Health Ministry at Surabaya, Indonesia.

LIST OF ARTICLES

- **The Topography and Physical Activity as Determinant Factor of Grade Hypertension in Patients with Primary Hypertension**
Krish Naufal Anugrah Robby, FX. Ady Soesetijo, Ancah Caesarina Novi Marchianti
301-305
- **Primigravida Readiness in Facing Childbirth**
Emy Rianti, Masita Masita, Agusni Karma, Wasnidar Wasnidar
306-310
- **Effects of Service Quality on Word of Mouth through Satisfaction in Outpatient at Sakinah Islamic Hospital in Mojokerto Regency**
Nurul Agustin, Sri Hernawati, Sebastiana Viphindrartin
311-315
- **Differences Between Wound Care with Modern Technique and Wound Care with Conventional Technique in Healing Diabetes Mellitus Wound**
Zainuddin Harahap, Solihuddin Harahap
316-322
- **Expression of Catalase and Malondialdehyde Levels in Silicon Dioxide-exposed Lung Tissue of Mice Treated with Moringa oleifera Leaves Extract**
Kusmiyati Kusmiyati, Soedjajadi Keman, Muhammad Amin, Suwarno Suwarno
323-331
- **The Role of Addition of Vitamin C in Iron Supplementation on Ferritin Serum Levels in Anemia Adolescent Females**
Nanik Dwi Astuti, Bambang Wirjatmadi, Merryana Adriani
332-338
- **The Effects of Stimulation on Children Experiencing Developmental Disorders**
Siti Rachmah, Oedojo Soedirham, Muhammad Zainal Fatah
339-342
- **Risk Factors of Growth Faltering on Infants Aged 6-12 Months in Tongkuno, Southeast Sulawesi**
Jumianti Lestari Thamrin, Martha Irene Kartasurya, Mateus Sakundarno, Maria Mexitalia, Suhartono Suhartono
343-348
- **Influence of Cinnamon Extract (Cinnamomum burmanii) Provision on the Reduction of Blood Glucose Level of Hyperglycemic Male Wistar Rats**
Kharina Aulia, Bambang Wirjatmadi, Merryana Adriani
349-355
- **Health Care Access of Mentally-Ill Persons: An Integrative Literature Review**
Iril I. Panes
356-362
- **Major Risk Factors for Gestational Glucose Intolerance and Gestational Diabetes Mellitus in Urban Areas of Jember**
Aristha Dwi Wirapraja, Ancah Caesarina Novi Marchianti, Isa Ma'rufi
363-367
- **The Effect of Dayak Onion Bulb-Stem (Eleutherine Palmifolia (L.) Merr.) Extract on Blood Glucose Levels of Mouse Suffered Diabetes Mellitus**
Niluh Arwati, Bambang Wijatmadi, Merryana Adriani, Soenarnatalina Meilanani, Dwi Winarni, Sri Hartiningsih
368-372
- **Influence of Additional Feeding Recovery on The Intellectual Intelligence of Children**
Mei Lestari Ika Widyyati, Irwanto Irwanto, Annis Catur Adi
373-375
- **The Roast Tradition (se'i/nu) and Acute Respiratory Infection in Infants**
Anita Restu Korbafo, Budi Prasetyo, Oedojo Soedirham
376-379
- **Determinants of Acute Respiratory Infections Among Child Under Five Years in Surabaya**
Citra Anggun Kinanthi, Hari Basuki Notobroto, Santi Martini



UNIVERSITAS AIRLANGGA

FAKULTAS KESEHATAN MASYARAKAT

Kampus C Mulyorejo Surabaya 601115 Telp.031-5920948, 5920949 Fax 031-5924618

Laman : <http://www.fkm.unair.ac.id>; E-mail: info@fkm.unair.ac.id

SURAT KETERANGAN

Nomor : 3148/UN3.1.10/KP/2023

Yang bertandatangan di bawah ini :

Nama : Dr. Santi Martini, dr. M.Kes
NIP : 196609271997022001
Pangkat/Golongan : Pembina / Gol. (IV/a)
Jabatan : Dekan

Dengan ini menerangkan bahwa :

Nama : Dr. Hari Basuki Notobroto, dr., M.Kes
NIP : 196506251992031002
Pangkat/Golongan : Pembina (Gol. IV/a)
Jabatan : Lektor Kepala

Telah melaksanakan penelitian dengan judul sebagai berikut :

No.	Judul Karya Ilmiah	Tahun Pelaksanaan
1	Exploring Midwives' Need and Intention to Adopt Electronic Integrated Antenatal Care (C-14)	2018
2	Risk Factors as an Indicator of Non-Complications Spontaneous Preterm Birth: a Study in Eight Hospitals (C-19)	2020
3	Independency Models of Nursing self-care for Ischemic Stroke Patient (C-23)	2015
4	Indicators of Husband's Role in Pregnancy and Maternity Care (C-27)	2017
5	Container Crane Operator Ergonomics Analysis PT. X Port Of Tanjung Perak, Surabaya (C-40)	2015
6	Influence of the village head leadership-based self-efficacy and personal mastery to total visits of children under 5 years to health (C-42)	2016
7	Relationship of Environmental Condition, Container and Behavior with the Existence of Aedes aegypti Mosquito Larvae in an Endemic Area of Dengue Hemorrhagic Fever, Makassar (C-43)	2016
8	Relationship Early Initiation of Breastfeeding with Exclusive Breastfeeding: A Case-control Study (C-48)	2016
9	Comparison of Results of Measurement Hand Dynamometer with Lactat Acid Blood Plasma for	2016

	Muscle Fatigue Level Indicator Hand Computer Operator (C-52)	
10	Enhancement HIV Health Literacy at Servant of God in Providing Support for Individual at Risk of HIV for Following VCT in Province of NTT (C-55)	2017
11	The Effect of Work Position on Fatigue on the Arm Muscles of Computer Operator (C-59)	2016
12	Warm Pad Reduces Anxiety, Somatic Pain, Strain Pain, Perineal Rupture and Postpartum Blood Volume in Normal Delivery (with Normal Baby Weight Range) (C-65)	2018
13	Hubungan Jumlah Kunjungan ANC dan Stigmatisasi dengan Keikutsertaan Ibu Hamil dalam Tes HIV setelah Konseling oleh Petugas Kesehatan (Di Wilayah Kerja Puskesmas Turi Lamongan) (C-101)	2016
14	Faktor yang Berhubungan dengan Perilaku Ibu Rumah Tangga Melakukan Pemeriksaan Payudara Sendiri (Sadari) (K4) (C-102)	2017
15	Influence of prenatal class to the practice of P4K (Birth Planning and Prevention of Birth Complication) (C-103)	2016
16	Rendahnya Keikutsertaan Pengguna Metode Kontrasepsi Jangka Panjang Pada Pasangan Usia Subur (C-104)	2014
17	Analisis Hubungan Kunjungan Neonatal, Asfiksia dan BBLR dengan Kematian Neonatal (C-106)	2014
18	Pemodelan Regresi Logistik Backward pada Faktor Risiko Kanker Serviks di Yayasan Kanker Wisnuwardhana Surabaya (C-107)	2015
19	Dukungan Informasi tentang Menstruasi kepada Anak Usia Sekolah Dasar (C-108)	2015
20	Pengaruh Aktivitas Seksual Pranikah, Ketaatan Beragama dan Sosial Ekonomi terhadap Kehamilan Remaja di Kecamatan Saptosari Gunungkidul (C-109)	2016
21	Pengaruh Pengetahuan, Kontrol Diri terhadap Perilaku Seksual Pranikah di Kalangan Remaja SMK di Surabaya (C-111)	2016
22	Premarital Sexual Behavior among Papua Women: a Qualitative Research (C-114)	2019
23	The Effect of Organizational Culture and Readiness to Change on Organizational Entrepreneurship: The Role of Competence (C-122)	2021
24	Determinants of Acute Respiratory Infections Among Child Under Five Years in Surabaya (C-131)	2018

Adapun penelitian tersebut layak dilakukan dan menghasilkan output yang sangat baik, meskipun belum ada *Uji Ethical Clearance* karena merupakan penelitian observasional.

Demikian surat keterangan ini kami buat untuk dapat dipergunakan sebagai persyaratan pengusulan Jabatan Fungsional Guru Besar.

Sabaya, 24 April 2023
Dekan

Dr. Sani Martini, dr. M.Kes
NIP. 96609271997022001



<http://heanoti.com/index.php/hn>

RESEARCH ARTICLE

URL of this article: <http://heanoti.com/index.php/hn/article/view/hn20315>

Determinants of Acute Respiratory Infections Among Child Under Five Years in Surabaya

Citra Anggun Kinanthi^{1(CA)}, Hari Basuki Notobroto², Santi Martini³^{1(CA)}Faculty of Public Health, Airlangga University, Indonesia; citra.anggun.k@gmail.com (Corresponding Author)²Faculty of Public Health, Airlangga University, Indonesia; haribasuki_nb@yahoo.com³Faculty of Public Health, Airlangga University, Indonesia; santi-m@fkm.unair.ac.id

ABSTRACT

Acute respiratory infection (ARI) are leading causes of mortality and morbidity in children under the age of five in developing countries. The incidence and prevalence of ARI are a great burden in low and middle-income countries in comparison to high income ARI. The main objective of the study was to identify determinants of acute respiratory infections among child under five years in Surabaya. This is a case-control study conducted in Public Health Center (Puskesmas) in Surabaya. Data were collected by interviewing community with 1: 1 sample that consists of 66 sample of the case and 66 sample of control. Result: 34.1% was age group <24 months, 14.4% was low birth weight, 57.6% was without exclusive breastfeeding, 22.7% was not measles immunization. The determinant of acute respiratory infections among child under five years was exclusive breastfeeding which the significant showed consecutively $p=0.582$ (OR=4.163). The Community education programs should focus on addressing specific issues to identify the respiratory illness, simple case management, proper immunization practices, breastfeeding of infants.

Keywords: Child under five years, Acute respiratory infections, Determinants

INTRODUCTION

Background

Child under five years is age groups that are prone to illness. Pneumonia, diarrhea, and malaria are the leading causes of under-five death globally⁽¹⁾. In developing countries, 60% of cases of pneumonia are caused by bacteria and in developed countries generally caused by viruses.

Pneumonia is an acute infection affecting lung tissue (alveoli), and has symptoms of a cough, shortness of breath, rhonchi and infiltrates in X-rays. In people with pneumonia is often characterized by rapid breathing, this is because a person suffering from pneumonia decreased lung function. Rapid breathing is the body's reaction to avoid hypoxia because the lung's ability to thrive has diminished⁽²⁾. Severe pneumonia can have an impact on death. Death often occurs because patients come for treatment in severe/advanced condition, malnutrition and often accompanied by other diseases⁽³⁾.

The risk factors for pneumonia are classified into definite risk factors, namely malnutrition, low birth weight (LBW), not exclusive breastfeeding, immunization status, indoor air pollution, occupancy density. The risk of almost certain risk factors (parents of smoking, cigarette deficiency), zinc deficiency, mother's experience in parenting and comorbidities (diarrhea and asthma). Possible risk factors include maternal education, humidity, cold air, altitude, vitamin A deficiency, birth help and outdoor air pollution^{(4),(5)}.

Purpose

The purpose of this study was to identify determinants of acute respiratory infections among child under five years in Surabaya.

METHODS

This research described analytic survey research with the case-control design. The study conducted in July to August 2017. The population of of this study was all children under five year in the work area of Tambakrejo, Sememi, and Pakis Health Center of Surabaya which stated positively pneumonia by health officer and recorded in the data of health center from January to June 2017. The sample consisted of case samples and control samples. Size of control sample : case sample = 1:1. A total of 132 samples taken proportionally at each health center. The sampling method used simple random sampling.

Data collection instrument was a questionnaire. The data had been processed step by step used frequency distribution based on the characteristics being studied from all research variables. Bivariate analysis used to know the correlation between two variables, independent variable, and dependent variable. The statistic test was the Chi-Square test. The correlation and significance were also assessed by looking at the value of p with the Confidence Interval of 95% and Odds Ratio (OR) generated to know the closeness of the correlation shared by the variables being studied.

RESULTS

The result of this study showed age group was 34.1% was age group <24 months, 14.4% was low birth weight, 57.6% was without exclusive breastfeeding, 22.7% was not measles immunization.

Table 1. Distribution of Exclusive breastfeeding in Surabaya

Exclusive breastfeeding	Frequency	Percentage
Non Exclusive breastfeeding	76	57.6
Exclusive breastfeeding	56	42.4
Total	132	100.00

Distribution of ARI occurrence of pneumonia according to age variable of the child under five years, Low Birth Weight, and exclusive breastfeeding status.

Based on the result of chi-square test of correlation between age group with pneumonia of child under five years, p-value (0.582) was not significant. OR = 1.224 with reliability 95% confidence level (CI = 0.595 - 2.518), so OR was not meaningful. This indicates that age group was not a risk factor for ARI of pneumonia of child under five years.

Exclusive breastfeeding	ARI Status				p-value	OR
	Pneumonia		Non pneumonia			
	n	%	n	%		
Non Exclusive breastfeeding	49	74.2	27	40.9	0.000	4.163
Exclusive breastfeeding	17	25.8	39	59.1		
Total	66	100	66	100		

Based on the chi-square test of correlation between exclusive breastfeeding of children under five with pneumonia, p-value (0.000) was significant. OR = 4.163 with reliability 95% confidence level (CI = 1.901 – 18.754). The risk of children under-five who are not exclusively breastfed at 4.163 times greater risk of pneumonia than the children who get exclusive breastfeeding. This shows exclusive breastfeeding is a risk factor for ARI pneumonia in children under five.

DISCUSSION

The result of this research can be concluded that there is no influence between age group and the incidence of ARI with pneumonia in children. The results of this study are in line with research conducted by Tambunan (2014) which states there is no effect of age children under five with the incidence of pneumonia in infants⁽⁶⁾. Anwar research (2014) using Riskesdas 2013 data states the age of children under five does not affect the incidence of pneumonia⁽⁷⁾. Children under five have a body defense mechanism that is still low compared to adults, so prone to infection. Children aged less than 2 years are more susceptible to pneumonia than children aged over 2 years, this is because children under the age of 2 years do not yet have perfect immunity⁽²⁾.

There was no relationship between LBW with the incidence of ARI pneumonia in infants. This can be because most of the toddlers in the study location there is no history of LBW. These results are supported by research conducted by Tambunan (2014) which states there is no significant relationship between LBW and the incidence of pneumonia ISPA in infants⁽⁶⁾.

Babies born with LBW will have a risk of death, malnutrition, growth disorders and developmental disorders of children. LBW infants increase the risk of infection and are susceptible to complications. Respiratory system disorders are one of the problems that often occur due to LBW⁽²⁾.

A significant relationship between exclusive breastfeeding and the incidence of ARD pneumonia in infants. Breast milk or breast milk is an ideal food for babies because it meets the health requirements. Breast milk contains colostrum rich in antibodies. High protein content in breast milk can increase endurance and kill germs in high quantities. Exclusive breastfeeding can reduce the risk of death in infants. Breast milk columns are generated on the first day until the third day. The fourth to the tenth day contains immunoglobulins, proteins, and lactose, but contains more fat and calories. Breast milk contains food substances and also contains absorbent substances in the form of enzymes that will not interfere with enzymes in the intestine⁽²⁾. This research is in line with research conducted by Tambunan (2014). The study resulted in a significant association between exclusive breastfeeding of ARI incidence of pneumonia in infants⁽⁶⁾. Infants who receive exclusive breastfeeding will decrease the risk of infectious and digestive morbidity of the respiratory tract. If environmental hygiene is not good, the various anti-infective substances contained in breast milk can protect the baby from the infection.

CONCLUSION

The determinant of acute respiratory infections among child under five years was exclusive breastfeeding. The community education programs should focus on addressing specific issues to identify the respiratory illness, simple case management, proper immunization practices, breastfeeding of infants.

REFERENCES

1. Unicef. *Committing to Child Survival: A Promise Renewed*. New York: United Nations Plaza; 2013.
2. Health Ministry of Indonesia. *Health Profile of Indonesia 2014 (Profil Kesehatan Indonesia 2014)*. Jakarta: Health Ministry of Indonesia; 2015.
3. Health Ministry of Indonesia, (2015). (a) *Pneumonia Standard Management Module (Modul Tatalaksana Standar Pneumonia)*. Jakarta: Health Ministry of Indonesia.
4. Health Ministry of Indonesia. *Pneumonia in Child of under five years (Pneumonia Balita)*. *Buletin Jendela Epidemiologi*. 2010;3:1-10.
5. Rudan I, Pinto CB, Biloglav Z, Mulholland K, Campbell H. *Epidemiology and Etiology of Childhood Pneumonia*. *Bulletin of the World Health Organization*. 2008;86(5):408-416.
6. Tambunan S. *Risk Factors of Pneumonia Incidence in Toddlers in the Work Area of Kedungmundu Health Center, Semarang 2013 (Faktor-Faktor Risiko Kejadian Pneumonia pada Balita di Wilayah Kerja Puskesmas Kedungmundu Kota Semarang Tahun 2013)*. Graduate Thesis. Graduate Program of Dian Nuswantoro University Semarang, Public Health Studies Program; 2014.
7. Anwar A, Dharmayanti I. *Pneumonia in Child Under Five Years in Indonesia (Pneumonia pada Balita di Indonesia)*. *Jurnal Kesehatan Masyarakat Nasional*. 2014;8(8):359-365. Available from: http://download.portalgaruda.org/article.php?article=279930&val=7113&title=Pneumonia_pada_Anak_Balita_di_Indonesia (sitasi 19 Desember 2016).