

4/8/23, 3:33 PM Medicine

Medicine

Editorial Board

Click Subject Area for complete listing of board members.

Case Editor

Anatomy and Physiology

<u>Anesthesiology</u>

Breast Cancer

Cardiovascular

Clinical Genetics

Clinical Immunology

Clinical Research Design

Complementary and Alternative Medicine

Critical Care and Emergency Medicine

Dermatology

Diagnostic Medicine and Pathology

Drugs and Devices

Endocrinology

Epidemiology

Gastroenterology and Hepatology

Genetics

Geriatrics

Global Health

Hematology

HIV/AIDS

Immunology

<u>Infectious Diseases</u>

Mental Health

Metabolic Disorders

<u>Nephrology</u>

<u>Neurology</u>

Non-Clinical Medicine

Nutrition

Obstetrics and Gynecology

Oncology

Ophthalmology

Oral Medicine

Otorhinolaryngology

Palpative Care

Pediatrics

Physiotherapy and Rehabilitation

Primary Care

Psychology

Public Health

Pulmonology

Radiology

Rheumatology

4/8/23, 3:33 PM Medicine

Sports and Exercise Medicine
Surgery
Toxicology
Urology
Women's Health

Case Editor

Sayali Sable

TOP

Anatomy and Physiology

Barbara Buffoli

University of Brescia ITALIA

David Burmeister

Uniformed Services University of the Health Sciences UNITED STATES

Stefano Delli Pizzi

Institute for Advanced Biomedical Technologies ITALY

Shogo Hayashi

International University of Health and Welfare School of Medicine JAPAN

Zelena Dora

Hungarian Academy of Sciences HUNGARY

Nicoletta Gagliano

University of Milan ITALY

Nandu Goswami

Medizinische Universitat Graz AUSTRIA

Xiong Kun

Central South University CHINA

Tara Shankar Roy

All India Institute of Medical Sciences New Delhi INDIA

Francine Smith

University of Calgary CANADA

Wutian Wu

University of Hong Kong CHINA

Mugureal Constantin Rusu, "Carol Davila"

University of Medicine and Pharmacy ROMANIA

Igor V. Pantić

Department of Physiology, Faculty of Medicine University of Belgrade SERBIA and University of Haifa, ISRAEL

Masood Sepehrimanesh

University of Louisiana at Lafayette UNITED STATES

Elias Manjarrez

Institute of Physiology Benemerita Universidad Autonoma de Puebla MEXICO

Santanu De

Department of Biological Sciences Halmos College of Arts and Sciences Nova Southeastern University Jae-Ho Lee

Keimyung University **SOUTH KOREA**

Diego Milani

University of Notre Dame Australia **AUSTRALIA**

Myung-Geol Pang

Chung Ang University KOREA, REPUBLIC OF

Medicine UNITED STATES

César Calvo Lobo

Faculty of Nursing, Physiotherapy and Podiatry Universidad Complutense de Madrid **SPAIN**

Francesco Lupariello

Department of Public Health and Pediatrics, University of Turin **ITALY**

TOP

Anesthesiology

Section Editor:

Somchai Amornyotin

Siriraj Hospital, Mahidol University **THAILAND**

Naila Akhtar

King Edward Medical University **PAKISTAN**

Jose Barbosa Neto

Universidade de Sao Paulo **BRAZIL**

Somchai Amornyotin

Faculty of Medicine Siriraj Hospital Mahidol University

Naila Asad

King Edward Medical University Lahore, PAKISTAN

Tumul Chowdhury

University of Manitoba **CANADA**

Pasquale De Negri

IRCCS Centro di Riferimento Oncologico della Basilicata OECI Clinical Cancer Center **ITALY**

Ahmet Eroglu

Karadeniz Technical University **TURKEY**

Felix Kork

University Hospital Rwth Aachen **GERMANY**

Ashham Mansur

University Medical Center Goettingen **GERMANY**

Wei Mei

Tongji Hospital **CHINA**

Chien-Kun Ting

National Yang-Ming University TAIWAN

Lili Xu

Second Affiliated Hospital **CHINA**

Hyun Kang

Department of Anesthesiology and Pain Medicine Chung-Ang University College of Medicine SOUTH KOREA

Halil Cetingok

Department of Anesthesiology, Division of Pain Medicine Istanbul Faculty of Medicine, Istanbul University TURKEY

Ibtesam Hilmi

Department of Anesthesiology and Perioperative Medicine

Amaya Fumimasa

Kyoto Prefectural University of Medicine JAPAN

Helen Gharaei

Milad hospital

IRAN

Kazuo Hanaoka

JR Tokyo General Hospital JAPAN

Young-Kug Kim

University of Ulsan College of Medicine KOREA, REPUBLIC OF

Hiroyuki Kinoshita

Tokushima Daigaku Igakubu Daigakuin Ikgaku Kyoikubu JAPAN

T. .

Medicine

University of Pittsburgh, School of Medicine UNITED STATES

Yoon Ji Choi

Department of Anesthesiology and Pain Medicine Korea University Ansan Hospital SOUTH KOREA

Ahmed Nasar

University of Mosul IRAQ

John Beard

ICU Medical Inc. UNITED STATES

TOP

Breast Cancer

Marco Alves

Health Sciences Research Center PORTUGAL

Gouri Bhattacharyya

Fortis Hospital INDIA

Zhengshan Chen

University of California San Francisco UNITED STATES

Xiwen Cheng

Salk Institute for Biological Studies UNITED STATES

Sayed Daoud

Washington State University – Spokane UNITED STATES

Undurti N Das

BioScience Research Centre INDIA

Barthelemy Diouf

St. Jude Children's Research Hospital UNITED STATES

Won Sup Lee

Gyeongsang National University School of Medicine REPUBLIC OF KOREA

Zhentian Li

Emory University School of Medicine UNITED STATES

Yong Liu

Brigham and Women's Hospital UNITED STATES

Rimas Lukas

University of Chicago UNITED STATES

Michael Masoomi

Farwaniya Hospital – MOH KUWAIT

Hisashi Oshiro

Tokyo Medical University JAPAN

Mustafa Rasid Toksoz

Yildirim Beyazit University TURKEY

Jimmy Efird

East Carolina Heart Institute Brody School of Medicine East Carolina University UNITED STATES

Huitao Fan

Purdue University UNITED STATES

Bruce Greene

Valley View Hospital UNITED STATES

Simona Gurzu

University of Medicine and Pharmacy Tirgu-Mures ROMANIA

Mohammad Haris

Sidra Medical and Research Center QATAR

Shihan He

University of Michigan UNITED STATES

Ganessan Kichenadasse

Flinders University AUSTRALIA

George Kyrgias

University of Thessaly GREECE

Medicine

Yuanzhong Wang

Beckman Research Institute of City of Hope UNITED STATES

Jingyun Yang

Rush University Medical Center UNITED STATES

Jianjun Yuan

Henan Province People's Hospital CHINA

Alberto Zaniboni

Fondazione Poliambulanza ITALY

Yong Zhang

Biotechnology Company MetaMouse UNITED STATES

Weisheng Zhang

First Affiliated Hospital of Dalian Medical University CHINA

TOP

Cardiovascular

Section Editor

Ovidiu Constantin Baltatu

Camilo Castelo Branco University BRAZIL

Fabio Angeli

University Hospital S.M. della Misericordia ITALY

Ahmet Çağrı Aykan

Trabzon Ahi Evren Chest Cardiovascular Surgery Education and Research Hospital TURKEY

Bernhard Schaller

Academic Medical Center SWITZERLAND

Nicolas Sculthorpe

University of the West of Scotland UNITED KINGDOM

Rosa Sicari, CNR

Institute of Clinical Physiology ITALY

Medicine

Jacek Bil

Central Clinical Hospital of the Ministry of Interior POLAND

George E. Billman

The Ohio State University UNITED STATES

Grzegorz Bilo

Università di Milano-Bicocca and Istituto Auxologico Italiano Milan, ITALY

Luis Bras Rosario

Universidade de Lisboa PORTUGAL

Miguel Camafort-Babkowski

University of Barcelona SPAIN

Nipon Chattipakorn

Chiang Mai University THAILAND

Robert Chen

Buddhist Tzu Chi General Hospital TAIWAN

Salvatore De Rosa

Magna Graecia University ITALY

Alessandro Durante

Ospedale Valduce ITALY

Mauro Feola

Ospedale SS Trinita' Fossano ITALY

Cassandra Ford

The University of Alabama UNITED STATES

Weimin Guo

Tufts University UNITED STATES

Christopher L Hansen

Jefferson University UNITED STATES

Hideki Hayashi

Shiga University of Medical Science

Joho Tokumine

Kyorin University School of Medicine JAPAN

José Fernando Vilela-Martin

State Medical School in Sao Jose do Rio Preto / Sao Paulo BRAZIL

Antonio Vitarelli

Sapienza University ITALY

Hsueh Hwa Wang

Columbia University UNITED STATES

Kelvin Wong

Western Sydney University AUSTRALIA

Wuxiang Xie

Imperial College London UNITED KINGDOM

Dai Yamanouchi

University of Wisconsin Madison UNITED STATES

Li Yue-Chun

Second Affiliated Hospital of Wenzhou Medical University CHINA

Yao-Jun Zhang

Nanjing First Hospital CHINA

Yan Ding

Harvard Medical School UNITED STATES

Hosen Kiat

Cardiac Health Institute AUSTRALIA

Tolga Aksu

University of Health Sciences
TURKEY

Simone Gulletta

Ospedale San Raffaele Cardiothoracic Department ITALY **JAPAN**

Frank R. Heinzel

Charité CVK Cardiology GERMANY

Imo Hoefer

UMC Utrecht NETHERLANDS

Xuwei Hou

Missouri University UNITED STATES

Chin-Chou Huang

Taipei Veterans General Hospital TAIWAN

Ignatios Ikonomidis

National and Kapodistrian University of Athens, Medical School GREECE

Aaron James

Curtin University AUSTRALIA

Thomas Kahan

Karolinska Institutet SWEDEN

Takao Kato

Kyoto University JAPAN

Fadi Khasawneh

Western University of Health Sciences UNITED STATES

Masanari Kuwabara

Toranomon Hospital JAPAN

Justin Lee

Mayo Clinic UNITED STATES

Yen-Hung Lin

National Taiwan University Hospital TAIWAN

Hua Ling

UNITED STATES

Ou Liu

University of Pennsylvania

Medicine

Uddyalok Banerjee

Option Care Enterprises UNITED STATES

Andre Durães

Federal University of Bahia BRAZIL

Ajay Yadlapati

Sharp Healthcare UNITED STATES

Stefano Rigattieri

Sant'Andrea University Hospital Rome, Italy

Pravesh Kumar Bundhun

Guangxi Medical University CHINA

Tian Li

School of Basic Medicine Fourth Military Medical University/Air Force Medical University CHINA

Anil Jha

Lawrence General Hospital UNITED STATES

Sabato Sorrentino

Magna Graecia University ITALY

Ali Hosseinsabet

Cardiology Department Tehran Heart Center Hospital Echocardiography Ward Tehran University of Medical Sciences IRAN

Claudio Tinoco Mesquita

Universidade Federal Fluminense BRAZIL

Harsha S Nagarajarao

Department of Internal Medicine Texas Tech University Health Sciences Center UNITED STATES

Tsuneaki Sadanaga

Seigato Hospital JAPAN UNITED STATES

Anastasios Lymperopoulos

Nova Southeastern University UNITED STATES

William G. Mayhan

The University of South Dakota UNITED STATES

Wilhelm Mistiaen

University of Antwerp BELGIUM

Stefano Omboni

Italian Institute of Telemedicine ITALY & First Moscow State Medical University RUSSIA

Jose Zacarías Parra Carrillo

University of Guadalajara, MEXICO

Salvatore Patanè

Cardiologia Ospedale San Vincenzo ITALY

Daniel Pineiro

Universidad De Buenos Aires ARGENTINA

Davide Piraino

University Hospital of Palermo "Policlinico P.Giaccone" ITALY

Marwan Refaat

American University of Beirut Medical Center LEBANON

Irbaz Bin Riaz

University of Arizona UNITED STATES

Gil Fernando Salles

Federal University of Rio de Janeiro BRAZIL

Celestino Sardu

Second University of Naples ITALY

Medicine

Zhifan Gao

School of Biomedical Engineering Sun Yat-sen University CHINA

Paulo Cury Rezende

Instituto do Coração (InCor) University of São Paulo Medical School BRAZIL

Neil Patel

The Wright Center for Graduate Medical Education, and Geisinger Commonwealth School of Medicine UNITED STATES

Gwo-Ping Jong

Department of Internal Medicine Chung Shan Medical University Hospital and Chung Shan Medical University Hospital TAIWAN

Iyappan Ramachandiran

Department of Cellular and Molecular Medicine Lerner Research Institute, Cleveland Clinic UNITED STATES

Gaurav Sharma

UT Southwestern Medical Center UNITED STATES

Uğur Canpolat

Department of Cardiology Hacettepe University Faculty of Medicine TURKEY

Senol Piskin

Istinye University Istanbul TURKEY

Flavio Palmieri

Universitat Politècnica de Catalunya (UPC) -BarcelonaTech SPAIN

Jose L. Flores-Guerrero

University of Groningen NETHERLANDS

Tong Liu

Tianjin Key Laboratory of Ionic-Molecular Function of Cardiovascular disease Department of Cardiology Tianjin Institute of Cardiology Second Hospital of Tianjin Medical University Tianjin CHINA 4/8/23, 3:33 PM Medicine

Wei-Svun Hu

China Medical University and China Medical University Hospital TAIWAN

TOP

Clinical Genetics

Tianjian Chen

Tulane University School of Medicine UNITED STATES

Vishal Lamba

University of Florida UNITED STATES

Chaeyoung Lee,

Soongsil University REPUBLIC OF KOREA

Clévio Nobrega

Universidade do Algarve PORTUGAL

Y-h Taguchi

Chuo University JAPAN

Lishuang Shen

Children's Hospital Los Angeles UNITED STATES

Muhammad Tarek Abdel Ghafar

Tanta University Egypt

Nejat Mahdieh

Rajaie Cardiovascular Medical and Research Center Iran University of Medical Sciences IRAN

Ana Jeremić

In vitro fertilisation department (IVF)
Clinic for Gynecology and Obstetrics "Narodni Front"
SERBIA

Ivana Kavečan

Faculty of Medicine University of Novi Sad Institute for Children and Youth Health Care of Vojvodina SERBIA

Andy Qiliang Ding

Cornell University UNITED STATES

TOP

Clinical Immunology

Section Editor:

Gunjan Arora

Yale University UNITED STATES

Yung-Chang Chen

University of Louisville UNITED STATES

Yong Wang

Brigham and Women's Hospital UNITED STATES

Shan Yu

California Institute for Biomedical Research UNITED STATES

Yong Zhang

University of Alabama at Birmingham

Edwin Leeansyah

Karolinska Institutet

SWEDEN

James M. Mathew

Northwestern University Feinberg School of Medicine

UNITED STATES

Phil-Dong Moon

Kyung Hee University KOREA, REPUBLIC OF

Esaki M. Shankar

University of Malaya

MALAYSIA

Woo-Jung Song

Seoul National University Hospital

KOREA, REPUBLIC OF

Medicine

UNITED STATES

Rachel Evans

Cancer Institute

University College London

UNITED KINGDOM

Sabahat Sarfaraz

Dow International Medical College

Dow University of Health Sciences

PAKISTAN

Hussein Abid

Technical Institute of Baquba Middle Technical University

IRAQ

TOP

Clinical Research Design

Qi Gong

Gilead Sciences Inc UNITED STATES

Ahmed Negida

School of Pharmacy and Biomedical Sciences

University of Portsmouth

UK

Sherif Ali

Oral & Maxillofacial Surgery Department

Faculty of Dentistry, Cairo University

EGYPT

Carmen Baias

Europa Hochschule für Integrale Medizin, Technologie

& Ökonomie

SWITZERLAND

TOP

Complementary and Alternative Medicine

Section Editor:

Dennis Enix

North American Spine Society

UNITED STATES

Yung-Hsiang Chen

China Medical University

TAIWAN

Qinhong Zhang

Stanford University

UNITED STATES

Shi Ping Zhang

Hong Kong Baptist University

HONG KONG

Shagufta Perveen

King Saud University

Dennis Enix

Logan University UNITED STATES

Sarah Fogarty

University of Western Sydney AUSTRALIA

In-Hyuk Ha

Jaseng Medical Foundation KOREA

Romy Lauche

University of Technology Sydney AUSTRALIA

Masashi Mizuno

Kobe Daigaku JAPAN

Yung-Song Lin

China Medical University TAIWAN

Geun Hee Seol

Korea University KOREA

TOP

Critical Care and Emergency Medicine

Section Editor:

Abdelouahab Bellou

Beth Israel Deaconess Medical Center UNITED STATES

Barbara Adamik

Wroclaw Medical University POLAND

Adebowale Adesina

University Hospital Lewisham UNITED KINGDOM

Michelangelo Bortolin

Beth Israel Deaconess Medical Center ITALY

Morten Breindahl

Copenhagen University Hospital DENMARK

Medicine

SAUDI ARABIA

Hansen Chen

Stanford University UNITED STATES

Jun-Yong Choi

School of Korean Medicine & Korean Medicine Hospital of Pusan National University and National Clinical Research Center for Korean Medicine of Pusan SOUTH KOREA

Gopal Nambi

Salman Bin Abdul Aziz University SAUDI ARABIA

Aparajita Banerjee

Caplan Lab, University of Delaware UNITED STATES

Jinhuan Yue

Department of Anesthesia School of Medicine, Stanford University UNITED STATES

Jae-Ho Lee

University of Ulsan KOREA, REPUBLIC OF

Nan Liu

SingHealth SINGAPORE

Jihad Mallat

Hospital of Lens FRANCE

Erik Su

Johns Hopkins University UNITED STATES

Baltasar Sanchez Gonzalez

Hospital Universitari MutuaTerrassa SPAIN

Tudor Codreanu

Busselton Health Campus

AUSTRALIA

Tomasz Czarnik

PS ZOZ Wojewodzkie Centrum Medyczne w Opolu

POLAND

Abhijit Duggal

Cleveland Clinic Lerner College of Medicine of Case

Western Reserve University

UNITED STATES

Mazen El Sayed

American University of Beirut

LEBANON

Ahmed El Shamy

Icahn School of Medicine at Mount Sinai

UNITED STATES

Vincent François

GHIC Le-Raincy Montfermeil

FRANCE

Mohan Gurjar

Sanjay Gandhi Postgraduate Institute of Medical

Sciences

INDIA

Derek Heng

National University Hospital Singapore

SINGAPORE

Medicine

Tamas Szakmany

Cardiff University School of Medicine

UNITED KINGDOM

Łukasz Szarpak

Medical University of Warsaw

POLAND

Andreas Ziegler

Emergency Medical Service

City of Vienna

AUSTRIA

Zhongheng Zhang

Sir Run Run Shaw Hospital

CHINA

Lokesh Tiwari

All India Institute of Medical Sciences

INDIA

Yan-Ren Lin

Changhua Christian Hospital

TAIWAN

Yale Tung-Chen

UNIVERSIDAD ALFONSO X EL SABIO

SPAIN

Kwok Ming Ho

University of Western Australia

AUSTRALIA

TOP

Dermatology

Section Editor:

Dan Lipsker

Université de Strasbourg

FRANCE

Mauro Alaibac

University of Padua

ITALY

Kumpol Aiempanakit

Prince of Songkla University

THAILAND

Arjun Mehta

Providence Health Care

University of British Columbia

CANADA

Tobias Sinnberg

University Medical Center of Tuebingen

GERMANY

Cheng Tan

Affiliated Hospital of Nanjing University of Chinese

Mahmood S. Choudhery

King Edward Medical University

PAKISTAN

Valerio De Vita

University of Naples

ITALY

Sergio Gonzalez Bombardiere

Pontificia Universidad Catolica de Chile

CHILE

Ismaël Maatouk

Private Practice

LEBANON

Ricardo Macarenco

Hospital Israelita Albert Einstein

BRAZIL

Arjun Mehta

University of British Columbia

CANADA

Medicine

Medicine

CHINA

Simone Garcovich

Institute of Dermatology

F. Policlinico Gemelli IRCCS

Università Cattolica del Sacro Cuore

ITALY

Bingrong Zhou

First Affiliated Hospital of Nanjing Medical University

CHINA

Daniel Cuestas

Universidad El Bosque

COLOMBIA

Sara Mohamed Ibrahim Ahmed Awad

Department of Dermatology

Venereology and Andrology

Assiut University Hospital

EGYPT

TOP

Diagnostic Medicine and Pathology

Section Editor:

Parag Parekh

University of Texas MD Anderson Cancer Center

Department of Neurosurgery

UNITED STATES

Farid Azmoudeh-Ardalan

Tehran University of Medical Sciences

IRAN

Adel Gouri

Badji Mokhtar University

ALGERIA

Jesper Kers

University of Amsterdam

NETHERLANDS

Hironori Kusano

Kurume University School of Medicine

JAPAN

Jeff Medeiros

University of Texas MD Anderson Cancer Center

UNITED STATES

Hisashi Oshiro

Jichi Medical University

JAPAN

Parag Parekh

University of Texas MD Anderson Cancer Center

UNITED STATES

He Wang

Temple University

UNITED STATES

Josephine Kam Tai Dermawan

Pathology & Laboratory Medicine Institute

Cleveland Clinic

UNITED STATES

You-Fan Peng

School of Medicine

Yuan Li

Fudan University

CHINA

Meixia Lu

Tongi Medical College

CHINA

Deqin Ma

University of Iowa UNITED STATES

Alireza Mashaghi

Harvard University

UNITED STATES

Michael Masoomi

Farwaniya KUWAIT

Kristina Matkowskyj

University of Wisconsin UNITED STATES

TOP

Drugs and Devices

Section Editor:

Lindsay Cormier

Eastern Kentucky University

UNITED STATES

Yasser Albadrany

University of Mosul

IRAQ

Robert L. Barkin

Northshore Unitervisty and Rush Medical College

UNITED STATES

Ganesh Cherala

CONRAD

Eastern Virginia Medical School

UNITED STATES

Konstantinos Dimas

University Of Thessaly

GREECE

Jianxun Ding

Chinese Academy of Sciences

Medicine

Southeast University

CHINA

Chang Chen

Department of Preventive Medicine

Northwestern University Feinberg School of Medicine

UNITED STATES

Basant L Malpani

Bhabha Atomic Research Centre

INDIA

Amit Kumar Saha

Stanford University

UNITED STATES

Francesca Sanguedolce

University of Foggia

ITALY

Durga Tripathi

Texas A&M University

UNITED STATES

Ming-hui Wu

University of Florida

UNITED STATES

Min Xie

The Gladstone Institutes

UNITED STATES

Derya İlem Özdemir

Ege University

TURKEY

Sean Hyungwoo Kim

Department of Biopharmaceutical Sciences

Bernard J. Dunn School of Pharmacy

Shenandoah University

UNITED STATES

Arthur Sargun

Nolan Lab

CHINA

Yuzhen Jiang

Jilin University CHINA

Kai Liu

Virginia Commonwealth University UNITED STATES

Enrica Menditto

University of Naples Federico II ITALY

Igho Onakpoya

University of Oxford UNITED KINGDOM

David Ranganathan

RadioMedix Inc UNITED STATES

Cigdem Sayil

Istanbul University-Cerrahpasa TURKEY

<u>TOP</u>

Endocrinology

Section Editor

Gaurav Malhotra

Bhabha Atomic Research Centre INDIA

Marco G. Alves

University of Beira Interior PORTUGAL

Joshua Barzilay

Kaiser Permanente UNITED STATES

Federico Bertuzzi

Niguarda Hospital ITALY

Enrico Brignardello

AOU Città della Salute e della Scienza di Torino ITALY

Medicine

Chemistry Department
Massachusetts Institute of Technology

Sabbir Khan

The University of Texas MD Anderson Cancer Center UNITED STATES

Meliha Ekinci

Ege University
Faculty of Pharmacy
Department of Radiopharmacy
TURKEY

Silvijus Abramavicius

Institute of Physiology and Pharmacology Lithuanian University of Health Sciences LITHUANIA

Nikolay Efimov

Clinical Hospital Russian Railways RUSSIA

Kei Nakajima

Kanagawa University of Human Services JAPAN

Mustafa Noor

Ipsen UNITED STATES

Paul Davis

Albany Medical College UNITED STATES

Yoshifumi Saisho

Keio University School of Medicine JAPAN

Jiaqing Shao

Jinling Hospital School of Medicine Nanjing University CHINA **Xiwen Cheng**

Salk Institute for Biological Studies UNITED STATES

Fabio Comim

Universidade Federal de Santa Maria BRAZIL

Undurti N. Das

UND Life Sciences UNITED STATES

Maria Vittoria Davi

Medicina Generale e Malattie Aterotrombotiche e Degenerative ITALY

Eva Feigerlova

Universite de Lorraine FRANCE

Hidetaka Hamasaki

Hamasaki Clinic JAPAN

Sheyu Li

Sichuan University CHINA

Ming Liu

The University of Michigan UNITED STATES

Simin Liu

Brown University UNITED STATES

Medicine

Suman Srinivasa

Massachusetts General Hospital UNITED STATES

Chenggong Tian

Drum Tower Hospital

CHINA

Yuanzhong Wang

University of Georgia UNITED STATES

Yujie Wen

City of Hope National Medical Center and Beckman

Research Institute UNITED STATES

OTHIED STITLE

Yanqing Zhang

Tulane University UNITED STATES

Wen Zhou

University of Miami Miller School of Medicine

UNITED STATES

Xiaodun Yang

Perelman School of Medicine at the University of

Pennsylvania

UNITED STATES

Maniselvan Kuppusamy

Department of Medicine - Endocrinology, and

Metabolism, University of Virginia

UNITED STATES

TOP

Epidemiology

Amegah Adeladza Kofi

University of Cape Coast GHANA

Tomi Akinyemiju

University of Alabama UNITED STATES

Alvaro Castillo-Carniglia

UC Davis

UNITED STATE OF AMERICA

Dimitrios Paraskevis

National and Kapodistrian University of Athens GREECE

Ryan Richard Ruff

New York University College of Dentistry UNITED STATES

Stephanie Shiau Columbia University UNITED STATES

Yoram Chaiter

Recruitment Center Medical Corps IDF

ISRAEL

Chi-Jung Chung

China Medical University

TAIWAN

Peter Congdon

Queen Mary University of London

UNITED KINGDOM

Belinda Gabbe

Monash University

AUSTRALIA

Amede Gogovor

McGill University

CANADA

Bing-Fang Hwang

China Medical University

TAIWAN

Khatereh Isazadehfar

Ardabil University of Medical Sciences

IRAN

Ryuichi Kawamoto

Ehime Daigaku Daigakuin Igakukei Kenkyuka Igakubu

JAPAN

Scott Langevin

University of Cincinnati

UNITED STATES

Quang Le

Western University of Health Sciences

UNITED STATES

Daisuke Onozuka

Kyushu University

JAPAN

Medicine
Virginie Supervie

INSERM

FRANCE

Anish Thachangattuthodi

Baylor College Of Medicine

UNITED STATES

Jianbing Wang

School of Public Health

Zhejiang University

CHINA

Pat Zrelak

University of California Davis

UNITED STATES

Tiejun Zhang

Fudan University

CHINA

Francesca Gorini

National Research Council

ITALY

Xin Yang

Institute of Business Analytics

The University of Alabama

UNITED STATES

Xuerong Wen

Department of Pharmacy Practice

University of Rhode Island and University of Florida

UNITED STATES

Andrea Giuseppe Maugeri

Department of Medical and Surgical Sciences and

Advanced Technologies, "GF Ingrassia"

University o, ITALY

Jinfeng Li

Imperial College London and University of

Southampton

UK

TOP

Gastroenterology and Hepatology

Section Editor:

Christine Pocha

Martin Keuchel

Bethesda Krankenhaus Bergedorf

Avera University Hospital & Transplant Institute UNITED STATES

Abd Elrazek Abd Elrazek

Aswan School of Medicine

EGYPT

Sherief Abd-Elsalam

Tanta University

EGYPT

Ludovico Abenavoli

University Magna Graecia of Catanzaro

ITALY

Luigi Elio Adinolfi

Second University of Naples

ITALY

Akash Ajmera

Marshall University UNITED STATES

Canbay Ali

University Hospital Essen

GERMANY

Sreekanth Appasani

Continental Hospitals

INDIA

Ingrid Arijs

Katholieke Universiteit Leuven

BELGIUM

Heiko Aselmann

Kiel University Hospital

GERMANY

Samy A. Azer

King Saud University

SAUDI ARABIA

Daniel Vasile Balaban

"Carol Davila" University of Medicine and Pharmacy

Bucharest, ROMANIA

Bulent Baran

Koç University Hospital

TURKEY

Gabrio Bassotti

University of Perugia Medical School

ITALY

GERMANY

Seungtaek Kim

Medicine

Yonsei University College of Medicine

KOREA, REPUBLIC OF

Akiyoshi Kinoshita

Jikei University Daisan Hospital

JAPAN

Spiros Ladas

Medical School, Athens University

GREECE

Yean Lim

County Durham and Darlington Foundation Trust

UNITED KINGDOM

Wenyu Lin

Massachusetts General Hospital and Harvard Medical

School

UNITED STATES

Andrea Lisotti

University of Bologna

ITALY

Tobias Meister

University of Göttingen

GERMANY

Robert Moran

Johns Hopkins University

UNITED STATES

Fadi Mourad

American University of Beirut Medical Center

LEBANON

Ugo Nzeako

Watson Clinic LLP

UNITED STATES

Shuskue Ohnishi

Hokkaido University

JAPAN

Abderrahim Oussalah

University of Lorraine

FRANCE

Jen-Jung Pan

The University of Texas Medical School at Houston

UNITED STATES

Marco Biolato

Fondazione Policlinico Gemelli ITALY

Brian Borg

University of Mississippi Medical Center UNITED STATES

Mohamed Bouattour

Beaujon University Hospital FRANCE

Jorge Manuel Tavares Canena

University Center of Gastroenterology PORTUGAL

Agustin Castiella

Mendaro Hospital SPAIN

Jae Hyuck Chang

The Catholic University of Korea REPUBLIC OF KOREA

Saurabh Chawla

Emory University School of Medicine UNITED STATES

Weina Chen

Tulane University School of Medicine UNITED STATES

Ana J Coito

UCLA, UNITED STATES

Maneesh Dave

Case Western Reserve University UNITED STATES

Mohammad Derakhshan

University of Glasgow UNITED KINGDOM

Hirayuki Enomoto

Hyogo College of Medicine JAPAN

Huitao Fan

The University of North Carolina at Chapel Hill UNITED STATES

Daniela Fanni

Azienda Ospedaliero Universitaria di Cagliari ITALY

Medicine

Jun Yong Park

Yonsei University College of medicine KOREA

Raffaele Pezzilli

Sant'Orsola-Malpighi Hospital ITALY

Christine Pocha

University of Bern SWITZERLAND

Chandrasekharan Rajasekharan

Government Medical College Thiruvananthapuram, INDIA

Tuomo Rantanen

Kuopio University Hospital FINLAND

Giuseppe Scalisi

Gastroenterology Unit M. Raymond Hospital ITALY

Dong Hyun Sinn

Samsung Medical Center, Sungkyunkwan University School of Medicine KOREA

Mostafa Sira

Menofiya University EGYPT

Vishwas Vanar

University of Illinois College of Medicine at Peoria UNITED STATES

Pamela Schitz Von Reisswitz

Hospital Nossa Senhora da Conceição BRAZIL

Sunny Wong

The Chinese University of Hong Kong HONG KONG

Harry Hua-Xiang Xia

Novartis Pharmaceuticals Corporation UNITED STATES

Hua Yang

Peking University CHINA

Eva Zapata

Hospital de Mendaro

Alexandre Ferreira

Hospital Beatriz Ângelo

PORTUGAL

Pedro Figueiredo

University of Coimbra

PORTUGAL

Chun Gao

China-Japan Friendship Hospital

Ministry of Health

CHINA

Ricardo Gehrau

University of Virginia

UNITED STATES

Joseph George

Kanazawa Medical University

JAPAN

Carlo Girelli

Hospital Of Busto Arsizio

ITALY

Luisa Guidi

Università Cattolica del Sacro Cuore

Roma, ITALY

Vivek Gumaste

Montefiore Medical Center/Albert Einstein School of

Medicine

UNITED STATES

Simona Gurzu

University of Medicine and Pharmacy Tirgu-Mures

ROMANIA

Goran Hauser

Clinical Hospital Centre

CROATIA

Ching-Sheng Hsu

Taipei Tzu Chi Hospital

TAIWAN

Okasha Hussein

Cairo University

EGYPT

Takafumi Ichida

Shona-East General Hospital

JAPAN

Medicine

SPAIN

Žarko Babić

Zagreb University Medical School

CROATIA

Deqiang Zhang

University of Michigan

UNITED STATES

Mahendran Jayaraj

University of Nevada Las Vegas School of Medicine

UNITED STATES

Ashish Sharma

Yuma Regional Medical Center....

Zaid Imam

William Beaumont Hospital

UNITED STATES

Dengming He

Division of Infectious Diseases/Institute of Liver

Diseases

960th Hospital of Chinese PLA

CHINA

Dongbo Wu

Center of Infectious Diseases

West China Hospital of Sichuan University

CHINA

Xingshun Qi

General Hospital of Northern Theater Command

CHINA

Min Xu

Department of Surgery

Washington University School of Medicine

UNITED STATES

Jiannan Li

Cleveland Clinic

Lerner Research Institute

UNITED STATES

John Paul Norvell

Division of Gastroenterology and Hepatology

University of Colorado

UNITED STATES

Luis Lopes

Hospital Santa Luzia ULS Alto Minho/ University of

Minho

PORTUGAL

Mohamad Imam

University Of North Dakota UNITED STATES

Yusheng Jiang

Harvard Medical School UNITED STATES

Bülent Kantarçeken

Sütçü Imam University TURKEY

Shigeyuki Kawa

Shinshu University JAPAN

TOP

Genetics

Yusheng Jiang

Harvard Medical School UNITED STATES

Hui Li

University of Virginia UNITED STATES

Patricia Severino

Hospital Israelita Albert Einstein BRAZIL

Amit Singh

University of Dayton UNITED STATES

Han Zhang

National Cancer Institute (NCI) UNITED STATES

Surinder Kumar

University of Michigan UNITED STATES

Jingiang Liu

University of California

Medicine

Serag Mohamed Esmat Mahmoud Ali

Cairo University Kasr Alainy Faculty of Medicine EGYPT

Shaohang Cai

Southern Medical University CHINA

Yingjie Zhao

Albert Einstein College of Medicine UNITED STATES

Ignazio Stefano Piras

Translational Genomic Research Institute – Neurogenomics Division, Huentelman Lab UNITED STATES

Yang Cheng

Boehringer Ingelheim Pharmaceuticals UNITED STATES

Jinrui Xu

Yale University UNITED STATES

Ning Zhang

Northwestern University UNITED STATES

Zichong Li

The J. David Gladstone Institutes, University of California
UNITED STATES

Shashank Hambarde

Houston Methodist Research Institute UNITED STATES

Medicine 4/8/23, 3:33 PM

Geriatrics

Maria Giné-Garriga

Universitat Ramon Llull **SPAIN**

Doris Leung

Chinese University of Hong Kong HONG KONG

Tuck Yean Yong

Flinders Private Hospital **AUSTRALIA**

TOP

Karolinska Institutet

SWEDEN

Yiqiang Zhan

Yang Ou

University of Arkansas for Medical Sciences UNITED STATES

Global Health

Section Editor:

Leonardo Roever

Federal University of Uberlândia **BRAZIL**

Kathryn Schnippel

University of Cape Town **SOUTH AFRICA**

Zhonghua Sun

Huazhong University of Science & Technolgy **CHINA**

Karen S. Fernandez

University of Illinois College of Medicine **UNITED STATES**

Poonam Gupta

Institute For Healthcare Improvement **UNITED STATES**

Rahul Singh

Department of Basic and Translational Sciences School of Dental Medicine, University of Pennsylvania **UNITED STATES**

TOP

Hematology

Section Editor:

Lydia Eccersley St Bartholomew's Hospital **UNITED KINGDOM**

Rita Marchi

Instituto Venezolano de Investigaciones Científicas **VENEZUELA**

Colin Phipps

Singapore General Hospital

Minoo Ahmadinejad

Iranian Blood Transfusion Research Center IRAN

Wael Alkhiary

Mansoura University EGYPT

Anser Azim

Chicago State University UNITED STATES

ZhiJun Duan

University of Washington UNITED STATES

Lydia Eccersley

Imperial College London UNITED KINGDOM

Ravi Kumar Gutti

University of Hyderabad INDIA

Amir Hamdi

The University of Texas MD Anderson Cancer Center UNITED STATES

Gaurav Jain

University of Pittsburgh School of Medicine UNITED STATES

Yuxuan Liu

Columbia University Medical Center UNITED STATES

<u>TOP</u>

SINGAPORE

Medicine

Qing Wang

University of Michigan UNITED STATES

Chunhua Song

Pennsylvania State University College of Medicine UNITED STATES

Alauldeen Mudhafar Zubair Algasim

Department of Hematology Sultan Qaboos University Hospital Muscat, Oman

Artur Słomka

Department of Pathophysiology, Nicolaus Copernicus University and Ludwik Rydygier Collegium Medicum POLAND

Chuan Chen

University of Miami Miller School of Medicine UNITED STATES

Mihnea-Alexandru Găman

Faculty of Medicine"Carol Davila" University of Medicine and Pharmacy, Bucharest & Department of Hematology, Centre of Hematology and Bone Marrow Transplantation, Fundeni Clinical Institute ROMANIA

HIV/AIDS

Marco Alves

Health Sciences Research Center PORTUGAL

Angela Amedee

Louisiana State University UNITED STATES

Gouri Bhattacharyya

Fortis Hospital INDIA Won Sup Lee

Gyeongsang National University School of Medicine REPUBLIC OF KOREA

Zhentian Li

Emory University School of Medicine UNITED STATES

Yong Liu

Brigham and Women's Hospital UNITED STATES

Zhengshan Chen

University of California San Francisco UNITED STATES

Xiwen Cheng

Salk Institute for Biological Studies UNITED STATES

Sayed Daoud

Washington State University – Spokane UNITED STATES

Undurti N Das

BioScience Research Centre INDIA

Barthelemy Diouf

St. Jude Children's Research Hospital UNITED STATES

Jimmy Efird

East Carolina Heart Institute, Brody School of Medicine, East Carolina University UNITED STATES

Huitao Fan

Purdue University UNITED STATES

Bruce Greene

Valley View Hospital UNITED STATES

Simona Gurzu

University of Medicine and Pharmacy Tirgu-Mures ROMANIA

Mohammad Haris

Sidra Medical and Research Center QATAR

Shihan He

University of Michigan UNITED STATES

Ganessan Kichenadasse

Flinders University AUSTRALIA

George Kyrgias

University of Thessaly GREECE

Medicine

Rimas Lukas

University of Chicago UNITED STATES

Michael Masoomi

Farwaniya Hospital – MOH KUWAIT

Hisashi Oshiro

Tokyo Medical University JAPAN

Mustafa Rasid Toksoz

Yildirim Beyazit University TURKEY

Yuanzhong Wang

Beckman Research Institute of City of Hope UNITED STATES

Jingyun Yang

Rush University Medical Center UNITED STATES

Jianjun Yuan

Henan Province People's Hospital CHINA

Alberto Zaniboni

Fondazione Poliambulanza ITALY

Yong Zhang

Biotechnology Company MetaMouse UNITED STATES

Weisheng Zhang

First Affiliated Hospital of Dalian Medical University CHINA

Rajesh Thippeshappa

Texas Biomedical Research Institute, Southwest National Primate Research Center UNITED STATES



4/8/23, 3:33 PM Medicine

Immunology

Rupsa Basu

TechnoVax Inc
UNITED STATES

Ramzi Gupta

University of Texas at San Antonio UNITED STATES

Nazmul Haque

Department of Oral Biology and Biomedical Sciences, MAHSA MALAYSIA

Sung Jae Shin

Yonsei University College of Medicine KOREA, REPUBLIC OF

Changzheng Li

Southern Medical University CHINA

Dayi Li

The Kimmel Center for Biology and Medicine of the Skirball Institute, New York University School of Medicine UNITED STATES

Yan Li

Cleveland Clinic UNITED STATES

Yuan Lin

La Jolla Institute of Allergy and Immunology UNITED STATES

Hemant Jaiswal

NIAID, National Institutes of Health UNITED STATES

Muhsin Jamal

Department of Microbiology, Abdul Wali Khan University PAKISTAN

Mahesh Kathania

Department of Internal Medicine, UT Southwestern Medical Center UNITED STATES

Ritesh Kumar

Department of Internal Medicine, UT Southwestern

Rahul Kumar Jangid

Baylor College of Medicine

UNITED STATES

Sandip Mukherjee

University of Texas Southwestern Medical Center UNITED STATES

Subhashchandra Naik

ReForm Biologics UNITED STATES

Shalini Tanwar

Laboratory of Cellular Immunology, NIAID/NIH UNITED STATES

Jianli Tao

Department of Pathology, Boston Children's Hospital and Harvard Medicine School UNITED STATES

Yuan Tian

Fred Hutchinson Cancer Research Center Seattle WA, UNITED STATES

Fumio Tsuji

Santen Pharmaceutical Co. JAPAN

Sandeep Upadhyay

NIEHS, National Institute of Health UNITED STATES

Trupti Vardam-Kaur

Department of Immunology, Mayo Clinic UNITED STATES

Nirmal Verma

Department of Pharmacology and Nutritional Sciences, University of Kentucky UNITED STATES

Won Fen Wong

University of Malaya MALAYSIA

Bogang Wu

The George Washington University UNITED STATES

Medical Center UNITED STATES

Medicine

Ming Zhang

State University of New York Downstate Medical Center UNITED STATES

TOP

Infectious Diseases

Section Editor:

Nikhil Jain

Baylor College of Medicine UNITED STATES

Section Editor:

Oliver Schildgen

Klinken der Stadt Köln gGmbH GERMANY

Amin Talebi Bazmin Abadi

Tarbiat Modares University IRAN

Nourtan Abdeltawab

Cairo University EGYPT

Sharilyn Almodovar

University of Colorado UNITED STATES

Ramzi Alsallaq

New York University UNITED STATES

Angela M Amedee

Louisiana State University UNITED STATES

Victor Asensi

Hospital Universitario Central De Asturias; Oviedo University School Of Medicine SPAIN

Mehmet Bakir

Cumhuriyet Universitesi Tip Fakultesi TURKEY

Anna Bonjoch

Germans Trias i Pujol University Hospital

Erle Robertson

Penn Medicine UNITED STATES

Ken S. Rosenthal

Roseman University of Health Sciences College of Medicine UNITED STATES

Pavlos Sarafis

Cyprus University of Technology CYPRUS

Oliver Schildgen

Klinken der Stadt Köln gGmbH GERMANY

Liang Shang

University of Minnesota UNITED STATES

Shmuel Shoham

Johns Hopkins University UNITED STATES

Haseeb A. Siddiqi

State University of New York Downstate Medical Center UNITED STATES

Jessica Snowden

University of Nebraska Medical Center UNITED STATES

Leonard Sowah

Chase Brexton Health Services UNITED STATES

Lionel Tan

Imperial College London UNITED KINGDOM

SPAIN

Grant R. Campbell

UC San Diego UNITED STATES

Joseph Cervia

Hofstra Northwell School of Medicine UNITED STATES

Akhilanand Chaurasia

King George'S Medical University INDIA

Rodrigue Dessein

Lille University Teaching Hospital FRANCE

Martin Herbas Ekat

Ministère de la Santé REPUBLIC OF CONGO

Rana El Feghaly

University of Mississippi Medical Center UNITED STATES

Mohamed G. Elfaki

Alfaisal University College of Medicine SAUDI ARABIA

Susanna Esposito

Institute of Pediatrics TALY

Chia-Kwung Fan

Taipei Medical University TAIWAN

Cassiano Felippe Gonçalves de Albuquerque

Universidade Federal do Estado do Rio de Janeiro BRAZIL

Qiushui He

University of Turku FINLAND

Abrar Hussain

Balochistan University of Information Technology Engineering and Management Sciences PAKISTAN

Ewa Janczewska ID Clinic POLAND Medicine

Ramon Teira Cobo

Hospital de Sierrallana

SPAIN

Carlo Torti

University "Magna Graecia"

ITALY

Alejandro Vallejo

Hospital Ramón Y Cajal, Madrid

ESPAÑA

Shih-Min Wang

National Cheng Kung University and Hospital TAIWAN

Richard R. Watkins

Cleveland Clinic Akron General Medical Center UNITED STATES

Signe Worm

Rigshospitalet

DENMARK

Pablo Yagupsky

Soroka University Medical Center ISRAEL

Chiyu Zhang

nstitut Pasteur of Shanghai

CHINA

Ping Zhong

Shanghai Municipal CDC

CHINA

Vivek Agrahari

Eastern Virginia Medical School

UNITED STATES

Leyi Wang

University of Illinois at Urbana-Champaign

UNITED STATES

Nikhil Jain

Baylor College of Medicine

UNITED STATES

Vineet Gupta

University of California San Diego (UCSD)

UNITED STATES

Kengo Inagaki

University of Mississippi Medical Center

UNITED STATES

Mohammad-Ali Jenabian

Université du Québec à Montréal

CANADA

Eric Lau

University of Hong Kong

CHINA

Shui Shan Lee

Chinese University of Hong Kong

HONG KONG

Liang Jin

Monash University

AUSTRALIA

Eduard Karamov

Gamaleya Center(Ivanovsky Institute of Virology)

RUSSIA

Naveed Ahmed Khan

Sunway University

MALAYSIA

M. Scott Killian

University of South Dakota Sanford School of

Medicine

UNITED STATES

Kersten Koelsch

The Kirby Institute

AUSTRALIA

Jason Leider

Albert Einstein College Of Medicine

UNITED STATES

Anna S. Levin

University Of São Paulo

BRAZIL

Hao Kim Lu

Peter Doherty Institute, University of Melbourne

AUSTRALIA

Barry Margulies

Towson University

UNITED STATES

Claudio Mastroianni

Mastroianni

ITALY

Seiho Nagafuchi

Saga University, Medical School

Medicine

Leena Mallik

University of Michigan UNITED STATES

Choon Kiat Sim

National Human Genome Research Institute, National

Institutes of Health

UNITED STATES

Yun Ling

Shanghai Public Health Clinical Center, Fudan

University

CHINA

Limin Chen

Center for Transfusion-transmitted Infectious Diseases,

Institute of Blood Transfusion (IBT)

Chinese Academy of Medical Sciences (CAMS) and

Peking Union Medical College (PUMC)

CHINA

Vidyu Salunkhe

Division of Infectious Diseases, University of

Louisville

UNITED STATES

Max Carlos Ramírez-Soto

Faculty of Health Sciences, Universidad Tecnológica

del Peru

PERU

Wei Zou

Department of Microbiology and Immunology

University of Michigan

UNITED STATES

Bruno M. Carneiro

Rondonópolis Federal University School of Medicine

BRAZIL

Pratima Rawat

University of California

UNITED STATES

Oana Săndulescu

Department of Infectious Diseases

Carol Davila University of Medicine and Pharmacy

ROMANIA

Tony G. Qin

Nantong University

CHINA

Pablo Ferrer

Molecular Medicine Laboratory

JAPAN

Vivek Naranbhai

University of Oxford and Centre for the AIDS Programme of Research in South Africa UNITED KINGDOM

Peter Nyasulu

Monash Univesity SOUTH AFRICA

Clovis Palmer

Burnet Institute AUSTRALIA

Fateh Rahimi

University of Isfahan IRAN

Giuliano Rizzardini

Luigi Sacco University Hospital ITALY

<u>TOP</u>

Mental Health

Yong-hui Dang

Xi'an Jiaotong University CHINA

Michele Fornaro

Columbia University UNITED STATES

Roger Gibson

University of the West Indies JAMAICA

Chang-Bing Huang

Institute of Psychology Chinese Academy CHINA

Numan Konuk

Istanbul University TURKEY

Mirko Manchia

University of Cagliari/ Dalhousie University ITALY/CANADA

Medicine

Hospital Clínico Universidad de Chile CHILE

Haider Abdul-Lateef Mousa

University of Basrah, College of Medicine IRAQ

Kumari Sonal Choudhary

University of California UNITED STATES

Vipul Kumar Singh

Houston Methodist Research Institute UNITED STATES

Namrata Singhania

Mount Carmel East Hospital UNITED STATES

Massimo Tusconi

University of Texas Health Science Center at Houston UNITED STATES

Feng Liu

Tianjin Medical University General Hospital CHINA

Corey Richardson

Integrated Care of Greater Hickory UNITED STATES

Chiedu Eseadi

University of Nigeria NIGERIA

Sanket Dhat

Liberty University, School of Osteopathic Medicine and Centra Medical Group UNITED STATES

Samet Celik

Istanbul Medipol University, Neuroscience Department ISTANBUL and Zonguldak Bulent Ecevit University, Health,

Medicine

Thomas Polak

University Clinic Wuerzburg GERMANY

Application and Research Center TURKEY

TOP

Metabolic Disorders

Section Editor:

Giovanni Tarantino

Federico II University Medical School of Naples ITALY

María-Luz Couce

Universitario de Santiago de Compostela SPAIN

Giovanni Li Volti

University of Catania ITALY

Bin Xu

Virginia Polytechnic Institute and State University UNITED STATES

Liang-Jun Yan

University of North Texas Health Science Center UNITED STATES

Lenan Zhuang

Zhejiang University

Gustavo Werpel Fernandes

Department of Endocrinology, University of Chicago UNITED STATES

Ozra Tabatabaei Malazy

Assistant Professor Endocrinology and Metabolism Research Institute (EMRI) Tehran University of Medical Sciences IRAN

Ravi Kumar Komaravolu

Oklahoma Medical Research Foundation UNITED STATES

Haroon Khan

Department of Pharmacy Abdul Wali Khan University PAKISTAN

<u>TOP</u>

Nephrology

Section Editor:

Dominik Steubl

Klinikum rechts der Isar der Technischen Universität München GERMANY

Mohamed Atta

Johns Hopkins University UNITED STATES

Sola Aoun Bahous

Lebanese American University

Ikechi Okpechi

University of Cape Town SOUTH AFRICA

Sanket Patel

University of Houston College of Pharmacy UNITED STATES

Malindretos Pavlos

Achillopouleion General Hospital GREECE

LEBANON

Chia-ter Chao

National Taiwan University Hospital TAIWAN

Yung-Hsiang Chen

Chang Gung Memorial Hospital TAIWAN

Darshika Chhabra

Advocate Christ Medical Center UNITED STATES

Rowena Delos Santos

Washington University UNITED STATES

Carlo Donadio

University Of Pisa ITALY

Costas Fourtounas

University of Thessaly GREECE

Vanja Ivković

University Hospital Centre Zagreb CROATIA

Gur Kaushal

University of Arkansas, UNITED STATES

Jui-Hsiang Lin

Taoyuan General Hospital TAIWAN

Muhammed Mubarak

Sindh Institute of Urology and Transplantation PAKISTAN

Tibor Nadasdy

The Ohio State Unuversity UNITED STATES

TOP

Neurology

Section Editor: **Qinhong Zhang**

Medicine

Tuncay Sahutoglu

Sisli Hamidiye Etfal Education and Research Hospital TURKEY

Alfonso H. Santos

University Of Florida UNITED STATES

Jinxian Xu

Medical College of Georgia in Augusta University UNITED STATES

Eun Young Lee

Soonchunhyang University Hospital Cheonan KOREA, REPUBLIC OF

Xu-Jie Zhou

Peking University Institute of Nephrology CHINA

Zhao Sun

Washington University UNITED STATES

Narothama Reddy Aeddula

Indiana University School of Medicine and Deaconess Health System Inc UNITED STATES

Atul Bali

CMG Southside Nephrology Center UNITED STATES

Masaki Hara

Tokyo Dialysis Frontier Ikebukuro Station North Clinic JAPAN

Hugo You-Hsien Lin

Department of Internal Medicine Kaohsiung Municipal Ta-Tung Hospital and Division of Nephrology Kaohsiung Medical University Hospital TAIWAN

Kai Wu

South China University of Technology

Stanford University UNITED STATES

Oscar Arias-Carrión

Hospital General MEXICO

Devrimsel Harika Ertem

Sisli Hamidiye Etfal Training and Research Hospital TURKEY

Thorleif Etgen

kbo-Inn-Salzach-Klinikum GERMANY

Ravindra Kumar Garg

King George Medical University INDIA

Chaur-Jong Hu

Taipei Medical University TAIWAN

Han – Hwa Hu

Taipei Medical University TAIWAN

Faik Ilik

Baskent University TURKEY

Steven Levine

State University of New York Downstate Medical Center UNITED STATES

Yong Liu

Loma Linda University Medical Center UNITED STATES

Thomas Müller

St. Joseph Hospital GERMANY

Fabricio Oliveira

Federal University of São Paulo – UNIFESP BRAZIL

Aleph Prieto

University of California Irvine UNITED STATES

Bappaditya Ray

University of Oklahoma Health Sciences Center UNITED STATES

Medicine

CHINA

Wanqing Wu

Shenzhen Institutes of Advanced Technology CHINA

Jingyun Yang

Rush University Medical Center UNITED STATES

Tzong-Shiue Yu

Columbia University Medical School UNITED STATES

Khashayar Dashtipour

Loma Linda University UNITED STATES

Wen-Jun Tu Peking Union Medical College Chinese Academy of Medical Sciences CHINA

Hailong Song

Department of Neurosurgery Penn Center for Brain Injury and Repair Perelman School of Medicine, University of Pennsylvania UNITED STATES

Keisuke Suzuki

Department of Neurology Dokkyo Medical University JAPAN

Carlos Augusto Carvalho de Vasconcelos

Federal University of Pernambuco – Department of Nutriton/CCS BRAZIL

Honghe Liu

Department of Biochemistry and Molecular Biology, Johns Hopkins University UNITED STATES

Mehmet Güney Şenol

Neurology Department Abdülhamit Han Training Hospital, Health Sciences University TURKEY

Narayan Subramanian

Florida State University UNITED STATES

Richard Rison

Neurology Consultants Medical Group UNITED STATES

Raymond L. Rosales

University of Santo Tomas PHILIPPINES

Elena Cecilia Rosca

University of Medicine and Pharmacy Victor Babes Timisoara ROMANIA

Anwen Shao

Zhejiang University CHINA

Chandra Somasundaram

Texas Nerve and Paralysis Institute UNITED STATES

Mark Stecker

Winthrop-University Hospital UNITED STATES

Stefano Tamburin

University of Verona ITALY

Lucy Troup

Colorado State University UNITED STATES

Dana Turcotte

University of Manitoba CANADA

<u>TOP</u>

Non-Clinical Medicine

Pricivel Carrera

University of Twente NETHERLANDS

Oguzhan Ekizoglu

Tepecik Training and Research Hospital TURKEY

Boyko Gueorguiev

AO Research Institute Davos SWITZERLAND

Medicine

Jesus Porta-Etessa

Hospital Clínico San Carlos and Universidad Complutense de Madrid SPAIN

Antonino Tuttolomondo

University of Palermo ITALY

Stanislav Lazopulo

Department of Physics, University of Miami UNITED STATES

Dhruba Pathak

Department of Anatomy & Neurobiology, Boston University School of Medicine UNITED STATES

Shereen Fathi

Cairo University EGYPT

Angel L Guerrero

Hospital Clínico Universitario SPAIN

Xiang Wang

Salk Institute for Biological Studies UNITED STATES

Oi Fang

University of Southern California UNITED STATES

Phil Phan

Johns Hopkins University UNITED STATES

Kyoungho Suk

Kyungpook National University School of Medicine REPUBLIC OF KOREA

Wilson Tam

National University of Singapore SINGAPORE

4/8/23, 3:33 PM Medicine

Alfons Lawen Monash University AUSTRALIA

TOP

Nutrition

Section Editor:

Marcello Iriti

Milan State University

ITALY

Danny Jacobs

University of Texas Medical Branch at Galveston UNITED STATES

Nenad Naumovski

University of Canberra

AUSTRALIA

Yoshihiro Shidoji

University of Nagasaki JAPAN

Daryle Wane

Pasco Hernando State College UNITED STATES

Arrigo Cicero

Medicine and Surgery Sciences Department, Alma Mater Studiorum University of Bologna ITALY

TOP

Obstetrics and Gynecology

Kimon Chatzistamatiou

Aristotle University of Thessaloniki GREECE

Sumaiya Adam

University of Pretoria SOUTH AFRICA

Milan Perović

Clinic for Gynecology and Obstetrics "Narodni Front", University of Belgrade SERBIA

Chun-Che Huang

Department of Healthcare Administration, College of Medicine, I-Shou University TAIWAN

Saeed Marzoq Baradwan

Department of Obstetrics and Gynecology, HealthPlus Fertility and Women's Health Center SAUDI ARABIA

Burak Bayraktar

Department of Obstetrics and Gynecology, University of Health Sciences Tepecik Education and Research Hospital TURKEY

TOP

Oncology

4/8/23, 3:33 PM Medicine

Section Editor:

Jianxun Ding

Changchun Institute of Applied Chemistry, Chinese Academy of Sciences CHINA

Thomas E. Adrian

United Arab Emirates University UNITED ARAB EMIRATES

Martin S. Staege

Martin Luther University Halle Wittenberg GERMANY

Saeed Alzghari

Gulfstream Diagnostics UNITED STATES

Sumit Arora

University of South Alabama UNITED STATES

Eugeniu Banu

Saint Constantin Hospital ROMANIA

Xuhui Bao

Duke University School of Medicine UNITED STATES

Arun Bhardwaj

University of South Alabama UNITED STATES

Laszlo Geza Boros

University of California- Los Angeles UNITED STATES

Gouri Shankar Bhattacharyya

Fortis Hospital, Anandapur, Kolkata INDIA

Chunxia Cao

University of Florida UNITED STATES

Sayed S. Daoud

Washington State University UNITED STATES

Giuseppe Di Lorenzo

Medical Oncology Federico II University ITALY

Huaizhi Wang

Third Military Medical University CHINA

Lei Wang

City of Hope Cancer Center UNITED STATES

Wei Wang

University of Tennessee Health Science Center THE UNITED STATES

Weidong Wang

Sichuan Cancer Hospital CHINA

Yutang Wang

University of Florida UNITED STATES

Shun-Fa Yang

Institute of Medicine, Chung Shan Medical University TAIWAN

Haseeb Zubair

University of South Alabama Mitchell Cancer Institute UNITED STATES

Girijesh Patel

University of South Alabama UNITED STATES

Chinnadurai Mani

Texas Tech University Health Sciences Centre UNITED STATES

Guanyi Zhang

Louisiana State University UNITED STATES

Seyed Alireza Javadinia

Mashhad University of Medical Sciences IRAN

Balaji Thas Moorthy

MILLER SCHOOL OF MEDICINE, UNIVERSITY OF MIAMI FL, UNITED STATES

Kartik Anand

Great Plains Health Callahan Cancer Center UNITED STATES

Barthelemy Diouf

St Jude Children's Research Hospital UNITED STATES

Tamer Fouad

National Cancer Institute Cairo University EGYPT

Gilbert Fruhwirth

King's College London UNITED KINGDOM

Gaurav Goel

University of Pittsburgh Cancer Institute UNITED STATES

Hao Guo

Dana Farber Cancer Institute UNITED STATES

Shihan He

University of Michigan UNITED STATES

Lei Huang

Deutsches Krebsforschungszentrum GERMANY

Ravishankar Jayadevappa

University of Pennsylvania UNITED STATES

Victor C. Kok

Asia University Taiwan/Kuang Tien General Hospital TAIWAN

Raj Kumar

Harvard Medical School UNITED STATES

Ninh M. La-Beck

Texas Tech University Health Sciences Center UNITED STATES

Jong Hoon Lee

College of Medicine, The Catholic University of Korea SOUTH KOREA

Bo Li

University of Pennsylvania Perelman School of Medicine
UNITED STATES

Jianfeng Li

University of South Alabama Mitchell Cancer Institute

Medicine

Sagar Sohoni

University of Texas MD Anderson Cancer Center UNITED STATES

Suman Suman

University of Chicago UNITED STATES

Jian-Guo Zhou

Department of Radiation Oncology, Universitätsklinikum Erlangen GERMANY

and

Department of Oncology, The Second Affiliated Hospital of Zunyi Medical University CHINA

Gauri Shishodia

Louisiana State University Health Sciences Center UNITED STATES

Chien-Feng Li

Department of Pathology, Chi Mei Medical Center TAIWAN

Rehan Khan

Department of Immunology, Mayo Clinic UNITED STATES

Shigao Huang

Faculty of Health Sciences, University of Macau CHINA

Vinay Mittal

Thermo Fisher Scientific UNITED STATES

Chao Mao

Department of Experimental Radiation Oncology, MD Anderson Cancer Center UNITED STATES

Shengchun Wang

Fox Chase Cancer Center UNITED STATES

Geraldine Vidhya Raja

Department of Immunology, Mayo Clinic UNITED STATES

Yubao Wang

Perlmutter Cancer Center, New York University School of Medicine
UNITED STATES

UNITED STATES

Zhentian Li

Emory University UNITED STATES

Shizhang Ling

Johns Hopkins University UNITED STATES

Chong Liu

Zhejiang University School of Medicine CHINA

Frank Xiaoqing Liu

Merck & Co., Inc. UNITED STATES

Jian Liu

National Institute of Environmental Health Sciences UNITED STATES

Tao Liu

Emory University UNITED STATES

Zhiyong Liu

UC San Francisco UNITED STATES

Yan Liu

Vanderbilt University School of Medicine UNITED STATES

Weiwen Long

Wright State University UNITED STATES

Devin B. Lowe

Texas Tech University Health Sciences Center UNITED STATES

Min Lu

Duke University UNITED STATES

Peng Luo

Southern Medical University CHINA

Yongjie Ma

AntiCancer Inc.
UNITED STATES

Parth Mehta

Baylor College of Medicne/Texas Children's Cancer

Medicine

Wenwen Zhang

Department of Oncology, Nanjing First Hospital, Nanjing Medical University CHINA

Jie Li

Perlmutter Cancer Center, New York University School of Medicine
UNITED STATES

Milind Chalishazar

Translational Biomarkers, Merck & Co. UNITED STATES

Abhishek Kumar

Albert Einstein School of Medicine, Jacobi Medical Center & North Central Bronx Hospital UNITED STATES

Nikhil G. Patel

Medical College of Georgia, Augusta University UNITED STATES

Yue Wang

Department of Research and Development, Beijing Splinger Institute of Medicine Research CHINA

Ali Saber

Zimagene Medical Genetics Lab, Hamedan IRAN

Thinh Nguyen

Texas Tech Health Sciences Center UNITED STATES

Maorong Chen

Department of Neurology, Harvard Medical School UNITED STATES

Zhihong Xue

Division of Immunotherapy, Institute of Human Virology, University of Maryland School of Medicine UNITED STATES

Hanghang Zhang

Temple University School of Medicine, Fels Institute for Cancer Research & Molecular Biology UNITED STATES

Rasika Hudlikar

Rutgers, The State University of New Jersey UNITED STATES

Center

UNITED STATES

Yabing Mu

Umeå University SWEDEN

Yuzuru Niibe

Toho University JAPAN

Atish Patel

National Institute of Health UNITED STATES

Sethuramasundaram Pitchiaya

University of Michigan, UNITED STATES

Lars Rönnstrand

Lund University SWEDEN

Giandomenico Roviello

University of Brescia ITALY

Mario Scartozzi

University of Cagliari ITALY

Masaharu Seno

Okayama University JAPAN

Hirotomo Shibaguchi

Fukuoka University JAPAN

Yi Shu

University of Kentucky UNITED STATES

Xianzhou Song

Baylor College of Medicine UNITED STATES

Sanjeev K. Srivastava

Mitchell Cancer Institute UNITED STATES

Nilesh Talele

Massachusetts General Hospital UNITED STATES

Medicine

Guang Lei

Affiliated Cancer Hospital of Xiangya School of Medicine (Central South University) CHINA

Sunita Singh

Baylor College of Medicine UNITED STATES

GL Qiao

Massachusetts General Hospital, Harvard Medical School UNITED STATES

Alba de Jesús Kihn Alarcón

Liga Nacional Contra el Cáncer Guatemala & Instituto de Cancerología (INCAN) GUATEMALA

Sreenath Nair

St. Jude Children's Research Hospital UNITED STATES

Kamalika Mojumdar

The University of Texas MD Anderson Cancer Center UNITED STATES

Peeyush Goel

University of Pennsylvania UNITED STATES

Jing Zhang

The University of Texas MD Anderson Cancer Center UNITED STATES

Divya Ramchandani

Weill Cornell Medical College UNITED STATES

Xiaodong Li

The Third Affiliated Hospital of Soochow University & Medical College, Soochow University CHINA

Shuhui Liu

Icahn School of Medicine at Mount Sinai UNITED STATES

Shuhua Zheng

Nova Southeastern University UNITED STATES

Supreet Agarwal

National Cancer Institute, National Institute of Health UNITED STATES

Prashant Thakkar

Cornell University Joan and Sanford I Weill Medical College

UNITED STATES

Medicine

Abul Usmani

Washington University School of Medicine UNITED STATES

TOP

Ophthalmology

Section Editor:

Khaled Ahmed Abdelrahman

Magrabi Eye Center, Riyadh SAUDI ARABIA

Hesam Adin Atashi

Islamic Azad University Tehran Medical Branch IRAN

Melissa Barnett

University of California Davis UNITED STATES

Mehmet Borazan

Mevlana University School of Medicine TURKEY

Robert Chang

University of Illinois at Chicago College of Medicine UNITED STATES

Zhengshan Chen

Moorfields Eye Hospital & UCL Institute of Ophthalmology UNITED KINGDOM

Jaime Etxebarria

University Hospital Cruces SPAIN

Suleyman Demircan

SBU Kayseri Training and Research Hospital TURKEY

Dinesh Garg

Advanced Centre For Eyes, Ludhiana INDIA

Jack Greiner

Harvard University UNITED STATES

Juan Carlos Serna-Ojeda

Banco de Ojos y Tejidos de Aguascalientes MEXICO

Michael Smolek

U. S. Army Aeromedical Research Laboratory UNITED STATES

Fatih Turkcu

Dicle University School of Medicine TURKEY

Edoardo Villani

University of Milan ITALY

Kaili Wu

Sun Yat-Sen University CHINA

Jason Yam

Chinese University of Hong Kong HONG KONG

Gladys Ko

Texas A&M University UNITED STATES

Yi Zhu

University of Miami Miller School of Medicine UNITED STATES

Daniele Veritti

University of Udine Italy

Valentina Sarao

Department of Medicine-Ophthalmology University of Udine Italy

Shisong Rong

Department of Ophthalmology, Harvard Medical

Lawrence Iu

University of Hong Kong HONG KONG

Vishal Jhanji

The Chinese University of Hong Kong HONG KONG

Bartlomiej Kaluzny

Collegium Medicum NCU POLAND

Jui-Yang Lai

Chang Gung University TAIWAN

Jacky Lee

Caritas Medical Centre HONG KONG

Marcella Nebbioso

Sapienza University of Rome ITALY

Iok-Hou Pang

University of North Texas Health Science Center UNITED STATES

Choul Yong Park

Dongguk Universiy Ilsan Hospital KOREA, REPUBLIC OF

Alparslan Şahin

Dicle University School Of Medicine TURKEY

<u>TOP</u>

Medicine

School, Massachusetts Eyes and Ear Infirmary UNITED STATES

Su-Ho Lim

Daegu Veterans Health Service Medical Center SOUTH KOREA

Liujiang Song

Gene Therapy Center & Department of Ophthalmology, University of North Carolina at Chapel Hill UNITED STATES

Rosa E. Alvarado-Villacorta

Asociación para evitar la ceguera en México MEXICO

Fehim Esen

Istanbul Medeniyet University School of Medicine TURKEY

Michele Figus
University of Pisa

ITALY

Ahmad Samir Alfaar

Faculty of Medicine, University of Leipzig GERMANY

Jiaxing Wang

Emory Eye Center UNITED STATES

Oral Medicine

Section Editor:

Li Wu Zheng

University of Hong Kong CHINA

Tomoyuki Kawase

Niigata University JAPAN

Mustafa Rasid Toksoz

Yildirim Beyazit University TURKEY

Hitesh Vij

Henry M. Goldman School of Dental Medicine UNITED STATES

Shahabe Saguib

College of Dentistry, King Khalid University SAUDI ARABIA

Huolong Liu

Department of Chemical Engineering, University of Massachusetts Lowell UNITED STATES

Priscila Lie Tobouti

Universidade Ibirapuera

BRAZIL

Cheng-Chia Yu

Chung Shan Medical University

TAIWAN

Gang Zhang

University of California San Diego

UNITED STATES

Elena M. Varoni

University of Milan

ITALY

Xu Qian

School of Dental Medicine, Tufts University

UNITED STATES

Medicine

Xianrui Yang

Department of Developmental Biology, Harvard School of Dental Medicine, Harvard University

UNITED STATES

Jun-Beom Park

The Catholic University of Korea

REPUBLIC OF KOREA

Shereen Ali

Oral Medicine & Periodontology Department, Faculty

of Dentistry, Cairo University

EGYPT

Bhuvaneswari Gurumurthy

Colgate-Palmolive Company

UNITED STATES

TOP

Otorhinolaryngology

Shih-Han Hung

Taipei Medical University

TAIWAN

Yike Li

Vanderbilt University

UNITED STATES

Bülent Serbetcioglu

Istanbul Medipol University

TURKEY

Jagdeep Thakur

Indira Gandhi Medical College

INDIA

Wen-Hung Wang

Cathay General Hospital and Fu Jen Catholic

University Hospital

TAIWAN

Yushan Zhang

Taipei Medical University

TAIWAN

Massimo Fusconi

Universita degli Studi di Roma La Sapienza

ITALY

Jeng-Wen Chen

Cardinal Tien Hospital and Fu Jen Catholic University

TAIWAN

TOP

Palliative Care

Section Editor:

Eric Bush

4/8/23, 3:33 PM Medicine

Frederick Memorial Hospital **UNITED STATES**

TOP

Pediatrics

Section Editor:

Khaled Saad

Assiut University

EGYPT

Vasile Valeriu Lupu

Pediatrics Department, "Grigore T. Popa" University of ROMANIA

Medicine and Pharmacy

ROMANIA

Babak Abdinia

Tabriz University

IRAN

Girish Chandra Bhatt

All India Institute of Medical Sciences

INDIA

Maria Jose Carbonero Celis

Hospital Universitario Virgen Macarena

SPAIN

Elaine Alvaraenga De Almeida Carvalho

Universidade Federal de Minas Gerais

BRAZIL

Anderson Collier

University of Mississippi Medical Center

UNITED STATES

Kirsty Donald

University of Cape Town

SOUTH AFRICA

Manal Elshmaa

National Research Centre

EGYPT

Mohamed Fahmy

Al Azher University

EGYPT

Tamer Hassan

Zagazig University

EGYPT

Alexandros Makis

University Of Ioannina

GREECE

Oana Marginean

University of Medicine and Pharmacy Tirgu Mures

Miguel Muñoz

Virgen del Rocio University Hospital

SPAIN

Stefano Nobile

Ospedale "G. Salesi" di Ancona

ITALY

Peter Olbrich

Hospital virgen del Rocio Seville

SPAIN

Stuart Polisner

Retired

UNITED STATES

Bernhard Resch

Medical University of Graz

AUSTRIA

Stefano Sartori

Universita degli Studi di Padova Dipartimento di

Salute della Donna e del Bambino

ITALY

Umang G. Thakkar

Institute of Kidney Diseases & Research Centre

INDIA

Khaled Saad

Madinah National Hospital

SAUDI ARABIA

Mohammad Reza Amiri

Mashhad University of Medical Sciences, Ghaem

Hospital

IRAN

Jing Liu

The Army General Hospital of the Chinese PLA CHINA

Medicine

Deepa Vasireddy

Pediatric Group of Acadiana UNITED STATES

TOP

Physiotherapy and Rehabilitation

Silvana Alves Pereira

Universidade Federal do Rio Grande do Norte BRAZIL

Li-Wei Chou

China Medical University Hospital TAIWAN

Ilke Coskun Benlidayi

Cukurova University TURKEY

Dong Rak Kwon

Daegu Catholic University Medical Center KOREA, REPUBLIC OF

Daniel López López

Universidade da Coruña SPAIN

Yvonne Lucero

Hines VA Hospital UNITED STATES

Rong Luo

Sichuan University CHINA

Shamekh Mohamed El-Shamy

Cairo University EGYPT

Romain Perera

University of Colombo SRI LANKA

Shirley S.M. Fong

University of Hong Kong HONG KONG

Anis Jellad

University of Monastir TUNISIA

Guang Yue

Kessler Foundation UNITED STATES

Elena Marques-Sule

University of Valencia SPAIN

Wei-Yen Hsu

National Chung Cheng University TAIWAN

Gohei Kato

Tokyo Professional University of Health Science JAPAN

Chang Ho Hwang

Chungnam National University Sejong Hospital, College of Medicine, Chungnam National University SOUTH KOREA

Manal Kamel Youssef

Cairo University EGYPT

Sahar Abdalbary

Nahda University EGYPT

Mariano Gacto-Sánchez

Department of Physical Therapy, EUSES University of Girona SPAIN

Walid Kamal Abdelbasset

Department of Health and Rehabilitation Sciences, College of Applied Medical Sciences, Prince Sattam bin Abdulaziz University SAUDI ARABIA and Department of Physical Therapy, Kasr Al-Aini Hospital, Cairo University EGYPT

Vijai Prakash Sharma

King George Medical University Lucknow INDIA

Konstantinos Volaklis

Technical University of Munich GERMANY

Chueh-Hung Wu

National Taiwan University Hospital TAIWAN

Emmanuel Navarro Flores

University of Valencia SPAIN

Medicine

Faroog Rathore

Bahria University Medical and Dental College PAKISTAN

Rubén Sánchez-Gómez

Faculty of Nursing, Physiotherapy and Podiatry, Complutense University SPAIN

D. Rodríguez Sanz

Universidad Complutense de Madrid SPAIN

TOP

Primary Care

Mahesh Gajendran

Texas Tech University UNITED STATES

Leonardo Gilardi

OSECAC, ARGENTINA

Kukuh Noertjojo

Evidence-Based Practice Group, Clinical Services, WorkSafeBC CANADA

Kiran Panuganti

Texas Health Presbyterian Hospital UNITED STATES

Eric Grig Kirschner

Faculdade de Medicina São Leopoldo Mandic and Secretaria Municipal de Saúde de Campinas BRAZIL

Vijayadershan Muppidi

Indiana University Health UNITED STATES

Vu Hoang Tran

UMass Memorial Medical Group UNITED STATES

TOP

Psychology

Carolina Diaz-Piedra University of Granada

SPAIN

Whitney Scott
King's College London
UNITED KINGDOM

Kevin R. Harris

Austin Peay State University

UNITED STATES

Peter J. Mclaughlin

Edinboro University of Pennsylvania

UNITED STATES

Urs Nater

University of Marburg

GERMANY

TOP

Public Health

Section Editor:

Ediriweera Desapriya

Vancouver General Hospital, and Centre for Clinical Epidemiology and Evaluation

CANADA

Vincent Barba

Rutgers University

UNITED STATES

Osman Faruk Bayramlar

Istanbul Health Directorate

TURKEY

Jongwha Chang

University of Texas

UNITED STATES

Bishnu Prasad Coulagai

Tribhuvan University

NEPAL

Ediriweera Desapriya

The University of British Columbia

CANADA

Keshab Deuba

Karolinska Institutet

SWEDEN

Lars Hagander

Lund University

SWEDEN

Jinhai Huo

The University of Texas MD Anderson Cancer Center

Medicine

Trudie Somberg

Albert Einstein Medical Center

UNITED STATES

James H. Waters

Clinical & Forensic Psychology & Neuropsychology

UNITED STATES

Luis Mauricio Pinet Peralta

University of Maryland Baltimore County

UNITED STATES

Qing Wu

University of Nevada, Las Vegas

UNITED STATES

Feng Qiong Zhou

Ottawa Hospital Research Institution

CANADA

Ziyuan Zhou

Third Military Medical University

CHINA

Motasem Hamdan

Al-Quds University

PALESTINE

Hoang Van Minh

Hanoi University of Public Health

VIETNAM

Yaguang Wei

Department of Environmental Health, Harvard

University

UNITED STATES

Fitsum Sebsibe Teni

Karolinska Institutet

SWEDEN

Kazuki Ide

Uehiro Research Division for iPS Cell Ethics, Center for iPS Cell Research and Application (CiRA), Kyoto

UNITED STATES

Angela N Johnson

Texas Tech University
UNITED STATES

Roman Leischik

University Witten/Herdecke GERMANY

Tan Li

Florida International University UNITED STATES

Yulan Liang

University System of Maryland UNITED STATES

Yungang Liu

Southern Medical University CHINA

TOP

Medicine

University JAPAN

Yasmine Al Hatimy

Sultan Qaboos University Hospital (SQU) OMAN

Hasanain Faisal Ghazi

College of Nursing, Al-Bayan University IRAQ

Raymond N. Kuo

Institute of Health Policy and Management, College of Public Health, National Taiwan University TAIWAN

Pulmonology

Section Editor:

Davor Plavec

Srebrnjak Children's Hospital CROATIA

Fu-Tsai Chung

Chang Gung Memorial Hospital Linkou Branch TAIWAN

Levent Dalar

Istanbul Bilim University TURKEY

Esteban Gabazza

Mie University JAPAN

Davor Plavec

Srebrnjak Children's Hospital CROATIA

Takeshi Saraya

Kyorin University School of Medicine JAPAN

Khaled Saleh

Cleveland Clinic Abu Dhabi UNITED ARAB EMIRATES

Nesreen E. Morsy

Pulmonary Medicine Department, Mansoura University EGYPT

Naga Sirikonda

Good Samaritan Hospital, SSM Health UNITED STATES

Rahul Khosla

Department of Pulmonary and Critical Care, Veterans Affairs Medical Center UNITED STATES

Askin Gülsen

University of Lübeck GERMANY

Shreedhar Kulkarni

Department of Medicine, Ochsner-LSU Health UNITED STATES

Radiology

Section Editor:

Neeraj Lalwani

Virginia Commonwealth University Health UNITED STATES

Dwight M. Achong

James A. Haley Veterans' Hospital UNITED STATES

Rani Al-Senan

Columbia University Medical Center UNITED STATES

Majid Assadi

Bushehr University of Medical Sciences IRAN

Lawrence R. Bigongiari

Retired

UNITED STATES

Yong Eun Chung

Yonsei University KOREA, REPUBLIC OF

Ramya Dhandapani

Royal Liverpool University Hospital UNITED KINGDOM

George Kyrgias

University of Thessaly GREECE

Ismaheel Lawal

University of Pretoria SOUTH AFRICA

Peipeng Liang

Capital Medical University CHINA

Yiyan Liu

NJMS, Rutgers University UNITED STATES

Pierleone Lucatelli

University of Siena ITALY

Orazio Schillaci

Medicine

University of Rome Tor Vergata ITALY

Alberto Stephano Tagliafico

University Of Genova ITALY

Kiran Talekar

Thomas Jefferson University UNITED STATES

Michael Albert Thomas

UCLA Geffen School of Medicine UNITED STATES

Ioannis Tsalafoutas

General Anticancer-Oncology Hospital of Athens "Agios Savvas" GREECE

Weiwu Yao

Shanghai Jiaotong University CHINA

Katsuya Yoshida

Asahi General Hospital JAPAN

JianJun Yuan

Henan Province people's Hospital CHINA

Saad Zakko

Retired

UNITED KINGDOM

Heye Zhang

Shenzhen Insitutues of Advanced Technology CHINA

Zhuoli Zhang

Northwest University UNITED STATES

Meihua Zhu

Oregon Health & Science University UNITED STATES

Takayuki Masui

Seirei Hamamatsu General Hospital JAPAN

Kavindra Nath

University of Pennsylvania UNITED STATES

Barbara Palumbo

Universita degli Studi di Perugia ITALY

Hyunjin Park

Sungkyunkwan University KOREA

Sachin S. Saboo

University of Texas Southwestern Medical Center, Dallas UNITED STATES Medicine

Hongming Zhuang

Children's Hospital of Philadelphia University of Pennsylvania UNITED STATES

Ali Gholamrezanezhad

Keck School of Medicine, University of Southern California UNITED STATES

Shazia Fatima

Department of Nuclear Medicine, Nuclear Medicine, Oncology and Radiotherapy Institute (NORI) PAKISTAN

Mina Hanna

UT Health Science Center/McGovern Medical School UNITED STATES

Patricia Bozzetto Ambrosi

Independent Academic Researcher and Lecturer FRANCE

TOP

Rheumatology

Sinan Kardes

Istanbul University TURKEY

Xiaofeng Cai

University of Oklahoma Health Sciences Center UNITED STATES

Francesco Carubbi

Università of L'Aquila ITALY

Elizabeth Chang

Phoenix VA Health Care Systems UNITED STATES

Carlos Guillén-Astete

Ramon y Cajal University Hospital SPAIN

Raouf Hajji

Sidi Bouzid Hospital TUNISIA

Worawit Louthrenoo

Chiang Mai University THAILAND

Samy Slimani

University of Batna ALGERIA

Latika Gupta

Sanjay Gandhi Postgraduate Institute of Medical Sciences INDIA

Emre Bilgin

Hacettepe University Faculty of Medicine, Division of Rheumatology TURKEY

Jenn-Haung Lai

Chang Gung Memorial Hospital Yunlin Branch TAIWAN

TOP

Sports and Exercise Medicine

Fergal Grace

Federation University Australia AUSTRALIA

Jochen Baumeister

University of Paderborn GERMANY

Antonino Bianco

University Of Palermo ITALIA

Rodrigo Bini

EsEFEx BRAZIL

Xavier García-Massó

University of Valencia SPAIN

Hyunsik Kang

Sungkyunkwan University KOREA, REPUBLIC OF

Justin Keogh

Bond University AUSTRALIA

Leonardo Henrique Dalcheco Messias

Universidade São Francisco BRAZIL

Jose Muyor

University of Almería SPAIN

Antonio Paoli

University of Padova ITALY

Massimo Sacchetti

University of Rome "Foro Italico" ITALY

Weiyun Chun

University of Michigan UNITED STATES

Atul Dwivedi

Department of Clinical & Basic Sciences, MEDICAL COLLEGE OF HUBEI POLYTECHNIC UNIVERSITY CHINA

Mohammed Nader Shalaby

Faculty of Physical Education, Suez Canal University EGYPT

Bahattin Kerem Aydin

Selcuk University TURKEY

TOP

Surgery

Section Editor:

Yan Li
Cleveland Clinic
UNITED STATES

Neil Merrett

Western Sydney University AUSTRALIA

Section Editor:

Wen-Wei Sung

Chung Shan Medical University

TAIWAN

Suresh Agarwal

University of Wisconsin

UNITED STATES

Shefali Agrawal

Indraprastha Apollo Hospitals

INDIA

Mahmoud Abdelwahab Ali

Mansoura University

EGYPT

Akif Enes Arikan

Istanbul University

TURKEY

Wafi Attaallah

Marmara University

TURKEY

Goran Augustin

University of Zagreb and University Hospital Center

Zagreb

CROATIA

Adrian Billeter

University Of Heidelberg

GERMANY

Gerald Brandacher

Johns Hopkins University School of Medicine

UNITED STATES

Jakob Burcharth

Zealand University Hospital

DENMARK

Klaus Burkart

Arcus Sportklinik

GERMANY

Sheng Chen

Second affiliated hospital, school of medicine, zhejiang Mayo Clinic

university

CHINA

Xiao-Dong Chen

Sichuan Cancer Hospital

CHINA

Medicine

Pedro Moya

University General Hospital of Elche

SPAIN

Adrian Murillo

Instituto Tecnológico Y De Estudios Superiores De

Monterrey

MEXICO

Kelvin Ng

University of Hong Kong

HONG KONG

Theodossis Papavramidis

University of Athens

GREECE

Gianluca Pellino

Second University of Naples

ITALY

Henrik Petrowsky

University Hospital Zurich

SWITZERLAND

Eitan Podgaetz

University of Minnesota

UNITED STATES

Mihai Oltean

University of Gothenburg

SWEDEN

Andrea Ruzzenente

Universita degli Studi di Verona

ITALY

Marek Sierzega

Jagiellonian University Medical College

POLAND

Pedro Silva Vaz

Hospital Amato Lusitano - Unidade Local de Saúde de

Castelo Branco

PORTUGAL

Timucin Taner

UNITED STATES

Serkan Teksöz

Istanbul University

TURKEY

Tan To Cheung

The University of Hong Kong HONG KONG

Roberto Cirocchi

University of Perugia ITALY

Valerio D'Orazi

Universita degli Studi di Roma La Sapienza ITALY

Sameh Emile

Mansoura University EGYPT

Evert Eriksson

Medical University of South Carolina UNITED STATES

Sebastian Farr

Orthopedic Hospital Speising AUSTRIA

Rama Rao Ganga

Cleveland Clinic Florida UNITED STATES

Olimpio Galasso

University of Catanzaro "Magna Graecia" ITALY

Ankush Gosain

University of Tennessee Health Science Center UNITED STATES

Perbinder Grewal

Portsmouth Hospitals NHS Trust UNITED KINGDOM

Jeff Halldorson

UC San Diego UNITED STATES

Daniel A. Hashimoto

Massachusetts General Hospital UNITED STATES

Jian-Kun Hu

Sichuan University CHINA

Ting-Shuo Huang

Chang Gung Memorial Hospital TAIWAN

Medicine

Papavramidis Theodosios

Aristostle University of Thessaloniki GREECE

Alfonso Torquati

Rush University UNITED STATES

Francisco Vaz-Guimaraes Filho

Baylor College of Medicine UNITED STATES

Feng Yang

Huashan Hospital affiliated to Fudan University CHINA

Steven Yule

Harvard Medical School UNITED STATES

Kanhua Yin

Massachusetts General Hospital UNITED STATES

Davide Castioni

"Magna Græcia" University of Catanzaro ITALY

Jacopo Desiderio

St. Mary's Hospital of Terni ITALY

Ahmed Shehta

Liver Transplantation Unit, Gastrointestinal Surgery Center, College of Medicine, Mansoura University EGYPT

Arjun Ballal

Ballals Healthcare INDIA

Bo Liu

3rd Hospital of Hebei Medical University CHINA

Selen Soylu

Şehit Esra Köse Başaran Doğanşehir Devlet Hastanesi TURKEY

Hyungju Kwon

Ewha Womans University SOUTH KOREA

Augusto Lauro

St. Orsola University Hospital

Medicine

Calogero Iacono

University of Verona Medical School ITALY

Marc Jeschke

U of T and Sunnybrook Health Sciences CANADA

Maria Kapritsou

Hellenic Anticancer Institute "Saint Savvas" Hospital GREECE

James Kellam

University of Texas Health Science Center McGovern Medical School UNITED STATES

Ji Soo Kim

Seoul National University College of Medicine KOREA, REPUBLIC OF

Jin-Sung Kim

The Catholic University of Korea KOREA, REPUBLIC OF

Jorg Kleeff

University of Liverpool UNITED KINGDOM

Leonidas G. Koniaris

Indiana University UNITED STATES

Zheng Li

Peking Union Medical College CHINA

Song Liu

Universite Paris-Sud FRANCE

Panagis M. Lykoudis

Royal Free London NHS Foundation Trust UNITED KINGDOM

Giuseppe Malleo

University of Verona Hospital Trust ITALY

Johannes Mayr

University Children's Hospital Basel SWITZERLAND

ITALY

Hyeun Sung Kim

Nanoori Hospital Gangnam SOUTH KOREA

Ahmad Zaghal

Department of Surgery, American University of Beirut
- Medical Center
LEBANON

Guang-Xun Lin

Department of Orthopedics, The First Affiliated Hospital of Xiamen University CHINA

David Cory Adamson

Emory University School of Medicine UNITED STATES

Michail Mavros

University of Toronto CANADA

John A. Santoshi

Department of Orthopaedics, All India Institute of Medical Sciences INDIA

Eric CH Lai

Department of Surgery, Pamela Youde Nethersole Eastern Hospital HONG KONG SAR

Luca Salvatore De Santo

Division of Cardiac Surgery and Transplant, AORN dei Colli, V Monaldi Hospital, and of Cardiac Surgery, University of Campania Luigi Vanvitelli ITALY

Victor Volovici

Department of Neurosurgery and Center for Medical Decision Making, Erasmus MC NETHERLANDS

Waeel Hamouda

Cairo University EGYPT



4/8/23, 3:33 PM Medicine

Toxicology

Gokhan Cuce

University of Necmettin Erbakan TURKEY

Eleonore Fröhlich

Medical University of Graz AUSTRIA

Goran Gajski

Institute for Medical Research and Occupational Health CROATIA

Oliver Grundmann

University of Florida UNITED STATES

Carlos Fernando Mello

Universidade Federal De Santa Maria BRAZIL

Mihalis Panagiotidis

Heriot Watt University SCOTLAND

Satyabrata Pany

University of Houston UNITED STATES

Yax Thakkar

Research Institute For Fragrance Materials UNITED STATES

Miao Li

National Center of Toxicological Research, Food and Drug Administration UNITED STATES

Wei Wu

Department of Toxicology, School of Public Health, Nanjing Medical University CHINA

Christopher H. So

Pharmaceutical Sciences, College of Pharmacy, Roseman University of Health Sciences UNITED STATES

Mehmet Sonmez

Ankara City Hospital TURKEY

TOP

Urology

Section Editor:

Giuseppe Lucarelli

UNIBA: Universita degli Studi di Bari Aldo Moro ITALY

Apul Goel

King George's Medical University INDIA

Rohit Malik

University of Michigan UNITED STATES

Shan Wang

UT Southwestern Medical Center UNITED STATES

Wen-Wei Sung

Chung Shan Medical University Hospital TAIWAN

Gian Maria Busetto

Sapienza Rome University Policlinico Umberto I ITALY

Amjad Alwaal

Marshall University

Vito Mancini

University of Foggia

ITALY

Hiroshi Miyamoto

Johns Hopkins University

UNITED STATES

Sakthivel Muniyan

University of Nebraska Medical Center

UNITED STATES

Pedro Fontes Oliveira

ICBAS-UP PORTUGAL

Ran Pang

Guang An Men Hospital

CHINA

Jae Young Park

Korea University College of Medicine

KOREA, REPUBLIC OF

Masaki Shiota

Kyushu University

JAPAN

TOP

Women's Health

Rishein Gupta

University of Texas at San Antonio

TOP

Medicine

UNITED STATES

Chenchen (Isaac) Feng

Department of Urology, Huashan Hospital, Fudan

University

CHINA

Mohammed ElSheemy

Cairo University

Egypt

Shu-Pin Huang

Department of Urology, Kaohsiung Medical University

TAIWAN

Matteo Balzarro

Azienda Ospedaliera Universitaria Integrata di Verona

ITALY

Mihai Dorin Vartolomei

George Emil Palade University of Medicine, Pharmacy,

Science and Technology from Târgu Mureș

ROMANIA

Parveen Kumar

The University of Alabama at Birmingham

UNITED STATES

Venance Basil Kway

Hospital Central Dr. Ignacio Morones Prieto

MEXICO

Section Editor Profiles

Dr. Khaled Ahmed Abdelrahman, MD, FRCS





A cohort study of age and sex specific risk of pyogenic liver abscess incidence in patients with type 2 diabetes mellitus

Ming-Chung Ko, MD, PhD^{a,b}, Wei-Hung Lin, MD, PhD^c, Santi Martini, MD^d, Ya-Hui Chang, MS^e, Chang-Ta Chiu, DDS, MS^f, Chung-Yi Li, PhD^{d,e,g,*}

Abstract

To investigate the age-sex-specific incidence and relative risk of pyogenic liver abscess (PLA) in patients with type 2 diabetes mellitus (T2DM), and to assess the joint effects of T2DM and other clinical risk factors for PLA on PLA incidence. We used a population-based cohort design with Taiwan's National Health Insurance claim data. Study subjects included 613,921 T2DM patients and 614,613 controls identified in 2000 and were followed to the end of 2010. Cox regression model was employed to calculate the hazard ratio (HR) and 95% confidence interval (Cl) of PLA in relation to T2DM. Over an 11-year follow-up, 5336 T2DM and 1850 controls were admitted for PLA, representing a cumulative incidence of 0.87% and 0.30%, respectively. T2DM was significantly associated with increased hazard of PLA (HR, 2.88; 95% Cl, 2.73–3.04). We also found that age and gender may significantly modify the relationship between T2DM and PLA, with a higher HR noted in males patients and those aged <45 years. Biliary tract diseases (HR, 8.60; 95% Cl, 7.87–9.40) and liver cirrhosis (HR, 7.52; 95% Cl, 6.58–8.59) may add substantially additional risk to the incidence of PLA in T2DM patients. The increased risk of PLA in T2DM was greater in male and younger patients. Careful management of biliary tract diseases and liver cirrhosis may also help reduce the incidence of PLA in T2DM patients.

Abbreviations: DM = diabetes mellitus, ICD-9-CM = International Classification of Disease, Ninth Revision, Clinical Modification, NHI = National Health Insurance, NHIA = National Health Insurance Administration, NHRI = National Health Research Institute, PLA = pyogenic liver abscess, T2DM = type 2 diabetes mellitus.

Keywords: biliary tract diseases, diabetes, incidence, liver cirrhosis, pyogenic liver abscess

1. Introduction

Pyogenic liver abscess (PLA) is a devastating condition and usually results in a high case-fatality rate. [1] Previous studies reported that biliary tract disease, abdominal infections, surgical

Editor: Lei Huang.

C-TC and C-YL contributed equally to this work.

This study was partially supported by a grant from the Ministry of Science and Technology with National Scientific Council (MOST 106-2314-B-006-025), who however has no role in this study.

The authors have no conflicts of interest to disclose.

^a Department of Urology, Taipei City Hospital, ^b Department of Health Care Management, National Taipei University of Nursing and Health Sciences, Taipei, ^c Department of Internal Medicine, National Cheng Kung University Hospital, College of Medicine, National Cheng Kung University, Tainan, Taiwan, ^d Department of Epidemiology, Faculty of Public Health, Universitas Airlangga, Surabaya, Indonesia, ^e Department of Public Health, College of Medicine, National Cheng Kung University, ^f Department of Dentistry, An Nan Hospital, China Medical University, Tainan, ^g Department of Public Health, College of Public Health, China Medical University, Taichung, Taiwan.

* Correspondence: Chung-Yi Li, Department and Graduate Institute of Public Health, College of Medicine, National Cheng Kung University, #1, University Rd., Tainan 701, Taiwan (e-mail: cyll99@mail.ncku.edu.tw).

Copyright © 2019 the Author(s). Published by Wolters Kluwer Health, Inc. This is an open access article distributed under the terms of the Creative Commons Attribution-Non Commercial License 4.0 (CCBY-NC), where it is permissible to download, share, remix, transform, and buildup the work provided it is properly cited. The work cannot be used commercially without permission from the journal.

Medicine (2019) 98:17(e15366)

Received: 9 October 2018 / Received in final form: 27 February 2019 /

Accepted: 29 March 2019

http://dx.doi.org/10.1097/MD.0000000000015366

procedures, and liver cirrhosis were associated with increased risks of PLA. $^{[2,3]}$ Among the pathogens that could cause liver abscess, *Escherichia coli* has been found to be the most common one worldwide. $^{[4,5]}$ In Taiwan, on the other hand, *Klebsiella pneumoniae* is among the primary pathogens that contribute to PLA incidence, in which only a few strains exhibited resistance to the commonly used antibiotics. The use of ultrasound- or CT-guided percutaneous drainage combined with antibiotics was an appropriate way to treat the liver abscesses of these patients. $^{[6]}$ The infection of *K pneumonia* has been considered as an endemic disease in Taiwan over the past 3 decades since 1986when it was first noted. $^{[6-8]}$

Liver abscess associated with K pneumoniaeis characterized by high rates of metastatic infections (9.5%-20.0%)[7,8], mortality (6.0%-11.3%). [8,9] A recent Taiwanese study also reported a significantly greater risk of delayed-onset primary liver cancer (PLC) including hepatocellular carcinoma (HCC) (1.5-fold) and intrahepatic cholangiocarcinoma (ICC) (11-fold) in patients with PLA.^[10] A previous Taiwanese study found that liver abscesses caused by K pneumoniae were more strongly associated with diabetes mellitus (DM)or impaired fasting glucose than liver abscesses caused by non-K pneumoniae (70.2% vs 32.5%).[11] It is known that both cell-mediated and humoral immune responses in patients with DM may result in increased susceptibility to infectious diseases. [12,13] The association of DM with PLA has been well-recognized. [8,11,14,15] The prevalence of DM in patients with PLA was high at 33% to 58% in Taiwan^[14,16], 30% in China^[17], 31% in Canada^[18], and 11.2% in Denmark.^[19]

Despite DM has been considered as a risk factor for incidence and prognosis of PLA, little is known concerning whether age and sex may modify the relationships between DM and PLA. Additionally, risk of PLA incidence in DM patients who also suffered from other clinical risk factors for PLA has also not been fully illustrated. Using Taiwan's National Health Insurance (NHI) database that included medical claims of the entire Taiwanese population, we carried out this population-based study to examine the risk of PLA in patients with type 2 diabetes mellitus (T2DM), according to various age and sex stratifications. We hypothesized that younger patients with type 2 diabetes are more vulnerable to increased risk of PLA than the older ones. Besides, we further assessed the risk of newly diagnosed PLA in relation to T2DM with and without selected clinical risk factors for PLA.

2. Methods

2.1. Source of data

A universal NHI program, which is administered by the National Health Insurance Administration (NHIA), Department of Health and Social Welfare, has been implemented in Taiwan since March 1995. Data analyzed in this study were retrieved from Taiwan's NHI database, a medical claim database that stores the medical records of beneficiaries that are uploaded by medical institutions to obtain reimbursement from NHIA. Taiwan's NHI program universally covers medical insurance for nearly all (>99%) Taiwanese citizens (prisoners and military personnel were exempted in our study period). The National Health Research Institute (NHRI) cooperates with the NHIA to establish the NHI database. Access to the NHI database has been approved by the Review Committee of the NHRI. To ensure the accuracy of the claim files, the NHIA performs expert reviews on a random sample of every 50 to 100 ambulatory and inpatient claims in each hospital and clinic quarterly. [21] The approval informed consent from the patients was not needed because personal identification number for each study subject has been encrypted in the NHI database.

2.2. Design and study groups

This is a medical claim-based cohort study. Details of claim data analyzed and methods of selection of diabetes and control groups were described in detail in our previous reports. [22,23] Briefly, we identified a patient with T2DM if she or he had an initial diabetes diagnosis (International Classification of Disease, Ninth Revision, Clinical Modification [ICD-9-CM] code: 250. × 0 or 250. × 2) at any time in 2000, and then experienced another 1 or more diabetes diagnosis within the subsequent 12 months. To avoid accidental inclusion of miscoded patients, we further selected only those with the first and last outpatient visits at least 30 days apart. [22,24] The index date for case subjects was the date of first-time diagnosis of diabetes in 2000, while the index date for subjects in the control group was the first date of enrollment to NHI. If his/her first date of enrollment was before 1 January 2000, the index date was set as 1 January 2000.

The original study subjects consisted of 615,532 T2DM patients and 614,871 age- and sex-matched control subjects randomly selected from the registry of beneficiaries. In this study, diabetes and control subjects with a prior diagnosis of PLA ((ICD-9-CM): 572.0) from 1 January 1997 to the index date were excluded. The final cohort consisted of 613,921T2DMpatients and 614,613 control subjects. The flow chart of study subjects enrollment and follow-up is shown in Figure 1.

We identified the first diagnoses of PLA from inpatient claims from 2000 to 2010 as the study end point. Only those with end

point onset 1 year after the index date were counted in order to establish the temporal link between diabetes and PLA. All study subjects were followed from the index date to occurrence of end point, withdrawal from the NHI, or 31 December 2010, whichever date came first, and the later 2 dates were considered as censoring observations.

2.3. Clinical risk factors for PLA

A number of clinical risk factors for PLA were considered in the analysis, including diverticulitis (ICD-9-CM: 562.11, 562.13), acute appendicitis (ICD-9-CM: 540-542), biliary tract diseases (ICD-9-CM: 574-576), and liver cirrhosis (ICD-9-CM: 571.5). Information of the above clinical risk factors was identified from in-patient and ambulatory care claims for both T2DM and control subjects from 1997 to the onset of PLA or to the end of 2010, whatever came first. We counted the above clinical risk factors that occurred to individuals in both groups only when the dates of diagnosis for the selected clinical risk factors were noted before or on the day on which the study subjects' endpoints or censoring took place.

2.4. Statistical analysis

The geographic area of each member's NHI unit, either the location of employment or residential area, was grouped into 4 geographic areas (North, Central, South, East) or 2 urbanization statuses (urban and rural) according to the National Statistics of Regional Standard Classification.^[22,23]

In the statistical analyses, the age- and gender-specific incidence density was first calculated with person-years as the denominator under the Poisson assumption. To assess the independent effect of diabetes on the risk of PLA, we conducted Cox proportional hazard regression models with age, sex, geographic area, and urbanization statuses adjusted simultaneously in the model. The latter 2 geographic variables were adjusted for possible geographic variations of cancer incidence and mortality in Taiwan. [25] Moreover, we also assessed the relative hazards of PLA in relation to T2DM accompanied by each risk factor with Cox proportional hazard regression models with age, gender, geographic area, urbanization statuses simultaneously adjusted in the regression model. The study subjects who died in hospitals without a mention of PLA on the list of up to 5 discharge codes were censored in the survival analysis, and the date of censoring was the date of death. If a study subject did not encounter inhospital mortality, the date of censoring was either the date of his/ her last withdrawal from NHI or the date of termination of the study, that is, December 31, 2010. The interaction term of type 2 diabetes and age (or sex) was included in the model to assess the potential effect-modification by age and sex. No management of missing information on some variables was performed because it was very few. All statistical analyses were performed with SAS (version 9.2; SAS Institute, Cary, NC). A P value <.05 was considered statistically significant.

3. Results

3.1. Characteristics of study subjects

T2DM and control groups were comparable with respect to age, sex, geographic area, and urbanization status. In addition, patients with diabetes had higher prevalence rates of all selected clinical risk factors for PLA, with a notable difference for biliary




Figure 1. Flow chart of study subjects enrollment and follow-up.

tract disease (17.79% vs 12.85%) and liver cirrhosis (7.58% vs 4.03%) (Table 1).

3.2. Overall and age-sex-specific incidence of PLA

Over an11-year follow-up, 5336 T2DM patients and 1850 controls were treated for PLA, representing a cumulative incidence rate (CIR) of 0.87% and 0.30%, respectively. The overall incidence density of PLA for diabetes and controls was 115.40 per 100,000 person-years and 36.58 per 100,000 person-years, respectively. Additionally, patients with T2DM consistently experienced higher incidence density of PLA than controls, regardless of age and gender. The sex-specific incidence density showed a higher rate of PLA in men than in women irrespective of

T2DM status. The incidence density also increased with age, with an exception that the incidence densities for male T2DM aged 45 to 64 years and those aged >64 years were similar (Table 2).

3.3. Relative risk of PLA in association with T2DM and co-morbidity

Compared to controls, patients with T2DM were at a significantly increased hazard of PLA incidence by a moderate to high magnitude (HR=3.13, 95% CI=2.97–3.30). The increased HR sustained after the covariates were adjusted. The HR reduced to 2.88 (95% CI=2.73–3.04) after further adjustment for selected clinical risk factors for PLA. The sexspecific adjusted HR of PLA incidence in association with T2DM

Table 1

Characteristics of the study subjects.

	Cont	rols	Type 2 diabetes		
Variables	n	%	n	%	
General Characteristics					
Age (years)					
<45	69614	11.33	69665	11.35	
45-64	296706	48.28	296294	48.26	
>64	248293	40.40	247959	40.39	
Mean (±SD)	59.9974	12.84	60.0955	12.73	
 <45 45-64 >64 Mean (±SD) Sex Female Male Geographic area Northern Central Southern Eastern Urbanization status Urban area Rural area 					
- Female	319178	51.93	318636	51.90	
Male	295435	48.07	294629	47.99	
Geographic area					
Northern	269137	43.79	269238	43.86	
Central	151633	24.67	140967	22.96	
Southern	168911	27.48	178106	29.01	
Eastern	17928	2.92	17906	2.92	
Urbanization status					
Urban area	407158	66.25	414089	67.45	
Rural area	202252	32.91	193417	31.51	
Clinical rick factors					
Diverticulitis					
No	611351	99.47	610405	99.43	
Yes	3262	0.53	3516	0.57	
Acute appendicitis					
No	604538	98.36	603496	98.30	
Yes	10075	1.64	10425	1.70	
Biliary tract disease					
No	535627	87.15	504697	82.21	
Yes	78986	12.85	109224	17.79	
Liver cirrhosis					
Diverticulitis No Yes Acute appendicitis No Yes Biliary tract disease No Yes Liver cirrhosis No Yes Total*	589838	95.97	567405	92.42	
Yes	24775	4.03	46516	7.58	
Total*	614613	100.00	613921	100.00	

Inconsistency between total population and population summed for geographic area and urbanization status was the result of missing information

was significantly higher in men than in women (3.11 vs 2.64; P for interaction=.0021). Moreover, there was also a significant interaction of age with T2DM on the risk of PLA in both men (P for interaction <.0001) and women (P for interaction <.0001). In men, the age-specific HR was highest for male T2DMpatients aged <45 years (HR=6.74, 95% CI=5.09–8.93), which declined to 3.43 (95% CI=3.08–3.82) and 2.33 (95% CI=

2.09–2.61) for older men. Similar negative age gradient relationship was also noted for women with T2DM, with the corresponding figures of 8.39~(95%~CI=4.82-14.61), 3.12~(95%~CI=2.78-3.51), and 2.12~(95%~CI=1.90-2.36) (Table 3).

Table 4 shows the contribution of each clinical risk factor for PLA to the risk of PLA in T2DM patients. In the absence of those clinical risk factors, T2DM was associated with an elevated HR

Table 2

Overall and age- and sex-specific incidence density of pyogenic liver abscess in the diabetic and control groups.

	Controls				Type 2 diabetes			
Variables	No. of subjects	No. of events	Incidence density	(95% CI [†])	No. of subjects	No. of events	Incidence density	(95% CI)
Male								
<45 years	40534	57	16.38	(12.41-21.22)	40408	405	121.9	(110.30-134.30)
45-64 years	141850	447	36.88	(33.52-40.44)	141385	1566	141.1	(134.10-148.20)
>64 years	113051	452	54.60	(49.66-59.85)	112835	1008	136.6	(128.30-145.30)
Total	295435	956	40.04	(37.53-42.65)	294628	2979	136.7	(131.80-141.60)
Female								
<45 years	29080	14	5.477	(2.99 - 9.19)	29048	127	51.52	(42.95-61.30)
45-64 years	154856	369	27.17	(24.45-30.07)	154577	1203	95.00	(89.69-100.50)
>64 years	135242	511	48.42	(44.29-52.79)	135009	1027	110.90	(104.20-117.90)
Total	319178	894	33.49	(31.33-35.76)	318634	2357	96.64	(92.77-100.60)
Overall	614613	1850	36.58	(34.93–38.28)	613921	5336	115.40	(112.30–118.50)

CI = confidence interval

[†] Based on Poisson assumption, per 100,000 person-years.

Table 3

Overall and age- and sex-specific relative hazards of pyogenic liver abscess in the type 2 diabetes and control groups.

Variables	Crude HR (95% CI) in association with type 2 diabetes		AHR † (95% CI)in association with type 2 diabetes		AHR [‡] (95% CI)in association with type 2 diabetes	
Male						
<45 years	7.37	(5.59-9.73)	7.41	(5.60-9.80)	6.74	(5.09 - 8.93)
45–64 years	3.79	(3.42–4.22)	3.81	(3.42–4.23)	3.43	(3.08–3.82)
>64 years	2.50	(2.24–2.79)	2.52	(2.25–2.82)	2.33	(2.09–2.61)
Total	3.39	(3.15–3.65)	3.41	(3.17–3.67)	3.11	(2.88-3.34)
Female						
<45 years	9.34	(5.38-16.22)	9.23	(5.31-16.04)	8.39	(4.82-14.61)
45-64 years	3.47	(3.09-3.90)	3.45	(3.06-3.87)	3.12	(2.78 - 3.51)
>64 years	2.29	(2.06–2.54)	2.31	(2.07–2.57)	2.12	(1.90-2.36)
Total	2.87	(2.65-3.10)	2.89	(2.67-3.12)	2.64	(2.44-2.85)
Overall	3.13	(2.97-3.30)	3.16	(2.99-3.33)	2.88	(2.73-3.04)

AHR = adjusted hazard ratio; CI = confidence interval; HR = hazard ratio.

of PLA (4.08, 95% CI=3.79–4.40). Certain factors including biliary tract diseases and liver cirrhosis were found to add substantially additional risk to the risk of PLA in patients with T2DM, with an HR of 8.60 (95% CI=7.87–9.40), and 7.52 (95% CI=6.58–8.59), respectively.

4. Discussion

With a large study cohort and 11-year follow-up, we noted that patients with T2DM were at a significantly increased hazard of PLA (HR=2.88), especially in male and younger T2DM patients. A novel finding of our study was that we noted very high relative hazards of PLA in association with biliary tract diseases and liver cirrhosis, known risk factors for PLA, in patients with diabetes.

The reported annual incidence rates of PLA are low in many countries, being 2.3 per 100,000 person-years in Canada from 1999 to 2003 according to a population-based surveillance. In a nationwide study spanning a 26-year period in Denmark, the annual incidence rate of PLA was 1.1 per 100,000 person-years from 1997 to 2002. Another population-based study from United States reported that the annual incidence of hospitalization for PLA was 3.6 per 100,000 people between 1994 and 2005. The differences in risk factors for PLA, including the prevalence of hepatobiliary disease such as cholangitis between American and Asian populations were ever mentioned to explain the higher incidence in Asian populations, the incidence of PLA noted in our

study was much higher, which could be due to the spread of a pathogenic clone. [7] Several reports in Taiwan indicated that diabetes is the major predisposing factor of PLA and that *K pneumoniae* is the principal microbial agent causing PLA in this region. [8,14] Patients with T2DM are known to show defects in neutrophil chemotaxis and phagocytosis, which are thought to be the most important predisposing factors for *K pneumoniae*-pathogenic liver abscess. A previous Taiwanese study reported that diabetes was associated with a 9-fold increase of PLA incidence. [16]

A compatible report from a population-based case–control study in Denmark indicated that patients with DM had a 3.6-fold increased risk of experiencing PLA, (adjusted relative risk, 3.6; 95% CI=2.9–4.5). Although our findings were generally consistent with findings of the above population-based studies, we further noted significant interactions between diabetes and both sex and age, where, males and younger T2DM patients suffered greater increased risks of PLA. A number of previous studies noted a higher incidence of PLA in males. A number of previous studies noted a higher incidence is associated with hematogenous seeding of the liver, either through the portal system or the greater circulation, or local spread from infections within the peritoneal cavity. Whether male patients with T2DM are vulnerable to the manifestation of this proposed etiology warrants further investigations.

One previous study argued that patients with PLA at an age of >50 years accounted for 76.8% of the total PLA patients and argued that the elderly people may have suffered from more comorbidities that predispose to the incidence of PLA. [29]

Table 4

Covariate adjusted relative hazard of pyogenic liver abscess in relation to type 2 diabetes accompanied by selected clinical risk factors.

	Pyogenic liv	er abscess		
Study group	No	Yes	$\mathbf{A}\mathbf{H}\mathbf{R}^{\dagger}$	(95% CI)
Control subjects without any clinical factors	508852	894	1.00	
Type 2 diabetes without any clinical factors	462496	3095	4.08	(3.79 - 4.40)
Type 2 diabetes with diverticulitis only	1756	12	3.72	(2.10-6.58)
Type 2 diabetes with acute appendicitis only	6794	39	3.61	(2.62-4.98)
Type 2 diabetes with biliary tract diseases only	78462	1138	8.60	(7.87 - 9.40)
Type 2 diabetes with liver cirrhosis only	29184	301	7.52	(6.58-8.59)

CI = confidence interval, HR = hazard ratio, AHR = adjusted hazard ratio.

[†] Based on Cox proportional hazard regression with adjustment for age, sex, geographic area, urbanization status.

^{*} Based on Cox proportional hazard regression with adjustment for age, sex, geographic area, urbanization status, and selected clinical risk factors including diverticulitis, acute appendicitis, biliary tract disease, and liver cirrhosis.

[†]Based on Cox proportional hazard regression with adjusted for age, sex, geographic area, and urbanization status.

Ko et al. Medicine (2019) 98:17

Although elderly people had a higher incidence of PLA, younger patients with diabetes suffered from a greater increased hazard of PLA. Poorly controlled diabetes may induce tissue hyperglycemia and predilection for certain microorganisms, including E coli and Klebsiella species. [8] One previous study found that patients with uncontrolled glycemia tended to be younger, and may have a higher rate of cryptogenic liver abscess, gas-forming liver abscess, and metastatic infection than those with controlled glycemia. Additionally, young ages, newly diagnosed diabetes, cryptogenic liver abscess and metastatic infection were more common in the poor glycemic control group (HbA1c value >10%).[13] These findings might explain the significant effect-modification by age noted in our study. Similar findings were also noted in another study reporting that the relative risk of PLA tended to be 5 to 6 times higher in the younger age (<65 years) groups, as compared to those aged ≥65 years.^[19] A lower relative hazard of PLA in patients with diabetes could be due to early diagnosis and treatment of T2DM that may have in turn decreased the risk of PLA in later years.

Biliary tract disease was previously reported as the most common cause of PLA, but its role in PLA incidence has become less important over the past years. There has been an increasing number of PLA patients who had no obvious underlying cause. [3,5,14] Such change is possibly due to an increasing use of ultrasound and computerized tomography, which results in earlier intervention and thus reduces the sequelae of biliary tract infections. One previous Taiwanese cohort study compared the risk of PLA between diabetes and non-diabetes and concluded that cryptogenic origin was the most common cause (87% vs 62%, P < .001) and biliary origin was much less frequent in the diabetes group (8% vs 26%, P < .001). [30] Liver cirrhosis is also a strong risk factor for PLA associated with a poor prognosis. The etiology is probably associated with impaired immune defenses and structural changes in the cirrhotic liver including reduced trans-hepatic blood flow, increased portal pressure, and often ascites. [2] The impaired macrophage function^[31], less protective Kupffer cells, the impaired functions of neutrophilic leucocytes^[32] and the complement system^[33] may compromise immune defenses and increase intestinal permeability to bacteria. The contribution of biliary tract diseases and liver cirrhosis to the risk of PLA warrants attention especially on those T2DM patients with greater risks of PLA.

Several limitations should be noted in our study. First, exclusive reliance on the claims data might have resulted in potential misclassification bias in our study. The accuracy of single T2DM diagnosis in the NHI claims data in 2000 was reported to be 74.6%^[34], but we used at least 2 diabetes-related diagnoses with the first and the last visits >30 days apart, which would greatly reduce the likelihood of disease misclassification. Despite that, the information of T2DM diagnosis in the NHI claims might still be subject to error. Although the T2DM diagnosis can be further confirmed by using the information of anti-glucose drugs, we were unable to do so mainly because our research project did not apply for drug data. Additionally, the control group might have been mixed up with new onset or undiagnosed diabetes cases. However, the above mentioned T2DM misclassification bias was likely to be non-differential, which would tend to underestimate rather than overestimate the true relative hazard. Second, using the linked administrative data, we were unable to make a comprehensive adjustment for risk factors of PLA incidence. Due to unavailability of laboratory and microbiologic data in NHI claims, the specific bacterial spectrum that causes PLA in Taiwan cannot be determined in our study. Nevertheless, the complex interactions between PLA, diabetes and the underlying risk factors are shown to worsen this condition warrants further investigations. Third, due to the claim data truncation, we were unable to obtain complete information of T2DM duration and adherence to treatment over the course of T2DM, which also limited interpretation of our study findings.

5. Conclusion

In conclusion, this large-scale cohort study confirmed the previously reported link between DM and risk of PLA onset. This study advanced the knowledge by highlighting a stronger association of interest noted for male and younger patients with T2DM, and that T2DM patients with underlying biliary tract diseases and liver cirrhosis are at even greater risks of PLA onset. These high-risk T2DM patients should be the objects of particular attention for the prevention of PLA onset. Nonetheless, generalizability of the findings from this study should be cautious due to possible dissimilarities in diabetes care at different settings.

Author contributions

Authors' contributions: All authors participate sufficiently in the design, conduct, and data analysis through the production of this manuscript

Conceptualization: Ming-Chung Ko, Wei-Hung Lin, Santi

Martini, Chang-Ta Chiu, Chung-Yi Li.

Data curation: Chung-Yi Li.

Formal analysis: Ming-Chung Ko, Ya-Hui Chang.

Funding acquisition: Chung-Yi Li.

Investigation: Ming-Chung Ko, Wei-Hung Lin, Santi Martini,

Chang-Ta Chiu, Chung-Yi Li.

Methodology: Ming-Chung Ko, Wei-Hung Lin, Ya-Hui Chang, Chang-Ta Chiu, Chung-Yi Li.

Project administration: Chung-Yi Li.

Software: Ya-Hui Chang.

Writing - original draft: Ming-Chung Ko, Chang-Ta Chiu.

Writing – review & editing: Ming-Chung Ko, Wei-Hung Lin, Santi Martini, Ya-Hui Chang, Chang-Ta Chiu, Chung-Yi Li.

References

- [1] Mishra K, Basu S, Roychoudhury S, et al. Liver abscess in children: an overview. World J Pediatr 2010;6:210–6.
- [2] Njoku VC, Howard TJ, Shen C, et al. Pyogenicliverabscess following pancreaticoduodenectomy: riskfactors, treatment, and long-term outcome. J GastrointestSurg 2014;18:922–8.
- [3] Jun CH, Yoon JH, Wi JW, et al. Riskfactors and clinical outcomes for spontaneous rupture of pyogenicliverabscess. J Dig Dis 2015;16:31–6.
- [4] Luo Y, Wang Y, Ye L, et al. Molecular epidemiology and virulence factors of pyogenic liver abscess causing Klebsiellapneumoniae in China. Clin Microbiol Infect 2014;20:O818–24.
- [5] Siu LK, Yeh KM, Lin JC, et al. Klebsiella pneumoniae liver abscess: a new invasive syndrome. Lancet Infect Dis 2012;12:881–7.
- [6] Wang WJ, Tao Z, Wu HL. Etiology and clinical manifestations of bacterial liver abscess: a study of 102 cases. Medicine (Baltimore) 2018;97:e12326. doi: 10.1097/MD.000000000012326.
- [7] Lau YJ, Hu BS, Wu WL, et al. Identification of a major cluster of Klebsiella pneumoniae isolates from patients with liver abscess in Taiwan. J Clin Microbiol 2000;38:412–4.
- [8] Wang JH, Liu YC, Lee SS, et al. Primary liver abscess due to Klebsiella pneumoniae in Taiwan. Clin Infect Dis 1998;26:1434–8.
- [9] Fazili T, Sharngoe C, Endy T, et al. Klebsiella pneumoniae liver abscess: an emerging disease. Am J Med Sci 2016;351:297–304.
- [10] Chu CS, Lin CC, Peng CY, et al. Does pyogenic liver abscess increase the risk of delayed-onset primary liver cancer? Evidence from a nationwide

- cohort study. Medicine (Baltimore) 2017;96:e7785. doi: 10.1097/MD.000000000007785.
- [11] Yang CC, Yen CH, Ho MW, et al. Comparison of pyogenic liver abscess caused by non-Klebsiella pneumoniae and Klebsiella pneumoniae. J Microbiol Immunol Infect 2004;37:176–84.
- [12] Principi N, Berioli MG, Bianchini S, et al. Type 1 diabetes and viral infections: what is the relationship. J ClinVirol 2017;96:26–31.
- [13] Lin YT, Wang FD, Wu PF, et al. Klebsiella pneumoniae liver abscess in diabetic patients: association of glycemic control with the clinical characteristics. BMC Infect Dis 2013;13:56. doi: 10.1186/1471-2334-13-56.
- [14] Liu WL, Lai CC. Liverabscess in a diabetic patient. QJM 2012;105: 1131-2.
- [15] Takano Y, Hayashi M, Niiya F, et al. Life-threatening emphysematous liverabscess associated with poorly controlled diabetes mellitus: a case report. BMC Res Notes 2017;10:117.
- [16] Foo NP, Chen KT, Lin HJ, et al. Characteristics of pyogenic liver abscess patients with and without diabetes mellitus. Am J Gastroenterol 2010;105:328–35.
- [17] Qian Y, Wong CC, Lai S, et al. A retrospective study of pyogenic liver abscess focusing on *Klebsiella pneumoniae* as a primary pathogen in China from 1994 to 2015. Sci Rep 2016;6:38587. doi: 10.1038/ srep38587.
- [18] Kaplan GG, Gregson DB, Laupland KB. Population-based study of the epidemiology of and the risk factors for pyogenic liver abscess. Clin Gastroenterol Hepatol 2004;2:1032–8.
- [19] Thomsen RW, Jepsen P, Sorensen HT. Diabetes mellitus and pyogenic liver abscess: risk and prognosis. Clin Infect Dis 2007;44:1194–201.
- [20] Tian LT, Yao K, Zhang XY, et al. Liver abscesses in adult patients with and without diabetes mellitus: an analysis of the clinical characteristics, features of the causative pathogens, outcomes and predictors of fatality: a report based on a large population, retrospective study in China. Clin Microbiol Infect 2012;18:E314–30.
- [21] Chiang TL. Taiwan's 1995 health care reform. Health Policy 1997; 39:225–39.
- [22] Chen HF, Chen P, Li CY. Risk of malignant neoplasms of liver and biliary tract in diabetic patients with different age and sex stratifications. Hepatology 2010;52:155–63.

- [23] Chen HF, Chang YH, Ko MC, et al. A large scale population-based cohort study on risk of ovarian neoplasm in patients with type 2 diabetes mellitus. Gynecol Oncol 2014;134:576–80.
- [24] Chen HF, Ho CA, Li CY. Risk of heart failure in a population with type 2 diabetes versus a population without diabetes with and without coronary heart disease. Diabetes Obes Metab 2019;21:112–9.
- [25] Tan HF, Tseng HF, Chang CK, et al. Accessibility assessment of the health care improvement program in rural Taiwan. J Rural Health 2005;21:372–7.
- [26] Jepsen P, Vilstrup H, Schonheyder HC, et al. A nationwide study of the incidence and 30-day mortality rate of pyogenic liver abscess in Denmark, 1977–2002. Aliment Pharmacol Ther 2005;21:1185–8.
- [27] Meddings L, Myers RP, Hubbard J, et al. A population-based study of pyogenic liver abscesses in the United States: incidence, mortality, and temporal trends. Am J Gastroenterol 2010;105:117–24.
- [28] Doley J. Doley J. The liver in infections. Diseases of the liver and biliary system Oxford: Blackwell Science; 1997;497–500.
- [29] Chen YC, Lin CH, Chang SN, et al. Epidemiology and clinical outcome of pyogenic liver abscess: an analysis from the National Health Insurance Research Database of Taiwan. J Microbiol Immunol Infect 2016; 49:646–53.
- [30] Yu SC, Ho SS, Lau WY, et al. Treatment of pyogenic liver abscess: prospective randomized comparison of catheter drainage and needle aspiration. Hepatology 2004;39:932–8.
- [31] Sabino KR, Petroianu A, Alberti LR. Influence of the acute alcoholism on the phagocytic function of the mononuclear phagocytic system. J Med Life 2011;4:421–3.
- [32] Profita M, Sala A, Siena L, et al. Leukotriene B4 production in human mononuclear phagocytes is modulated by interleukin-4-induced 15lipoxygenase. J PharmacolExpTher 2002;300:868–75.
- [33] Zhang GL, Zhang T, Ye YN, et al. Complement factor 3 could be an independent risk Factor for mortality in patients with HBV related acuteon-chronic liver failure. Biomed Res Int 2016;3524842. doi: 10.1155/ 2016/3524842.
- [34] Lin CC, Lai MS, Syu CY, et al. Accuracy of diabetes diagnosis in health insurance claims data in Taiwan. J Formos Med Assoc 2005;104: 157-63