Volume 13 / Number 1 / January-March 2019



Indian Journal of Forensic Medicine & Toxicology

Website: www.ijfmt.com



Official Organ of Indian Association of Medico-Legal Experts (Regd.)

282.	Dominant Factors in the Premature Labor Incident in RSU Haji Surabaya	1582
283.	Bioactive Wood Potential (Caesalpinia sappan L.) in The Proliferation of Wistar Rats in Infection Salmonella Typhimurium. Pestariati, Edy Haryanto, Dwi Krihariyani	1585
284.	Maternal Knowledge and Motivation in Conducting Toilet Training for Toddlers	1588
285.	Risk Factor of Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis	1591
286.	The Completeness of Nursing Care Documentation in Fakfak Hospital	1597
287.	Development of Diagnosis Determination Model in Nursing Process based on Patient Centered Theory Moch Bahrudin, Ni Luh Putu Eka Sudiwati, Tanty Wulandari	.1602
288.	Oxygen Theraphy to Maintain Intracranial Pressure in Acute Phase of Traumatic Brain Injury Dwi Adji Norontoko	1606
289.	Progressive Muscle Relaxation and Symptoms of Women with Breast Cancer Undergoing Adjuvan Chemotherapy	1611
290.	The Analysis of Active Carbon Life Time as an Adsorbent of Dust/Particulate through Cyclone Ventilator Modification	1617
291.	The Model of Type-2 Diabetes Mellitus Prevention based on SECI-Knowledge Management	1622
292.	Stress of Brain Mapping in Elderly People Before and after Giving Horticultural Therapy in Planting Flowers Dyah Widodo, Edi Widjajanto, Tatik Wardiyati, Ah. Yusuf	1628
293.	Breastfeeding Model in Madurese Viewed from Culture Capital and Lifestyle According to Pierre Bourdieu Evi Pratami, Ervi Husni, Dina Isfentiani	1633
294.	Main Problems of School Nutrition	1639



Home

Editorial Team

Article Submission

Subscriptions Informations

Issues

Publication Ethics

Contact Us



Deals with Forensic Medicine,
Forensic Science, Toxicology,
DNA Fingerprinting, Sexual Medicine, and
Environmental Medicine

EDITORIAL PANEL



Editor in Chief Prof (Dr) S K Dhattarwal

Forensic Medicine, PGIMS, Rohtak, Haryana

E-mail: editor.ijfmt@gmail.com

EDITORIAL ADVISORY BOARD

- Prof Sudhir K Gupta, Head, FMT. AIIMS, New Delhi , India
 - Prof Mete Gulmen ,Cukurova University, TURKEY
 - Prof. Leandro Duarte De Carvalho ,
 Minas Gerais, Belo Horizante, BRAZIL
 - Dr. Valery Gunas, National Pirogov Memorial Medical University, Vinnytsya, UKRAINE
 - Dr. Rahul Pathak Forensic Science,
 Dept of Life Sciences ,Anglia Ruskin
 University, Cambridge, UNITED
 KINGDOM
 - Dr Noha A. Magdy Elrafie, Forensic Toxicology, Ain Shams University, Cairo, EGYPT
 - Dr Rituja Sharma, Associate Prof, Law, Banasthali Vidyapeeth Jaipur
 - Dr Shankar Bakkanwar (Associate Professor) Forensic Medicine, Kasturba Medical College, Manipal, Karnataka
 - Dr K. Ravikumar , Raksha Shakti
 University, Ahmedabad, Gujrat.

EDITORIAL ADVISORY BOARD

- Dr. Aparna R. Asst. Prof. Forensic Serology & Biology, Jain University, Bengaluru
- Dr. Deepali Jain, Asst Prof, Forensic Science ,BB Ambedkar University, Lucknow
- Prof. NK Aggrawal Forensic Medicine, UCMS, Delhi
- Prof. Manoj Kumar Mohanty, Forensic Medicine, AIIMS, Bhuvneshwar, Odissha
- Prof. Amar Jyoti Patowary, Forensic Medicine, NEIGRIHMS, Shillong, Meghalaya
- Prof S. Venkata Raghava , Forensic Medicine, Banglore Medical College, Bengaluru
- Prof. Shalini Gupta Oral Pathology and Microbiology, Faculty of Dental Sciences, King George Medical University, Lucknow
- Prof. Virender Kumar Chhoker Forensic Medicine, Santosh Medical College, Ghaziabad, UP

- Dr C. Behera (Addl. Prof) Dept of FMT,
 AIIMS, New Delhi
- Dr. Kanak Lata Verma, Deputy Director, Toxicology ,RFSL, Chanakyapuri New Delhi
- Dr. Asha Srivastava (Senior Scientific Officer) Forensic Psychology, Central Forensic Science Laboratory, CBI, Delhi
- Dr. Raghvendra Kumar Vidua, (Associate Prof), FMT, AIIMS Bhopal
- Dr. Vaibhav Saran (Asst.Prof.) School of Forensic Science, Sam Higginbottom Institute of Agriculture Technology & Sciences, Allahabad
- Dr Ariful Haque Orthopedic Surgeon
 Department of Orthopedic Surgery, Yan
 an Hospital Affiliated to Kunming
 Medical University

Indian journal of Forensic Medicine & Toxicology

- Prof. Dayanand G Gannur , Forensic Medicine , Shri BM Patil Medical College, Hospital & Research centre, Bijapur, Karnataka
- Prof Praveen Arora, Forensic Medicine, SAIMS, Indore, MP
- Prof Barkha Gupta , Saraswathi Institute of Medical Sciences Hapur, Uttar Pradesh India
- Prof M Prashant Apollo Medical College Hyderabad
- Prof Emilo Nuzzalese, University of Turin , Italy
- Prof.Avinash Harishchandra Waghmode
 Dept of Forensic Medicine B.K.L.
 Walawalkar Medical College, Sawarde
 (Chiplun) Dist.Ratnagiri
- Dr. Anita Yadav Assistant Professor
 Forensic Science, SBAS Galgotias
 University, Greater Noida, UP
- Dr. Risha Jasmine Nathan Lecturer in Forensic Chemistry Anglia Ruskin University East Road, Cambridge, England, United Kingdom

OUR CONTACT INFO:

Editor, INDIAN JOURNAL OF FORENSIC MEDICINE & TOXICOLOGY

Institute of Medico-Legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mall

Sector- 32, Noida - 201 301 (Uttar Pradesh)

Email: editor.ijfmt@gmail.com
Website: www.ijfmt.com

Visit our Website: www.imlp.in

Home | Editorial Teams | Article Submissions | Subscriptions Informations | Advertisements | Contact Us copyright2011@IJFMT





KOMITE ETIK PENELITIAN KESEHATAN RSUD Dr. SOETOMO SURABAYA

KETERANGAN KELAIKAN ETIK (" ETHICAL CLEARANCE ")

0767/KEPK/XI/2018

KOMITE ETIK RSUD Dr. SOETOMO SURABAYA TELAH MEMPELAJARI SECARA SEKSAMA RANCANGAN PENELITIAN YANG DIUSULKAN, MAKA DENGAN INI MENYATAKAN BAHWA PENELITIAN DENGAN JUDUL :

" Analisis Faktor Risiko Kematian Dini Pasien Penyakit Ginjal Kronis Terminal dengan Terapi Hemodialisis "

PENELITI UTAMA: Widodo, dr., Sp.PD-KGH

PENELITI LAIN: 1. Dr. Santi Martini, dr., M.Kes

2. Dr. Sri Widati, S.Sos., M.Si

3. Riza Muhammad Zulham, S.KM

UNIT / LEMBAGA / TEMPAT PENELITIAN: RSUD Dr. Soetomo

DINYATAKAN LAIK ETIK

Berlaku dari : 02/11/2018 s.d 02/11/2019 Surabaya, 2 November 2018

KETUA

Dr. Elizeus Hanindito, dr., Sp.An, KIC, KAP) NFP. 19511007 197903 1 002

*) Sertifikat ini dinyatakan sah apabila telah mendapatkan stempel asli dari Komite Etik Penelitian Kesehatan

Artikel 11

- A. Judul: Risk Factor of Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis
- B. Cover



Indian Journal of Forensic Medicine & Toxicology

EDITOR in Chief

Prof. R K Sharma

Formerly at All India Institute of Medical Sciences, New Delhi, E-mail: editor.iifmt@gmail.com **FDITOR**

Prof. Dr. Adarsh Kumar

Forensic Medicine & Toxicology, AIIMS, New Delhi

INTERNATIONAL EDITORIAL ADVISORY BOARD

- 1. Prof Mete Gulmen Cukurova University, TURKEY
- Prof. Leandro Duarte De Carvalho, Minas Gerais, Belo Horizante. Brazil
- 3. Prof. Donata Favretto (Full Professor) Forensic Toxicology at University
- Prof. Babak Mostafazadeh Department of Forensic Medicine & Toxicology, Shahid Beheshti University of Medical Sciences, Tehran-
- Prof Halls Dokgoz, Mersin University, TURKEY
- Prof Jozef Sidio, Comenius University, Bratislava, SLOVAKIA
- Dr. Rahul Pathak (Lecturer) Forensic Science, Dept of Life Sciences Anglia Ruskin University, Cambridge, United Kingdom
- Hospital, College of Health Sciences, Mekelle University, Mekelle Ethiopia East Africa 8. Dr. Harpesh (Professor & Head) Forensic Medicine, Ayder Referral
- 9. Dr. Mokhtar Ahmed Alhrani (Specialist) Forensic Medicine & Clinical Toxicology, Director of Forensic Medicine Unit, Attorney General's Office, Sana'a, Yemen
- 10. Dr. Sarathchandra Kodikara (Senior Lecturer) Forensic Medicine, Department of Forensic Medicine, Faculty of Medicine, University of Peradentya, Sri Lanka
- 11. Dr Noha A. Magdie El Raffie, Forensic Toxicology, Ain Sharns University.

SCIENTIFIC COMMITTEE

- Prof Udai Pratap Singh, Department of Anthropology Lucknow
- Dr Anii Rahule (Associate Professor) Dept of Anatomy, Govt Medical College Nagpur
- Dr Shankar Bakkanwar (Associate Professor) Forensic Medicine. Kasturba Medical College, Manipal, Kamatakad
- 4. Dr K. Ravikumar Raksha Shakti University, Ahmedabad, Gujrat.
- Dr. Pragnesh Parmar (Associate Professor) Forensic Medicine, Valsad, Guirat
- 6. Dr Vandana Mudda (Awati) (Associate Prof) Dept of FMT, M.R. Medical College, Gulbarga, Karnataka,
- Dr. Asha Srivastava (Senior Scientific Officer) Forensic Psychology, Central Forensic Science Laboratory, CBI, Delhi
- Dr. Lav Kesharwani (Asst.Prof.) School of Forensic Science, Sam. Higginbottom Institute of Agriculture Technology & Sciences, Allahabad UP
- 9. Dr. Any Sharma (Associate Prof) Dept of Anatomy, DMCH, Ludhiana
- 16. Dr. Shalini Gupta (Prof) Oral Pathology and Microbiology, Dental Sciences King George Medical University, Lucknow, UP
- 11. Dr Rituja Sharma, Associate Prof, Law Banasthali Vidyapeeth Jaipur

"Indian Journal of Forensic Medicine & Toxicology" is peer reviewed quarterly lournal. It deals with Forensic Medicine, Forensic Science, Toxicology, DNA Engagniniting, sexual medicine and environment medicine. It has been assigned internation standard serial No. p-8973-9122 and e- 0973-9130. The Journal has been assigned RMI No. DELENG/2008/21789. The journal is indexed with index Copernicus (Poland) and is covered by EMBASE (Excepta Nedica Database). The journal is also abstracted in Chemical Abstracts (CAS) database (USA: The journal is also covered by EBSCO (USA) (bitabase. The Journal is now part of USC, DST and CSIR Consortia. It is now official publication of Indian Association of Medico-Legal Experts (Repd.).

NATIONAL EDITORIAL ADVISORY BOARD

Prof Sudhir K Gupta - Head, Department of Forensic Medicine All India Institute of Medical Sciences, New Delhi

- 1. Prof. SK Dhattarwal, Forensic Medicine, PGIMS, Rohtak Haryana.
- 2. Prof. N K Aggrawal Forensic Medicine, UCMS, Delhi
- 3. Prof Ajay Ghangale Forensic Medicine Dr DY Patil Medical College. Pune, Maharashtra
- 4. Dr. Amar Jyoti Patwory Professor, Forensic Medicine NEIGRIHMS.
- 5. Dr S. Venkata Raghava Professor, Forensic Medicine, Bandiore Medical College, Bengaluru
- Prof Praveen Arora, Professor Department of Forensic Medicine & Toxicology, SAIMS, Indore
- Dr. Pankal Datta (Principal & Head) Department of Prosthodontics. Indraprastha Dental College & Hospital, Ghaziabad
- Dr. Mahindra Nagar (Head) Department of Anatomy, UCMS & GTB Hospital, Delhi
- Dr. Virender Kumar Chhoker Professor Forensic Medicine and Toxicology, Santosh Medical College, Ghazlabad, UP
- Dr. Dayanand G Gannur (Professor) Department of Forensic Medicine & Toxicology, Shri BM Patti Medical College, Hospital & Research centre, Bijapur, Karnataka
- 11. Dr. Alok Kumar Professor Department of Forensic Medicine & Toxicology, UP Rural Institute of Medical Sciences and Research, Safai, Etawah, U.P.

Print-ISSN:0973-9122 Electronic - ISSn: 0973-9130

Frequency, Quarterly, © All Rights reserved The Views and opinions expressed are of the authors and not of the Indian Journal of Forensic Medicine & Toxicology, Indian Journal of Forensic Medicine & Toxicology does not guarantee directly or indirectly the quality or efficacy of any products or service featured in the advertisement in the journal, which are purely

Website: www.ijfmt.com

Editor

Institute of Medico-legal Publications Logix Office Tower, Unit No. 1704, Logix City Centre Mali, Sector- 32, Noida - 201 301 (Uttar Pradesh)

Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications
Logix Office Tower, Unit No. 1704, Logix City Centre Mail. Sector- 32, Noida - 201 301 (Uttar Pradesh)

Published at

Institute of Medico-legal Publications

Logix Office Tower, Unit No. 1704, Logix City Centre Mali, Sector- 32, Nolda - 201 301 (Uttar Pradesh)



Indian Journal of Forensic Medicine & Toxicology

Contents

Volume 13, Number 4

October-December 2019

1.	Study of Maternal Deaths in Tertiary Care Hospital in Central India	
1.	A.K.Jaiswani, J.L.Borkar, S.V. Dhoble, Kanchan Jaiswani	
2.	An Epidemiological Study of Snake Bite Cases Attending at Mortuary in Tertiary District Level Medical College	7
	Sukanta Majumdar, Achintya Biswas, Soumeek Chowdhuri	
3.	Study of Violent Injuries in Medico-Legal Autopsy: – A Mortuary based Study	12
4.	Correlation Study between Foot Length and Stature in the Natives of Ajmer	17
5.	Determination of Physical Height Using Clinical Crown Height of Deciduous Teeth	23
6.	Patterns of Violent Asphyxial Deaths in Jammu Region: A 6 Year Retrospective Study	28
7.	Age Related Changes in Accidental Contusion at Tertiary Care Centre	33
8.	Relationship of Fingerprint with Gender among Medical Students in Mangalore	37
9.	Estimation of Stature from Foot Length in North Indian Population Bachh U, Firdous Khan, Aggarwal OP	41
10.	The Study of Lip Prints in Relation to Gender and Facial form among Third Year Students in a Dental Institution	47
	Pamella Sylvia Ann Kelasi, Gheena S	
11,	RIMS Raichur- A Retrospective Study	53
	Sharnabasavappa. S. Karaddi, Gopinath.M, Abhinandana R, Suraj	
12.	Analysis of Difference in Skin Ridge Density among Identical Twins	58
13.	Correlational Study of Hand and Foot Measurement of University going Students Joydeep Dutta, Deepankar Singh, Nitesh Kumar, Vidushi, Sohom Singha Roy, Nechel Chouhan	64

II		
14.	Causes and Influencing Factors of Road Traffic Accidents Treated at Nri General Hospital, AP Vipparla Koteswara Rao, K. Ravimuni, K. Usha Rani	68
15.	A Comprehensive Study of Death due to Burns in Married Women - An Autopsy based Study Conducted in Tertiary Care Hospital. S. Shankar, K.Priyatharsini	74
16.	Trends of Poisoning Cases in Males Analyzed in Poison Detection Centre of a Tertiary Care Hospital- A 5 year Retrospective Study Kashif Ali, Somashekhar S. Pujar, Ravindra S. Honnungar, Prasanna S. Jirli, Vishal V. Koulapur, Khaja Azizuddin Junaidi, Pushpa M.G.	80
17.	A Study of Road Traffic Accidents (RTAs) Trends on Tirupati Region	84
18.	Tongue Prints: An Emerging Biometric Forensic Tool Kriti Garg, Rohan Sachdev, Garima Singh, Pawan Jeet Singh, Shiv Singh Chauhan	88
19.	Study of Cases booked under POCSO (Protection of Children from Sexual Offences) Act in Chittoor B. Venkatesulu, M. Abdul Khalid	91
20.	Profile of Deaths Due to Hanging – An Autopsy Study	97
21.	Self Choice to quit from Life against Nature: Tendency of Suicide in India Manju Sharma	100
22.	Acid Attack: No More A Gender Specific Menace Srishti Rai, Manoj Kumar Pathak, Rohini	108
23.	A Retrospective Observational Study of Poisoning Cases Admitted in a Tertiary Care Teaching Institute in a Tribal Area of Central India. Manu D. Sharma, Lohit S. Vaishnao, Mahek S. Kewalramani, Ruchi P. Aggrawal, Ashutosh S. Jawade, Anshada A. Bathe	113
24.	A Correlation and A Regression analysis for Estimation of Stature from Head Length and Head breadth in Bhavnagar Region, Gujarat Chauham Desant A, Nisarg Y Modi	119
25.	Study of the Pattern of Homicidal Deaths in Vadodara District, Gujarat: A Prospective Study Nisarg Y Modi, Chauham Desani A.V. R. Patil, Akhilesh Pathak	125
26.	Roentgenographic Evaluation of Bones at Wrist Joint For Osteological Maturity for Academic and Judicial Intrest. Pawan.A.Wankhade, Swapnil.K.Patond, B.H.Tirpude	131
27.	Correlation between Days of the Week and Non-Fatal Road Traffic Accidents – A Prospective Study Venkatesa Prasanna J, Prasanna P	137
28.	Retrospective Analysis of Poisoning Cases in a Rural Health Centre of West Bengal	141

	•	,	•		•
	. 1		- 1	r	
٠.	v	٩.	ď	۹.	л
	٠.	-	-	-	•

282	Dominant Factors in the Premature Labor Incident in RSU Haji Surabaya.	1587
202	Sri Utami, Dwi Purwanti, Lusiana Aprilia	.1302
283.	Bioactive Wood Potential (Caesalpinia sappan L.) in The Proliferation of Wistar Rats in Infection Salmonella Typhimurium Pestariati, Edy Haryanto, Dwi Krihariyani	1585
284.		.1588
285.	Risk Factor of Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis	1591
286.	The Completeness of Nursing Care Documentation in Fakfak Hospital	1597
287.	Development of Diagnosis Determination Model in Nursing Process based on Patient Centered Theory Moch Bahrudin, Ni Luh Putu Eka Sudiwati, Tanty Wulandari	1602
288.	Oxygen Theraphy to Maintain Intracranial Pressure in Acute Phase of Traumatic Brain Injury	.1606
289.	Progressive Muscle Relaxation and Symptoms of Women with Breast Cancer Undergoing Adjuvan Chemotherapy Hepta Nur Anugrahini, Djohar Nuswantoro, Sriyono	1611
290,	The Analysis of Active Carbon Life Time as an Adsorbent of Dust/Particulate through Cyclone Ventilator Modification Khambali, Setiawan, Kuat Prabowo	.1617
291.	The Model of Type-2 Diabetes Mellitus Prevention based on SECI-Knowledge Management Hotmaida Siagian, Yetti Wilda, Dony Sulystiono	1622
292.	Stress of Brain Mapping in Elderly People Before and after Giving Horticultural Therapy in Planting Flowers. Dyah Widodo, Edi Widjajanto, Tatik Wardiyati, Ah. Yusuf	.1628
293.	Breastfeeding Model in Madurese Viewed from Culture Capital and Lifestyle According to Pierre Bourdieu Evi Pratami, Ervi Husni, Dina Isfentiani	1633
294.	Main Problems of School Nutrition Farida Smolnikova, Eleonora Okuskhanova, Mars Khayrullin, Olga Pasko, Svetlana Zhukovskaya, Yulia Zubtsova, Elena Yakunina	.1639
295.		.1645

DOI Number: 10.5958/0973-9130.2019.00531.0

Risk Factor of Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

Riza Muhammad Zulham¹, Santi Martini¹, Sri Widati¹, Widodo²

¹Public Health Faculty, Airlangga University, ²dr. Soetomo Hospital, Surabaya

Abstract

Early death in terminal renal failure disease is mortality from all causes in first 3 months (90 days) after being started dialysis, especially patient with high risk end stage renal disease including history of Diabetes Mellitus (DM). Around 10% from adult people population are diagnosed chronic kidney disease and 12.6%-32% of all mortality rates in first year in dr. Soetomo Hospital has DM history and has risk to suffer from early death. This study aimed to analyze risk factors for early death in diabetic terminal renal failure patients receiving hemodialysis. This study was conducted for 4 months (September to December 2018) in dr. Soetomo Hospital, Surabaya. Affordable population of terminal renak failure patient with DM history who underwent hemodialysis for the first time in Regional Public Hispital of dr. Soetomo Hospital in January 2015 to December 2017. Sampling techniques used was total sampling (211 patients). Data were collected from medical records, then analyzed by using logistic regression test. The determinants of early death in diabetic terminal renal failure patients receiving hemodialysis were poor nutritional status, pleural effusion, sepsis, metabolic acidosis, and intra HD complication.

Keywords: Early death, Terminal renal failure, DM history, Hemodialysis

Introduction

Diagnosis of End Stage Renal Disease (ESRD) or Terminal Renal Failure means patient with kidney disease in end stage and becomes a death penalty⁽¹⁾. Chronic DM becomes dominant etiology in a late stage kidney disease in developed countries and showed similar trend in developing countries⁽²⁾.

Moreover, chronic kidney disease places in 27th rank in list of mortality causes in the world in 1990 even it increases to be 18th rank in 2010^{(3),(4)}. In United States, it is noted that 15% of adult people are estimated to suffer from chronic kidney disease. Prevalence of chronic kidney disease to adult people who are 18 years old or more in United Stated shows that it is estimated if this disease is occurred more to female

Corresponding Author: Riza Muhammad Zulham

(riza.zulham@yahoo.com)

Address: Campus C-Airlangga University, Surabaya,

Indonesia

(16%) rather than male (13%)⁽⁵⁾. Data of kidney disease in Indonesia is obtained from result of Basic Health Research 2013, which showed that in population of age ≥15 years was diagnosed chronic kidney disease in 0.2%. The prevalence increased as long as the people got older with quite significant increase in group of 35-44 rather than 25-34 years old. Data of chronic kidney disease in Indonesia that was obtained from Indonesian Renal Registry (IRR) 2015 showed that the final stage/ terminal has the largest proportion (89%) and those who experience premature death increased by 39% in 2016 compare to previous year(1). Furthermore, East Java placed in second rank after West Java with total of new patients of renal failure in 4139 patients with prevalence of chronic kidney disease in 0.3 % higher than national prevalence, which was 0.2%⁽⁶⁾. Report from Public Health Office of East Java Province in second quarter in 2017 showed that total of chronic kidney disease patient in Surabaya City that was recorded was 2059 patients and it increased from previous year, which in 2016, there were 1984 patients and it was the first rank from District or City in East Java.

However, mortality cause from terminal/end stage renal disease patient generally was cardiovascular disease and comorbidity cause was infection⁽⁷⁾. The mortality cause to hemodialysis patient included cardiovascular (44%), cerebrovascular (8%), gastrointestinal bleeding (3%), sepsis (16%), other causes (6%) and unknown causes (23%). The mortality cause was different which meant to the length of life for various mortality causes, particularly for cardiovascular disease and cerebrovascular disease⁽¹⁾.

The impact that was faced by terminal renal failure patient could cause anemia, infection, low calcium levels and high phosphorus levels in blood, high potassium levels (hyperkalemia), loss of appetite, extra fluid in the body that caused high blood pressure, swelling in legs, or short breath due to fluid in the lung (pulmonary edema), depression, or lower quality of life⁽⁵⁾. Risk factor of old age, having cardiovascular disease history before, and/ or diabetes, hypertension, disorders of Ca-P metabolism, anemia, high CRP levels with hypoalbuminemia, ventricular hypertrophy, and renal dysfunction influenced against mortality of end stage renal disease patient⁽⁷⁾.

The increase of terminal renal failure patient total in Indonesia, including East Java, needed either availability of unit services / hemodialysis installations or peritoneal dialysis therapy and kidney transplants to survive. The availability of hemodialysis service that was added continuously and improved its quality could make easier the access for patients wherever they domiciled. Hemodialysis service with the progress in

treatment recently enabled patient to survive longer than before. Nevertheless, the result of treatment was depended on the patient if without being analyzed or kidney transplants and comorbidity which were suffered by chronic kidney disease patient, hence, the mortality would be occurred⁽⁸⁾. Furthermore, this study aimed to analyze risk factors for early death in diabetic terminal renal failure patients receiving hemodialysis.

Method

This study was conducted for 4 months (September to December 2018) in dr. Soetomo Hospital, Surabaya. Affordable population of terminal renak failure patient with DM history who underwent hemodialysis for the first time in Regional Public Hispital of dr. Soetomo Hospital in January 2015 to December 2017. Sampling techniques used was total sampling (211 patients). Data were collected from medical records. The type of data were categorical, so presented in the form of frequency and percentage⁽⁹⁾, then analyzed by using logistic regression test.

Findings

Chi Square test was conducted in order to investigate the correlation among age, sex, nutritional status, comorbidity and complication (hypertension, heart disease, uremia, pleural effusion, anemia, sepsis, hyperkalemia, metabolic acidosis), HD regularity, smoking history, intra-HD complications (shock) against early death in diabetic terminal renal failure patients receiving hemodialysis.

Table 1. Correlation between Variables and Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

Variable	Category	Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis				p-value	PR (CI95%)
		Died		Survived			
		n	%	n	%		
	< 55 years old	34	33.33	68	66.67	0.365	
Age	55-64 years old	32	35.96	57	64.04		
	≥ 65 years old	10	50.00	10	50.00		

Cont ... Table 1. Correlation between Variables and Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

	Male	38	35.85	68	64.15		
Sex		+		1		1.000	0.991 (0.691-1.419)
	Female	38	36.19	67	63.81		
Nutritional Status	Poor	56	55.45	45	44.55	0.000	3.050 (1.977-4.703)
	Good	20	18.18	90	81.82		
Hypertension	Yes	50	39.37	77	60.63	0.271	1.272 (0.808-2.597)
Trypertension	No	26	30.95	58	69.05	0.271	1.272 (0.000-2.371)
Heart Disease	Yes	29	63.04	17	36.96	0.000	2.213 (1.595-3.072)
neart Disease	No	47	28.48	118	71.52	0.000	2.213 (1.393-3.072)
T	Yes	28	36.36	49	63.64	1.000	1.015 (0.700 1.472)
Uremia	No	48	35.82	86	64.18	1.000	1.015 (0.700-1.473)
D1 1 F.00 :	Yes	28	47.46	31	52.54	0.046	1.502 (1.052.2.146)
Pleural Effusion	No	48	31.58	104	68.42	0.046	1.503 (1.053-2.146)
A	Yes	64	43.24	84	56.76	0.001	2.270 (1.321-3.902)
Anemia	No	12	19.05	51	80.95		
Caracia.	Yes	49	61.25	31	38.75	0.000	2.972 (2.035-4.339)
Sepsis	No	27	20.61	104	79.39		
TT 1.1 '	Yes	47	48.96	49	51.04	0.001	1.941 (1.334-2.825)
Hyperkalemia	No	29	25.22	86	74.78		
	Yes	57	50.89	55	49.11		
Metabolic Acidosis	No	19	19.19	80	80.81	0.000	2.652 (1.702-4.131)
***	Poor	43	47.78	47	52.22		1 (1)
HD regularity	Good	33	27.27	88	72.73	0.003	1.752 (1.219-2.517)
~	Yes	28	37.33	47	62.67		
Smoking history	No	48	35.29	88	64.71	0.884	1.058 (0.730-1.553)
	Yes	34	77.27	10	22.73		
Intra HD Complications (Shock)	No	42	25,15	125	74,85	0.000	3.073 (2.261-4.176)

Table 2. Result of Logistic Regression Test

Variable	Category	В	Sig	PR	(CI-95%)
10.	Poor	1.100	0.005	3.050	1.977-4.703
Nutritional Status	Good*	-	-	-	-
H D	Yes	0.744	0.089		
Heart Disease	No*	-		-	-
DI 1500 :	Yes	0.868	0.035	1.503	1.053-2.146
Pleural Effusion	No*	-		-	-
Ai	Yes	0.136	0.787		
Anemia	No*	-			

Cont ... Table 2. Result of Logistic Regression Test

g :	Yes	1.429	0.000	2.972	2.035-4.339
Sepsis	No*	-		-	-
H-madealancia	Yes	0.462	0.225		
Hyperkalemia	No*	-		-	-
Matabalia Asidasia	Yes	1.336	0.001	2.652	1.702-4.131
Metabolic Acidosis	No*	-		-	-
IID Day 1 wit	Poor	0.342	0.378		
HD Regularity	Good*	-		-	-
Intra HD complication	Yes	1.856	0.000	3.073	2.261-4.176
(Shock)	No*	-		-	-

^{*=}comparer

Based on table 2, the determinants of early death in diabetic terminal renal failure patients receiving hemodialysis were poor nutritional status, pleural effusion, sepsis, metabolic acidosis, and intra HD complication.

Discussion

Influence of Nutritional Status on Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

Poor nutritional status was one of risk factors of early death in diabetic terminal renal failure patients receiving hemodialysis. Poor nutritional status to terminal renal failure patient who underwent hemodialysis (HD) could be caused by patient's condition with hypoalbumin in long time. Besides, non optimal therapy really correlated directly with the increase of mortality⁽¹⁾. Result of this study showed nutritional status became dominant/main risk factor that influenced early death in diabetic terminal renal failure patients receiving hemodialysis.

This could be caused by restriction impact on protein intake that was conducted in order to reduce urea accumulation that was from protein catabolism. Besides, it was occurred a change of amino acid metabolism that was formed in kidney as an impact from the chronic kidney disease such as arginine, serine, and tyrosine⁽¹⁰⁾. Furthermore, this research was in accordance with result of conducted research by Lukowcky, et al.⁽¹¹⁾ who stated that mortality risk of HD patient for first 6 months was mostly occurred in 80%, particularly in first 2 months and its one third was caused by central catheter and

hypoalbuminemia <3.5 g/dL which were in one third from all mortalities in first 90 days.

Influence of Pleural Effusion Comorbidity on Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

Pleural effusion comorbidity was one of risk factors of early death in diabetic terminal renal failure patients receiving hemodialysis. This was caused by urinary stasis in end stage renal disease patient that could undergo extra Na⁺ and water which were caused by loss of the excretion route for salt and water through the kidneys. This study result showed that pleural effusion comorbidity became main/ dominant factor in influencing early death in diabetic terminal renal failure patients receiving hemodialysis.

Moreover, this could be caused by extra fluid that could be accumulated as effusion, such as pleural effusion or ascites and caused a difficulty for breathing. Pulmonary edema could be heard by stethoscope as a fine crack while inspiration⁽¹²⁾. This study was in accordance with conducted research by Bisenbach⁽¹³⁾ who stated that most of early death in HD patient was after began dialysis that underwent pleural effusion and fluid hyperhidration in the lungs which caused the severity of myocardial failure.

Influence of Sepsis Comorbidity on Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis Infection that caused sepsis was a main cause for the increase of morbidity and mortality to the patient with end stage renal disease through chronic hemodialysis therapy. This study result showed that sepsis comorbidity influenced early death in diabetic terminal renal failure patients receiving hemodialysis. In this study, sepsis comorbidity became main/ dominant risk factor with prevalence of early death in more than 3.07 rather than in respondent who did not have sepsis comorbidity. This was caused by worse multifactor inflammation⁽⁷⁾.

Chronic kidney patient with septicamia had risk of mortality twice from any causes and the increase of risk to be five times even nine times of mortality due to septicamia. Moreover, septicamia caused high increase of mortality risk. Besides, it was often occurred to peritoneal dialysis patient and hemodialysis patient⁽¹⁴⁾. This study was in accordance with conducted research by Powe⁽¹⁴⁾ in Maryland United States who stated that sepsis influenced early death in hemodialysis patient of end stage renal disease.

Influence of Metabolic Acidosis Complication on Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

Proportion of early death diabetic terminal renal failure patients receiving hemodialysis increased more to the patient who underwent metabolic acidosis rather than who did not undergo metabolic acidosis. Result of this study showed metabolic acidosis complication became main/ dominant factor to influence early death in diabetic terminal renal failure patients receiving hemodialysis.

This was due to acid entry or loss of chemical base in bicarbonate form. Chronic kidney disease caused phosphate, sulfate and organic anion retention. Firstly, bicarbonate was as a buffer, then, it was followed by bone and intracellular buffer⁽¹²⁾.

Influence of Intra HD Complication on Early Death in Diabetic Terminal Renal Failure Patients Receiving Hemodialysis

Proportion of early death diabetic terminal renal failure patients receiving hemodialysis increased more to the patient who underwent shock rather than who did not undergo shock because patient who did hemodialysis could undergo chronic and acute complications. Movement in blood out of circulation into the dialysis

circuit could cause hypotension⁽¹²⁾. Result of this study showed intra HD complication (shock) became main/dominant factor that influenced early death in diabetic terminal renal failure patients receiving hemodialysis.

This could be caused by very aggressive preliminary dialysis that could cause disequilibrium (imbalance) of dialysis. Moreover, it was as an impact of osmotic changes in brain when plasma urea levels reduced. This incidence caused shock which its effects were various from nausea and headache until convulsions and coma, even death⁽¹²⁾. Therefore, it needed to evaluate regularly to the pre HD patient, even during undergoing HD through identifying factors that could influence shock as a preventive action and doing approriate management.

Conclusion

Result that was obtained in this research could be used for health officers for early detection and evaluation for pre HD patient based on classification of risk factors, particularly for patient who had poor nutritional status, comorbidity and complication (pleural effusion, sepsis, metabolic acidosis), and who underwent intra HD complication (shock) as preventive action and appropriate management against the incidence of early death.

Additional Informations

Conflict of Interest: No

Source of Funding: Author

Ethical Clearance: Yes

References

- IRR. 7th Report Of Indonesia Renal Registry
 [Internet]. Indonesian Renal Registry. [cited 2018 May 23]. Available from: http:// www.indonesianrenalregistry.org
- Serafinceanu C, Neculaescu C, Cimponeriu D, Timar R, Covic AC. Impact of gender and dialysis modality on early mortality risk in diabetic ESRD patients: data from a large single center cohort. Int Urol Nephrol. 2014;46(3):607-614
- 3. National Kidney Foundation. Global Facts: About Kidney Disease, National Kidney Found [Internet]. National Kidney Foundation. 2015 [cited 2018 Jun 25]. Available from: http://.www.kidney.org

- 4. National Kidney Foundation. US Renal Data Data System 2014 Annual, Data Report: Epidemiology Of Kidney Disease in The United States [Internet]. 2015 [cited 2018 Jun 25]. Available from: http://www.kidney.org
- 5. Centre for Disease Control and Prevention. National Chronic Kidney Disease, Fact Sheet. 2017;4:103-104.
- 6. MoH-RI. Basic Health Research 2013. Jakarta: MoH-RI; 2013.
- 7. Sit D, Kadiroglu AK, Kayabasi H, Kara IH, Yilmaz Z, Yilmaz ME. The Evaluation Incidence and Risk Factors of Mortality among Patients with End Stage Renal Disease in Southeast Turkey. Ren. Fail. 2008;30:37–44.
- 8. Urrutia JD, Gayo WS, Bautista LA, Baccay EB. Survival Analysis of Patients with End Stage Renal Disease. J. Phys. Conf. Ser.. 2015;622:012-014.
- 9. Nugroho HSW. Descriptive Data Analysis for Categorical Data. Ponorogo: Forikes; 2014.

- Weiner DE, Tighiouart H, Vlagopoulos PT, Griffith JL, Salem DN, Levey AS, Sarnak MJ. Effects of Anemia and Left Ventricular Hypertrophy on Cardiovascular Disease in Patients with Chronic Kidney Disease. J Am Soc Nephrol. 2005;16:1803–1810.
- Lukowsky LR, Kheifets L, Arah OA, Nissenson AR, Kalantar ZK. Patterns and Predictors of Early Mortality in Incident Hemodialysis Patients: New Insights, American Journal of Nephrology. 2012;35:548-558.
- 12. O'Callaghan C. At a Glance: Renal System. Bandung: Erlangga; 2009.
- Biesenbach G, Loipl J, Schmekal B, Janko O. Different Risk Factors and Causes for Early Death after Initiating Dialysis in Diabetic and Non-Diabetic Patients. Ren. Fail. 2007;29:49–53.
- Powe NR, Jaar B, Furth SL, Hermann J, Briggs W. Septicemia in Dialysis Patients: Incidence, Risk Factors, and Prognosis. Kidney Int. 1999;55:1081–1090.