Husband's Support in Wife's ANC in Eastern Indonesia: Do Regional Disparities Exist?

by Ratna Dwi Wulandari

Submission date: 07-Apr-2023 02:51PM (UTC+0800)

Submission ID: 2058233691

File name: ife_s_ANC_in_Eastern_Indonesia_Do_Regional_Disparities_Exist.pdf (247.81K)

Word count: 4779
Character count: 26101

HUSBAND'S SUPPORT IN WIFE'S ANC IN EASTERN INDONESIA: DO REGIONAL DISPARITIES EXIST?

Dukungan Suami dalam ANC Istri di Timur Indonesia: Adakah Disparitas Antar Wilayah?

Agung D🛂 Laksono¹,*Ratna Dwi Wulandari², Nikmatur Rohmah³, Ratu Matahari⁴

National Research and Innovation Agency Republic of Indonesia, Indonesia

Correspondence*:

Address: Kampus C Unair, Mulyorejo, Surabaya, Indonesia | e-mail: ratna-d-w@fkm.unair.ac.id

Abstract

Background: Previous research has found that husband support can increase the participation of the wife's antenatal care (ANC) to prevent an increase in maternal mortality. Meanwhile, in the eastern region, the effort to provide pregnant women's health services tends to be lower than in Indonesia's other areas.

Aims: The 18 dy analyzed regional disparities of husbands' support in wives' ANC in eastern Indonesia.

Methods: Secondary data from the 2017 Indonesian Demographic and Health Survey were used in the study. In eastern Indonesia, the analytic units were wives aged 15 to 49, married, and pregnant in the previous five years. The study analyzed 2,005 respondents as a sample. In addition to the husband's support 10 study examined region (province), residence, age, education, occupation, wealth, and parity as the independent variable. In the final stage, the study used a binary logistic regression test.

Results: A husband in East Nusa Tenggara has 1.556 times the probability of a husband in Papua for a support wife's ANC (95% CI 1.082-2.237). Maluku husbands are 0.528 times less likely to support their wife's ANC than Papua husbands (95% CI 0.363-0.768). North Malus husbands are 0.476 times less likely than Papua husbands to support their wife's ANC (95% CI 0.320-0.709). Meanwhile, there was no significant difference in the husband's support between West Papua and Papua.

Conclusion: Regional disparities of husband's support in wife's ANC existed in eastern Indonesia.

Keywords: husband's support, maternal health, antenatal care, family factors.

Abstrak

Latar Belakang: Studi sebelumnya menemukan bahwa dukungan suami dapat meningkatkan partisipasi istri dalam ANC untuk mencegah peningkatan kematian ibu. Sementara di wilayah timur, upaya penyelenggaraan pelayanan kesehatan ibu hamil cenderung lebih rendah dibandingkan wilayah Indonesia lain.

Tujuan: Tujuan studi untuk menganalisis disparitas regional dukungan suami pada ANC istri di Indonesia Timur.

Metode: Penelitian menganalisis data Survei Demografi dan Kesehatan Indonesia 2017. Unit analisis adalah pasangan dengan istri berusia 15-49 tahun, menikah, dan hamil selama lima tahun terakhir. Studi menganalisis 2.005 responden. Selain dukungan suami, penelitian ini menganalisi wilayah (provinsi), tempat tinggal, umur, pendidikan, pekerjaan, status kekayaan, dan paritas sebagai variabel bebas. Tahap akhir penelitian menggunakan uji regresi logistik biner.

Hasil: Suami di Nusa Tenggara Timur memiliki peluang 1,556 kali lipat kemungkinan suami di Papua untuk mendukung ANC istri (95%CI 1,082-2,237). Suami di Maluku 0,528 kali lebih rendah mendukung ANC istri dibandingkan suami di Papua (95%CI 0,363-0,768). Suami di Maluku Utara 0,476 kali lebih rendah mendukung ANC istri dibandingkan suami di Papua (95% CI 0,320-0,709). Sedangkan dukungan suami antara Papua Barat dan Papua tidak ada perbedaan yang signifikan.

Kesimpulan: Ada disparitas regional pada dukungan suami dalam ANC istri di kawasan Timur Indonesia.

Kata kunci: dukungan suami, kesehatan ibu, antenatal care, faktor keluarga.



How to cite: Laksono, A. D., Wulandari, R. D., Rohmah, N. and Matahari, R. (2022) "Husband's Support in Wife's ANC in Eastern Indonesia: Do Regional Disparities Exist?", Indonesian Journal of Health Administration, 10(2), pp. 197–205. doi: 10.20473/jaki.v10i2.2022.197-205.

²Faculty of Public Health, Universitas Airlangga, Indonesia

³Faculty of Health Science, Muhammadiyah University of Jember, Indonesia

⁴Faculty of Public Health, Universitas Ahmad Dahlan, Indonesia

Introduction

The maternal mortality rate (MMR) indicates the success of women's health efforts (Indonesian Ministry of Health, 2919). MMR is the ratio of a woman's death during pregnancy, childbirth, or within 42 days after delivery per 100,000 live births caused by pregnancy, childbirth, and the puerperium or its management (Indonesian Ministry of Health, 2019; World Bank, 2021). MMR in Indonesia from 2013 to 2014 has tended to decline but has not yet reached the target of the Sustainable Development Goals of 70,000 per 100,000 live births (Susiana, 255; World Bank, 2021). MMR in 2017 in Indonesia was 177.00 per 100,000 live births, down 3.8% from 2016. In 2016 it was 184.00 per 100,000 live births, down 4.17% from 2015 (World Bank, 2021). Indonesia has the thirdhighest MMR among ASEAN countries after Myanmar and Laos (World Health Organization and UNICEF, 2019).

One of the strategies to reduce MMR is to provide qualified ANC services. ANC can detect early complications, provide appropriate intervention if midwives/ob-gyn find difficulties, and educate pregnant women about well-being, childbirth preparedness, and breastfeeding (Utami et al., 2020). Economic concerns, distance, transportation difficulties to health facilities, a lack of information, and family support, particularly from their husband, are some factors that restrict women from receiving or seeking care during pregnancy and childbirth (Dahab and Sakellariou, 2020). Previous studies have found that poor spouses' support and involvement in the prenatal and delivery phases is one of the ANC obstacles. Women postpone maternal health treatment due to a lack of authorization from their spouses (Gize et al., 2019; Uldbjerg et al., 2020). Husbands' willingness to accompany their spouses to

medical appointments correlates positively with maternal and neonatal health care (Rahman *et al.*, 2018; Sakuma *et al.*, 2019).

Other factors influencing social background and cultural practices include local traditions that the community still practices during pregnancy. Of the care pattern for pregnant women, 61% always combine traditional and modern methods, and 11% fully believe and only rely on conventional approaches (Pratiwi *et al.*, 2019).

The husband was a leader and, most importantly, supported when a woman was pregnant. As the family head, men manage resources, consult on pregnant women's care, and are in authority over where and when pregnant women should reach medical assistance (Wulandari, Laksono and Matahari, 2022). Several studies have reported that a husband's support positively impacts encouraging pregnant women to attend ANC visits. The husband's role also positively affects the delivery process and choosing of skilled birth attendants (Lestari et al., 2019). The situation can include financial support, accompanying ANC visits, setting up a place for delivery, and making decisions (Marzo et al., 2018).

Indonesia is currently facing three health problems. First is the uneven and inadequate infrastructure. Existing health service facilities in Indonesia are still centralized in big cities. Second, the distribution of health workers is not evenly distributed, especially specialist doctors. The third is the funding allocation for the health sector in the amount of 2.4% of the Regional Revenue and Expenditure Budget funds (Amelia, 2020). This problem causes health development in Indonesia to be uneven. Health development in eastern Indonesia has lagged behind other areas. Health Development in Eastern Indonesia has shallow indicators of healthy families, namely in East Nusa Tenggara, Maluku,

(Jumal Administrasi Kesehatan Indonesia) p-ISSN 2303-3592, e-ISSN 2540-9301 © 10.20473/jaki.v10i2.2022.197-205

North Maluku, West Papua, and Papua provinces (Ipa et al., 2020; Laksono et al., 2021). ANC utilization in eastern Indonesia shows that almost all areas have a gap with Papua, except Maluku (Laksono, Rukmini

Method

Data Source

The study analyzed the 2017 Indonesian Demographic Data Survey (IDHS) data. The analysis units were couples of childbearing age, with the inclusion criteria of couples with wives aged 15-49 who got pregnant in the last five years before the interview. The survey used stratification and multistage random sampling and obtained 2,005 samples. The study used the wife as respondents.

Variables

The outcome variable was the husbands' support. The study defines husbands' support as the respondents' acknowledgments of husbands' participation during ANC. The study obtained variables from one question: Does the husband accompany the wife in antenatal care? The husband's support consists of no and yes.

The study used regions as an exposure variable. The study determined regions based on provincial administrative boundaries. Furthermore, the area comprises five provinces: East Nusa Tenggara, Maluku, North Maluku, West Papua, and Papua (Wulandari and Laksono, 2020).

Meanwhile, six variables as control variables consist of the type of residence, age, education level, of upation, wealth status, and wife's parity. The study divided places into urban and rural. The study

and Wulandari, 2020). Previous on no researcher had analyzed this topic. Based on the background narration, the study analyzes regional disparities of husbands' support in wives' ANC in eastern Indonesia. determined age by the respondents' acknowledgments of their husbands' most recent birthdays.

Education comprises no education, primary, secondary, or higher education. The occupation includes unemployed, professional/ technical, managers/administrators, clerical, sales, services, agricultural self-employed, industrial workers, and others. The parity comprises primiparous (<2), multiparous (2-4), and grand multiparous (>4).

The survey evaluates household wealth based on furniture types and prices. It includes a TV, a bicycle, a car, and family items such as drinking water sources, bathroom amenities, and flooring materials. Furthermore, the principal component analysis was used to calculate the value of this variable. The country's wealth quintiles were developed based on individual household scores and then grouped into the same five categories, which account for 20% of the population (Wulandari et 7/1., 2019). The wealth status comprises five classes: poorest, poorer, middle, richer, and richest.

Data Analysis

In the first step, the researcher analyzed the bivariate method to observe regional disparities in all investigated variables. The study used chi-square to select the diches mous variables at this step, while the continuous variables were tested using the T-test. In the last stage, the researcher used binary logistic regression to examine the odds ratio between regions.

(Jurnal Administrasi Kesehatan Indonesia) p-ISSN 2303-3592, e-ISSN 2540-9301 © 10.20473/jaki.v10i2.2022.197-205

Table 1. Descriptive statistic of Husband's Support in Wife's ANC in Eastern Indonesia

Province						
Characteristics	East Nusa Tenggara (n=743)	Maluku (n=562)	North Maluku (n=344)	West Papua (n=172)	Papua (n=184)	p-value
Husband's support						*<0.001
- No	40.9%	51.2%	58.4%	42.4%	40.2%	
- Yes	59.1%	48.8%	41.6%	57.6%	59.8%	
Residence						*<0.001
- Urban	19.5%	45.9%	25.3%	30.2%	23.9%	
- Rural	80.5%	54.1%	74.7%	69.8%	76.1%	
45e (mean)	35.06	34.47	34.49	33.95	34.69	*<0.001
Education						*<0.001
 No education 	5.9%	1.1%	1.5%	0.6%	3.8%	
- Primary	40.4%	18.3%	20.9%	14.5%	21.2%	
 Secondary 	40.1%	62.6%	63.1%	65.1%	60.3%	
- Higher	13.6%	18.0%	14.5%	19.8%	14.7%	
Occupation						*<0.001
- not work	1.6%	2.5%	1.7%	2.3%	2.7%	
 Professional/technical 	8.1%	14.9%	7.8%	15.7%	10.3%	
 Managers-Administration 	2.2%	3.6%	2.6%	2.9%	2.2%	
- Clerical	6.7%	7.7%	5.5%	11.6%	11.4%	
- Sales	6.3%	5.9%	6.4%	7.6%	10.3%	
- Services	12.4%	21.7%	17.4%	19.2%	21.7%	
 Agricultural-self employed 	42.9%	27.4%	40.7%	23.8%	25.0%	
 Industrial worker 	18.4%	15.5%	16.6%	15.7%	14.1%	
- Other	1.3%	0.9%	1.2%	1.2%	2.2%	
W 20 th						*<0.001
- Poorest	79.0%	48.9%	60.5%	39.5%	52.2%	
- Poorer	12.7%	21.7%	17.2%	20.9%	19.0%	
- Middle	3.8%	12.6%	11.6%	19.2%	10.3%	
- Richer	2.3%	11.7%	8.4%	13.4%	9.8%	
- Richest	2.3%	5.0%	2.3%	7.0%	8.7%	
Parity						0.050
- Primiparous	26.9%	24.4%	25.9%	29.7%	19.6%	
- Multiparous	56.8%	57.8%	61.0%	57.0%	56.5%	
 Grand multiparous 	16.3%	17.8%	13.1%	13.4%	23.9%	

Note: *p < 0.001.

Result and Discussion

Table 1 displays the descriptive statistics of the husband's support of his wife's ANC in Eastern Indonesia. Table 1 informs husbands in East Nusa Tenggara, West Papua, and Papua ruled husbands who support their wives' ANC. Otherwise, husbands in Maluku and North Maluku do not support the wife's ANC.

Couples living in rural areas are prevalent in the entire region based on the type of residence. Meanwhile, according to age, husbands in West Papua have the youngest average age. Husbands with secondary education are prominent in all areas based on education level, except in East Nusa Tenggara, where husbands with primary education dominate. According to occupation type, husbands with agricultural groups are influential in the five regions.

The most impoverished family is influential in all research areas based on wealth status. On the other hand, a husband to has multiparous wives dominates in all regions.

Table 2 shows the binary logistic regression test results—the analysis used "Husband's Support in Wife's ANC=no" as a reference. Husbands in East Nusa

Tenggara are 1.556 times more likely than husbands in Papua to support their wife's ANC (95%Cl 1.082-2.237). Husbands in Maluku are 0.528 times less likely than husbands in Papua to support their wife's ANC (95%Cl 0.363-0.768). Husbands in North Maluku are 0.476 times less likely than husbands in Papua to support their wife's ANC (95%Cl 0.320-0.709). Meanwhile, there was no significant difference in the husband's support between West Papua and Papua.

Previously, the author had not found any research that discussed regional disparities of husbands' support in their wife's ANC, especially in the east of Indonesia. As in Indonesia, the five regions' social context generally has a patriarchal

social system, which tends to place men as more dominant (Sakina and A., 2017). This patriarchal social system places a woman's pregnancy and cares as a domestic matter, which is the woman's responsibility. So, it becomes a challenge to involve men in pregnancy care efforts.

A previous study shows the eastern zone lags behind its western counterpart, particularly when compared to Java, which serves as the government's seat of power (Mubasyiroh, Nurhotimah and Laksono, 2016). In contrast to the west side, eastern Indonesia's topography shows more extreme heterogeneity. Certain regions of the eastern region are known as rural or remote areas, owing to the minimal road

Table 2. Binary logistic regression of Husband's Support in ANC in Eastern Indonesia

	Husband's Support in Wife's ANC				
Predictors			95% CI		
redictors	p-value	AOR	Lower	Upper	
			Bound	Bound	
Province: East Nusa Tenggara	*0.017	1.556	1.082	2.237	
Province: folluku	**0.001	0.528	0.363	0.768	
Province: North Maluku	***<0.001	0.476	0.320	0.709	
Province: West Papua	0.092	0.674	0.425	1.067	
province: Papua (ref.)	-	-	-	-	
7/pe of Place of Residence: Urban	0.230	1.165	0.908	1.497	
Type of Place of Residence: Rural (ref.)	-	-	-	-	
23 =	** <mark>0</mark> .005	0.982	0.970	0.994	
Education: No education (ref.)	-	-	-	-	
Education: Primary	0.066	1.720	0.965	3.067	
Education: Secondary	**0.003	2.397	1.344	4.276	
Education: Higher	***<0.001	4.388	2.287	8.421	
Occupation: Did not occupation (ref.)	-	-	-	-	
Occupation: Professional/Technical	0.270	1.515	0.724	3.174	
Occupation: Managerial and Administration	0.354	1.540	0.618	3.838	
Occupation: Clerical	0.426	1.364	0.635	2.929	
Occupation: Sales	0.248	1.581	0.727	3.437	
Occupation: Services	0.388	1.370	0.671	2.799	
Occupation: Agricultural - self-employed	0.574	1.224	0.605	2.477	
Occupation: Industrial	0.364	1.393	0.680	2.854	
occupation: Other	0.810	1.146	0.375	3.501	
Wealth: Poorest (ref.)	-	-	-	-	
Wealth: Poorer	***<0.001	2.027	1.531	2.684	
Wealth: Middle	***<0.001	3.730	2.548	5.459	
Wealth: Richer	***<0.001	5.014	3.176	7.917	
17 ealth: Richest	***<0.001	5.194	2.733	9.871	

Note: *p < 0.05; **p < 0.01; ***p < 0.001.

(Jumal Administrasi Kesehatan Indonesia) p-ISSN 2303-3592, e-ISSN 2540-9301 © 10.20473/jaki.v10i2.2022.197-205

infrastructure and public transit available. Some other places are tough to access (Soewondo *et al.*, 2019).

Maluku and North Maluku tend to have a more extreme topography than the other provinces because of their archipelago conditions. geographic Meanwhile, Papua and West Papua are known as areas with unspoiled wilderness. and Papua is also directly adjacent to Papua New Guinea. The two regions in one large island tend to be left behind because there are still many isolated areas (Laksono and Wulandari, 2021). The eastern region has more health myths, making it difficult for health professionals to improve maternal health (Laksono and Faizin, 2015).

Meanwhile, the result found three control variables influencing the husband's support for the ANC: age, education, and wealth. Age as or predictor of the husband's support is in line with a study in Southern Ethiopia, and the situation is related to the partner's need for support and care. A couple older than the wife's age means that a pregnant wife needs attention and help in pregnancy. A husband's support can reduce maternal mortality and stress and strengthen fathers' future role in caring for childre 24 Mamo et al., 2021).

Husbands with secondary education are 2.397 times more likely than no education to support their wife's (95%CI 1.344-4.276). Husbands with higher education are 4.388 times more likely than no education to support their wife's ANC (95%CI 2.287-8.421).

A previous study shows that someone with minimal knowledge will impact a lack of information about access to health services, including ANC (Mohammed et al., 2019). The level of education is linear with women's knowledge and skill to bargain with their partners (Rumaseuw et al., 2018). The

husband's involvement is crucial in ANC because we hope the husband will get good maternal information from health workers to improve pregnancy and birth (Jones *et al.*, 2021).

Table 2 shows the poorer husband was two times more likely than the most impoverished to support the ANC (95%CI 1.531-2.684). Husbands with middle wealth status have a 3.730 times higher probability than the most destitute to support the ANC (95%CI 2.548-5.459). Meanwhite a more prosperous husband was 5.014 times more likely than the most impoverished to support the ANC (95%CI 3.176-7.917). Moreover, the richest have a 5.194 times higher probability than the poorest of supporting the ANC (95% CI 2.733-9.871).

Low socioeconomic families will have deficient access to health services, including pregnancy examinations. The situation is because families with low economic status must have a priority scale to meet their basic needs (Omar, M and Musili, 2020).

Study Limitation

Due to the utilization of secondary data, the situation makes the phenomenon obtained superficial. The study results cannot capture more profound phenomena related to the social and cultural systems surrounding Indonesia's context founded in a previous study (Pratiwi *et al.*, 2019). Further studies with a qualitative approach are needed to uncover this phenomenon.

Conclusion

Regional disparities of husband's support in wife's ANC existed in eastern Indonesia. Husbands in East Nusa Tenggara are the most likely to support the ANC. On the other hand, a husband in Maluku and North Maluku has the lowest likelihood of being a supportive ANC.

Indonesian Journal of Health Administration

(Jurnal Administrasi Kesehatan Indonesia) p-ISSN 2303-3592, e-ISSN 2540-9301

Besides, there was no significant difference in the husband's support between West Papua and Papua.

Moreover, the study algorithms found three control variables influencing the husband's support for the ANC. Age, education, and wealth reverse the three factors.

Based on the results, the study recommended that policymakers need more attention to archipelagic areas such as Maluku and North Maluku. Policymakers must develop a policy strategy by considering the region's geographical factors.

Abbreviations

MMR: Maternal Mortality Rate; ANC: Antenatal Care; IDHS: Indonesian Demographic Data Survey; ICF: Inner City Fund; AOR: Adjusted Odds Ratio; PHC: Primary Health Care.

1 Declarations

Ethics Approval and Consent Participant

The 2017: DHS passed the ethical test and received ethical clearance from the Ministry of Health. The identities of the respondents were all removed from the database. Respondents have given their written consent to participate in this study. The researcher granted permission to use data for this study via https://dhsprogram.com.

Conflict of Interest

The authors state that there substantial conflicting financial, professional, or personal interests that could have influenced the performance.

Availability of Data and Materials

The authors are unable to disclose the data publicly because a third party and the criteria for access to secret data can obtain the 2017

IDHS data at https://dhsprogram.com/data/new-userregistration.cfm.

Authors' Contribution

ADL developed the study's concept; RDW developed the methodology; NR and RM wrote, reviewed, and evaluated the manuscript; ADL created the original draft.

Funding Source

Not applicable.

cknowledgment

The author would like to express gratitude to ICF International for agreeing to let this research review the 2017 IDHS data.

References

- Amelia, L. (2020) Three Health Problems Facing Indonesia, Indonesian Policy Review. Available at: https://kebijakankesehatanindonesia. net/25-berita/berita/1817-tigamasalah-kesehatan-yang-dihadapiindonesia (Accessed: 6 March 2021).
- Dahab, R. and Sakellariou, D. (2020)
 'Barriers to Accessing Maternal Care in Low Income Countries in Africa: A Systematic Review', International Journal of Environmental Research and Public Health, 17, p. Article number 4292. doi: 10.3390/ijerph17124292.
- Gize, A. et al. (2019) 'Men's knowledge and involvement on obstetric danger signs, birth preparedness and complication readiness in Burayu town, Oromia region, Ethiopia', BMC Pregnancy and Childbirth, 19(1), p. Article number 515. doi: 10.1186/s12884-019-2661-4.
- Indonesian Ministry of Health (2019)
 Indonesia Health Profile in 2018
 (Profil Kesehatan Indonesia Tahun 2018). Jakarta. Available at: http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/Data-dan-Informasi_Profil-Kesehatan-Indonesia-2018.pdf.

Ipa, M. et al. (2020) 'Variation of preventive

(Jurnal Administrasi Kesehatan Indonesia) p-ISSN 2303-3592, e-ISSN 2540-9301

- practices and its association with malaria infection in eastern Indonesia: Findings from community-based survey', *PLoS ONE*, 15(5), p. e0232909. doi: 10.1371/journal.pone.0232909.
- Jones, L. et al. (2021) 'Factors Shaping Uptake of Antenatal Care in Surabaya , Indonesia : a Qualitative Study', Kesmas: Jurnal Kesehatan Masyarakat Nasional (National Public Health, 16(3), pp. 189–198. doi: 10.21109/kesmas.v16i3.4849.
- Laksono, A. D. et al. (2021) 'The disparities in health insurance ownership of hospital-based birth deliveries in eastern Indonesia', *BMC Health Services Research*, 21(1), p. 1261. doi: 10.1186/s12913-021-07246-x.
- Laksono, A. D. and Faizin, K. (2015)
 'Traditions Influence Into Behavior in
 Health Care; Ethnographic Case
 Study on Health Workers Muyu
 Tribe', Bulletin of Health System
 Research, 18(4), pp. 347–354. doi:
 10.22435/hsr.v18i4.4567.347-354.
- Laksono, A. D., Rukmini, R. and Wulandari, R. D. (2020) 'Regional disparities in antenatal care utilization in Indonesia', *PLoS ONE*, 15(2), p. e0224006. doi: 10.1371/journal.pone.0224006.
- Laksono, A. D. and Wulandari, R. D. (2021) 'The Food Taboo of the Muyu Tribe in Papua', *Amerta Nutrition*, 5(3), p. In press.
- Lestari, P. et al. (2019) 'Husband'S Role in Assistance of Laboring Process:', in 1st International Respati Health Conference (IRHC), pp. 1–10.
- Mamo, Z. B. et al. (2021) 'Determinants of Male Partner Involvement during Antenatal Care among Pregnant Women in Gedeo Zone, South Ethiopia: A Case-Control Study.', Annals of global health, 87(1), p. 19. doi: 10.5334/aogh.3003.
- Marzo, R. R. et al. (2018) 'A Study Of Involvement In Maternal Health By Male Counter-Part In The Family In Muar District', International Journal of Recent Scientific Research, 9(10(B)), pp. 29304–29307. doi:

10.24327/IJRSR.

- Mohammed, A. et al. (2019) 'Barriers of Antenatal Care Service Utilization in Somali Regional State Using Socio Ecological Model Framework, Eastern Ethiopia, Ethiopia: a Qualitative Study', pp. 1–17. doi: 10.21203/rs.2.13486/v1.
- Mubasyiroh, R., Nurhotimah, E. and Laksono, A. D. (2016) 'Health Service Accessibility Index in Indonesia (Indeks Aksesibilitas Pelayanan Kesehatan di Indonesia)', in Supriyanto, S., Chalidyanto, D., and Wulandari, R. D. (eds) Accessibility of Health Services in Indonesia. Jogjakarta: PT Kanisius, pp. 21–58.
- Omar, F., M, O. K. and Musili, F. (2020)
 'Socio-Demographic and Economic
 Factors Associated With ANC
 Attendance Among Women of
 Reproductive Age', Journal of Health,
 Medicine and Nursing, 5(1), pp. 48–
 59. Available at:
 https://www.iprjb.org/journals/index.p
 hp/JHMN/article/view/1053.
- Pratiwi, N. L. et al. (2019) 'Concealed Pregnant Women or Kemel of Gayo Ethnic in Blang Pegayon District, Gayo Lues District, Aceh', Bulletin of Health System Research, 22(2), pp. 81–90. doi: 10.22435/hsr.v22i2.1693.
- Rahman, A. E. et al. (2018) 'Knowledge and involvement of husbands in maternal and newborn health in rural Bangladesh', BMC Pregnancy and Childbirth, 18(1), p. Article number 247. doi: 10.1186/s12884-018-1882-2.
- Rumaseuw, R. et al. (2018) 'Factors Affecting Husband Participation in Antenatal Care Attendance and Delivery', in IOP Conference Series: Earth and Environmental Science, p. 116. doi: 10.1088/1755-1315/116/1/012012.
- Sakina, A. I. and A., D. H. S. (2017) 'Highlighting Patriarchal Culture in Indonesia', *Share: Social Work Journal*, 7(1), pp. 71–80. doi: 10.24198/share.v7i1.13820.
- Sakuma, S. et al. (2019) 'Determinants of continuum of care for maternal,

(Jurnal Administrasi Kesehatan Indonesia) p-ISSN 2303-3592, e-ISSN 2540-9301

- newborn, and child health services in rural Khammouane, Lao PDR', *PLoS ONE*, 14(4), p. Article number e0215635. doi: 10.1371/journal.pone.0215635.
- Soewondo, P. et al. (2019) 'Inspecting Primary Healthcare Centers in Remote Areas: Facilities, Activities, and Finances', Jurnal Administrasi Kesehatan Indonesia, 7(1), pp. 89– 98. doi: 10.20473/jaki.v7i1.2019.89-98
- Susiana, S. (2015) 'Maternal Mortality Rate: Causes and Efforts to Address It', *Brief INFO: Brief Study of Actual* and Strategic Issues, XI(24), pp. 13– 18.
- Uldbjerg, C. S. et al. (2020) 'Perceived barriers to utilization of antenatal care services in northern Uganda: A qualitative study', Sexual and Reproductive Healthcare, 23, p. Article number 100464. doi: 10.1016/j.srhc.2019.100464.
- Utami, S. M. et al. (2020) 'Ecological Analysis of Preeclampsia/Eclampsia Case in Sidoarjo Regency, Indonesia, 2015-2019', Indian Journal of Forensic Medicine and Toxicology, 14(4), pp. 3474–3479. doi: 10.37506/ijfmt.v14i4.12164.

- World Bank (2021) 'Indonesia Maternal Mortality Rate 2000-2021', p. 1.
- World Health Organization and UNICEF (2019) Neonatal mortality. Available at: https://data.unicef.org/topic/child-survival/neonatal-mortality/ (Accessed: 6 January 2020).
- Wulandari, R. D. et al. (2019)
 'Socioeconomic Disparities in
 Hospital Utilization among Elderly
 People in Indonesia', Indian Journal
 of Public Health Research and
 Development, 10(11), pp. 1800–
 1804. doi: 10.5958/09765506.2019.03885.3.
- Wulandari, R. D. and Laksono, A. D. (2020) 'Does the Place of Residence Affect the Achievement of Exclusive Breastfeeding? A Study in Eastern Indonesia', Systematic Reviews in Pharmacy, 11(9), pp. 872–876. doi: 10.31838/srp.2020.9.126.
- Wulandari, R. D., Laksono, A. D. and Matahari, R. (2022) 'Does Husband's Education Level Matter to Antenatal Care Visits? A Study on Poor Households in Indonesia', *Indian Journal of Community Medicine*, 47(2), pp. 192–195. doi: 10.4103/ijcm.ijcm_981_21.

Husband's Support in Wife's ANC in Eastern Indonesia: Do Regional Disparities Exist?

ORIGINA	ALITY REPORT			
_	2% ARITY INDEX	7 % INTERNET SOURCES	9% PUBLICATIONS	3% STUDENT PAPERS
PRIMAR	RY SOURCES			
1	Submitte Student Paper	ed to Far Easter	n University	1 %
2	www.bic	-		1 %
3	jurnal.ur	nmer.ac.id		1 %
4	Submitte Student Paper	ed to Universita	s Cendrawasił	1 %
5	jqph.org			1 %
6	Mara Ipa Wulanda Insurand Cross-Se Indonesi	wi Laksono, Wa a, Nikmatur Roh ari. "The Role of ce in Primary He ectional Study in ia, in 2018", Inte ervices, 2022	mah, Ratna D Government- alth Care Utili Papua Region	wi run zation: A n,

Submitted to University of Lancaster

Area of the Ngantang Public Health Center",

Journal for Quality in Public Health, 2020

14	ejmcm.com Internet Source	<1%
15	iussp.org Internet Source	<1%
16	jurnal.unej.ac.id Internet Source	<1%
17	ndl.ethernet.edu.et Internet Source	<1%
18	ouci.dntb.gov.ua Internet Source	<1%
19	Hanifa M. Denny, Agung D. Laksono, Ratu Matahari, Bina Kurniawan. "The Determinants of Four or More Antenatal Care Visits Among Working Women in Indonesia", Asia Pacific Journal of Public Health, 2021 Publication	<1%
20	cyberleninka.org Internet Source	<1%
21	Atenchong Ngwibete, Chizoma M Ndikom, Felix E Anyiam. "Nurses' and midwives' views on male partner involvement in maternity care in Imo, Nigeria", African Journal of Midwifery and Women's Health, 2021 Publication	<1%

Emmanuel Barankanira, Arnaud Iradukunda, Nestor Ntakaburimvo, Willy Ahishakiye, Jean Claude Nsavyimana, Emmanuel Nene Odjidja. "Spatial distribution and predictive factors of antenatal care in Burundi: A spatial and multilevel baseline analysis for the third burundian demographic and health survey", PLOS ONE, 2023

<1%

Publication

Mochammad Nur Cahyono, Ferry Efendi, Harmayetty Harmayetty, Qorinah Estiningtyas Sakilah Adnani, Hsiao Ying Hung. "Regional disparities in postnatal care among mothers aged 15-49 years old: An analysis of the Indonesian Demographic and Health Survey 2017", F1000Research, 2021

<1%

Publication

Publication

Nuzulul Kusuma Putri, Agung Dwi Laksono, Nikmatur Rohmah. "Predictors of national health insurance membership among the poor with different education levels in Indonesia", BMC Public Health, 2023

<1%

Xiaojing Fan, Meghan Bruce Kumar, Zhongliang Zhou, Ching-Hung Lee, [

Zhongliang Zhou, Ching-Hung Lee, Duolao Wang, Haixia Liu, Shaonong Dang, Jianmin Gao. "Influence of China's 2009 healthcare reform on the utilisation of continuum of care

<1%

for maternal health services: Evidence from two cross-sectional household surveys in Shaanxi Province", Research Square, 2019

Publication



Exclude quotes Off
Exclude bibliography On

Exclude matches

< 5 words

Husband's Support in Wife's ANC in Eastern Indonesia: Do Regional Disparities Exist?

GRADEMARK REPORT	
FINAL GRADE	GENERAL COMMENTS
/0	Instructor
PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	
PAGE 7	
PAGE 8	
PAGE 9	