e-ISSN: 2597-7571

RECODE

Journal of Public Health Research and Community Health Development

ABOUT THE JOURNAL

ANNOUNCEMENTS

ISSN International Centre

<u>p-ISSN : 2580-0140</u>

e-ISSN: 2597-7571

Journal of Public Health Research and Community Health Development , well known as JPH RECODE, is a journal published by Public Health Study Program Sekolah Ilmu Kesehatan Dan Ilmu Alam (SIKIA) Universitas Airlangga. Our journal is published biannually in October and March.

JPH RECODE is on public health as discipline and practices related to preventive and promotion measures to enhance health of the public through scientific approach applying variety of technique. This focus includes area and scope such as biostatistics and health population, epidemiology, health education and promotion, health policy and administration, environmental health, public health nutrition, sexual and reproductive health, and occupational health and safety.

We accept manuscripts in the following categories: 1) Original research papers, 2) Critical review articles, 3) Short communications, 4) Literature Review, 5) Case Study, on applied or scientific research relevant to public health and or Community Health Development. JPH RECODE has been indexed in DOAJ, Sinta 4, Dimensions, EBSCO Essentials and others indexing. JPH RECODE have a collaboration with Association of Indonesian Public Health Scholars and Professionals (PERSAKMI), The Indonesian Epidemiology Association (PAEI), Indonesian Association of Construction Safety Experts (PAKKI), Indonesian Association of Behavior Change Intervention Practitioners (IPIPPI), Indonesian Hyperhealth and Work Safety Association (AHKKI), Association of Indonesian Public Health Experts (HAKLI).

JPH RECODE was first published since October 2017 (Volume 1 Issue 1) with 6 manuscripts in 60 pages, then from March 2018 until now our journal has been publishing 8 manuscripts in every edition. Every edition now consists of 65-75 pages. Manuscripts are written in full Indonesian (Bahasa Indonesia) or full English except on abstracts used both languanges are Indonesian and English.

The journal employs peer-review mechanism where each submited article should be anonimously reviewed by expert peers appointed by the editor. Articles published in this journal could be in the

form of original article.

Please note that Volume 1 Issue 1 2017 - Volume 2 Issue 1 2019 was previously processed offline. Volume 1 Issue 1 2017 can be accessed at http://journal.unair.ac.id/JPHRCHD, while Volume 1 Issue 2 2018 -Volume 2 Issue 1 2019 are available in archive (<u>https://e-journal.unair.ac.id/JPHRECODE/issue/archive</u>)

Current Issue

e-ISSN: 2597-7571



Journal of Public Health Research and Community Health Development

Vol. 6 No. 2 (2023): March

Current Issue



Vol. 6 No. 2 (2023): March

Volume 6 No 2 contains 4 research articles and 6 literature review in the area of public health. These articles were authored/co-authored by 26 authors from 12 institutions and 3 countries (Indonesia,

Malaysia, and Australia).

Published: 2023-03-01

Front Matter

FRONT MATTER

Abstract:47

🔎 PDF

Editorial

Achieving High Quality Publication from Indonesian Scientists

doi	DOI:10.20473/jphrecode.v6i2.44166
Ð	82
~	Abstract: 44
(\$	PDF:18

🖾 PDF

Research Articles

CORRELATION BETWEEN OHS KNOWLEDGE, MOTIVATION, WORK STRESS, AND UNSAFE ACTION (STUDY ON PRODUCTION SECTION WORKERS AT PT MANDIRI JAVA FOOD SEMARANG, INDONESIA): A CROSS-SECTIONAL STUDY

💩 DOI : 10.20473/jphrecode.v6i2.29460

<u>:</u>	Ayu	Sekar	Pawening,	Tri	Martiana
----------	-----	-------	-----------	-----	----------

🖹 83-92

Abstract : 168

🗳 PDF:50

🔎 PDF

THE RELATIONSHIP BETWEEN MALNUTRITION AND SEVERE PNEUMONIA AMONG TODDLERS IN EAST JAVA, INDONESIA : AN ECOLOGICAL STUDY

DOI : 10.20473/jphrecode.v6i2.34831
 Milistia Kristi Prastika , Erni Astutik

93-101

Abstract:116

🗳 PDF:49

FDI

4/14/23,	8:19 AM

Vol. 6 No. 2 (2023): March | Journal of Public Health Research and Community Health Development

CHEMICAL HEALTH RISK ASSESSMENT IN THE METALLURGY DEPARTMENT OF A MINING COMPANY, INDONESIA : A CASE STUDY

🔤 DOI : 10.20473/jphrecode.v6i2.23367

📽 Yenni Miranda Savira , Arif Susanto , Aprilia Listiarini , Wiliam Engelbert Yochu , Edi Karyono Putro , Danny Rosalinawati Santoso , John Charles Willmot , Anita Johan

- 102-113
- Abstract: 204
- 🗳 PDF:64



EDUCATING THE IMPACT OF COCONUT SPROUT ON MATERNAL HYPERTENSION IN TANGERANG, INDONESIA: A CASE STUDY

6 DOI : 10.20473/jphrecode.v6i2.33514

📽 Sumiaty Aiba , Desman Berkati Larosa , Maria Maxmila Yoche , Christie Lidia Rumerung , Komilie Sitomorang

🖹 114-124

Abstract : 90

🗳 PDF : 50

🖾 PDF

Literature Review

SYSTEMATIC REVIEW: FACTORS AFFECTING NURSE'S WORK STRESS IN HOSPITAL EMERGENCY ROOM DURING THE COVID-19 PANDEMIC

🕹 DOI : 10.20473/jphrecode.v6i2.34422

📽 Dian Putri Suryati , Nuzulul Kusuma Putri , Normala Ibrahim

- 🖹 125-133
- 🗠 Abstract : 89
- 🗳 PDF:43

🔎 PDF

FACTORS AFFECTING WORK FATIGUE IN INPATIENTS' FEMALE NURSES: LITERATURE REVIEW

⁶⁰ DOI : 10.20473/jphrecode.v6i2.21714

- 📽 Shafiera Rosnia , Dyah Utari , Agustina
- 🖹 134-143
- Abstract:75
- 🗳 PDF: 21

🖾 PDF

QUALITY IMPROVEMENT FOR MATERNAL AND CHILD HEALTH IN PRIMARY HEALTH CARE: A SCOPING REVIEW

⁶ DOI : 10.20473/jphrecode.v6i2.34624

嶜 Dhea Benedikta Tarigan , Inge Dhamanti

Ē	144-152
~	Abstract:74

_			۰.	0	·	۰	•	ľ
Ł4	Ы	DF	:	5	6			

E.	PDF
	PDF

IMPACT OF IMPLEMENTING A SURGICAL SAFETY CHECKLIST IN HOSPITAL: LITERATURE REVIEW

doi	DOI : 10.20473/jphrecode.v6i2.34769
: ;;	Ezha Gadis Rekly Arimbi , Inge Dham anti
Ē	153-160
~	Abstract:86
(∜)	PDF: 45

|--|

THE USE OF COGNITIVE BEHAVIOUR THERAPY AS A TREATMENT OF INTERNET ADDICTION DISORDER IN ADOLESCENTS: LITERATURE REVIEW

DOI : 10.20473/jphrecode.v6i2.31158

- 📽 Lutfian , Ayunda Puteri Rizanti , Ilany Nandia Chandra
- 161-169
- Abstract: 142
- PDF:125



STUDY OF LITERATURE RELATED TO STAFF PERFORMANCE FACTORS' LINKAGES TO INCOMPLETE MEDICAL RECORD DOCUMENTS IN PUBLIC HEALTH CENTER

- DOI : 10.20473/jphrecode.v6i2.31050
- 📽 Rossalina Adi Wijayanti , Widian Almas Zatin , Novita Nuraini
- 170-180
- Abstract: 84
- 🗳 PDF:34

🖾 PDF


Back Matter

BACK MATTER

Abstract: 25

🖾 PDF

National Accreditation



C ACM-5692-2022

4/14/23, 8:22 AM













Editorial Team | Journal of Public Health Research and Community Health Development

Setho Hadisuyatmana,

S.Kep.Ns.,M.NS(CommHlth&PC)

Honorary Fellow at the La Trobe University, Victoria, Australia

0000-0002-3560-7596 RxPPDCEAAAAJ&hl 57209738095 **I** ABC-7537-2020

Assoc. Prof. Dr Satvinder Kaur Faculty of Applied Sciences UCSI University Kuala Lumpur, Malaysia

0000-0003-0808-9612 p5deu7IAAAAJ&hl 56211436300

L AAE-7782-2019

Dr. Normala Binti Ibrahim

Hospital Pengajar Universiti Putra Malaysia, Malaysia

0000-0003-2868-9834 Xk8FqC4AAAJ&hl 54414227000



C AFN-3092-2022

Ssekalembe Geofrey FElizabeth Glaser Pediatric AIDS Foundation, Uganda

0000-0001-6757-7275 VUUk6pAAAAJ

Stefania Widya Setyaningtas

Interdepartmental Nutrition Program, Purdue University, United State of America

0000-0002-2331-2037 cSF3RrwAAAAJ 57208284644

C AGE-8185-2022

Dr. dr. Daru Lestantyo, MSi Public Health Study Program, Diponogoro University, Indonesia

0000-0002-6614-773X mNMGqiMAAAAJ&hl 57194585807 [GQQ-0368-2022

4/14/23, 8:22 AM













Editorial Team | Journal of Public Health Research and Community Health Development

luh Putu Lila Wulandari, dr., M.PH Department of Public Health and Preventive Medicine, Medical Faculty, Universitas Udayana, Indonesia

0000-0002-3397-3648
 biyMoywAAAAJ&hI
 54394664900
 H-8156-2019

Syifa'ul Lailiyah, S.KM., M.Kes

Public Health Study Program, Universitas Airlangga-Banyuwangi Campus, East Java, Indonesia

0000-0002-1237-3213
 IcZsuOgAAAAJ&hI
 57213354857
 AAU-2716-2020

Novia Handayani, S.KM., M.A., M.Kes Health Promotion and Behavioural Sciences Departemen, Faculty of Public Health, Universitas Diponegoro, Indonesia

0000-0002-5701-7263
 Z_tKYykAAAAJ&hl
 57194601772
 GOP-1684-2022

Feranita Utama, S.KM., M.Kes

Departemen of Epidemiology, Faculty of Public Health, Universitas Sriwijaya, Indonesia

0000-0003-3505-7106 yNko0gwAAAAJ&hl 57211550400

C AFF-1058-2022

Septa Indra Puspikawati, SKM., MPH

Public Health Study Program, Universitas Airlangga-Banyuwangi

Campus, East Java, Indonesia

0000-0003-0289-9745
 _aldm3cAAAJ&hl
 57214820573
 ABE-4655-2020

Erni Astutik, S.K.M., M.Epid

Epidemiology Department, Faculity of Public Health, Universitas Airlangga, Indonesia

0000-0003-2934-1290 YSY-LPUAAAAJ&hl 57208131686









Editorial Team | Journal of Public Health Research and Community Health Development



Kurnia Ardiansyah Akbar, S.KM., M.KKK Occupational Health and Safety Department, Faculty of Public Health, Universitas Jember, Indonesia

0000-0001-6265-3064
 WTM88jAAAAAJ&hl
 57214728526
 AAC-2926-2021

Septa Katmawanti, S.Gz., M.Kes

Public Health Program Study, Faculty of Sport and Science,

Universitas Negeri Malang, Indonesia

0000-0002-5115-0311
 wrCHAroAAAAJ&hl
 57219311239
 AAV-8485-2021

Rahmi Susanti, SKM., M.Kes Faculty of Public Health, Universitas Mulawarman, Indonesia

0000-0001-9921-7717
 ua3u3AMAAAAJ&hl
 57210159858
 AIE-8295-2022

Desak Made Sintha Kurnia Dewi, S.KM., M.Kes Public Health Study Program, Universitas Airlangga-Banyuwangi Campus, Indonesia

0000-0003-3662-0060
 _OkcZtcAAAAJ&hI
 57204352395
 AAV-3927-2020

Administration Staff



Rika Yunita S.Tr.Par Sekolah Ilmu Kesehatan Dan Ilmu Alam (SIKIA), Universitas Airlangga, Indonesia

National Accreditation



QUALITY IMPROVEMENT FOR MATERNAL AND CHILD HEALTH IN PRIMARY HEALTH CARE: A SCOPING REVIEW

Dhea Benedikta Tarigan¹, Inge Dhamanti^{1,2,3}

¹Faculty of Public Health Airlangga University, Indonesia ²School of Psychology and Public Health, La Trobe University, Australia ³Center for Patient Safety Research, Airlangga University, Indonesia dhea.benedikta.tarigan-2018@fkm.unair.ac.id

ARTICLE INFO

ABSTRACT

Article History: Received: April, 18th, 2022

Revised: From May, 9th, 2022

Accepted: June, 3rd, 2022

Published Online: March, 1st, 2023

This is an open access article under the CC BY-NC-SA license (https://creativecommons .org/licenses/by-ncsa/4.0/)

Background: Primary Health Care (PHC) is a gatekeeper in providing comprehensive services for maternal and child health (MCH). MCH services in PHC remain limited and have not been entirely handled and distributed. Based on this, MCH in PHC requires Quality Improvement (QI) interventions. Purpose: Identify the implementation of QI in maternal and child health in PHC and identify the most OI tools or approaches used. Methods: This is a scoping review of the qualitative and quantitative results of studies that focused on Quality Improvement for maternal and child health in Primary Health Care. The inclusion criteria consist of articles published in English and original articles; the topic is an improvement for maternal and child health in Primary Health Care; full text and open access. Results: Six findings have been found, which are: QI interventions for MCH problems mostly happen in Low Middle Income Countries (LMIC); Plan-Do-Study-Act (PDSA) was the most used QI intervention approach; the success of QI implementation including the interventions; the most used QI Intervention; the role of stakeholders; and factors related to the successes of QI intervention. Conclusion: Implementation QI is often carried out in Low-Middle Income Countries (LMIC). Furthermore, various QI interventions have been used to solve maternal and child health issues. The most used QI tool was PDSA. Training, mentoring, and workshops for midwives and clinic teams were most often QI interventions implemented.

Keywords: Quality Improvement, Maternal and Child Health, Primary Health Care, Implementation, QI Approaches

Cite this as: Tarigan, D, B., & Dhamanti, I. (2023). Quality Improvement for Maternal and Child Health in Primary Health Care: A Scoping Review. Journal of Public Health Research and Community Health Development, 6(2): 144-152. http://dx.doi.org/10.20473/jphrecode.v6i2.34624

INTRODUCTION

Reducing maternal and child mortality is one of the Sustainable Development Goals (SDGs) targets. According to the World Health Organization (WHO), in 2018, the Maternal Mortality Rate (MMR) is still high, 810 mothers in the world died due to pregnancy and childbirth, and most of it occurred due to lack of access and unequal healthcare quality between urban areas and rural areas. The highest MMR is found in central Asia, eastern areas, Europe, and Northern Africa, according to WHO. Usually, mothers die due to severe bleeding, infectious diseases, high blood pressure during pregnancy, complications during childbirth, and unsafe abortions. WHO targeted the MMR in 2025 at 119 women per 100.000 pregnant women. While in 2020, there are more than 861 pregnant women deaths per 100.000 (CDC, 2020). Then in 2030, it will be 88 women per 100.000 pregnant women. This can be achieved by providing quality health care at primary health care (PHC) as the first gate of health providers. (WHO, 2021)

Various diseases and problems in pregnant women will lead to an increase in maternal mortality. In order to reduce it, health care has a significant role. PHC is a gatekeeper (Sibthorpe et al., 2017) and is responsible for the quality of life of the local area. Looking in South Africa, they need to know every update and data about visits of first antenatal care (ANC) before 20 weeks of gestation and pregnancy complications of pregnant women around the area (Odendaale et al, 2022). PHC provides comprehensive services, including preventive, promotive, rehabilitative, and curative for maternal and child health (Deepa and Devi, 2020). In PHC, maternal and child health services consist of reproductive health and family planning services, antenatal care, childbirth, newborn services, postpartum and family planning services, health services for infants, toddlers, pre-school children, and school children services. Some interventions to prevent Maternal and Child Mortality utilize maternal and child booklets, health counseling, delivery screening by midwives, and many more. (Limato et al., 2019).

PHC has preventive and curative uses. However, many MCH services have not been entirely handled and distributed, resulting in less comprehensive services (Haskins et al., <u>2020</u>). If this problem continues and Quality Improvement (QI) intervention does not work, there will be many missed opportunities, ineffective delivery services (<u>Lima et al., 2018</u>), and an inability to accomplish the SDG's targets (<u>Chetty, 2018</u>). Based on the study in Singapore, in order to make QI successful, it depends on the QI tools used in the intervention (<u>Fong et al., 2020</u>). Comparing to last research, this paper will not only show what are the intervention that have been used, but also show which one QI tools that worked in MCH in PHC.

Maternal and Child Health (MCH) in PHC requires OI interventions. Previous research has discussed QI in Maternal Child Care at 3 PHCs in Indonesia, suggesting that MCH health services must transform from focusing on health access to QI in health services (Limato et al., 2019). In addition, the study stated that there were a lot of interventions of QI that were used in every PHC (Haskins et al., 2020). However, a review of the findings remains relevant to guide further improvement in the quality of PHC in order to continue to reduce maternal and child mortality. Therefore, this paper aimed to identify the implementation of QI interventions in MCH in PHC and identify the most QI tools or approaches used.

METHOD

This paper was a scoping review about quality improvement for maternal and child health in PHC. We identified what kind of intervention is used to enhance or improve the quality of MCH services in PHC and their success. Scoping review was a tool of a study that can avoid bias because it saw the bigger scope of the topic. (Ingemann C, 2018). Inclusion criteria for these articles consist of articles published in English and original articles about OI for MCH in PHC; full text and open access, the articles were published within 2017-2021. Following the exclusion criteria for this paper consist of research that only discussed evaluation rather than quality improvements or did not include quality improvement and only discussed pediatrics only or did not include quality improvement.

The data were analyzed by searching and compiling articles through a scoping review of online databases. The databases consist of PubMed and Google Scholar. The search terms used included: "quality improvement" AND "maternal and child health" OR "antenatal care" OR "maternal and pediatric care" AND "primary health care" OR "community care" OR "primary maternal care" to find related articles. There were 32 related articles in the PubMed database and 50 articles on Google Scholar. Titles, abstracts, and objectives were being reviewed for the first selection and 13 articles on PubMed and 50 articles on Google scholar had been found. The thematic analysis had been used to find fit and credible articles then followed by reading for full text and identifying maternal and child health quality improvement in Primary Health Care. Last, four potential articles on PubMed and three articles on Google Scholar were finally chosen (Table 1).




Figure 1. Articles Search Result Framework.

RESULT

In this scoping review, an article discussed primary care that carried out quality improvement in maternal care globally. This discussion will convey findings on the kind of intervention implemented on every QI of PHC, QI tools, the success of the QI, and what factors lead to the success of the QI. Articles that met the criteria consisted of 7 articles and will be discussed in the following table.

No	Authors	Countries	Method	Data Collection	Findings
1.	Limato et al., (2019)	Indonesia	One year interventions on three <i>Puskesmas</i> or Primary Health Care (PHC)	Qualitative data were collected using 28 in- depth interviews at two points: pre- (April 2016) and post- QI intervention (April 2017), involving national, provincial, district, and Puskesmas managers; and Puskesmas QI team members. Thematic analysis of transcripts was conducted.	 QI in Indonesian PHC regarding maternal health implemented and focused training for health workers, including screening and monitoring. Using PDSA cycle tools of QI QI intervention has not worked completely. The Ministry of Health, Indonesian Midwives Association, and Province Officer were the stakeholder who helped to obtain information.
2.	Eboreim e EA et al., (2019)	Nigeria	Mixed method study design Observation in 138 PHC's of Nigeria	Three times observation for each local government and annual review for the national sector.	 Nigeria utilized DIVA tools (Diagnose - Intervene - Verify – Adjust) for advocating to stakeholders to solve maternal and child health issues. Interventions advocating consist of the commodity on immunization, commodity on integrated management of childhood illness, and weak delivery of skilled birth attendance. Using DIVA and PDSA cycle QI intervention succeed Agency Chief Executive, Ministry of Health, and Ministry of Finance were the stakeholders who decided on the QI interventions.

Table 1. Articles used in a review

No	Authors	Countries	Method	Data Collection	Findings
3.	YapaHM et al., (2020)	South Africa	CQI interventions in 7 Primary Health Care clinics	Observations periodically and trial registration for 2 months of interventions	 QI Interventions in PHC regarding maternal and child health were HIV Viral Load (VL) Monitoring to improve quality care and prevent transmission of HIV from mother to child. Using Process mapping, fishbone diagrams, and PDSA cycles. QI intervention has not entirely worked because of limited time Local stakeholders helped to obtain data information.
4.	Haskins et al., (2020)	South Africa	Interventions were implemented in 27 Clinics that participated.	Five times every three months a year using pre and post-tests and interviews.	 QI in South Africa's PHC showed that "Well Mother Baby Service" consisted of screening HIV care and monitoring service immunization. Using BTS model (Breakthrough Series model) QI intervention has not worked entirely because of administrative barrier. The Health Department of Kwazulu was the stakeholder who helped license the QI interventions.
5.	Darmstad t G et al., (2020)	India	Ananya programs were implemented in 38 districts of Bihar's City on 2550 health sub- centers.	Multilevel assessment and Direct Observations of Delivery (DOD) in PHC	 Interventions for PHC for maternal and child health using the Ananya program, which consisted of capacity building for FLW's, QI in Facilities, multimedia communications and self-help group facilitation, mentoring for nurses, and many more The QI intervention using Ananya tools The QI intervention was successful, but there are some issues with commodities and a lack of human resources. Bill and Melinda Gates Foundation (BMGF) and the Government of Bihar (GoB) were the stakeholders who decided on the QI intervention and investment in the QI intervention program.
6.	Ahmed, S. et al., (2021)	Egypt	Operational research was conducted in two Primary Health Care in Giza	Pre and post were interviewing 50 clients attending ANC and 50 attending FP Clinics.	 Using Clinical Audit as an intervention for maximizing service quality for MCH in Primary Health Care. The QI intervention used audit as an approach The QI intervention succeed The District Health Office and Zone Health Department were the stakeholders who measured for pre-intervention until post-intervention, identified the gap, and developed the action plan.
7.	Argaw, M. D., (2021)	Ethiopia	Pre-post design in 159 PHC Units in 31 Districts	Data extracted from online databases and evaluated by Key performance indicators. The intervention was implemented for 12 months.	 Using Community Scorecard Approach with six phases of implementation. It advocated an approach to improve maternal and child health care, skill delivery, growth mentoring intervention, and many more. Tools were not identified. The QI intervention succeed. The Health Sector Reform Program (HSRP), Ministry of Health and Population (MOHP)- General Department for Quality (GDQ) were the stakeholder who built the QI intervention and evaluated the program through accreditation.

Continuation of Table 1. Articles used in a review.

QI interventions for MCH problems di LMIC

Based on Figure 1. seven articles used QI intervention for maternal and child health in Primary Health Care. Quality improvement Interventions for MCH were carried out in 2771 Primary Health Care. This research was conducted in Indonesia, South Africa, Nigeria, India, Egypt, and Ethiopia. Frequently, QI in Healthcare is carried out in Low and MiddleIncome Countries (LMIC). LMIC is a country with a Gross National Income (GNI) per capita of less than USD 4095, and the average GNI per capita is USD 2.2021 (OECD, 2021).

The QI interventions tools

Table 1. provided information on each article about primary health care interventions to improve MCH services. Respectively, the PHC used different approaches and tools; there are Plan - D0 - Study - Action (PDSA) cycle, Breakthrough Series Model (BTS) Model, process mapping, fishbone diagrams, Diagnose-Intervene- Verify- Adjust (DIVA) model, and Ananya tools. Every PHC used a different approach and tool, but PDSA tools were the most commonly used. Moreover, PDSA tools were more effectively used for small regional scales so that data collection is easier to obtain. Meanwhile, for enormous scope, using other tools besides PDSA was more effective in achieving the target.

Time-related to QI successes

The research methods were also very diverse, ranging from three months to eighteen months to six years. This was highly influential on the desired outcomes and closely related to affect the number of participating PHC. The many PHC observed the long time it would take to do the MCH intervention. The longest time occurred in Bihar City, India. It took six years to implement the MCH QI intervention and use a clinical audit for every intervention on Bihar's PHC. The QI intervention was successful. This showed that the period of QI intervention is essential in QI intervention for MCH at PHC.

The most used QI Intervention for MCH

This intervention for MCH was very situation-dependent because it depended on the characteristics of the PHC in each region. Several characteristics such as behavior, culture, climate, and many more will affect the implementation interventions. Based on table 1. we saw that training, supervision, and workshops for health workers were the mainstay interventions in overcoming maternal and child problems. Other than training intervention, monitoring for the MCH program was also the dominant intervention carried out.

Role of stakeholders on QI intervention for MCH di PHC

Stakeholders had an enormous role in the sustainability of QI intervention for MCH in PHC. In this study, we saw that the government has contributed to the implementation of QI intervention. Some of the roles include providing complete information, license for research, decision-maker for the intervention, investing in the intervention program, and measurement of the report to detect the gap in developing an action plan. Participating stakeholders involve the local government, district health office, ministry of finance, national midwives association, and province officer.

Not All intervention can achieve the target

From the result above, there are many QI interventions. Unfortunately, not all interventions can achieve the target, such as QI intervention in Indonesia, South Africa, and India. This indicates that not every QI intervention is successful. Only three studies indicate the QI intervention was entirely successful of the seven studies.

DISCUSSION

QI implementation in LMIC

This study found that QI intervention for MCH was often undertaken in LMIC countries. This was related because, in LMIC, there were still much poor society, social exclusion, geographic isolation, and a lack of proper health services and education (Kumar et al., 2020). Mutually sustainable, the LMIC community has difficulty getting access to education, especially in geographic isolation. The articles show that the country was a resource-poor community using the Continuous Quality Improvement method (2020). The ageappropriate was also an issue for many adolescent pregnancies or unwanted pregnancies. Education about the use of contraceptives, infant health, and maternal health was very influential. The easier it is to access education and information, the more knowledgeable society improves their health and chooses contraception (Robbins, C.L., & 2017). Other than that, Ott, M. A., maldistribution of health services and incompatible health workers, especially in Primary Health Care, were also concerns at LMIC (Bhan, N. et al., 2020). Therefore, LMIC might be the priority for improving maternal and child health quality. The implementation of QI interventions had to be solved at the root of the problem for effective results.

The mainstay of QI intervention for MCH

There were many interventions for improving the quality of PHC in MCH services. Based on this study, we identified that PHC often conducts QI interventions on Health Workers or Human resources in PHC, training, mentoring, and workshops for midwives and clinic teams. It is because Health workers have a crucial role in the success of QI. The purpose

was for Health Workers in Primary Health Care to have clear goals and understand the QI intervention undertaken, the tools to be used, and the procedures for implementing the program. This was supported by research (Baker, U., et al., 2018) in Tanzania that cultivating a sense of ownership of health workers affects the success of OI implementation. The higher the ownership of health workers in QI intervention, the more enthusiasm and desire to learn and understand more about the implementation of health workers will be. The QI intervention will be successful and effective if Health Workers or Human resources in PHC can operate and work together to own the program. Research from WHO also supports that mentoring and training are dominant interventions because they can ensure and also build skills and competencies of each staff (World Health Organization, 2018)

PDSA cycle is the most used approach

QI intervention in PHC aimed to enhance and improve MCH services. However, the outcome showed that not all OI interventions could achieve the target. Several factors include the tools and approach used, time/period, potential, human resources, stakeholders, data, and information (Rakhmanova N. and Bouchet B., 2017). However, it did not mean that the OI intervention using the PDSA cycle would succeed; many factors need to be identified to make QI successful. This was supported by the research of Limato (2019). The implementation of QI intervention using PDSA tools was not necessarily successful in achieving the target. Approaches using PDSA tools became familiar because it was using real-time evidence and were frequently used in LMIC. This was because the implementation was undertaken periodically, making it easier for researchers to identify and know the emphasis of an intervention. According to Ahmed, S. et al. (2019), QI intervention with the PDSA approach would be successful and influenced by sufficient duration, collaboration, and supporting data. If there are no these factors, it will exacerbate the failure of the process.

Stakeholder role on the success of QI intervention

The role of stakeholders in the implementation of QI would support the success of the intervention, as stated in the Alma Atta conference. The stakeholder's role in

the QI implementation might be the most significant influence on the success. This happened because the implementation QI needs a resource; financial, man participation, exposure, and data information. This was supported by the research of Spencer (2020), that failure of QI outcomes due to limited time, incomprehensive data, unclear policy, and financial issues are closely related to stakeholders (Spencer et al., 2020). According to Spencer, stakeholders often only play a role in the monitoring and consultation but were negligent in implementation, intervention involvement, and evaluation. In addition, building trust and engagement in interaction were critical to gaining clear policy, complete data, and any other issues. These factors aligned with the study results that stakeholders must participate in the sustainability of QI intervention at PHC in MCH services. For example, in PHC in South Africa, the implementation of quality care ANC in HIV requires data from the local government; if the data obtained is incomplete, then the OI outcome will also not be successful.

The Successful QI intervention on PHC for Maternal and Child Health

QI intervention has varied factors to be identified as a successful program. However, to make it a success, it must occur continuously and sustainably (Marquez, 2020). The success of this QI intervention was also influenced by the area it was implemented and its duration. The broader area to be intervened, the more data and resources needed. For example, the Ananya program takes seven years to implement, implemented on a national scale. When viewed from a narrow area, the duration will be narrow as well (Darmstadt, G. L., 2020). The data and resources required were also less. In addition, advocacy is also necessary. Based on this study, advocacy was also one of the solutions to the success of QI intervention; out of several QI interventions, a study carried out only one advocacy, and it was successful.

Research Limitation

This study only examines articles in English and is limited to 5 years, from 2016 to 2021. The research was limited to the policy side of each country.

CONCLUSION

Implementation QI was frequently undertaken in Low-Middle Income Countries (LMIC). This took place because there was a lack of proper health services, resource-poor communities, and many other issues at MCH. Furthermore, various OI interventions and approaches have solved maternal and child health issues. QI interventions are training, mentoring, and workshops for midwives and clinic teams. Meanwhile, PDSA approaches were still the most used QI intervention approaches or methods for LMIC. However, the duration of OI also influenced the success of the program. Unfortunately, mentoring, training intervention or a PDSA approach did not guarantee that QI intervention would succeed. The role of stakeholders was also essential for making decisions, quality and completeness of the data, and transparent policy, making QI intervention successful means to sustain it, which was also influenced by the duration and the area of OI intervention.

SUGGESTIONS

The success of QI interventions is related to the stakeholder of the countries. The maximizing advocation of the stakeholder power will raise the chance of success of QI interventions. A stakeholder might help to educate and be a role model to introduce the QI intervention, so the people know the purpose of the intervention.

CONFLICT OF INTEREST

Author have no conflict of interest.

FUNDING SOURCE

No funding available.

AUTHOR CONTRIBUTION

Author Dhea Benedikta Tarigan as the main researcher who chose the topic, conducted a search for data collection in this study. Author Inge Dhamanti as a final proofreading and reviewed research documents.

REFERENCES

Ahmed S, Applegate JA, Mitra DK, Callaghan-Koru AJ, Mousumi M, Khan AM, Joarder T, Harrison M,Ahmed S, Begum N, Quaiyum A, George J & Baqui AH. 2019. Implementation Research to Support Bangladesh Ministry of Health and Family Welfare to Implement its National Guidelines for Management of Infections in Young Infants in Two Rural Districts. *Journal of Health Population and Nutrition, 38*(41). doi: 10.1186/s41043-019-0200-6

- Argaw MD, Desta BF, Mamo E, Abebe MG, Rogers D, Demelash A, Ayele AA, Reda Z, Tareke AS, Erfo AM, Wonjalo WW, Bele TA, Ayede A & Abebe LG. 2021. Implementing A Social Accountability Approach for Maternal, Neonatal, and Child Health Service Performances in Ethiopia: A Pre-Post Study Design. *Global Health: Science and Practice Journal, 9*(1), pp. 123-135. doi: 10.9745/ghsp-d-20-00114
- Baker U, Petro A, Marchant T, Peterson S, Manzi F, Bergström A, Hanson C. 2018. Workers' Experiences Health of Collaborative Quality Improvement For Maternal And Newborn Care in Rural Tanzanian Health Facilities: A Process Evaluation Using The Integrated 'Promoting Action on Research Implementation in Health Services' Framework. PloS One, 13(12). doi: 10.1371/journal.pone.0209092
- Bhan N, McDougal L, Singh A, Atmavilas Y, Raj A. 2020. Access To Women Physicians and Uptake of Reproductive, Maternal and Child Health Services in India. *Elsevier Journal*, 20, pp. 100309. doi: 10.1016/j.eclinm.2020.100309.
- CDC.2020. Maternal Mortality Rates in the United States. NCHS Health E-Stats. doi: 10.15620/cdc:113967
- Chetty T, Yapa HMN, Herbst C, Geldsetzer P, Naidu KK, De Neve JW, Herbst K, Matthews P, Pillay D, Wyke S & Barnighausen T. 2018. The Monarch Intervention to Enhance the Quality of Antenatal and Postnatal Primary Health Services in Rural South Africa: Protocol for A Stepped-Wedge Cluster-Randomised Controlled Trial. *BMC Health Services Research*, 8(18), pp. 625. doi: 10.1186/s12913-018-3404-3
- Darmstadt GL, Pepper KT, Ward VC, Srikantiah S, Mahapatra T, Tarigopula UK, Bhattacharya D, Irani L, Schooley J, Chaudhuri I, Dutt P, Satsry P, Mitra R,

Chamberlain S, Monaghan S, Nanda P, Atmavilas Y, Saggurti N, Borkum E, Rangarajan A, Mehta KM, Abdalla S, Wilhelm J, Weng Y, Carmichael SL, Raheel H, Bentley J, Munar WA, Creanga A, Trehan S, Waler D & Shah H. 2020. Improving Primary Health Care Delivery in Bihar, India: Learning from Piloting and Statewide Scale-Up of Ananya. *Journal of Global Health*, *10*(2), pp. 1–19. doi: 10.7189/jogh.10.021001

- Deepa N, Devi P. 2020. A Bird View on Problems of Maternal Women on Maternal and Child Health Care Services Provided by Primary Health Centre in Erode District of Tamilnadu. *Mukt Shabd Journal. IV*(4): pp. 2487-2495.
- Eboreime EA, Nxumalo N, Ramaswamy R, Ibisomi L, Ihebuzor N, Eyles J, Eboreime A. 2019. Effectiveness of the Diagnose-Intervene-Verify-Adjust (DIVA) Model for Integrated Primary Healthcare Planning and Performance Improvement: an Embedded Mixed Methods Evaluation in Kaduna State, Nigeria. *BMJ Open Journal (9)*, pp. 1-13. doi: 10.1136/bmjopen-2018-026016
- Foong, T. W., Tiong, H. F., Ong, S. Y., &38; Chen, F. G. (2020). Using Quality Improvement Tools to Enhance Workplace Learning in an Anaesthesia Unit. *Medical Teacher* 42(11), pp. 1228– 1233. doi: 10.1080/0142159X.2020.1799960</div
- Haskins, L., Chiliza, J., Barker, P. et al. 2020. Evaluation of the effectiveness of a quality improvement intervention to support integration of maternal, child and HIV care in primary health care facilities in South Africa. *BMC Public Health* 20, 318. doi: 10.1186/s12889-020-8397-2
- Ingemann C, Larsen CVL. 2018. A Scoping Review : Well-Being Among Indigenous Children And Youth in the Arctic – With A Focus on Sami And Greenland Inuit. Nordic Council of Ministers. doi: 10.6027/ANP2018-720
- Kumar M, Huang KY, Othieno C, Wamalwa D, Hoagwood K, Unutzer J, Saxena S, Petersen I, Njuguna S, Amugune B, Gachuno, O, Ssewamala F, McKay M. 2020. Implementing Combined WHO Mhgap and Adapted Group Interpersonal Psychotherapy to Address Depression

and Mental Health Needs of Pregnant Adolescents in Kenyan Primary Health Care Settings (INSPIRE): A Study Protocol for Pilot Feasibility Trial of the Integrated Intervention In LMIC Settings. *Pilot and Feasibility Studies*, *6*, pp. 136. doi: 10.1186/s40814-020-00652-8

- Limato R, Tumbelaka P, Ahmed R, Nasir S, Syafruddin D, Ormel H, Kumar MB, Taegtmeyer M, Kok M. 2019. What Factors Do Make Quality Improvement Work in Primary Health Care? Experiences of Maternal Health Quality Improvement Teams in Three Puskesmas in Indonesia. *PloS One, 14*(12). doi: 10.1371/journal.pone.0226804
- Luz LA, Aquino R, Medina MG. 2018. Avaliação da qualidade da Atenção Pré-Natal no Brasil. *Saúde Em Debate*, 42(spe2), pp. 111–126. doi: 10.1590/0103-11042018s208
- Manisha HY, De Neve JW, Chetty T, Herbst C, Post FA, Jiamsakul AP, Harling G, Dhlomo-Mphatswe W, Moshabela M, Matthews P, Ogbouji O, Tanser F, Barnighausen T. 2020. The Impact Of Continuous Quality Improvement on Coverage of Antenatal HIV Care Tests In Rural South Africa: Results of a Stepped-Wedge Cluster-Randomised Controlled Implementation Trial. *PloS Med*, *17*(10), pp. 1-30. doi: 10.1371/journal.pmed.1003150
- Marquez LR. 2020. Improving Health Care in Low- and Middle-Income Countries: A Case Book. University Research Co., LLC (URC). doi: 10.1007/978-3-030-43112-9
- Munn Z, Peters MDJ, Stern C, Tufanaru C, Mcarthur A, Aromataris E. 2018. Systematic Review or Scoping Review? Guidance for Authors When Choosing Between a Systematic or Scoping Review Approach. *BMC Medical Research Methodology*, *18*, pp. 143. doi: 10.1186/s12874-018-0611-x
- Odendaal, W., Goga, A., Chetty, T., Schneider, H., Pillay, Y., Marshall, C., Feucht, U., Hlongwane, T., Kauchali, S., & Makuag, M. 2022. Early Reflections on Mphatlalatsane, a Maternal and Neonatal Quality Improvement Initiative Implemented During COVID-19 in South Africa. Global Health: Science and

Practice 2022, 10(5), 1-11. https://doi.org/10.9745/GHSP-D-22-00022

- Primary health care. 2021. World Health Organization (WHO). Retrieved March 1, 2023, from https://www.who.int/newsroom/fact-sheets/detail/primary-healthcare
- Rakhmanova N, Bouchet B. 2017. Quality Improvement Handbook A Guide for Enhancing the Performance of Health Care Systems. United States: Family Health International (FHI) 360.
- Lima TRM, Maia PFCMD, Valente EP, Vezzini F, Tamburlini G. 2018. Effectiveness of an Action-Oriented Educational Intervention in Ensuring Long Term Improvement of Knowledge, Attitudes and Practices of Community Health Workers in Maternal and Infant Health: a Randomized Controlled Study. *BMC Medical Education, 18*(224). doi: 10.1186/s12909-018-1332-x
- Rider A, Schertzer K. 2021. Quality Improvement in Medical Simulation. United States: StatPearls Publishing LLC.
- Robbins CL, Ott MA. 2017. Contraception Options and Provision to Adolescents. *Minerva Pediatrica*, 69(5), pp. 403–414. doi: 10.23736/S0026-4946.17.05026-5
- Sibthorpe B, Agostino J, Coates H, Weeks S, Lehmann D, Wood M, Lannigan F, McAullay D. 2017. Indicators for Continuous Quality Improvement for Otitis Media in Primary Health Care for Aboriginal and Torres Strait Islander Children. *In Australian Journal of Primary Health*, 23(1), pp. 1–9. doi: 10.1071/PY16096
- World Health Organization. 2018. Improving the Quality Of Health Services - Tools and Resources. World Health Organization.



UNIVERSITAS AIRLANGGA

FAKULTAS KESEHATAN MASYARAKAT

Kampus C Mulyorejo Surabaya 601115 Telp.031-5920948, 5920949 Fax 031-5924618 Laman : <u>http://www.fkm.unair.ac.id</u> : E-mail: info@fkm.unair.ac.id

SURAT KETERANGAN Nomor : 3022/UN3.1.10/KP/2023

Yang bertanda tangan di bawah ini :			
Nama	: Dr. Santi Martini, dr. M.Kes		
NIP	: 196609271997022001		
Pangkat/Golongan	: Pembina/ Gol (IV/a)		
Jabatan	: Dekan		

Dengan ini menerangkan bahwa :		
Nama	: Inge Dhamanti, SKM. M.Kes, MPH., Ph.D	
NIP	: 19801224 200501 2 002	
Pangkat/Golongan	: Penata (Gol. III/c)	
Jabatan	: Lektor	

Telah melaksanakan penelitian dengan judul sebagai berikut :

No.	Judul Karya Ilmiah	Tahun Pelaksanaan Penelitian
1.	Implementation of Computerized Physician Order Entry in Primary Care: A Scoping Review	2021
2.	Adverse Reactions of COVID-19 Vaccines: A Scoping Review of Observational Studies	2023
3.	Literature Review: Cause Factor Analysis and an Effort to prevent Medication Administration Error (MAE) at Hospital	2020
4.	A Literature review on the Identification of Variables for Measuring Hospital Efficiency in the Data Envelopment Analysis (DEA)	2021
5.	Telemedicine Use In Health Facility During Covid-19 Pandemic: Literature Review	2022
6.	Faktor yang Menghambat Pelaporan Insiden Keselamatan Pasien di Rumah Sakit: Literature Review	2021
7.	Comparison of Four Methods To Detect Adverse Events in Hospital	2015
8.	Infections Prevention and Control (IPC) Programs in Hospitals	2021
9.	Studi Komparatif Pengembangan Contact Tracing Applications Di Singapura dan Indonesia (Studi Kasus: TraceTogether dan PeduliLindungi)	2022
10.	Faktor Penghambat Pelayanan Kesehatan Rutin di Rumah Sakit saat Pandemi COVID-19	2021
11.	Governmental Policies in Managing COVID-19 Pandemic: Comparative Study Between Indonesia and Vietnam, Period of January – March 2020	2021

12.	Akses Pelayanan Kesehatan Ibu dan Anak di Puskesmas Selama Pandemi Covid-19	2022
13.	Comparison of Dental Care Policies Before and During The COVID-	2022
15.	19 Pandemic: A Literature Review	2022
14.	Analysis of Implementation of Patient Identification In Hospitals to	2022
14.	Improve Patient Safety in Indonesia	2022
15.	Literature Review: Implementation Of Patient Safety Goals In	2021
	Hospitals In Indonesia	
16.	Literature Review: Hospital Service Quality During The COVID-19	2022
	Pandemic	
17.	Comparison of Hospital Emergency Room Management Regulations	2022
	in Indonesia Before and During The COVID-19 Pandemic: Literature	
	Study	
18.	Analisis Pelaksanaan Pelayanan Kesehatan Perorangan (Ukp) Di	
	Puskesmas Sebelum Dan Selama Pandemi Covid-19: Literature	2022
10	Review	2022
19.	Perbandingan Kebijakan Pelaksanaan Imunisasi Rutin pada Anak	2022
20	sebelum dan selama Pandemi	2021
20.	Recommendation Analysis Of Mental Health Services For Health	2021
01	Workers During Pandemic Covid-19	2022
21.	Impact Of Implementing A Surgical Safety Checklist In Hospital: Literature Review	2023
22		2023
22.	Quality Improvement For Maternal And Child Health In Primary Health Care: A Scoping Review	2023
23.	Implementation Of Root Cause Analysis On Patient Safety Incidence	2022
25.	In Hospital: Literature Review	2022
24.	Analisis Peran Stakeholder dalam Kapasitas Rumah Sakit akibat	2022
<u></u> .	COVID-19: Literature Review	2022
25.	Lessons from Indonesia, a country with highest COVID-19 mortality	2022
	rate in the world: dissecting multiple aspects	

Adapun penelitian tersebut layak dilakukan dan menghasilkan output yang sangat baik, meskipun belum ada *Uji Etical Clearence* karena menggunakan metode litteratur review . Demikian surat keterangan ini kami buat untuk dapat dipergunakan sebagai persyaratan pengusulan Jabatan Fungsional Lektor Kepala.

