



ScienceDirect®

International Journal of Surgery Case Reports

Open access

0.9
CiteScore

[Submit your article](#)

[Guide for authors](#)

Menu



Search in this journal

Volume 100

November 2022

[Download full issue](#)

[< Previous vol/issue](#)

[Next vol/issue >](#)

Receive an update when the latest issues in this journal are published

[Sign in to set up alerts](#)

Open access

Editorial Board

Article 107777



[View PDF](#)

Case Reports

FEEDBACK

Case report *Open access*

Giant cell tumor with secondary aneurysmal bone cyst of the left calcaneus

Achmad Fauzi Kamal, Fahresa Hilmy

Article 107697



[View PDF](#)

[Article preview](#)

Case report *Open access*

Synchronous ovarian epidermoid cyst torsion with appendicitis in a 2.5-year-old girl: Case report

Gulan Maree, Ferhad Hemi, Alaa Ghuzlan, Hanna Kassab, ... Ammar Omran

Article 107731



[View PDF](#)

[Article preview](#)

Case report *Open access*

Curative surgical resection for initially unresectable metastatic gallbladder cancer following neoadjuvant chemotherapy: Case report and review of literature

Fatimah Al Jaber, Eman Almaher, Rawan Al-Ibrahim, Mohammed AlQahtani

Article 107694



[View PDF](#)

[Article preview](#)

Case report *Open access*

Severe obstructive symptoms and urinary bladder mass due to cystitis glandularis: A very rare case report in children

Ahmad Kusumaputra, Ilham Akbar Rahman, Soetojo Wirjopranoto

Article 107709



[View PDF](#)

[Article preview](#)

Case report *Open access*

Gallbladder adenocarcinoma with upper abdominal pain: A case report

Samuel Sampetoding, Muhammad Ihwan Kusuma, Yulianti Pratiwi, Devby Ulfandi, Muhammad Faruk

Article 107734



[View PDF](#)

[Article preview](#)

Case report *Open access*

Successful management of postpartum hemorrhage and surgical site infection in a pregnant woman under warfarin for heart valve replacement: A case report

Alina Tandukar, Kritika Jha, Roshan Aryal, Pooja Paudyal, ... Suniti Joshi Rawal

Article 107751



[View PDF](#)

[Article preview](#)

Case report *Open access*

Unintended Foley's catheter placement into the ureter: A case report

Mohammad Al-zubi, Mazen Mohammad Falah Alheyassat, Mohammed Alhasan, Mohammad Hussein M. Al-Qudah, Morad Bani-Hani

Article 107750



[View PDF](#)

[Article preview](#)

Case report *Open access*

Intramuscular myxoma of the left thigh: A case report

Ali Al Abdulsalam, Sarah Al Safi, Sami Aldaoud, Nimer Al-Shadidi, Piyaray Mohan Dhar

Article 107710



[View PDF](#)

[Article preview](#)

Case report *Open access*

Ovary and fallopian tube as contents of indirect inguinal hernia: A case report

Shahzaib Maqbool, Ayesha Huma, Muhammad Idrees Anwar, Muhammad Atif Khan, Ka Yiu Lee

Article 107733



[View PDF](#)

[Article preview](#)

Case report *Open access*

Low-grade fibromyxoid sarcoma of the vulva presenting as a cystic mass: A case report and review of literature

Ghada Sahraoui, Farah Sassi, Lamia Charfi, Montassar Ghallab, ... Raoudha Doghri

Article 107736



[View PDF](#)

[Article preview](#)

Case report *Open access*

Idiopathic spontaneous rupture of unscarred uterus in a primigravida in active labour

Mona Mishra, Y.M. Mala

Article 107749



[View PDF](#)

[Article preview](#)

Case report *Open access*

An unusual delayed rectal metastasis from prostate cancer masquerading as primary rectal cancer

Mutahar Ali Tunio, Almootazbellah M. Agamy, Neil Fenn, Daniel Hanratty, Namor Wyn Williams

Article 107732



[View PDF](#)

[Article preview](#)

Case report *Open access*

Association between impaired healing after orthognathic surgery and irritable bowel syndrome: A case report and literature review

Nisrina Ekayani Nasrun, Keiko Fujita, Kazumi Chieda, Yoshihiro Abiko, ... Kazuki Akizuki

Article 107745



[View PDF](#)

[Article preview](#)

Case report *Open access*

Tubercular empyema a sequale of emphysematous pyelonephritis with porous diaphragm syndrome and its successful management: A case report

Klein Dantis, Chandan Kumar Dey, Zijano M Kithan, Kalleshwara. I.T

Article 107730



[View PDF](#)

[Article preview](#)

Case report *Open access*

Management of juvenile trabecular ossifying fibroma of bone of the maxilla in a child: A case report at a tertiary hospital in Northern Tanzania

Kanankira A. Nnko, Deogratius S. Rwakatema, Steven M. Bina, Samweli F. Mwita, ... Alex Mremi

Article 107746



[View PDF](#)

[Article preview](#)

Case report *Open access*

Intussusception of the cecum due to the acute appendicitis: A case report

Naoya Kimura, Masatsugu Hiraki, Hirofumi Sato, Hiroki Koga, ... Kenji Kitahara

Article 107727



[View PDF](#)

[Article preview](#)

Case report *Open access*

Delayed local recurrence of pancreatic adenosquamous cell carcinoma after curative surgery: A case report

Atsuhiro Watanabe, Tomoyuki Abe, Akihiko Oshita, Keiji Hanada, ... Masahiro Nakahara

Article 107735



[View PDF](#)

[Article preview](#)

Case report *Open access*

Could the top-down right hemicolectomy be an easier alternative to the classic medial-to-lateral approach in obese patients? A case report with video example

Filippo Banchini, Enrico Luzietti, Andrea Romboli, Gerardo Palmieri, ... Patrizio Capelli

Article 107752



[View PDF](#)

[Article preview](#)

Case report *Open access*

Acute abdomen with a parasitic smooth muscle tumor of uncertain malignant potential (STUMP) in pregnancy; a unique case report

Hannah Louise Price, Tanne Daniels, Tava Mudzamiri, Archana Pandita, Victoria Carlsen

Article 107741



[View PDF](#)

[Article preview](#)

Case report *Open access*

Management of an isolated complete imperforate transverse vaginal septum: A case report

Adil Barut, Zeina Ahmed Hirsi, Khadija Yusuf

Article 107744



[View PDF](#)

[Article preview](#)

Case report *Open access*

A 10 cm pedunculated duodenal Brunner gland hamartoma, case report and literature review

Ziyad Alsugair, Pierre Marie Lavrut, Lisa Chassagne

Article 107747



[View PDF](#)

[Article preview](#)

Case report *Open access*

Laparoscopic appendectomy for acute appendicitis in patients with COVID-19 confirmation: A case report

Toshiyuki Suzuki, Akiyo Matsumoto, Takahiko Akao, Seiji Kobayashi, Hiroshi Matsumoto

Article 107740



[View PDF](#)

[Article preview](#)

Case report *Open access*

Laparoscopic mesh repair and Toupet fundoplication for parahiatal hernia complicated by sliding hiatal hernia: A case report

Risa Muramatsu, Takayuki Nobuoka, Tatsuya Ito, Tadashi Ogawa, ... Ichiro Takemasa

Article 107664



[View PDF](#)

[Article preview](#)

Case report *Open access*

Intrauterine intestinal volvulus without malrotation presenting neonatal abdominal compartment syndrome

Hirokazu Matsushima, Morihiro Katsura, Masafumi Ie, Ryuichi Genkawa

Article 107742



[View PDF](#)

[Article preview](#)

Case report *Open access*

Redo Gastric Bypass following internal herniation with gangrenous roux limb, in second trimester pregnancy: How safe?

Siddharth Sankar Das, Zaid AbdulAziz Ghulam, Feras Hamid Al Khitab, Farah Ibrahim B. Juma, Walid Zakaria Mohd Bandok

Article 107728



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

Mucinous cystadenoma of the ovary in a 15-year-old girl: A case report and review of the literature

Zineb Sami, Fadoua Watik, Mouna Harrad, Hasnae Said, ... Bouhya Said

Article 107757



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

The patient with megaesophagus due to long-term achalasia combined with squamous cell carcinoma: A case report

Tatyana Khorobrykh, Ivan Ivashov, Alexey Spartak, Vadim Agadzhanov, ... Rashad Salikhov

Article 107722



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

Aspergillus appendicitis complicating chemotherapy of leukemia: A case report and review of the literature

Kyung Uk Jung, Kyoung Won Yoon, In-Gu Do, Donghyoun Lee

Article 107738



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

Carcinoma ex-pleomorphic adenoma of mandible: A case report and review of literature

Shayan Khalid Ghaloo, Muhammad Umar Qayyum, Omair Shahid Shaikh, Muhammad Faisal, ... Raza Tasawur Hussain

Article 107729



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

A case of transanal barotrauma by high-pressure compressed air leading to transverse colon perforation with extensive colon serosal tear

Takayuki Tanaka, Shinichiro Ito, Takahiro Ikeda, Shun Yamaguchi, ... Susumu Eguchi

Article 107743



[View PDF](#)

[Article preview](#)

Case report *Open access*

The clinical dilemma for acute scrotum in paediatrics: A rare etiology

B. Sayanthan, S. Vaishnavi

Article 107753



[View PDF](#)

[Article preview](#)

Case report *Open access*

Case report: Tree branch penetrating injury into zone III of the neck

Randa Barsoom, J. Jesus Rendon, David Bar-Or, Carlos H. Palacio

Article 107638



[View PDF](#)

[Article preview](#)

Case report *Open access*

Isolated primary chylopericardium: A rare case report and literature review

Muhammad Arza Putra, Jonathan Grantomo, Stefanie Melisa

Article 107764



[View PDF](#)

[Article preview](#)

Case report *Open access*

One case of wrist cyst rupture with nerve and blood vessel compression

Jianyu Wang, Haisi Dong, Xiangyang Leng

Article 107676



[View PDF](#)

[Article preview](#)

Case report *Open access*

Gallbladder perforation: An uncommon cause of peritonitis in a child

Mujaheed Suleman, Adnan Sadiq, Patrick Amsi, Jay Lodhia

Article 107765



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

Gastrointestinal stromal tumor of the small bowel complicated by torsion: A case report

Jun-ichi Yoshizawa, Tadaaki Shimizu, Tomohiko Ikehara, Kentaro Fukushima, Ataru Nakayama

Article 107761



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

Occult leiomyosarcoma simulating malignant ovarian tumor: A case report

Herlangga Pramaditya, Brahmana Askandar Tjokropawiro

Article 107758



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

Managing the triad of triple mullerian anomaly, endometriosis and adenomyosis – A case report

Vimee Bindra, Gayatri Satpathy, C. Archana Reddy, P. Swetha

Article 107762



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

An interesting case report of cutaneous tuberculosis of the foot

C. Tharun Ganapathy, Nidhi Mariam George, Sundeep Selvamuthukumar, Preetam Anguraj, Amit Gilani

Article 107763



[View PDF](#)

[Article preview](#)

Case report [Open access](#)

A penetrating gravitational bullets (stray bullets, falling bullets) injury to the clitoris: A case report

Adil Barut, Zeina Ahmed Hirsi, Cihan Çelik, Hodan Abdi Hassan

Article 107748



[View PDF](#)

[Article preview](#)

Case report *Open access*

Outpatient closure in a late colo-cutaneous postoperative anastomotic leak managed with EVAC in Bucaramanga, Colombia. Case report.

Jairo Enrique Mendoza Saavedra, Cesar Andrés Torres Carrillo, Gloria Liliana Mendoza Valbuena

Article 107737



[View PDF](#)

[Article preview](#)

Case report *Open access*

Alkaptunuria; a case report

Rafik Elafram, Adnan Ben Ammou, Majdi Ben Romdhane, Majdi Sghaier

Article 107682



[View PDF](#)

[Article preview](#)

Case report *Open access*

Higher incidence of diffuse Pigmented Villonodular Synovitis in patients with ruptured cruciate ligament: A case report

Xi Chen, Ping Li, Wenhui Zhang, Xiaopeng Yin, ... Kun Wang

Article 107720



[View PDF](#)

[Article preview](#)

Case report *Open access*

Healthy adnexal torsion in pregnancy: A case report

M. Jalal, R. El Qasseh, N. Youssouf, Z. Sami, ... S. Bouhya

Article 107633



[View PDF](#)

[Article preview](#)

Case report *Open access*

Filiform polyposis presenting with rapid growth and severe anemia case report

Abdullah alkhuzai, Waed jameel, Noran sultan, Mohammed aldosari

Article 107771



[View PDF](#)

[Article preview](#)

Case report *Open access*

Surgical treatment of undifferentiated soft tissue sarcoma in a young 17-year-old woman: A case report

Federica Giuzio, Antonio Giuliani, Domenico Nicola Massariello, Luigi Mele, ... Sergio Brongo

Article 107766



[View PDF](#)

[Article preview](#)

Case report *Open access*

Case report: Recurrent spontaneous cerebrospinal fluid (CSF) leak

Bashayer Salem Alsaedi, Hussein Ali Alzamel, Ahmad Rasheed Alrasheedi, Imtiyaz Nawaz Bhat

Article 107739



[View PDF](#)

[Article preview](#)

Case report *Open access*

Multidisciplinary approach as a treatment option for abdominal wall reconstruction in patients with heart failure: A case report

María Paula Gamboa Bernal, Sebastián David Contreras, Alejandro Gonzalez, Paulo A. Cabrera Rivera, Carlos J. Perez

Article 107770



[View PDF](#)

[Article preview](#)

Case report *Open access*

Uncommon disease with unusual presentation: A case report of acute necrotizing otitis media

Rula Naqi, Ahmed Khalid Ahmed, Hesham Yusuf Alrayyes

Article 107756



[View PDF](#)

[Article preview](#)

Case report *Open access*

Cecal duplication cyst mimicking intussusception in a female: A case report

Atiqa Khalid, Ali Tahir, Muhammad Ashraf, Aqeel Masood, ... Faisal Saeed

Article 107767



[View PDF](#)

[Article preview](#)

Case report *Open access*

Is surgery necessary for colonic fistulas and psoas abscesses in patients with Crohn's disease? A case report

Zheyu Wang, Yao Yao, Fen Wang

Article 107774



[View PDF](#)

[Article preview](#)

Case Series

Mini review *Open access*

Technical aspect in renal artery embolization in renal tumors: A case series

Amy Rosalie Sukamto, Yan Efrata Sembiring, Erdyanto Akbar, Danang Himawan Limanto

Article 107724



[View PDF](#)

[Article preview](#)

Mini review *Open access*

Case series: Interdigitating “Y” flap for transverse vaginal septum management

Tyas Priyatini, Fernandi Moegni, Gita Nurul Hidayah, Suskhan, ... Alfa Putri Meutia

Article 107601



[View PDF](#)

[Article preview](#)

Mini review *Open access*

Oral rehabilitation of maxillofacial trauma using fixed corticobasal implant-supported prostheses: A case series

Fadia Awadalkreem, Nadia Khalifa, Abdelnasir G. Ahmad, Ahmed Mohamed Suliman, Motaz Osman

Article 107769



[View PDF](#)

[Article preview](#)

[< Previous vol/issue](#)

[Next vol/issue >](#)

ISSN: 2210-2612

Copyright © 2023 IJS Publishing Group Ltd. Published by Elsevier Ltd. All rights reserved



Copyright © 2023 Elsevier B.V. or its licensors or contributors.
ScienceDirect® is a registered trademark of Elsevier B.V.



International Journal of Surgery Case Reports

Open access

Submit your article

Guide

Menu



Search in this journal

> Aims and scope

> **Editorial board**

> News

Editorial board by country/region

79 editors and editorial board members in 29 countries/regions

1 United States of America (16)

2 United Kingdom (14)

3 India (12)

> [See more editors by country/region](#)

Editorial board

FEEDBACK

International Journal of Surgery Case Reports

Submit your article

Guide



Managing and Executive Editor

Riaz Agha, BSc, MBBS, M.Sc., D.Phil, FHEA, FRSA, FRSPH, FRCS, FRCS, FEBOPRAS

London, United Kingdom

Senior Editors

R.Y. Afifi

Cairo, Egypt

H. B. Alam

Ann Arbor, United States of America

J. P. Barret

Barcelona, Spain

B. Challacombe

London, United Kingdom

X-P. Chen

Wuhan, China

R.L. De Wilde

Oldenburg, Germany

International Journal of Surgery Case Reports

Submit your article

Guides



J. W. Y. Lau

Hong Kong, Hong Kong

O. Muensterer

Mainz, Germany

S. Rogers

Chicago, United States of America

J. Talati

Karachi, Pakistan

M. Thorat

London, United Kingdom

F.C. Wei

Taoyuan, Taiwan

Associate Editors

R. Coppola

Roma, Italy

V. Kasivisvanathan

International Journal of Surgery Case Reports

Submit your article

Guides



B Kirshtein

Be'er Sheva, Israel

J.A. McCaul

Bradford, United Kingdom

E.R. McGlone

London, United Kingdom

D. Muzumdar

Mumbai, India

A Petroianu

BELO HORIZONTE, Brazil

S.G. Raja

London, United Kingdom

K Raveendran

Ipoh, Malaysia

D. Yeh

Boston, United States of America

International Journal of Surgery Case Reports

Submit your article

Guide



Boston, Massachusetts, United States of America

M. Bashashati

Calgary, Texas, Canada

S. Basu

Varanasi, India

A.J. Beamish

Göteborg, Sweden

A. G. Charles

Chapel Hill, North Carolina, United States of America

A. Das

Mohanpur, India

M.E. Erdil

İstanbul, Turkey

S. A. Esquivel Gaón

Ciudad de México, Mexico

S. Feng

International Journal of Surgery Case Reports

Submit your article

Guide



H. Kaafarani

Boston, Massachusetts, United States of America

Y. D. Kamat

Mangaluru, India

O. Khan

London, United Kingdom

T. Manning

Heidelberg, Victoria, Australia

I. Mukherjee

Staten Island, Florida, United States of America

E Ofo

Adelaide, South Australia United Kingdom

S. Pai

Mumbai, India

L. Perger

Albuquerque, New Mexico, United States of America

A. Smailys

International Journal of Surgery Case Reports

Submit your article

Guide



H. Zhu

Shanghai, China

Statistical Editors

N. Donaldson, B.Sc., M.Sc., Ph.D.

Cali, Colombia

M.W. Gray, Ph.D., J.D.

Washington DC, District of Columbia, United States of America

Society Representatives

J. Burke, BSc (Hons) MBChB MRCS PGCert

President of the Association of Surgeons in Training United Kingdom

X-P. Chen, M.D., Ph.D.

President of the Chinese Chapter of International Hepato-Pancreato-Biliary Association, Hubei, China

Coppa, M.D., Ph.D.

President of the New York Surgical Society, New York, United States of America

Executive Committee

Dr. G. Catto

International Journal of Surgery Case Reports

Submit your article

Guide



Professor A. Darzi

London, United Kingdom

colorectal surgery

Professor H. Ellis

London, United Kingdom

general surgery

Dr. B. Jackson

London, UK

Professor C.-H. Leong

Hong Kong, Hong Kong

urology, nephrology

Dr. A.K-C. Li

Hong Kong, China

general surgery

Dr. I. McColl

London, United Kingdom

general surgery

Professor J. Norcini

International Journal of Surgery Case Reports

Submit your article

Guides



Lord R. Winston

London, United Kingdom

Em. Professor M. Yacoub

London, United Kingdom

Cardiothoracic Surgery, Transplantation, Congenital Cardiac Surgery, Chain of Hope

Editorial Board

R. A. Badwe

Mumbai, India

M. Boscoe

Uxbridge, United Kingdom

R. Bueno

Boston, Massachusetts, United States of America

K. Chatamra

Bangkok, Thailand

P. Coulthard

Manchester, United Kingdom

International Journal of Surgery Case Reports

Submit your article

Guide



W. Green

London, United Kingdom

I. Harirchi

Tehran, Iran

D. Henne-Bruns

Ulm, Germany

D. Kahn

Cape Town, South Africa

X. Lin

Shanghai, China

A. Mahapatra

New Delhi, India

I. Mitra

Mumbai, India

V. Naraynsingh

West Indies, Trinidad and Tobago

International Journal of Surgery Case Reports

Submit your article

Guides



R. Orda

Tel Aviv, Israel

V. Semiglazov

St Petersburg, Russian Federation

T. Singh

Ludhiana, India

B.L. Smith

Boston, Massachusetts, United States of America

T.E. Udwardia

Mumbai, India

M. C. Warlé

Nijmegen, Netherlands

J. Wee

Boston, Massachusetts, United States of America

M. Weiser

New York, New York, United States of America

International Journal of Surgery Case Reports

Submit your article

Guides



J Zhong

Shanghai, China

All members of the Editorial Board have identified their affiliated institutions or organizations, along with the corresponding country or geographic region. Elsevier remains neutral with regard to any jurisdictional claims.



Copyright © 2023 Elsevier B.V. or its licensors or contributors.
ScienceDirect® is a registered trademark of Elsevier B.V.





[i](#) [x](#)

Journal Author Services

American Journal Experts

Open


International Journal of Surgery Case Reports


COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
<p>Netherlands</p> <p> Universities and research institutions in Netherlands</p> <p> Media Ranking in Netherlands</p>	<p>Medicine Surgery</p>	<p>Elsevier BV</p>	<p>23</p>
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
<p>Journals</p>	<p>22102612</p>	<p>2010-2021</p>	<p>Homepage</p> <p>How to publish in this journal</p>

SCOPE

International Journal of Surgery Case Reports is an open access, broad scope journal covering all surgical specialities. It is dedicated to publishing case reports and case series. Articles must be authentic, ethical, educational and clinically interesting to an international audience of surgeons, trainees and researchers in all surgical subspecialties, as well as clinicians in related fields. All case reports and case series submitted need to comply with the relevant reporting criteria. The journal is published monthly and focuses on rapid submission to decision times. [...] The journal covers the following areas of surgery: -Cardiothoracic surgery- General surgery- Neurosurgery- Oral and maxillofacial surgery- Otolaryngology (ENT)- Paediatric surgery- Plastic surgery- Trauma and orthopaedic surgery- Urology- Vascular surgery








 Join the conversation about this journal

 [Quartiles](#)



FIND SIMILAR JOURNALS ?

<p>1 Annals of Medicine and Surgery NLD</p> <p>67% similarity</p>	<p>2 International Journal of Surgery NLD</p> <p>55% similarity</p>	<p>3 International Journal of Surgery Open GBR</p> <p>50% similarity</p>	<p>4 BMC Surger GBR</p> <p>3 s</p>
---	---	--	--




Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```


4k

2k



SCImago Graphica

Explore, visually communicate and make sense of data with our [new data visualization tool](#).



Metrics based on Scopus® data as of April 2022

D **Dharmendra** 3 years ago

Want to publish a case report i this journal, si please tell me about the process.
Thanks

reply



Melanie Ortiz 3 years ago

SCImago Team

Dear Dharmendra, thank you very much for your comment, we suggest you look for author's instructions/submission guidelines in the journal's website. Best Regards,
SCImago Team

J **Jayalakshmi** 3 years ago

I would like to know the charge for publishing the report

reply



Melanie Ortiz 3 years ago

SCImago Team

Dear Jayalakshmi,
thank you for contacting us.
We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus.
Unfortunately, we cannot help you with your request, we suggest you visit the journal's homepage (See fees/charges, if there are any) or contact the journal's editorial staff , so they could inform you more deeply.
Best Regards, SCImago Team

Leave a comment

Name

Email

(will not be published)

 Saya bukan robot reCAPTCHA
Privasi · Persyaratan

Submit

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.

Developed by:



Powered by:



Follow us on @ScimagoJR

Scimago Lab, Copyright 2007-2022. Data Source: Scopus®

EST MODUS IN REBUS
Horatio (Satire 1,1,106)[Cookie settings](#)[Cookie policy](#)



Case series

Technical aspect in renal artery embolization in renal tumors: A case series



Amy Rosalie Sukamto, Yan Efrata Sembiring, Erdyanto Akbar, Danang Himawan Limanto*

Department of Thoracic, Cardiac and Vascular Surgery, Faculty of Medicine, Universitas Airlangga/Dr. Soetomo General Academic Hospital, Surabaya, Indonesia

ARTICLE INFO

Keywords:

Renal artery embolization
Renal malignancy
Renal vascularization
Vascular plug
Polyvinyl alcohol
Case report

ABSTRACT

Introduction: Renal artery embolization aims to reduce blood loss during surgery. Various embolizing agents are available, each of which has its own indications appropriate for various vascular anatomy and renal pathology. **Presentation of case:** We report three cases of renal artery embolization prior to surgical nephrectomy using vascular plug and other embolizing agents. In two cases, complete blood flow occlusion was achieved with minimal blood loss during the subsequent surgery. One case only achieved reduced blood flow, but subsequent nephrectomy and patient recovery was successful. **Discussion:** Renal artery embolization prior to malignant mass resection is a well-known, potentially beneficial procedure. The rationale that supports this procedure is clear, but its reported outcome in the literature is still inconclusive. It is important to understand its benefits, complications, and pitfalls to achieve better outcome. **Conclusion:** In our cases, renal artery embolization provided satisfactory reduction in bleeding during nephrectomy, and therefore has the potential to be employed as a standard procedure for future surgeries.

1. Introduction

Arterial embolization constitutes a reliable procedure in reducing blood loss during surgery. Its current application in renal pathology has no clinical guidelines, although potentially valid. Various embolizing agents have been introduced over the years. Vascular plug is one of well-established embolizing agent, which use in peripheral vascular pathology is recently proposed. We present three retrospective consecutive cases of renal arterial embolization utilizing vascular plug, with the combination of non-spherical polyvinyl alcohol (ns-PVA) and Gel Foam, prior to surgical nephrectomy during 2021. All endovascular procedures were done by a cardiothoracic and vascular surgeon in a public teaching hospital. This work has been reported in line with the PROCESS criteria [1].

2. Presentation of case

2.1. Case 1

A 37-year-old female presented with a palpable mass on the left flank which rapidly grew in size within 6 months accompanied by history of gross hematuria and noticeable weight loss. Abdominal ultrasonography

indicated a left renal mass which was further confirmed by abdominal MSCT scan. There was an enhancing malignant solid mass with necrotic and calcified components, around $14,2 \times 26,6 \times 19$ cm with peritumoral lymphadenopathy and suspicion of inferior vena cava thrombus. The patient was then planned for renal artery embolization prior to radical nephrectomy.

We used a 7-Fr angiographic sheath through the right common femoral artery percutaneously. Aortography was obtained using a 5-Fr pigtail catheter and an autoinjector (Medrad® Mark 7 Arterion, Bayer Pharmaceuticals) to inject 20 ml of contrast in 4 s. One main renal artery and one accessory artery were identified arising from the left side of the aorta. The main renal artery was sized using calibrated two-point measurement which revealed 6 mm in size. An Amplatzer Vascular Plug (AVP) 1 sized 10×7 mm was deployed through a 7-Fr guiding catheter into the main renal artery. After 10 min, arteriography showed complete blood flow interruption. The accessory renal artery was then embolized with Gel foam (Lyostypt®, B. Braun), which was dissolved using contrast media. Confirmatory arteriography exhibited complete occlusion of the left renal artery and reduced flow of the accessory artery (Fig. 1). Postoperative blood urea nitrogen (BUN) and serum creatinine values were normal. The patient underwent left radical nephrectomy the following day. The urologist confirmed clear field during surgery with

Abbreviations: AVP, Amplatzer Vascular Plug; BUN, blood urea nitrogen; nsPVA, non-spherical polyvinyl alcohol; PVA, polyvinyl alcohol.

* Corresponding author at: Department of Thoracic, Cardiac and Vascular Surgery, Faculty of Medicine, Universitas Airlangga/Dr. Soetomo Academic General Hospital, Surabaya, Indonesia.

E-mail address: dananglimanto@gmail.com (D.H. Limanto).

<https://doi.org/10.1016/j.ijscr.2022.107724>

Received 10 September 2022; Received in revised form 26 September 2022; Accepted 29 September 2022

Available online 5 October 2022

2210-2612/© 2022 The Authors. Published by Elsevier Ltd on behalf of IJS Publishing Group Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

minimal blood loss.

2.2. Case 2

A 63-year-old male was previously hospitalized due to hematuria with blood clot retention in the bladder. Palpable mass was present on the left flank. Ultrasound examination showed upper left renal mass and right renal cyst. CT scan findings suggested left renal cell carcinoma with arteriovenous (AV) fistulation on the left renal artery and IVC thrombus. Peritumoral lymph node and left hydronephrosis were also noted. Arteriography revealed one main left renal artery, 8 mm in diameter, without visible accessory arteries. A 12 × 8 mm AVP was then deployed into the left renal artery. Arteriography within the next 15 min after deployment showed significant reduced flow of the left renal artery (Fig. 2). However, complete blood flow interruption was not achieved. The following day, the patient underwent successful nephrectomy with little blood loss and uneventful recovery.

2.3. Case 3

A 56-year-old male was referred by a urologist with left renal tumor. A solid mass was palpable on the left hypochondrium extended to the flank area with unclear border. Diagnostic ultrasonography and abdominal CT confirmed the presence of a large mass, around 19,9 × 13,1 × 17,8 cm in size, infiltrating the upper-mid renal lobe, compressing adjacent organs, and encasing the abdominal aorta and inferior vena cava. No other organ infiltration was reported. Aortography showed one left renal artery sized 4 mm and one accessory artery sized 2 mm. A 6 × 7 mm AVP 1 was deployed into the main left renal artery. Within the next 10 min, blood flow distal to the plug subsided. The accessory artery was embolized using non-spherical PVA (Contour® Boston Scientific) size 355–500 μm and followed by Gel Foam, achieving total flow occlusion (Fig. 3).

3. Discussion

The goal of vascular embolization is to interrupt blood flow or induce inflammatory reaction to the vessel wall [2]. Since its development in the 1970s, renal artery embolization has been used to treat various kidney conditions, ranging from symptomatic hematuria to palliative measures in renal malignancies. It is also commonly used in preoperative preparation for renal tumors, arteriovenous fistulas and other renal vascular malformations, complications following biopsy, and traumatic renal bleeding. The literature provides various results regarding the outcome of vascular embolization prior to the surgery. This is partly because the available reports regarding its use and benefits are mainly from retrospective studies, which yielded mixed outcomes [3]. In renal malignancy, some authors reported no survival benefit and no difference

in intraoperative blood loss [4,5], while others noted significantly reduced intraoperative blood loss and postoperative blood transfusion in preoperatively embolized group [4]. The definite role of preoperative embolization is thus still unclear. Overall, patients with huge, gravely vascularized renal mass may benefit from this procedure.

Selective embolization is performed in cases where preservation of functional parts of the kidney is desired. Nonselective embolization is typically used in diffuse abnormalities that require obliteration of the entire renal function or its blood flow, such as preoperative nephrectomy or palliative therapy [5]. In palliative therapy, the goal is to debulk the mass, alleviate symptoms and complications.

The kidneys are typically supplied by one renal artery for each kidney. Anatomical variations are very common, ranging from 11 to 61 % [6]. Accessory renal arteries, which typically arise from the lateral aspect of the abdominal aorta, can be located either above or below the main artery. They are noteworthy elements in two of our three cases. The literature advises obtaining preoperative imaging studies prior to embolization, such as CT scan or MRI, to better identify the unique anatomy and plan the intervention. Laboratory tests comprising of hemoglobin level, renal, cardiac, and hepatic function, and coagulation indexes are also essential [7].

Various embolic agents are available. Fibrin glue, coils, microspheres are commonly used. Amplatzer Vascular Plug (AVP) is a more recent innovation by St. Jude Medical. Its use as peripheral embolic agent has been approved by the United States Food and Drug Administration (FDA) in 2004 and reported to be successful in a study published within the same year [8]. The structure is nitinol-based braids which allow self-expansion on the targeted vascular bed. After released, it is still possible for the plugs to be recaptured and repositioned. It is mandatory to choose 30–50 % larger device to perfectly occlude the vessel and prevent distal, unintended embolization. The recommended vessel size and device size comparison as well as the delivery catheter are recorded in Table 1.

Polyvinyl alcohol (PVA) has been frequently used as an embolization agent in small caliber vessels with success. PVA particles induce inflammatory response of the vessel wall, leading to angioneclerosis, which may support the permanence of its occlusion [9]. Non-spherical PVA (ns-PVA) is commercially available in radiolucent particles between 50 and 1200 μm in diameter. Duvnjak et al. (2015) [10] described lower reintervention rate with ns-PVA compared to its spherical counterpart, however, comparison studies in the literature is limited. The use of appropriate delivery catheter size also needs to be taken into account; it has to be small enough to reach the desired vessel, yet large enough to allow passing of the particles. PVAs take longer to be metabolized, thus favoring the formation of thrombi.

Gel Foam is another commonly-used agent. It is available as blocks of sponge or powder which are typically suspended in contrast to form thick, paste-like consistency prior to injection. They have no hemostasis




Fig. 1. Arteriography of the first patient. A: Prior to AVP deployment, showing rich vascularization by the left renal artery. B: 10 min after AVP deployment. C: After injection of Gel Foam to the feeding artery, superior to the left renal artery. Complete flow occlusion was achieved.




Fig. 2. Arteriography of the second patient. A: Initial aortography, showing patent flow to the left renal artery. B: Arteriography prior to AVP deployment, showing rich vascularization by the left renal artery. C: 10 min after AVP deployment, showing reduced flow on the left renal artery.




Fig. 3. Presentation of the third patient. A: initial aortography indicated accessory renal artery (blue arrow) above the left main renal artery (red arrow). B: 10 min after AVP deployment to the inferior branch, showing complete occlusion. C: confirmatory arteriography after injection of contour embolization (355–500 μ m) and Gel Foam to the accessory artery superior to the left renal artery. D: aortography of the final result, no flow was observed distal to the AVP (red arrow) with minor residual blood distal to the Gel Foam (blue arrow). (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

capability on its own; rather, it occludes blood flow by direct mechanical obstruction. Compared to PVAs, Gel Foam has less frictional drag through the catheter, allowing smoother delivery. However, they are metabolized relatively quicker, resulting in higher risk of recanalization. PVA particles can be combined with Gel Foam to achieve longer period of occlusion.

The goal of intervention in our cases is to maximize blood flow occlusion. Appropriate use of embolization material, including plug sizing according to the size of the target vessel, is therefore crucial. Pre-intervention imaging was done to fulfill this requirement and to discover the presence of accessory arteries. In our first case, the main artery was occluded by AVP while the smaller-caliber accessory artery

was occluded by Gel Foam, resulting in complete embolization. The similar method was used in our third case, with the accessory artery embolized using a mixture of nsPVA and Gel Foam. Both cases achieved complete embolization and successful nephrectomy with minimal intraoperative bleeding. In the second case, the size of artery was 8 mm and 50 % larger AVP sized 12 mm in diameter was properly deployed with good apposition. The blood flow was significantly reduced in 15 mins evaluation, but not occluded. We decided not to wait for another fifteen minutes (to evaluate occlusion) as recommended because the patient was agitated so that we needed to conclude the procedure. Intraoperative nephrectomy during the next 24 h was successful nevertheless.

Table 1

Equipment used on each patients.

Patient	Artery identified	Embolic agent for main artery	Delivery catheter for main artery	Embolic agent for accessory artery	Delivery catheter for accessory artery
Case 1	1 main, 1 accessory	AVP 10x7mm	Guiding Catheter Judgkin Right 4.0 7fr	Gel Foam	MPA 5fr
Case 2	1 main	AVP 1 12 × 8 mm	Guiding Catheter Judgkin Right 4.0 7fr	–	–
Case 3	1 main, 1 accessory	AVP 1 6 × 7 mm	Guiding Catheter Judgkin Right 3.5 7fr	ns-PVA + Gel Foam	MPA 5fr

AVP: Amplatzer Vascular Plug; MPA: Multipurpose angiographic catheter; ns-PVA: non-spherical polyvinyl alcohol.

4. Conclusion

Renal arterial embolization is a widely-practiced procedure. The available embolization material varies with its own characteristics. Pre-intervention laboratory and imaging studies are mandatory, as well as careful consideration regarding the goal of intervention, choice of material and its availability, operator preference, and case-to-case variation to achieve satisfactory results. In our experience, embolization using AVP in main renal artery and combination ns-PVA Gel-foam in accessory renal artery provide good surgical outcome and also cost-effective. Further research with more uniformed population is still needed to better define the benefit of preoperative embolization.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Ethical approval

Exemption for this study has been given by our institution.

Consent

Written informed consent was obtained from the patients for publication of this case report and accompanying images. A copy of the written consent is available for review by the Editor-in-Chief of this journal on request.

Registration of research studies

1. Name of the registry: -
2. Unique identifying number or registration ID: -
3. Hyperlink to your specific registration (must be publicly accessible and will be checked): -

Guarantor

Danang Himawan Limanto, MD. Department of Thoracic, Cardiac and Vascular Surgery, Faculty of Medicine, Unievrstias Airlangga/Dr. Soetomo Academic General Hospital, Surabaya, Indonesia. Phone: +62 81333101441, email: dananglimanto@gmail.com.

Provenance and peer review

Not commissioned, externally peer-reviewed.

CRediT authorship contribution statement

Amy Rosalie Sukanto: data collection, writing – original draft & editing.

Yan Efrata Sembiring: surgeon, conceptualization, supervision.

Erdyanto Akbar: conceptualization, data collection, supervision.

Danang Himawan Limanto: surgeon, conceptualization, supervision.

Declaration of competing interest

None.

Acknowledgements

None.

References

- [1] R.A. Agha, C. Sohrabi, G. Mathew, T. Franchi, A. Kerwan, O'Neil N for the PROCESS Group, The PROCESS 2020 guideline: updating consensus Preferred Reporting Of CasE Series in Surgery (PROCESS) guidelines, *Int. J. Surg.* 84 (2020) 231–235.
- [2] F.P. Mucelli, R.A. Pozzi Mucelli, C. Marrochio, S. Tollot, M.A. Cova, Endovascular interventional radiology of the urogenital tract, *Med.* 57 (3) (2021) 1–23, <https://doi.org/10.3390/medicina57030278>.
- [3] S. Shanmugasundaram, J.A. Cieslak, A. Sare, V. Chandra, P.A. Shukla, A. Kumar, Preoperative embolization of renal cell carcinoma prior to partial nephrectomy : a systematic review and meta-analysis full-text, *Clin. Imaging* 76 (2021) 205–212, <https://doi.org/10.1016/j.clinimag.2021.04.021>.
- [4] D. Kalman, E. Varenhorst, The role of arterial embolization in renal cell carcinoma, *Scand. J. Urol. Nephrol.* 33 (3) (1999) 162–170, <https://doi.org/10.1080/003655999750015934>.
- [5] R.S. Ramaswamy, O. Akinwande, T. Tiwari, Renal embolization: current recommendations and rationale for clinical practice, *Curr. Urol. Rep.* 19 (3) (2018), <https://doi.org/10.1007/s11934-018-0756-5>.
- [6] A. Gupta, R. Gupta, R.K. Singhla, The accessory renal arteries: a comparative study in vertebrates with its clinical implications, *J. Clin. Diagn. Res.* 5 (5) (2011) 970–973.
- [7] A. Catelli, G. Loiudice, A. Corvino, U.M. Bracale, M. Quarantelli, P. Venetucci, in: *Amplatzer vascular plug in renal artery embolization : case report and review of the literature*, 2020, pp. 0–4. Published online.
- [8] W. Wang, H. Li, M.D. Tam, D. Zhou, D.X. Wang, J. Spain, The amplatzer vascular plug: a review of the device and its clinical applications, *Cardiovasc. Intervent. Radiol.* 35 (4) (2012) 725–740, <https://doi.org/10.1007/s00270-012-0387-z>.
- [9] M. Lubarsky, C. Ray, B. Funaki, Embolization agents-which one should be used when? Part 2: small-vessel embolization, *Semin. Interv. Radiol.* 27 (1) (2010) 99–104, <https://doi.org/10.1055/s-0030-1247891>.
- [10] S. Duvnjak, P. Ravn, A. Green, P.E. Andersen, Clinical long-term outcome and reintervention rate after uterine fibroid embolization with nonspherical versus spherical polyvinyl alcohol particles, *Cardiovasc. Intervent. Radiol.* 39 (2) (2016) 204–209, <https://doi.org/10.1007/s00270-015-1157-5>.