



2598/UN3.1.12/LL/2021/Incofims/213

# Certificate

*This certificate is granted to:*

**Dr. Endang Dewi Masithah, Ir., MP.**

Title: Interprofessional collaboration for enhancing the aquatic ecosystem sectors

**As Presenter in**

**"The 4<sup>th</sup> International Conference On Fisheries and Marine Sciences"**

**29 September 2021**

Dean  
Faculty of Fisheries and Marine  
Universitas Airlangga



**Prof. Ir. Mochamad Amin Alamsjah M. Si., Ph. D.**

**NIP.19700116199031002**

Chairman of The Committee  
Faculty of Fisheries and Marine  
Universitas Airlangga

**Dr. Veryl Hasan, S.PI., M.P**

**NIP. 199002072018083101**

ISSN: 1755-1315

**IOP** Conference Series:  
Earth and Environmental Science

The open Access Journal for Conference Proceedings  
[iopscience.org/jpcs](http://iopscience.org/jpcs)

# Table of contents

Volume 1036

2022

◀ Previous issue      Next issue ▶

**The 4th International Conference on Fisheries and Marine Sciences (INCOFIMS 2021)**  
29/09/2021 - 29/09/2021 Online

Accepted papers received: 20 May 2022

Published online: 11 July 2022

Open all abstracts

## Preface

**OPEN ACCESS** 011001

The 4<sup>th</sup> International Conference on Fisheries and Marine Sciences (INCOFIMS)  
Surabaya Indonesia, 29 September 2021

+ Open abstract       View article       PDF

**OPEN ACCESS** 011002

Peer Review Statement

+ Open abstract       View article       PDF

## The 4th International Conference on Fisheries and Marine Sciences (INCOFIMS 2021)

**OPEN ACCESS** 012001

Potential of feed supplements on morphometric and gonad weight of fish exposed to  
microplastics

Q A'yun, F S Musthoza, S Supartini, D Utari, I Listiani, H Triwahyudi, N Fikriyah, N Suprapti and A Hayati

+ Open abstract       View article       PDF

**OPEN ACCESS** 012002

The addition of *Spirulina platensis* extract in feed on gill histopathology and survival rate  
of *Osphronemus gouramy* after infected with *Aeromonas hydrophila*

W H Satyantini, Agustono, Arimbi, W Rahmawati and E D Masithah

+ Open abstract       View article       PDF

**OPEN ACCESS** 012003

Monitoring the occurrence of *Zoea Syndrome* (ZS) in pacific white shrimp (*Litopenaeus vannamei*) larval from several hatcheries in East Java, Indonesia

P A Wiradana, M D Sani, R E Mawli, F N D Ashshoffa, I G Widhiantara and A T Mukti

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012004

Nanocalcium of *Pila ampullacea* Shell incorporated into Feed on Molting and Growth Performance of Crayfish *Cherax quadricarinatus*

F. B. A Jabbar, M. Ansar and Ardiansyah

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012005

Bacterial Viability of *Edwardsiella tarda* from Silver Rasbora (*Rasbora argyrotaenia*) after Infection with Immersion Methods

N Husna, R Kusdarwati and M F Ulkhaq

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012006

The Use of Seaweed Flour (*Kappaphycus alvarezii*) as an Innovation in the Manufacture of High Fiber *Fettucine* Paste Products

D Pramestika, D Y Pujiastuti and Patmawati

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012007

Expression of heat shock protein 70 (hsp70) in liver and kidney organ of silver rasbora (*rasbora argyrotaenia*) exposed by sublethal organophosphate pesticides

A N Fadilah, L Sulmartiwi and L Lutfiyah

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012008

Quality Enhancement in Seaweed Dodol Using Edible Film Carrageenan Packaging

N A Savitri, E D Masithah and W Tjahjaningsih

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012009

Characteristics of fish crackers mackarel (*Euthynnus affinis*) with edible film surimi as packaging

Eka Saputra, Sapto Andriyono and Wahyu Isoni

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012010

Effectiveness of Liquid Smoke as a Source of Acetic Acid in Lowering Heavy Metals Levels in Blood Cockle (*Anadara granosa*)

F Swastawati, P H Riyadi, M Mulyono, A Nugraheni, M Muniroh and A N Hidayati

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012011

Molecular phylogenetic of silver barb *barbonymus gonionotus* (bleeker, 1849) (cypriniformes: cyprinidae) in Java, Indonesia

F S Valen, M S Widodo, R A Islamy, K P Wicaksono, Soemarno, L Insani and V Hasan

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012012

Application of modified starch on glass bioplastic based on carrageenan from *Eucheuma cottonii* on mechanic and biodegradation properties

T A Triani, M A Alamsjah and D Y Pujiastuti

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012013

Analysis of Blood Glucose Levels and The Development of Ectoparasite Infestation on Pacific White Shrimp (*Litopenaeus vannamei*) Which Were Given Crude Protein *Zoothamnium penaei* at High Stocking Densities

G Mahasri, W H Satyantini and A T Mukti

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012014

Mitigation and adaptation to climate change through sustainable mangrove management on the coast of Rembang Regency

H A Sutanto, I Susilowati, D D Iskandar and Waridin

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012015

Nursery technique of gouramy fish (*osphronemus goramy*) at instalasi perikanan budidaya, pasuruan, east java

Jamal Asfani and Lailatul Lutfiyah

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012016

Acute Toxicity of domestic landfill leachate to carp fish (*Cyprinus carpio*)

H C Pratiwi, B S Rahardja and W Tjahjaningsih

[+](#) Open abstract [View article](#) [PDF](#)

---

OPEN ACCESS

012017

## Quality and Halal Certification of Micro and Small Enterprises Fishery Products in Sidoarjo, East Java, Indonesia

Sukoso, P T Al Huda, H Muyasyaroh, Y A D Susanti and L H Adila

[+](#) Open abstract [View article](#) [PDF](#)

---

### OPEN ACCESS

012018

Quality improvement formulation of salak chili paste paste based on curly red chili (*Capsicum annuum* var. *hailux*) and pondoh salak (*Salacca edulis reinw* var. *semeru*) using sensory evaluation, activity evaluation of bioactive compounds and microbiological evaluation

Joni Kusnadi, Arinta Julia Buwana Saputra, Siti Narsito Wulan and Estri Laras Arumingtyas

[+](#) Open abstract [View article](#) [PDF](#)

---

### OPEN ACCESS

012019

Broodstock rearing techniques brown-marbled grouper (*epinephelus fuscoguttatus*) at balai perikanan budidaya air payau (BPBAP) situbondo, east java

Dimas Khoironi Nur Septian, Darmawan Setia Budi, Suciyono and Lailatul Lutfiyah

[+](#) Open abstract [View article](#) [PDF](#)

---

### OPEN ACCESS

012020

The effect of barnacles powder as a source of protein feed substitution against the digestibility of crude protein and crude fiber on male rabbits rex

B Agustono, F Maulana, S H Warsito and M A Al-Arif

[+](#) Open abstract [View article](#) [PDF](#)

---

### OPEN ACCESS

012021

Diet and feeding strategy of the common silver-biddy, *Gerres oyena* (Forsskål 1775) in the seagrass beds of Karang Congkak Island, Kepulauan Seribu National Park

A K Putri, M F Nazal and C P H Simanjuntak

[+](#) Open abstract [View article](#) [PDF](#)

---

### OPEN ACCESS

012022

Sensory and Chemical Properties of Long Jawed Mackerel (*Rastrelliger kanagurta* L.) Fish Balls with Addition of Canna (*Canna edulis* Kerr.) Starch Concentration as a Filler

Novita Herdiana, A Sapta Z, Susilawati and Silaturahmi Widaputri

[+](#) Open abstract [View article](#) [PDF](#)

---

### OPEN ACCESS

012023

Comparison Effects Of Seaweed Concentrations On Total Bacteria And Yeast Kombucha *Gracilaria Verrucosa* During The Production Process

Wahyu Andrianto, Sudarno, Rahayu kusdarwati and dan Dwitha nirmala

[+](#) Open abstract [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012024  
Identification of *Escherichia coli* and *Salmonella* on Fishery Product from Juanda Airport, East Java, Indonesia  
R Hidayah, M F Ulkhaq and R Wilis  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012025  
Risk analysis of catfish cultivation (*Pangasius hypophthalmus*) business in Gondosuli Village, Gondang, Tulungagung  
Supriyadi Supriyadi, Kartika Intan Abdillah and Mimit Primyastanto  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012026  
Evaluation of the culture of *Spirulina sp.* with Walne nutrient plus vitamin B12, KCl, NPK, ZA CaO and urea  
A L A Suyoso, L A Sari, P D W Sari, D D Nindarwi and dan S Arsad  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012027  
Potential feed substitute of *Cirripecta sp.* flour on body weight gain, feed conversion ratio, feed consumption of buck  
B Agustono, D A Agustin, E K Sabdoningrum, M N Yunita, R T Dewi and I R T Ivani  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012028  
Analysis of polycyclic aromatic hydrocarbons (PAHs) bioremediation by hydrocarbonoclastic degrading bacteria (*Gordonia terrae*)  
A. A. Amin, A. R. T. Wahyuni, A.W Ekawati and A. Kurniawan  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012029  
Utilization of mangrove fruit (*Rhizophora stylosa*) as an alternative to low caffeinated drinks  
S A Marctyas, D Y Pujiastuti and E Saputra  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012030  
Trophic ecology and length-weight relationship of *Hypoatherina temminckii* (Bleeker, 1854) in the seagrass ecosystem of Semak Daun Island, Kepulauan Seribu  
C P H Simanjuntak, A Zahid, P Pratiwi and A G Cahyani  
[+](#) Open abstract [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012031  
Sublethal Toxicity Insecticide Organochlorine Endosulfan on The Value of Blood Sugar Levels and The Level of Life in Tilapia (*Oreochromis niloticus*) Seeds  
S Nurhadi, E D Mashitah and dan L A Sari  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012032  
Chitosan from snapper fish scale waste (*Lutjanus spp.*) for edible coating  
A Florencia, S E D Putra and Y P Mukti  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012033  
Application of modified starch on plastic bag bioplastic based on carrageenan from *Eucheuma cottonii* on mechanic and biodegradation properties  
R A Sofianto, M A Alamsjah and D Y Pujiastuti  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012034  
Characterization of Tilapia collagen-loaded chitosan nanofibers synthesized by electrospinning method for wound dressing  
C A M Rani, A Safira, M Suryadiningrat, F Fikri, D K Wardhana and M T E Purnama  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012035  
Determining of water bioremediation dosage in recirculating water system for Cantik Grouper (*Epinephelus fuscoguttatus* × *Epinephelus microdon*) nurseries  
B Astari, S Ismi and K Mahardika  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012036  
The Effect of Laserpuncture on Accelerate Gonadal Maturity of Female Striped Catfish (*Pangasianodon hypophthalmus*)  
M Patmadevi, A T Mukti, A S Mubarak and S D Astuti  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012037  
Nutritional Fact of Traditional Cracker (Amplang and Getas) from Bangka Belitung  
Arief Rubiana Basarah, Patmawati, Muhamad Amin, Ahmad Fahrul Syarif, Mu'alimah Hudatwi and Sapto Andriyono  
[+ Open abstract](#) [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012038



## Characterizations of Milkfish Sauce on Amino Acid Content with Variations in Addition of Salt and Pineapple Extract Concentration

N. P. Listyaningrum, R. Lailatussifa and T. R. Andayani

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012039

## Polysaccharide isolation of Brown seaweed: *Sargassum* sp and its photoprotection activity

M A P Panjaitan, R D Kasitowati, N Putri, A Yamindago, R Asmara, D Aliviyanti and D C Pratiwi

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012040

## Proximate Analysis of Fisheries Dried Products from Mamuju Traditional Market Post-Earthquake Disaster

Eka Saputra, Wahyu Isoni, Arief Rubiana Basarah and Sapto Andriyono

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012041

## The Intensive Program of Hatchery Aquaculture Performance of Gourami (*Osphronemus gouramy*) in IPB Pandaan

V B Pribawastuti and S H Samara

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012042

## The effect of different maceration solutions towards characteristic gelatin from bone of common carp (*Cyprinus carpio*)

E Ristyanti, J Triastuti and E Saputra

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012043

## Growth pattern and abundance of *Varuna Literatta* (Fabricius, 1798) in the new industrial area in the north coast of Gresik, East Java

F Fariedah, M S Widodo and R Yuwanita

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012044

## The Effect of Rumen's Cattle Waste as Alternative Nutrient Sources for *Thalassiosira* sp Aquaculture

M B Santanumurti, M I Ogara, L Santoso and S Hudaidah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012045

### Inhibitory Rate of Chitosan Against *Vibrio harveyi* use in vitro method

Haryagita, R Kusdarwati and H Suprpto

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012046

### Measurement of Indonesian Marine Health Index to Assess The Health of The Coastal Ecosystem of Tuban, East Java

M I Joesidawati and S Suwarsih

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012047

### Physical characteristic and antioxidant activities of liquid bath soap with substitution of $\beta$ -carotene crude extract from *Gracilaria* sp.

M M Ircham, A S Mubarak and E Saputra

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012048

### Cultivation of Phytase-Producing Bacteria as Probiotic Candidate on Molasses and Tempe-Processing Waste

Zaid Al Gifari, Ihza Agistna, Khairil Anwar, Anwar Rosyidi, Muhamad Ali and Muhamad Amin

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012049

### Effectiveness of striped catfish (*Pangasianodon hypophthalmus*) cultivation in aquaponic system with three different plant against ammonia (NH<sub>3</sub>), nitrite (NO<sub>2</sub>), and nitrate (NO<sub>3</sub>)

S Andriani, N N Dewi and B S Rahardja

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012050

### The effect of different feed on *Ctenopoma* (*Ctenopoma acutirostre*) production through survival rate and growth

M B Santanumurti, L Alfarisi, L Santoso and S Hudaidah

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012051

### Potential of sappan wood extract as a feed additive on the feed conversion on organic matter digestibility on the buck exposed to heat stress

B Agustono, I Rahmaniyah, F Fikri and R A Prastiya

[+](#) Open abstract [View article](#) [PDF](#)

---

**OPEN ACCESS**

012052

Reproductive ability of endemic species of Lake Ajamaru *Melanotaenia ajamaruensis* Allen & Cross, 1980 on spawning at various sex ratio

D S Said, N Mayasari and dan T Kadarini

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012053

Diversity of holothuroidea by spicule type in the intertidal zone of Sepanjang Beach, Gunungkidul, Yogyakarta

N Yunita, A Amalia, F A Ponkiyawati, L N Janah, L U Khasanah, M B Gavintri, Z Nurahmah, F B R Khalallia and R Epilurahman

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012054

Length-weight relationships and condition factors of fifteen fish species from Pabean Bay, West Java, Indonesia

L S Syafei, D Sudinno and I N Y Parawangsa

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012055

Study on the potential of sea urchin *Tripneustes gratilla* (Linnaeus, 1758) as a bioindicator dangerous plastic pollution in environment of gunungkidul beach Yogyakarta

S D Pratita, M B Gavintri, A N Rizkyta, L U Khasanah, F A Ponkiyawati and B Retnoaji

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012056

Opportunities and its problem for the development of Tilapia aquaculture business in Banjar Regency, South Kalimantan

N Nurlaili and H Hikmah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012057

The dominance and proportions of plankton in Pacific white shrimp (*Litopenaeus vannamei*) ponds cultivated with the intensive system in Bulukumba Regency, South Sulawesi, Indonesia

M D Sani, P A Wiradana, A Y Maharani, R E Mawli and A T Mukti

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012058

The effect of bromelain enzyme on pineapple core on the relationship between platelet count and hematocrit value in carp (*Cyprinus carpio*) infested with *Argulus japonicus*

A B Fahturohman, Kismiyati and Y Rahmawati

[+ Open abstract](#) [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012059  
Diversity of intertidal fishes in Porok Beach, Gunungkidul, Yogyakarta  
E M Azizah, N Puspaningrum, D R Palupi, A A Fadlillah, A R Ismail, E T Nugroho, B M Effendi, F R Palupi and Z N Putri  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012060  
Analysis of causes of changes in conditions of vannamei shrimp hepatopancreas indicators at PT. Lombang Sumber Rejeki Sumenep  
T A Setyastuti, D Sukamto and I E Fawwaz  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012061  
The effect additional omega-3 in feed on the gonadal maturity level and fecundity of female silver rasbora, *Rasbora argyrotaenia*  
H Nabila, A S Mubarak and D S Budi  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012062  
Climate change impact on shrimp (*Litopenaeus vannamei*) farming in Banyuwangi, East Java  
M Yuniartik, E W Setyaningrum, S H Yuniari, S R Faturakhmat and H Prasetyo  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012063  
The Growth and Bacteriocin Productions of *Enterococcus Faecium* Cultured in Aerobic and Anaerobic Conditions  
Muhamad Ali, Melinda Sanggu Artha, Muhamad Aidil Fadjar Suryadi, Djoko Kisworo and Muhamad Amin  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012064  
Evaluation on feeding with sente leaves and enrichment on the conditioning of giant gourami (*Osphronemus gouramy*) broodstock  
S Nashrullah, L A Sari and S Arshad  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012065  
Molecular and phylogenetic analysis of *Sardinella lemuru* Bleeker 1835 at fishing ground Cangg-Bali inferred D-loop mutations of mtDNA  
V A Winata, R D Kasitowati, F Iranawati, W S Pranowo and A Sartimbul  
[+](#) Open abstract [View article](#) [PDF](#)

- 
- OPEN ACCESS** 012066  
Description of Silver Barb *Barbonymus gonionotus* (Bleeker, 1849) (Cypriniformes: Cyprinidae) From Madura Island, Indonesia  
F S Valen, V Hasan, F P Ottoni, A L Nafisyah, M Erwinda and A N Annisa  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012067  
The Ecological Habitat of Spiny Lobster (*Panulirus* spp.): Case Study on Lobster Fishing Ground in Trenggalek, East Java, Indonesia  
Muhamad Amin, Anis Fitria, Nur Aini Muslichah and Laila Musdalifah  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012068  
Mass tilapia (*Oreochromis mossambicus*) mortality in floating net cages at Batur Lake, Bangli Regency, Bali Province: a case report  
P A Wiradana, I K W Yudha and A T Mukti  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012069  
The effects of different feeding rates on the growth of silver rasbora (*Rasbora argyrotaenia*)  
L Nisak, Agustono and D S Budi  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012070  
Extraction of Stingray Liver Oil (*Dasyatis* Sp) with Alkaline Digestion Method  
M I Joesidawati  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012071  
The effect of fortification *Moringa oleifera* leaves powder on calcium content in otak-otak products of *Clarias* sp.  
T D Sulistiyati, E Suprayitno, H Djamaludin, J E Tambunan and U Muchayaroh  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012072  
Application of Modified Starch in the Carragenan-Based Biodegradable Packaging from *Eucheuma cottonii* on Biodegradability and Mechanical Properties  
H S Islamiyah, M A Alamsjah and D Y Pujiastuti  
[+](#) Open abstract [View article](#) [PDF](#)
- 
- OPEN ACCESS** 012073

The use of kailan (*Brassica oleracea* L.), lettuce (*Lactuca sativa* L.) and pakcoy (*Brassica rapa* L.) in the cultivation of striped catfish (*Pangasianodon hypophthalmus*) aquaponic system on blood glucose levels and oxygen consumption levels

D D Hairani, N N Dewi and B S Rahardja

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012074

First country record of the bearded gudgeon *Pogoneleotris heterolepis* (Günther, 1869) (Teleostei: Eleotridae) from Indonesia

Fitri Sil Valen, Veryl Hasan, Felipe P. Ottoni, Ayu Lana Nafisyah, Mugi Erwinda, Ana Nur Annisa and M A Adis

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012075

The use of local raw materials and fermented feeds for the growth of Giant Prawns (*Macrobrachium rosenbergii*)

Mulyasari, L Setijaningsih, R Samsudin, I Taufik and I I Kusmini

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012076

*Zeylanicobdella arugamensis* intensity and histopathology of hybrid grouper skin from soil and concrete ponds

M Nisa, G Mahasri and S Subekti

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012077

Destruction level on coral reef in the Ambon bay

D D Pelasula, C Y Manullang, M P Patria, S Wouthuyzen, J D Lekallete and S A Malik

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012078

The effect of differences extraction solutions on the gelatin characteristic fishbone of bader bang (*Barbonymus balleroides*)

A Y Prasetya, J Triastuti and E Saputra

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012079

The Effect of Turmeric (*Curcuma domestica*) Addition ont The Consumer Acceptance Level of Milkfish Crackers

Nabila Aulia, Sapto Andriyono and Eka Saputra

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012080

## Characterization of Dry Noddles with Additional of Pedada (*Sonneratia caseolaris*) Mangrove Flour as Alternative Food Resource

F Muhammad, S Andriyono and D Y Pujiastuti

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012081

## Use of microbubble generator on the growth vannamei shrimp culture

P N Rizky, L B R Ritonga, K Primasari and Nasuki

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012082

## The effect of bromelain enzyme on pineapple core on the relationship between platelet count and hematocrit value in carp (*Cyprinus carpio*) infested with *Argulus japonicus*

A B Fahturohman, Kismiyati and Y Rahmawati

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012083

## Examination of White Spot Syndrome Virus (WSSV) in White Shrimp (*Litopenaeus vannamei*) and Tiger Prawn (*Penaeus monodon*) with *Polymerase Chain Reaction* (PCR) Method

A N Fadilah and A H Fasya

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012084

## Correlation Between Water Quality to Blood Glucose of Cantang Grouper (*E. fuscoguttatus* x *E. lanceolatus*) as an Indicator of Stress in Floating Net Cage

C N P Wibowo, L Sulmartiwi and S Andriyono

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012085

## Dietary combination of maggot and commercial feed enhance the growth rate and feed conversion ratio of snakehead fish (*Channa striata*)

A A Wallady, B S Rahardja and H Kenconoajati

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012086

## The effect of *Ocimum sanctum* L. crude extract on haematology of *Cyprinus carpio* infected by *Aeromonas hydrophila*

A M Halim, A B Cahyanurani and A A Aonullah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

### OPEN ACCESS

012087

## Characteristics of turtle laying habitat on vemara beach, Banyuwangi Regency, East Java

W Isoni, N Maulida, M Irfan Muhajir, P Surya Lesmana and D Aji Ismail

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012088

Providing a combination of chicken manure and broth in a different concentration to the production count of *Daphnia magna*

Rizky Firdha Yuniar, Yudi Cahyoko and Luthfiana Aprilianita Sari

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012089

Effect of probiotics addition on total organic matter and survival rate of catfish (*Clarias* sp.) maintenance using recirculating aquaculture system (RAS)

A Paranita, B S Rahardja and Prayogo

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012090

Differences In Livelihood Activities Householdes of Sasak Farmers and Sasak Fishermen In The Province of West Nusa Tenggara

Adriana Monica Sahidu, Arya Hadi Dharmawan, Arif Satria, Soeryo Adiwibowo and Ali Khomsan

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012091

Accumulation of heavy metals Pb and Hg in feather shells (*Anadara antiquata*) in Lekok Coastal Waters, Pasuruan Regency

W Isoni and N Maulida

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012092

The effect of salinity on the expression of heat shock protein 70 (hsp70) in the gills and kidneys of srikandi tilapia (*Oreochromis niloticus*)

M Winarti, L Sulmartiwi and L Lutfiyah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012093

Management Analysis of Paddle Wheel For Efficiency Operational Cost Shrimp Culture Based on Oxygen Budget Capacity

Alauddin MHR

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012094

Analysis of organic waste loading (total suspended solid) from shrimp culture activity in mangara bombang coastal area – South Sulawesi Province



Alauddin MHR

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012095

Banana blossom addition to increase food fiber in tuna (*Thunnus* sp.) floss product as functional food for degenerative disease's patient

Hardoko, E Suprayitno, T D Sulistiyati, B B Sasmito, A Chamidah, M A P Panjaitan, J E Tambunan and H Djamaludin

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012096

The abundance of *Vibrio* sp. bacteria on *liptopenaeus vannamei* grow out - pond in CV. Lautan Sumber Rejeki Banyuwangi

A Asmarany, S Jayanti and N U Mahbubah

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012097

Bioacumulation of Heavy Metals Pb and Hg in Green Shells (*Perna viridis*) in Pasuruan Waters Based on Different Seasons

W Isoni and N Maulida

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012098

Distribution of microalgae and omega-3 as food for *Sardinella lemuru* in Bali Strait

B Suprakto, T Harijono, I G P G R Yudana, A Kiswanto and A Fauziah

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012099

Application of Sanitation and Hygiene In Improving The Quality of Products From Shells In The Collective Business Group (Kub) of Shell Fishers In Banjar Kemuning Village, Sedati District, Sidoarjo Regency

Dwitha Nirmala, Wahyu Tjahjaningsih and Endang Dewi Mashitah

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012100

Effect of acid, base and mixed treatment towards characteristics gelatin of bader bang (*Barbonymus balleroides*) skin

N I Oktavia, J Triastuti and D Nirmala

[+ Open abstract](#)



[View article](#)



[PDF](#)

---

**OPEN ACCESS**

012101

Evaluation of hatching rate and survival rate of giant freshwater prawn (*Macrobrachium rosenbergii*) in Installation of Brackish Water Culture Mayangan, Probolinggo, East Java, Indonesia

T A A Wiguno and N N Dewi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012102

The design of turbo jet surface aerator to enhance dissolved oxygen level in shrimp pond

S D Nugroho, C Z Pratiwi and S Holil

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012103

The abundance of alien fish species flowerhorn (*Cichlasoma trimaculatum* (GÜNTHER, 1867) in its fishing ground area at Lake Mahalona, South Sulawesi

S H Nasution, A M Muchlis and H T Cinnawara

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012104

Morphological Analysis of Sili (*Macrognathus* sp.) in Some Regencies in East Java Province

H Meirikayanti, Mufasirin and A S Mubarak

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012105

Providing feed from a mixed of chicken broth and chicken manure with different dosages on nutritional content *Daphnia magna*

Suryaning Trinita Setyawan, Yudi Cahyoko and Luthfiana Aprilianita Sari

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012106

Water replacement to reduce tetracycline residue level in the liver of tilapia (*Oreochromis* sp.)

W Pawestri, N Hakimah and M J Pangestika

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012107

The effect of different stocking densities on specific growth rate and survival rate of striped snakehead (*Channa striata*) culture in bucket system

H Latifah, Prayogo and B S Rahardja

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012108

The effects of exogenous dietary enzyme on the growth of giant gourami (*Osphronemus goramy*)

A N Imaniy, M Lamid and D S Budi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012109

The effect of different stocking densities on ammonia (NH<sub>3</sub>) and nitrate (NO<sub>3</sub>) concentration on striped snakehead (*Channa striata*) culture in the bucket

A Meidiana, Prayogo and B S Rahardja

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012110

Evaluation of three species coral (*Acropora branching*) transplantation, case study; pantai tirtawangi Banyuwangi East Java

D P Anggara, B S Rahardja and Suciyo

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012111

Estimation of planting season for food crops based on water balance model at center of food crops, Parimo Regency, Central Sulawesi Province

Fathurrahman, Abd. Syakur, Rio Marthadi, Inrianto Kadeko and Ramal Yusuf

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012112

Molecular identification and potency of scalloped spiny lobster (*Panulirus homarus*) study from Kodang Merak Beach, South Malang

R Ramdhani, L Sulmartiwi and S Andriyono

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012113

Seasonal variation of water quality of three urban small lakes in West Java, Indonesia

Sulastri and Ira Akhdiana

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012114

Microplastic pollution in lower Cimandiri River, Indonesia: early detection on the occurrence, abundance and distribution

C Henny, Triyanto, T Suryono, D Rohaningsih, G P Yoga and A Waluyo

[+](#) [Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012115

The effect of *Caesalpinia sappan* extract on body weight and carcass weight of bucks (*Cuniculus forma domestica*) exposed to heat stress

B Agustono, D L Safitri, A L Saputro, R A Prastiya, N M Kusuma and E D Y Sari

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012116

Effects of *Moina* sp. [Straus, 1820] adding of Snail Flour to Increase the Larvae performance of Jelawat Fish (*Leptobarbus hoevenii* [Bleeker, 1851])

Muhammad Browijoyo Santanumurti, Jafar Sidik, Berta Putri and Siti Hudaidah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012117

Effect of temperature, pH, and salinity on body weight of Asian Seabass (*Lates calcarifer*) at different stockings

E Insivitawati, N Hakimah and M S Chudlori

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012118

Performance analysis of white snapper (*Lates calcarifer*) nursery at BBPBAP Jepara

A R S H Saputra and S H Samara

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012119

Study of Different Protein Content of Feeding of Local Raw Materials on Gourami Fish (*Osporonemus goramy* Lac.) Aquaculture Performance

Muhammad Browijoyo Santanumurti, Aditya Kusuma Nugroho, Limin Santoso and Siti Hudaidah

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012120

Distribution and Habitat Characteristics Of Endemic Fish Bilih (*Mystacoleucus padangensis* Blkr.) In Lake Singkarak, West Sumatra

Syahroma Husni Nasution, M. Suhaemi Syawal and Ira Akhdiana

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012121

Analysis of feed management on vannamei shrimp (*Litopenaues vannamei*) enlargement in BBPBAP Jepara

M Imron and S H Samara

[+ Open abstract](#) [View article](#) [PDF](#)

---

**OPEN ACCESS**

012122

Application of eDNA method to analyze bacterial community structures in the recirculation aquaculture systems of *Litopenaues vannamei*

Zulkisam Pramudia, A A Amin, A T Yanuar, Y A D Susanti, U Yanuhar, S M Ulfa, A S Huda and A Kurniawan

[+ Open abstract](#)

[!\[\]\(bd1a142de767a21e5362c595f844a4ff\_img.jpg\) View article](#)

[!\[\]\(e2376d476d06eb31946dc01a69a4403a\_img.jpg\) PDF](#)

## JOURNAL LINKS

---

[Journal home](#)

---

[Journal scope](#)

---

[Information for organizers](#)

---

[Information for authors](#)

---

[Contact us](#)

---

[Reprint services from Curran Associates](#)

# Quality Enhancement in Seaweed Dodol Using Edible Film Carrageenan Packaging

N A Savitri<sup>1</sup>, E D Masithah<sup>2</sup>, W Tjahjaningsih<sup>2\*</sup>

<sup>1</sup> Study program of Fisheries Product Technology, Faculty of Fisheries and Marine, Universitas Airlangga, Surabaya 60115 Indonesia

<sup>2</sup>Department of Marine, Faculty of Fisheries and Marine, Universitas Airlangga, Surabaya 60115 Indonesia

\*Corresponding Author: wahju\_fpk@yahoo.com

**Abstract** The addition of seaweed raw materials to produce a varied taste of dodol, the texture of dodol is softer and rich in fiber, especially soluble fiber. To maintain the quality of dodol with edible film packaging materials, it can reduce packaging waste, maintain aroma and appearance, and prevent contamination and microorganisms. The purpose of this study was to determine the effect of the application of carrageenan edible film packaging used on the quality of seaweed dodol. This study used a completely randomized design (CRD) with three treatments and four replications. The parameters tested were the measurement of the total number of bacteria, water content, and organoleptic. Data were analyzed using ANOVA test and continued with Duncan's test. The results showed that packaging with edible film carrageenan was able to maintain the total number of bacteria in dodol according to SNI until the 48th hour at room temperature storage, which was less than  $5.0 \times 10^5$  colonies/g. The total number of bacteria in the seaweed dodol packaged in edible film was  $1.61 \times 10^5$  colonies/g, which was lower than the seaweed dodol using baking paper packaging. The packaging of seaweed dodol using edible film can maintain the sensory value of the product for up to three days at room temperature.

## 1. Introduction

Dodol is one type of traditional food that has a legit taste and is favored by the community. Dodol has a plastic texture, solid, and has an  $a_w$  range of 0.60-0.90 and a moisture content of about 10-40% [1]. The addition of seaweed raw materials to produce various types and flavors of dodol as an effort to diversify dodol processing [2]. The addition of seaweed to dodol aims to make the texture of dodol softer and rich in fiber, especially water-soluble fiber [3].

Microorganism contamination easily occurs in dodol, because it is semi-wet. One way to maintain the quality of dodol is by packaging. According to Dwimayasanti [4], to increase the durability and quality of packaged materials, use edible film packaging made from carrageenan as an alternative packaging. The edible film is a type of packaging such as films, sheets, or thin layers as an integral part of food products and can be eaten together with packaged products [5]. The advantages of using edible films are low cost, reduce packaging waste, provide unique protection by preserving the aroma and appearance of packaged food, preventing contamination and microorganisms, and preventing loss of food quality due to mass transfer [6].

Gemeda *et al.* [7] stated the role of edible film as a coating for tilapia fillets to improve quality and shelf life in refrigerated conditions. Saputra *et al.* (2021) [8] also proved that the use of edible film as packaging for African catfish burgers can maintain quality for two days at room temperature. Nasution [9] stated that fruit coating with carrageenan edible film can increase the durability and shelf life of fruit compared to fruit without edible film coating. This study aims to evaluate the effect of carrageenan edible film packaging on the quality of seaweed dodol (TPC, moisture content, organoleptic).



## 2. Materials and methods

### 2.1. Materials

The materials used in this study were carrageenan flour, *K. alvarezii* seaweed flour, glutinous rice flour, sugar, coconut milk, water, glycerol, Plate Count Agar (PCA), and NaCl physiological.

### 2.2. Methods

The study used a completely randomized design (CRD) with three treatments and four replications. The three treatments consisted of P0: seaweed dodol without packaging, P1: seaweed dodol with carrageenan edible film packaging, and P2: seaweed dodol with baking paper packaging.

Making seaweed dodol according to research by Rachmi [10] which refers to the basic recipe for making dodol from Idrus [11] with a composition of 30% seaweed porridge (75 g) and 70% glutinous rice flour (175 g). The first step is to cook coconut milk from one coconut until it is slightly oily. Then boil 250 mL of diluted coconut milk, add 250 g of brown sugar until dissolved and filtered. Mix the rice flour and seaweed porridge into the boiled sugar and coconut milk, stir until homogeneous. The slightly oily coconut milk is added little by little until thick while stirring for about 2 hours. The dough is then poured into a tin that has been lined with plastic and cooled for 2 hours at room temperature in a closed state to avoid contamination.

The seaweed dodol that has cooled and hardened is then printed using a mold. Furthermore, it is packaged in edible film packaging (P1) and baking paper packaging (P2), while P0, dodol does not use packaging. Carrageenan edible film packaging was made by referring to the Handito [12] procedure.

Observations on the total number of bacteria, moisture content, and organoleptic were carried out before storage (0 hours) and after 24 hours of storage for three days. Counting the number of bacteria in dodol samples using the Total Plate Count (TPC) method with graded dilutions ( $10^{-1}$ ,  $10^{-2}$ ,  $10^{-3}$ ,  $10^{-4}$ , and  $10^{-5}$ ). TPC (total plate count) is one method that can be used to calculate the number of microbes in food [13].

The medium used to grow bacteria is Plate Count Agar (PCA). A total of 1 mL of the sample from the dilution tube was transferred into a Petri dish containing sterile PCA media. The dilutions of dodol samples used for TPC were  $10^{-4}$ , and  $10^{-5}$ , and each dilution was carried out in duplicate. Petri dishes containing samples were incubated at 37°C for 24 hours. Data on the number of bacteria in seaweed dodol were analyzed using ANOVA and continued with Duncan's test.

The water content in foodstuffs affects their resistance to microorganisms [14]. Measurement of water content in seaweed dodol refers to the Latimer [15]. To assess the quality to find out deviations and changes in the product using organoleptic tests for early detection [16]. The number of panelists involved in the organoleptic test was 30 untrained students of the Faculty of Fisheries and Marine, Universitas Airlangga. The organoleptic parameters observed were appearance and smell carried out at 0, 24, 48 hours 72 by 30 untrained panelists. According to Adawyah [17], the nature of organoleptic testing is subjective because it only relies on the senses and sensitivity of the panelists.

## 3. Results and discussion

### 3.1 Results

During the storage process, the total number of bacteria in each treatment increased and reached the highest number at the last storage (Table 1). The number of bacteria in seaweed lunthead in all treatments still meets the Indonesian National Standard (SNI), namely a maximum of  $5 \times 10^5$  colonies/g until the 48th hour of storage, but the average value of the total number of bacteria in unpackaged dodol (P0) was higher and significantly different ( $p > 0.05$ ) with dodol which is packaged in edible film (P1) and dodol which uses baking paper packaging (P2).

**Table 1** The average total number of bacteria (colonies/g) of seaweed dodol

Storage time (hours) at room temperature	Total Bacterial Count (colonies/g)		
	P0	P1	P2
0	$1.61 \times 10^4 \pm 0.08$	$1.56 \times 10^4 \pm 0.07$	$1.4 \times 10^4 \pm 0.13$
24	$2.46 \times 10^4 \pm 0.08$	$1.35 \times 10^4 \pm 0.13$	$1.6 \times 10^4 \pm 0.55$
48	$2.71 \times 10^5 \pm 0.04$	$1.61 \times 10^5 \pm 0.09$	$1.79 \times 10^5 \pm 0.08$
72	$7.48 \times 10^6 \pm 0.04$	$5.34 \times 10^6 \pm 0.04$	$6.21 \times 10^6 \pm 0.05$

Description: Different lowercase letters in the same row indicate significant differences at the level of significance ( $\alpha = <0.05$ ), P0: No packaging, P1: Edible film packaging, P2: Baking paper packaging

The water content in seaweed dodol with edible film packaging (P1) and baking paper packaging (P2) increased during storage at room temperature until the end of the study. Treatment 0 (without packaging) actually decreased the water content (Table 2).

**Table 2.** The average moisture content (%) of seaweed dodol

Storage time (hours) at room temperature	Water Content (%)		
	P0	P1	P2
0	18.03	18.52	18.40
24	15.23	19.01	18.56
48	13.54	19.23	19.20
72	12.76	19.71	19.54

Description: P0: No packaging, P1: Edible film packaging, P2: Baking paper packaging

The results of the organoleptic test of seaweed dodol which included appearance and smell showed that the 0th hour to the 48th hour was still acceptable to all panelists. The smell of seaweed dodol is less specific than the smell of seaweed, because there is a mixture of brown sugar in the manufacture of seaweed dodol so that the aroma of brown sugar is more dominant. At 72 hours, it shows a value of 4 on the appearance and odor elements which indicate the product is not clean and there is no seaweed smell (Table 3).

**Table 3.** Average organoleptic value of seaweed dodol

Storage time (hours) at room temperature	Appearance			Smell		
	P0	P1	P2	P0	P1	P2
0	8.54	8.61	8.60	8.53	8.55	8.58
24	8.42	8.57	8.47	8.48	8.52	8.52
48	7.92	8.42	8.37	8.34	8.26	8.26
72	4.11	4.62	4.17	4.13	4.34	4.17

Description: P0: No packaging, P1: Edible film packaging, P2: Baking paper packaging



### 3.2 Discussion

Edible film carrageenan can inhibit bacterial growth until the 3rd day of storage with a bacterial count of  $1.61 \times 10^5$  colonies/g, so that it still meets SNI standards. The total number of bacteria in seaweed dodol packaged in the edible film was lower than the total number of bacteria in seaweed dodol with baking paper packaging, although not significantly different ( $p < 0.05$ ). According to Rozana [18], this is because the high permeability of edible coatings will produce tight pores, while the low permeability of edible coatings will result in less dense pores so that water vapor will easily come out of the material and O<sub>2</sub> can more quickly direct contact with the material.

The amount of water content in a product will affect the resistance of the material to microbes [17]. The water content of seaweed dodol during storage continued to decrease in unpackaged seaweed dodol and continued to increase in packaged seaweed dodol (P1) with edible film and baking paper packaging (P2). According to Winarno [19], the cause of changes in water content during storage at room temperature is due to protein degradation by microorganisms. Kappa carrageenan edible coating is a polysaccharide-based edible coating that has good water vapor barrier properties [20]. According to Osorio *et al.* [21], one of the functions of edible coatings is as a barrier in inhibiting gas exchange so that it can extend the shelf life. Although it has a high water permeability compared to commercial plastic materials, this coating is able to inhibit moisture from food products [22].

The results of the organoleptic test for storing seaweed dodol at 72 hours did not match SNI for all treatments, namely below 7. The condition of seaweed dodol was not clean and there was little yeast mold, no seaweed smell, and a bit musty. It is evident from the total number of bacteria in seaweed dodol, all treatments at 72 hours of storage have exceeded the safe limit for consumption ( $> 5 \times 10^5$  colonies/g). Increasing the shelf life of seaweed dodol requires a combination of carrageenan edible film packaging with antimicrobial materials. According to Socaciu *et al.* [23], edible films/coatings combined with active ingredients can inhibit microbial growth and reduce the degradation of fish nutrients, thereby preventing the formation of chemical metabolites and extending the shelf life of fish fillets

### 4. Conclusion

Edible film packaging is able to inhibit the growth of bacteria in seaweed dodol less than  $5 \times 10^5$  colonies/g according to SNI for three days of storage at room temperature.

### 5. References

- [1] Haliza 1992 *Rancang Proses Pembuatan Dodol Kweni (Mangifera adorata Griff)* (Jakarta: Penebar Swadaya) [in Indonesian].
- [2] Astawan M, Koswara S, and Herdiani F 2004 *JTIP* **15**(1), 61- 69 [in Indonesian].
- [3] Pasaribu H U, Ali A, and Hamzah F 2015 *JOM Faperta* **2**(2), 1-16 [in Indonesian].
- [4] Dwimayasanti R 2016 *Oseana* **41**(2), 8-13 [in Indonesian].
- [5] Gontard N, Duchez C, Cuq J L, and Guilbert S 1994 *Int. J. Food Sci. Technol.* **29**, 39-50.
- [6] Ulfah F, and Nugraha I 2014 *Molekul* **9**(2), 155-165 [in Indonesian].
- [7] Gemeda L, Chouhan G, and Mengistu M 2019 *J. Biotechnol. Bioeng.* **3**(3), 3-11.
- [8] Saputra E, Tjahjaningsih W, and Abdillah A A 2021 *IOP Conf. Series: Earth and Environmental Science* **679**(2021), 012071.
- [9] Nasution R S 2019 *AMINA* **1**(1), 18-27 [in Indonesian].
- [10] Rachmi H 2012 *Studi Pembuatan Dodol dari Rumput Laut (Eucheuma Cottonii) Dengan Penambahan Kacang Hijau (Phaseolus aureus) Skripsi* (Makassar:Universitas Hassanudin) [in Indonesian].
- [11] Idrus H 1994 *Pembuatan Dodol* (Jakarta: Balai Besar Penelitian Pengembangan Industri Hasil Pertanian Departemen Industri) [in Indonesian].
- [12] Handito D 2011 *Agroteksos* **21**(2-3), 151-157 [in Indonesian].
- [13] Nurhayati and Samallo I M 2013 *LIMIT S Jurnal Ilmiah Fakultas Teknik* **9**(1), 1-13 [in Indonesian].

- [14] Buckle K A, Edwards R A, Fleet G H and Wooton M 1987 *Ilmu Pangan* Purnomo H and Adiono (Translator) (Jakarta: UI Press).
- [15] Latimer G W 2012 *Official Methods Of Analysis of AOAC International* 19th Edition (Maryland: AOAC International).
- [16] Badan Standardisasi Nasional 2006 *Standar Nasional Indonesia No. 2346.1-2006 Petunjuk Pengujian Organoleptik dan atau Sensori* (Jakarta: Badan Standardisasi Nasional) [in Indonesian].
- [17] Adawyah R 2011 *Pengolahan dan Pengawetan Ikan* (Jakarta: Bumi Aksara) [in Indonesian].
- [18] Rozana 2013 *Kesesuaian Galaktomanan Sebagai Edible Coating Untuk Buah Tropis Makalah Review Jurnal* (Bogor: Institut Pertanian Bogor) [in Indonesian].
- [19] Winarno F G 1990 *Teknologi Pengolahan Rumput Laut* (Ed 1) (Jakarta: Pustaka Sinar Harapan) [in Indonesian].
- [20] Palvath E A, and Orts W 2009 *Edible Films and Coating: Why, What, and How?* pp 1-24 In: Embuscado M E, and Huber K C (Eds) *Edible Films and Coatings for Food Applications* (New York: Springer).
- [21] Osorio A F, Molina P, Matiacevich S, Enronoe J, and O. Skurtys O 2011 *Procedia Food Sci.* **1**, 287-293.
- [22] Vargas M, Pastor C, Chiralt A, McClements D J, and González-Martínez C 2008 *Crit Rev Food Sci Nutr.* **48**(6), 496-511.
- [23] Socaciu M-I, Semeniuc C A, and Vodnar D C 2018 *Coatings* **8**(366), 1-19.