



Certificate

this certificate is granted to

Dr. Endang Dewi Masithah, Ir., MP.

AS A ORAL PRESENTER

Surabaya, 26 September 2019

Dean

Faculty of Fisheries and Marine
Universitas Airlangga



Prof. Dr. Mimi Lamid, drh., M.P.
NIP. 196201161992032001

Chief Committee



Dr. A. Shofy Mubarak, S.Pi., M.Si
NIP. 197311012001121002

ISSN: 1755-1315

IOP Conference Series:
Earth and Environmental Science

The open Access Journal for Conference Proceedings
iopscience.org/jpcs

Table of contents

Volume 441

2020

◀ Previous issue Next issue ▶

2nd International Conference on Fisheries and Marine Science 26 September 2019, Surabaya, Indonesia

Accepted papers received: 16 January 2020

Published online: 24 February 2020

Open all abstracts

Preface

OPEN ACCESS 011001

Preface

+ Open abstract  View article  PDF

OPEN ACCESS 011002

Peer review statement

+ Open abstract  View article  PDF

Papers

Earth and Environmental Science

OPEN ACCESS 012001

The grow-out of abalone (*Haliotis squamata*) at different shelter shape on growth and survival and its marine environmental influences at Lembongan Bay coastal waters

I Ardi, E Setiadi, Rasidi and W S Pranowo

+ Open abstract  View article  PDF

OPEN ACCESS 012002

Stocking density of Rotifera, *Hexarthra mira* on water quality and production

I Ardi, S Cahyaningsih and E Setiadi

+ Open abstract  View article  PDF

OPEN ACCESS 012003

The effect addition of kappa carrageenan flour to the level of gel strength and acceptability of dumpling from threadfin bream fish (*Nemipterus nematophorus*) surimi

D M Astutik, L Sulmartiwi, E Saputra and D Y Pujiastuti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012004

Maximizing production of a male offspring in *Moina macrocopa* culture through manipulation of rice bran suspension concentration

A S Mubarak, D Jusadi, M Zairin Jr and M A Suprayudi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012005

The Concept of the Right to Management of Coastal Communities in the Regional Autonomy Era: Experience from Community Assistance to Obtain the Right to Manage Sea Cucumbers in Sunsak Bay, East Lombok.

A Wahyono and M Illiyani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

Selective breeding technique: Pandu and Kunti tilapia (*Oreochromis niloticus*) broodstock candidates at PBIAT Janti, Klaten-Central Java

S H Samara, A W Fathurrozi and Sutarno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

Potential of *Caulerpa racemosa* extracts as sunscreen creams

E B Ersalina, A A Abdillah and L Sulmartiwi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012008

Histopathology of the gill of Vaname Shrimp (*Litopenaeus vannamei*) infested by protozoan ectoparasite

S R Pribadi, P D W Sari and S Subekti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012009

The effect of iron powder as oxygen absorber active packaging on fish oil total oxidation value

E N Hidayah, RR J Triastuti and A A Abdillah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

The occurrence of endoparasite helminth on Threadfin Bream (*Nemipterus japonicus*) from the fish auction place Mayangan, Probolinggo, East Java

D S Octatriana, P D W Sari and G Mahasri

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Comparative study of marine fish freshness based on the handling method in Puncak Permai modern market and Simo Gunung traditional market, Surabaya

M Sari, J Triastuti, H Pramono and Sudarno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

Determination of minimum inhibitory and minimum bactericidal concentration of ketapang (*Terminatia catappa*) leaves extract against *Vibrio harveyi*

A Kharisma, W Tjahjaningsih and Setiawati Sigit

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012013

The larasati tilapia (*Oreochromis niloticus*) fingerling rearing activity in PBIATJanti, Klaten, Central Java: its performance through survival rate

RV Prasetya, Sutarno and M B Santanumurti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012014

Use of hydrogen peroxide to improve potential redox land preparation of land towards increasing production of traditional shrimp vanname (*Litopenaeus vanname*) in Wringin Putih, Muncar, Banyuwangi

D D Nindarwi, L A Sari, P D Wulansari, S H Samara and M B Santanumurti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012015

The effect of feed larvae *Chironomus* sp. and high pellet protein to seedling goldfish (*Carassius auratus*)

K H Dwiardani, L A Sari, P. D. W. Sari, D. D. Nindarwi and S. Arsad

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012016

The maggot flour substitution potency (*Hermetia illucens*) in artificial feed formulation on growth and survival rates of African catfish (*Clarias gariepinus*)

M S Islam, Agustono and M Lamid

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012017

Influence addition of noni (*Morinda citrifolia*) in the commercial feed on protein and lipid retentions of sangkuriang catfish (*Clarias* sp.).

F Azizah, M Arief and W P Lokapirnasari

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012018

The growth, protein content, and fatty acid of catfish meat (*pangasius* sp.) With the addition of different lysine doses in commercial feed

E Aristasari, R A Nur 'Aini, W Nopita, Agustono, M Lamid and M A Al-Arif

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012019

Evaluation of hatching rate, growth performance, and survival rate of cantang grouper (*Epinephelus fuscoguttatus* × *lanceolatus*) in concrete pond at Situbondo, East Java, Indonesia

N S Anita and N N Dewi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012020

The effect of temperature, salinity and antimicrobial agent on growth and viability of *Aeromonas hydrophila*

M F Ulkhaq, D S Budi and N N Rahayu

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012021

Utilization of agar *Gracilaria* sp. as a natural thickener on liquid bath soap formulation

L R Dita, Sudarno and J Triastuti

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012022

Correlation Between Glucose Level And Protozoan Ectoparasite Infestation Level Of Humpback Grouper (*Cromileptes altivelis*) Nursery In UPBL Situbondo, East Java

G Mahasri, I N D Yodharta, D Novalisa and A T Mukti

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012023

Study of heavy metal content cadmium (Cd) in various sizes of blood shells (*Anadargranosa*) in coastal Bancaran Bangkalan, Madura

E S Ulfah, B S Rahardja and K T Pursetyo

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012024

Identification and prevalence of ectoparasites on the fry of Asian sea bass (*Lates calcalifer*), white shrimp (*Litopenaeus vannamei*), and blue swimming crab (*Portunus pelagicus*)

Budianto, H Suprastyani, Q A'yunin and Z Nadlifah

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012025

Effect of dense stocking of *Gracilaria sp* on growth and survival of milkfish (*Chanos chanos forskal*) on polyculture culture systems

W Isroni, A S Bahri and A A Amin

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012026

The effect of *Dunaliella salina* extract on NFkB expression in Cantang Grouper (*Epinephelus fuscoguttatus x E. lanceolatus*) exposed by *Viral Nervous Necrosis*

Rani Yuwanita, A Yuniarti, SSP Rahardjo, Q Ayu'nin and AM Madyaratri

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012027

The Effectiveness of Vaccines in Gurame (*Osphronemus goramy*) and Challenged *Aeromonas hydrophila*

S U Setyaningsih, R Kusdarwati, Rozi and D Handijatno

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012028

Utilization of By Product *Kappaphycus alvarezii* as Earthquake Resistant Material Lightweight Concrete

A A Musthofa, M Z A Bahtiar, F M Ibrahim and A A Abdillah

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012029

The effect of density as *Skeletonema costatum* bioremediation agent of copper (Cu) heavy metal concentration

N A Pratama, B S Rahardja and L A Sari

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012030

Effectiveness of Heat Shock (40°C) With Different Duration for Tetraploid Formed in Mutiara Catfish (*Clarias sp.*) Juvenile

S Nuswantoro, MS Widodo, F Fariedah and E Artarini

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012031

Histopathological analysis of *Pangasius* sp. infected by *Edwardsiella tarda* causes Edwardsiellosis disease

Q A'yunin, Budianto, S Andayani and R Yuwanita

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012032

The use of bromelain enzyme on artificial hatching media as an effort to hatch Nile tilapia (*Oreochromis niloticus*) eggs outside the mother's mouth

F Fariedah, M S Widodo, S Nuswantoro and Sholikhin

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012033

Effects of different feed doses of Majapahit leaves (*Crescentia cujete* L.) on the growth of Nile tilapia (*Oreochromis niloticus*)

S Rahmaningsih, Jumiati and S Awwaliyah

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012034

Vaname shrimp (*Litopenaeus vannamei*) post-harvest marketing analysis in traditional pond systems at Turi District, Lamongan, East Java, Indonesia

M S A Ningsih, Prayogo and A M Sahidu

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012035

Effect of probiotic duration and dose of coffee peel fermentation (*Coffea* sp.) on crude protein and crude fiber as an alternative fish feed ingredient

N Fatmawati, Agustono and M Lamid

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012036

The effect of depuration on lead levels of the cockles *Anadara* sp. by using activated carbon as a filter

A R Firdaus, A S Mubarak and W Tjahjaningsih

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012037

Growth performance and survival rate of Boeseman's rainbowfish (*Melanotaenia boesemani*) in natural spawning technique at Depok, West Java, Indonesia

W M Akhsan, B Nur and N N Dewi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012038

Masculinization of guppies (*Poecilia reticulata*) using water of coconut hybrid variety with the immersion method of pregnant female

G Meiliana, L Sulmartiwi and L Lutfiyah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012039

The effect of commercial nutrients to increase the population of *Skeletonema costatum* on laboratory and mass scales

K A Azmi, S Arsad and L A Sari

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012040

Cultivation technique of *Chanos chanos* modular system and semi intensive at the center for brackish water aquaculture (BBPBAP) Jepara, Central of Java

M Nisa and K Kismiyati

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012041

Effect of *Spirulina platensis* supplementation in the diet to sperm performance of silver rasbora (*Rasbora argyrotaenia*)

M W D Putri, Prayogo and D S Budi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012042

The variances of hematology of gurami (*Osphronemus gouramy*) which is vaccinated and challenged by *Aeromonas hydrophila*

D Alfaniah, R Kusdarwati, Rozi and D Handijatno

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012043

Antibacterial activity test of mahkota dewa leaf extract (*Phaleri amacrocarpa*) against bacteria *Aeromonas hydrophilla* by in vitro

R A Sarendah, Sudarno and R Kusdarwati

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012044

The effect of kersen (*Muntingia calabura* L) leaf extract on bacteria *Aeromonas salmonicida smithia* in vitro

N Kartika, Sudarno and D Handijatno

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012045

Growth and survival rate of silver barb, *Rasbora argyrotaenia* under different concentrations of sardinelle fish oil addition in fish feed

S A Dewi, A S Mubarak and A T Mukti

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012046

Substitution of fermented soybean juice dregs on catfish (*Pangasius pangasius*) feed formulation toward specific growth rate, efficiency of feed, feed conversion ratio, digestibility of crude protein, and energy

Z N Arifiina, A P Anjarwati, M Lamid and Agustono

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012047

Addition of lemuru fish oil in feed on the gonadal maturity level of female silver barb, *Rasbora argyrotaenia*

L Agustin, L Sulmartiwi and A S Mubarak

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012048

The use of mangrove leaves flour *Avicenia rumphiana* as antioxidant feed additive in commercial feed towards growth and survival rate of Nile tilapia fry *Oreochromis niloticus*

D Wulansari, L Sulmartiwi and M A Alamsjah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012049

The effect of combination *Bifidobacterium sp* and *Lactobacillus acidophilus* probiotic on egg yolk cholesterol, HDL, and LDL

W P Lokapirnasari, A M Sahidu, L Maslachah, A B Yulianto and R Najwan

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012050

The effect of using different polar solvents on the stability of thermal extraction phycocyanin from *Spirulina platensis*

D Irawati, A A Abdillah, H Pramono and L Sulmartiwi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012051

Substitution of fermented maggot (*Hermetia illucens*) flour on commercial feed towards protein retention and energy retention in tambaqui (*Colossoma macropomum*) meat

N Wantika, Budiana, E Suryani, L Rubi'ah, N Dzatalini, Rusdiatin, Y T Nila, M B Santanumurti, S H Samara,

D D Nindarwi *et al*

[+](#) [Open abstract](#) [View article](#) [PDF](#)

-
- OPEN ACCESS** 012052
Nile tilapia (*Oreochromis niloticus*) fish hatchery technique: the survival rate evaluation in IBAT Pandaan, Pasuruan, East Java
T A Putri, S Maya and M B Santanumurti
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012053
Observed snapshot condition of waters during El Niño Southern oscillation (ENSO) 2015-2017 events in the Maluku Channel
A Bayhaqi, D Surinati and H B Prayitno
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012054
The effect of concrete tanks for the breeding technique of the sand sea cucumber (*Holothuria scabra*)
D A N Sitoresmi and K T Pursetyo
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012055
Morphometric asymmetry of *Barbodes binotatus* (cyprinidae) collected from three different rivers in Java
S S Astuti, A M Hariati, W E Kusuma and D G R Wiadnya
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012056
Chlorophyll and carotenoids analysis spectrophotometer using method on microalgae
M Rinawati, L A Sari and K T Pursetyo
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012057
The effect of catfish and chicken cultivation waste to *Daphnia* sp. culture
N H Holy and L A Sari
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012058
Neobenedenia girellae infestation on cobia (*Rachycentron canadum*) in Hurun Bay Lampung, Indonesia
R D B Putri, A R Rivaie, S Subekti and P D W Sari
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012059

Ecotourism development through legality of mangrove processed products dan river tracing in Cemara Beach, Banyuwangi, East Java, Indonesia

E W Setyaningrum, Z Erwanto, K P Prapti, A L Jayanti, A T K Dewi and H D Susanti

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012060

The effect of various concentration of quail egg yolk on spermatozoa motility of kancra fish (*Tor soro Valenciennes*, 1842) post cryopreservation

M Laeni, Abinawanto, J Subagja and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012061

The fertilization of *Tor soro* fish (*Valenciennes*, 1842) using post cryopreservation sperm: the effect of skim milk as a cryoprotectant

E R Harjanti, Abinawanto, O Z Arifin and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012062

Honey effect on sperm motility of kancra fish (*Tor soro Valenciennes*, 1842) after 48 hours freezing

B S D Putri, Abinawanto, O Z Arifin and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012063

The spermatozoa viability of kancra fish (*Tor soro Valenciennes* 1842) 48-hour after freezing: effect of brown sugar as natural cryoprotectant

M A B Pamungkas, Abinawanto, O Z Arifin and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012064

Feed additive of curcuma flour (*Curcuma xanthorrhiza*) in commercial feed to growth rate and feed efficiency of tambaqui (*Colossoma macropomum*)

I Oktavianti, Agustono and M Lamid

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012065

The spermatozoa motility of kancra fish (*Tor soro Valenciennes*, 1842) after the frozen process: the application of egg yolk as a cryoprotectant

N Vardini, Abinawanto, J Subagja and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012066

Sperm motility of kancra fish (*Tor soro*, Valenciennes 1842) after frozen: the effect of soybean milk as a natural cryoprotectant

R Fatriani, Abinawanto, O Z Arifin and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012067

Effect of date palm (*Phoenix dactylifera* L.) on spermatozoa viability of kancra fish (*Tor soro* Valenciennes 1842) 48 hours post cryopreservation

D P Alifiani, Abinawanto, J Subagja and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012068

Effect of *Bacillus* spp. and *Nitrosomonas* sp. in commercial feed as a probiotic agent to increase growth performance and feed efficiency of sangkuriang satfish (*Clarias gariepinus*)

A A Yaqin, Sudarno and Rozi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012069

The effect of giving commercial feed, beloso trash fish (*Saurida tumbil*), kurisi trash fish (*Nemipterus nematophorus*), and mixed trash fish on growth of cantang grouper (*Epinephelus fuscoguttatus-lanceolatus*) in floating net cage

M A Nugraha and Rozi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012070

The Percentage of embryo viability after 48h sperm cryopreservation: effect of various natural cryoprotectant

S Lestari, Abinawanto, A Bowolaksono, R Gustiano and A H Kristanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012071

Degree of nematode endoparasite infection in asian swamp eel (*Monopterus albus*) from Banyuwangi regency

D I Bakti, G Mahasri, M F Ulkhaq, Kismiyati, D S Budi and Suciyono

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012072

Effect of different bacterial strain in probiotics on the growth performance of Nile Tilapia (*Oreochromis niloticus*)

T D Sholihuddin, M Arief and H Kenconojadi

[+](#) Open abstract [View article](#) [PDF](#)

-
- OPEN ACCESS** 012073
Infection analysis of *Rhadinorhynchus bicircumspinis* in barramundi (*Lates calcarifer*) from pond and floating net cage in Situbondo waters.
D N Putri, S Subekti, M F Ulkhaq, R Kusdarwati, D S Budi and H Kenconoati
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012074
Population growth and fishery status of the *Lorjuk* shellfish (*Solen* sp.) on Pamekasan beaches, Indonesia
N Trisyani and Kamarudin
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012075
Prevalence and intensity of protozoan ectoparasite infestation on nursery of humpback grouper (*Cromileptes altivelis*) in hatchery and floating net cage
G Mahasri, S Subekti, B B Angghara and F P Pratama
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012076
Morphology, morphometrics, and some qualitative parameters of silver rasbora (*Rasbora argyrotaenia*) sperm
L A Adawiyah, L Sulmartiwi and D S Budi
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012077
Inventory of ectoparasites in pacific white shrimp (*Litopenaeus vannamei*) that cultivated with high density
G D Pamenang, L Sulmartiwi, G Mahasri, N D Rahayu and B Angwarmas
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012078
Growth of Cantang Hybrid Grouper Juvenile (*Epinephelus fuscoguttatus* x *Epinephelus lanceolatus*) With Different Feeding Frequency
D Nuraini, Agustono and L Lutfiyah
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012079
The effect of fucoxanthin as coloring agent on the quality of Shrimp Paste
Z Zahrah, M N G Amin and M A Alamsjah
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012080

The effect of fucoxanthin as coloring agent on the quality of catfish sausage

N W Aditya, M N G Amin and M A Alamsjah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012081

The harmful effect of commercial powder detergent on water flea (*Daphnia* sp.)

H Kenconojeti, Suciyono and M H Azhar

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012082

Hematological parameters of Catfish (*Clarias* sp) vaccinated by *Aeromonas hydrophila* with different application methods

V N Nadiro, I Puspitasari, T A Setyastuti and A Santika

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012083

Detection potential fishing zones of Longtail tuna (*Thunnus tonggol*) using fisheries and remotely sensed data in the waters around Madura Island

A F Syah and M Sholeh

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012084

Evaluation of aqueous extract of robusta coffee (*Coffea canephora*) leaves for controlling *Argulus japonicus* infestation on common carp seed

N Afifah, Kismiyati and H Kenconojeti

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012085

The different effects of heat shock duration and initial period on hatching rate, abnormality rate, egg yolk absorption, and survival rate of spotted barb (*Puntius binotatus*) larvae

A T Mukti, M Ahmadi, Widjiati and E M Luqman

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012086

Addition different algae (*Spirulina*) flour to artificial feed on color quality and growth of Koi fish (*Cyprinus carpio-Koi*)

D A Sudirman, M Arief and A H Fasya

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012087

Tuna fisheries in fisheries management area Republic of Indonesia 572

N Suyasa, P Rahardjo, D R Putri and A Widagdo

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012088

Optimization of spermatozoa cryopreservation of Albino pangasius catfish: cryoprotectants with various concentrations and different equilibration times

U Hasanah, Abinawanto, A Alimuddin and A Boediono

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012089

The relation between quality of the sediment (nitrate, phosphate) and *Avicennia sp* density, case study; Mangrove Center Bengkak, Banyuwangi Regency, East Java

Suciyono, B S Rahardja, A I Prayoga, H Kenconoajati and M F Ulkhaq

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012090

The optimal n/p ratio of shrimp culture waste liquid fertilizer on growth of *Chlorella vulgaris*

P A Hidayati, A S Mubarak and Sudarno

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012091

Profile of Kerandang Fish (*Channa pleurophthalmus* Blkr) Proteins from Central Kalimantan

Aryani, E Suprayitno, B B Sasmito and Hardoko

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012092

Screening of antivibrio-producing lactic acid bacteria originated from aquatic animals as probiotic candidates

M Amin, M A Liliyanti, N H Nufus and M Ali

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012093

Length weight relationships and condition factor of sweet river prawn, *Macrobrachium esculentum* (Thalwitss, 1891) in the downstream Rongkong watershed

Jurniati, D Arfiati, A Maizar and A Kurniawan

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012094

Blood glucose and digestive tract endoparasite helminth infection of cantang grouper (*Epinephelus lanceolatus* x *Epheus fuscoguttatus*) from traditional ponds in the Kampung Kerapu of Lamongan East Java

B Angwarmas, L Sulmartiwi, G Mahasri, N D Rahayu and G D Pamenang

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012095

Inventory of ectoparasite helminth on the Hybrid Grouper (*Epinephelus fuscoguttatus x Epinephelus lanceolatus*) from traditional ponds in the Kampung Kerapu Lamongan East Java Indonesia

N D Rahayu, L Sulmartiwi, G Mahasri, Muntalim, B Angwarmas and G D Pamenang

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012096

Different Concentration of Rice Bran Suspension on Fecundity and Offspring Production of Each *Moina macrocopa* Broodstock

A Ullimaz, D D Nindarwi and A S Mubarak

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012097

The spatial pattern of turbidity and light transmission around the coastal waters of Cisadane in July and November 2014

M F Azis Ismail and H B Prayitno

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012098

Change of hepatopancreas conditions in intensive shrimp aquaculture (*Litopenaeus vannamei*) at Mayangan Village, Legon Kulon District West Java

D A Dana, T A Setyastuti, I Puspitasari and D Sukanto

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012099

Biology, Ecology and Aquaculture potential of *Osteochilus spilurus* (Bleeker 1851) in East Belitung, Indonesia

A Kurniawan, A M Hariati, A Kurniawan, Kartika, N Rizkika and D G R Wiadnya

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012100

The effect of seaweed (*Eucheuma cottonii*) age differences as a material on medium density fiberboard (MDF) manufacture

F H Arrosyad and M A Alamsjah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012101

Biological activities of Indonesian mangroves obtained by subcritical water extraction

Ratih Pangestuti, Evi Amelia Siahaan, Febriana Untari and Byung Soo Chun

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012102

Viability of Tor fish spermatozoa (*Tor soro*, Valenciennes 1842) 48-hours cryopreservation: the effects of duck egg yolk as a natural cryoprotectant

P D Wulandari, Abinawanto, J Subagja and A H Kristanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012103

Antiproliferation effects of *Glycine max* Linn ethanolic extract on induced mammary gland carcinoma in albino rats

N M Triana, E Wilujeng, M W H Putri, D M P Yuda, A L Hardiono, M T E Purnama and F Fikri

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012104

Structure communities of macrozoobenthos in mangrove tourism area, Wongsorejo sub-district, Banyuwangi regency, East Java

D Fatmawati, B S Rahardja, Suciyono, L Lutfiah and M F Ulkhaq

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012105

Probiotic enriched *Daphnia* sp: the nutritional profile and enzymatic activities

E Riyani, A Yuniarti and A M Hariati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012106

Effect of different carbon doses of tapioca (*Manihot esculenta*) flour on vegetative cells and spore production of *Bacillus megaterium*

I M D Mahariawan, N B Ariffin, W E Kusuma, A Yuniarti, M A G Beltran and A M Hariati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012107

Enrichment of feed for growth of cantang grouper (*E. fuscoguttatus* x *E. lanceolatus*) in floating cages

D D Afifah, W H Satyantini, A T Mukti and Y Cahyoko

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012108

The efficacy of probiotic with different storage to decrease the total organic matter, ammonia, and total *Vibrio* on shrimp pond water

H S Farizky, W H Satyantini and D D Nindarwi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012109

Analysis degradation of mangrove vegetation in Tangerang District, Banten Province

R Haryanti, A Fahrudin and H A Susanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012110

Determination spesies flying fishes (*exocoetidae*) in makassar strait

Indrayani, A B Sambah, A Kurniawan, A Pariakan, A Jufri and D G R Wiadnya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012111

Potential stock of stony corals in Indonesia

T A Hadi, Giyanto, R M Siringoringo, A Budiyanto, O Johan, J Souhoka, M Abrar, N W P Sari, B Sadarun, B Prayudha *et al*

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012112

Social network analysis: Key actors of cooperation between *Sama Bajo* and land-dwellers in Wakatobi marine national park

T La Ola, N I Wianti, M Tadjuddah, Suriana, T Buana, Rosmawaty, S Abdullah and I A Wunawarsih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012113

Niche ornamental-marine fishery of Bangsring and the surrounding areas

D G R Wiadnya, A M Hariati and W E Kusuma

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012114

The profile of *Carassius auratus* growth and hepatosomatic index in different salinity

L Ningsih, L Sulmartiwi and L Lutfiyah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012115

Haematological parameters of Catfish (*Clarias* sp.) fed by immunostimulant added with Cr^{+3} - Yeast (*Saccaromices cerevisiae*) and Garlic

F Indriani, I Puspitasari, T A Setyastuti and A Santika

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012116

Addition of lemuru fish oil in the diet on the fat retention and fatty acid profile of silver barb (*Rasbora argyrotaenia*)

A Marini, A S Mubarak and A T Mukti

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012117

Addition of Lemuru Fish Oil to Protein Retention and Feed Utilization Efficiency of silver barb *Rasbora argyrotaenia*

R Ayunda, L Sulmartiwi and A S Mubarak

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012118

Study on mangrove canopy cover in Lembah Island, North Sulawesi

A P Rumengan, C P Paruntu, D Paransa and S H Rumengan

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012119

The immune responses of *Oreochromis niloticus* under different form of *Bacillus* supplementation

A Yuniarti, N B Arifin, N Muawiyah, M Fakhri and A M Hariati

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012120

Response of kutuklin hemagglutinin protein adhesion in koi fish (*Cyprinus carpio*) infected by *Myxobolus* sp.

U Yanuhar, N S Junirahma, N R Caesar, M Musa and G Mahasri

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012121

Effect of different filter media use on aquaponics system on ammonium (NH₄⁺), nitrite (NO₂) and nitrate (NO₃) concentrations of catfish (*Clarias* sp.) aquaculture

T A Lukmantoro, Prayogo and B S Rahardja

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012122

Different addition of molasses on feed conversion ratio and water quality in catfish (*Clarias* sp.) rearing with biofloc-aquaponic system

H D Rahmatullah, Prayogo and B S Rahardja

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012123

The different effects of heat shock duration and embryo age on embryonic development and hatching lengths of spotted barb (*Puntius binotatus*) fish

I Rizal, A T Mukti, A S Mubarak, W H Satyantini and Widjiati

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012124

Preliminary study: the effect of cryopreservation on the gastrula-staged embryo of African catfish (*Clarias gariepinus*)

S H Eka, A T Mukti, W H Satyantini and A S Mubarak

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012125

Composition analysis of organic and inorganic waste and the impacts of coastal city in Palu-Central Sulawesi

J Y Walalangi, T D Lelono, A M Suryanto, A Damar, H Effendi and E Susilo

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012126

Growth rate and survivorship of *Acropora* sp. fragments that transplanted on the artificial substrate made from *fly ash* and *bottom ash*

R I Khasanah, E Y Herawati, A M Hariati, M Mahmudi, A Sartimbul, D G R Wiadnya, E Asrial, Yudatomo and E Nabil

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012128

Marine litter distribution in Ampana Beach Tojo Una-Una Regency Central Sulawesi Province

D Sulistiawati, K Mansyur, A E Putra, M Safir, A M Tahya and Z R Ya'la

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012129

Comparison of water quality and its influences on phytoplankton abundance based on water characteristics in coastal of Banyuwangi Regency, Jawa Timur, Indonesia

E W Setyaningrum, E D Masithah, M Yuniartik, M P Nugrahani and A T K Dewi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012130

The differences of depth on the species composition of spiny lobster puerulus on south Pacitan Regency East Java

W A Saputra, K A Pambudi, A Setyanto and A Tumulyadi

[+](#) Open abstract [View article](#) [PDF](#)

-
- OPEN ACCESS** 012131
Different concentration influence of *Moringa oleifera* leaf aqueous extract immersion against *Argulus japonicus* egg damage
F Idris, Kismiyati and G Mahasri
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012132
The effect of using the initial weight of seedlings by the floating method on the percentage of daily growth of seaweed *eucheuma cottonii*.
W Isoni, A S Bahri and A A Amin
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012133
Nursery method of Jatimbulan Tilapia (*Oreochromis niloticus*) in Pasuruan, East Java
I Anggraeni and P D W Sari
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012134
The effect of distance of floating karamba on placement of phytoplankton abundance in coastal waters of Sathean Village, Langgur - Tual Regency
W Isoni, A S Bahri and A A Amin
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012135
Growth performances of Nile Tilapia, *Oreochromis niloticus*, reared in recirculating aquaculture and active suspension systems
M Amin, L Musdalifah and M Ali
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012136
Utility of almond leaf (*Terminalia cattapa*) for improving growth and color quality of neon tetra fish (*Paracheirodon innesi*)
I Ardi, M Zamroni and E Setiadi
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012137
Re-description of lobster fishery following ministerial decree of marine affair and fisheries 56/2016: case study in Pacitan, East Java
W Setyawati, A Setyanto and D G R Wiadnya
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012138

Screening of ammonia-degrading bacteria to reduce ammonia content in the manure of laying hens

M Ali, M Zubair, A Rosyidi and M Amin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012139

Provision of bacteria from shrimp pond sediment towards N/P ratio, plankton abundance, and total bacteria in the culture media of white shrimp (*Litopenaeus vannamei*)

W H Satyantini, M Salsabila, D D Nindarwi, A M Sahidu and A T Mukti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012140

Oxidative stress parameters in landrace pigs slaughtered by the stunning method

M T E Purnama, S F Prayoga, N M Triana, W K Dewi, B S Purnomoaji, D K Wardhana and F Fikri

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012141

Spawning potential ratio (SPR) of Sulphur Goatfish (*Upeneus sulphureus*): biological basis for demersal fishery management in Java Sea

M A Prayitno, H Setiawan, I Jatmiko, M A Rahman and D G R Wiadnya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012142

Characterization of nano calcium powder from blood cockle (*Anadara* sp.) shell produced by using different hydrochloric acid concentration

G Y Pramudi, L Sulmartiwi, W Tjahjaningsih, E D Mashitah, Patmawati and M N G Amin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012143

Relationship of long weight between milkfish (*Chanos chanos* forsskal) and sea cucumber (*Holothuria leucospilot*) that are multi-trophic sea farming

J A Surbakti, I A L Dewi, M A Alamsjah and M Lamid

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012144

The effect of addition of fish bone meal on the concentration of nitrogen (N), phosphorus (P), and potassium (K) in seaweed liquid organic fertilizer of *Gracilaria* sp.

P T Bhaskoro, W Tjahjaningsih and A S Mubarak

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012145

Activity test of anti-stress from extract of *Datura metel* seeds with ethanol solvent towards blood glucose levels and survival rate of *Osphronemus gouramy* seed in closed system

transportation

M M Mashuda, J Triastuti and K T Pursetyo

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012146

Identification and prevalence infection of helminth in the gastrointestinal tract swamp eel (*Synbranchus bengalensis*) which marketed in Surabaya, East Java

S Subekti, M R Kurniawan and S A Sudjarwo

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012147

Potential concentration of heavy metal copper (cu) and microalgae growth *Spirulina plantesis* in culture media

R M S Budi, B S Rahardja and E D Masithah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012148

Isolation and identification of bacteria in gastrointestinal of eel (*Anguilla bicolor*) that has potential as probiotic

P Lestari, D Suprpto and G Mahasri

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012149

Effect of fucoidan concentration from *Sargassum* sp. on skin lotion antioxidant activities

R C D Putra, M A Alamsjah and L Sulmartiwi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012150

Correlation between water quality and prevalence on Koi (*Cyprinus carpio*) which infested by *Argulus* in Mungkid Subdistrict and Muntilan Subdistrict, Magelang Regency, Central Java

R D Yunikasari, Kismiyati and G Mahasri

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012151

The effectiveness of activated carbon as adsorbent in the oil purification process fish by-product of the fish canning industry

A Nadia, S Subekti, A Manan and P Wahyudin

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012152

The effect of hydrochloric acid concentration and temperature demineralization on characteristics of chitin from penshell (*Atrina pectinata*)

I L Nugroho, E D Masithah and K T Pursetyo

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012153

Effect of Mengkudu's (*Morinda citrifolia*) distillation with differential fruit ripeness to control *Argulus* on *Carassius auratus auratus*.

I Asiseh, Kismiyati and G Mahasri

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012154

Effect of enzyme papain against natural flavor of raw meat waste laundering surimi

N A Harahap, W H Satyantini and Sudarno

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012155

Effect of eggs immersion in tannin solution against embryonic development of common carp fish (*Cyprinus carpio* L.)

N Fauziah, E D Masithah and L Sulmartiwi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012156

The effect of giving fermented rice bran suspension on fecundity and production of *moina macrocopa* offspring per parent

K Y Damayanti, A S Mubarak and L A Sari

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012157

Concentration of fermented tilapia feces suspension by decomposer bacteria as a feed to induce *moina macrocopa* sexual reproduction

A F Zuhro, A S Mubarak and E D Masithah

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012158

Correlation between Osteoprotegerin Serum Levels and Arterial Stiffness Assessed by Cardio-ankle Vascular Index (CAVI) in Hypertensive Patients

A Ariendanie, J N E Putranto and I G N I R Ranuh

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012159

The Correlation between Work Stress and Hypertension among Industrial Workers: A Cross-sectional Study

A D Rengganis, A B Rakhimullah and H Garna

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012160

Hypoxic Preconditioning Effect on the Expression of Intracellular Heat Shock Protein (HSP) 27, HSP 70 and HSP 90 on Cultured Adipocyte-Derived Mesenchymal Stem Cells (AMSCs)

A F Ghaznawie, I G R Suryawan, A Andrianto and A Romdiyana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012161

Hypoxic Preconditioning Effects of Bone Marrow-derived Culture Mesenchymal Stem Cells on CD31+ Expression, Vascular Endothelial Growth Factors-a (VEGF-A) and Stromal-derived Sactors-1 Alpha (SDF-1 α)

A F Muzakkir, I G R Suryawan and T Yusrizal

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012162

Correlation between Wall Motion Score Index (WMSI) and Anatomical M-mode (AAM) Systolic Thickening with Functional Capacity in Heart Failure among Post-myocardial Infarction Patients

AF Rahimah, BS Pikir and O Imatsu

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012163

Effects of Garlic Extract (allicin) on Proliferation of Endothelial Progenitor Cells (EPC) in Patients with Stable Coronary Artery Disease

A Y Putri, B S Pikir, Y H Oktaviono and F Alzahra'

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012164

Antigen Candidates for Atherosclerosis Vaccine Development

D K S C Putri, M J Al-Farabi and I G R Suryawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012165

Immature Platelet Level in Stable Coronary Heart Disease (CHD) Patients with Diabetes Mellitus compared to Stable CHD Patients without Diabetes Mellitus

D R Balti, A Andrianto, B B Dharmadjati and D N Asmarani

[+ Open abstract](#) [View article](#) [PDF](#)

-
- OPEN ACCESS** 012166
Correlation Between Arterial and Left Ventricle Diastolic Stiffness in Hypertensive Patients
D Sumantha, E R Utami and B S Pikir
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012167
Neglected Cases of Hypertension in Rural Indonesia: A Cross-Sectional Study of Prevalence and Risk Factors on Adult Population
E P B Mulia and S Prajitno
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012168
The Challenges of Managing Deep Vein Thrombosis in the Elderly: A Narrative Review
E P B Mulia and H Firdausi
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012169
Effect of Black Tea (*camellia sinensis*) on Serum Adiponectin Level in Atherogenic Diet Rats
E R Utami, M Ardiana, B Lestari, E S Wahyuni, E Widjajanto and R Rizkiawan
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012170
Late Eyelid Reconstruction of Necrotizing Fasciitis
F A Muthie and Sutjipto
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012171
Difference in the Level of p-Selectin Blood Edge between Uni-Valvular and Multivalvular in Rheumatic Heart Disease
F Filianovika, A Lefi, R Romdoni and M F Ramadhan
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012172
Importance of Basal Soluble ST2 and Global Longitudinal Strain 2D-Speckle Tracking Echocardiography to Detect Left Ventricle Remodeling in Post-Myocardial Infarction Patients
F S Hasibuan, M Aminuddin, B Utomo and I S Pratama
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012173

Left Atrial Volume Index (LAVI) as an Indicator of Severity and Pulmonary Hypertension in Mitral Stenosis

G M Rahman and A Subagio

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012174

Contrast does not Affect Adipose Mesenchymal Stem Cell (AMSC) Proliferation

G R Soekarno, I G R Suryawan, A Andrianto and W M Valentidenta

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012175

The Clinical Benefit of D-ribose in Cardiovascular Ischemic Disease: A New Potential Energy Supplement

I Damanik and D Soemantri

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012176

Association between White Blood Cell to Mean Platelet Volume Ratio (WMR) with Troponin for Refractory Angina Prediction in NSTEMI-ACS patients

I E Hermawati and M Y Assegaf

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012177

Lower Gensini Score in Navy Personnel Compared to Civilians, rather than for Non-Commissioned Officers

I G P G Semita, M J Al-Farabi, M F Huda, B Jovie and I G R Suryawan

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012178

Correlation between Global Longitudinal Strain (GLS)-Left Ventricle and TEI Index (TI) with Seattle Heart Failure Model (SHFM) Score in Chronic Heart Failure Patients with Systolic Dysfunction

I Kartikasari, A Lefi, D Soemantri and R R Juwita

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012179

Atria Score for Antithrombotic Agent Utilization in Ischemic Stroke Patients with Atrial Fibrillation

I P Dewi, K P Dewi and R T Pinzon

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012180

Renal Artery Stenosis: The Challenging in Diagnosis and Therapy

I P Dewi and N Mardiana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012181

Plasma Histamine Level as a Distinguishing Factor between Stable Coronary Artery Disease and Acute Coronary Syndrome

I S Prihatiningsih, J N E Putranto, D Soemantri and A S Hadi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012182

Correlation between Left Ventricular Function with Functional Capacity in Post Infarct Myocard Patients with Heart Failure

I Sudirman, B S Pikir and L G P Rinjani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012183

Fibrinogen and Low-Density Lipoprotein (LDL) Cholesterol Levels with the Occurrence of Acute Myocardial Infarction: Is it Correlated?

I S Warno, J N E Putranto and B Novitalia

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012184

Supine Percutaneous Nephrolitholapaxy Profile in Jombang General Hospital from 2017 until 2018

J H Purba, F Surahmad and J Renaldo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012185

The Correlation between p53 Serum Levels and Vascular Age was Measured by Carotid Intima Media Thickness (CIMT) in Patients with Moderate Cardiovascular Risk Factors

J R S Tengor, D Soemantri, J N E Putranto and B F K Putra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012186

Cluster of differentiation 36 (CD 36), ENac, and AQP 2 effects on heart

J Sunariani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012187

Systolic Function is Related to the Quality of Life in Chronic Heart Failure Patients

K A Shonafi, R B Wicaksono, R I Gunadi, R Herdyanto and A Andrianto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012188

Correlation between Serum Galectin-3 Level with Wall Motion Score Index in Patients with ST-Segment Elevation Myocardial Infarction

K Halid, M Aminuddin and I P Dewi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012189

The Correlation between Serum Tryptase Level and Ventricular Remodeling in Patient with Acute Coronary Syndrome After 1 Month of Onset

L D Yuni, D Soemantri and M I Ilman

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012190

Levofloxacin and Drug-Induced Long QT Syndrome (diLQTS): The Incidence and How to Prevent It

L G Catelya, C T Tjahjono and A Hanafi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012191

The Effect of Atorvastatin Administration before Percutaneous Coronary Intervention on Stable Coronary Artery Disease Against Event of Periprocedural Myocardial Infarction

L P C Dewi, R M Yogiarto, I G R Suryawan and M D Pratama

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012192

Correlation between Arterial Stiffness with Left Ventricular Mass Index and Diastolic Function in Patients with Stage 3 and 4 of Non-Diabetic Chronic Kidney Disease

L Pramushinta, B S Pikir, Pranawa and D E Wardhani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012193

Thrombolytic Therapy in Octogenarian Patient with STEMI at Buleleng General Hospital

M A Pasha and I K Susila

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012194

The Correlation Between Strain and Strain Rate Left Ventricle with Functional Capacity in Post Myocardial Infarction Patients with Heart Failure

M Muqsith, B S Pikir and M Rifqi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012195

Predicting the Likelihood for Severe CAD and CABG Indication on Elective Patients:
Comparison of Novel CHA2DS2-VASc-HSF with CHA2DS2 and CHA2DS2-VASc Score

M J Al-Farabi, I G P G Semita, K A Shonafi, R Ramadhiani, B Jovie and A Andrianto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012196

Early and Late Initiation Time of Statin Administration Effects on Early and Long-Term
Outcome in Acute Coronary Syndrome Patients: A Literature Review

M Q A'yun

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012197

Predictors of Arteriovenous Fistula Early Failure in End-Stage Renal Disease Patients:
Real-World Data in Surabaya

M R Amadis, J N E Putranto, I Maghfirah and N Mardiana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012198

Different Grades of Body Mass Index are Correlated with Left Atrium and Ventricle
Structures in Patients with Hypertensive Heart Disease

M S Bhisma, M J Al-Farabi and B S Pikir

[+ Open abstract](#) [View article](#) [PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

Potential concentration of heavy metal copper (cu) and microalgae growth *Spirulina plantesis* in culture media

R M S Budi^{1,4}, B S Rahardja², E D Masithah³

¹Aquaculture, Faculty of Fisheries and Marine Resources, University of Airlangga, Surabaya 60115

²Health Management Department of Fish and Aquaculture, Faculty of Fisheries and Marine Resources, University of Airlangga, Surabaya 60115

³Health Management Department of Fish and Aquaculture, Faculty of Fisheries and Marine Resources, University of Airlangga, Surabaya 60115

⁴ Corresponding author: bs_rahardja@yahoo.co.id

Abstract. Water is an important environmental component for life. Heavy metal water pollution comes from many industries. Heavy Metals Copper (Cu) is one of several other heavy metals that are harmful to living things. One way to anticipate the increased pollution of heavy metals Copper (Cu) in waters is bioremediation using microalgae. This study aims to determine the ability of *Spirulina plantesis* in absorbing heavy metals Copper (Cu) and to determine the influence of heavy metal Copper (Cu) on the growth of *Spirulina platensis*. This study used an experimental method with Completely Randomized Design (RAL) consisting of four treatments and five replicates, namely A (*S. platensis* 0 ppm), B (*S. platensis* 1 ppm), C (*S. platensis* 3 ppm), D (*S. Platensis* 5 ppm). The results showed that *Spirulina platensis* was able to absorb heavy metal of Copper (Cu) so that it can be used as a heavy metal bioremediation agent. On treatment B (1 ppm) absorption of 87,719%, C (3 ppm) equal to 97,886% and D (5ppm) equal to 95,872 % Growth with the addition of Cu affects *Spirulina platensis* growth

1. Introduction

Water is essential for life environment. Living creatures on this earth can not be separated from the need of water. The quality and quantity of water can be a threat if they are not available in the correct condition [1]. If this condition is left unchecked, the future will worsen the condition of the environment and harm to human health due to increased pollution status and accumulation of heavy metals in biota [2].

Cu is one kind of some other heavy metals that are harmful to living things. A heavy metal pollutant for plants, animals and human health. In humans, copper poisoning can lead to hepatic cirrhosis, brain damage and a decline in kidney function [3]. Based on Threshold Limit Values (TLV) are Regulation of the Government of the Republic of Indonesia No. 82 of 2001 on water quality management and water pollution control with Cd metal content limit should not exceed 0.02 mg/L in a body of water.

Bioremediation is one of the alternatives for dealing with heavy metal toxicity. Bioremediation is the use of microorganisms that have been selected to be grown on a specific pollutants in an effort to reduce levels of pollutants [4]. Microalgae is the lowest level plants that have a very important role in



aquatic ecosystems as primary producers and suppliers of oxygen waters. Microalgae are a good bioremediator [5].

Spirulina platensis is one type of algae with a single cell which belongs to a class Cyanophyceae. These algae has a high ability to bind metal ions from solution and adsorb heavy metals because the algae are functional groups that can perform the binding with metal ions. The functional groups, especially carboxyl groups, hydroxyl, amine, sulfidril imadazol, sulfate and sulfonate contained in the cytoplasm of the cell wall. *Spirulina platensis* has the ability to absorb heavy metals. For that to know the ability of *Spirulina platensis* in different concentrations decline and the impact of concentration on growth. Therefore, this study was conducted to determine a decrease in the concentration of heavy metals (Cu) to the culture medium and to determine the effect of the concentration of copper (Cu) on the growth of *Spirulina platensis*.

2. Materials and methods

2.1. Place and time of research

This study was conducted from April to May 2017 in the Faculty of Fisheries and Marine Laboratory, University of Airlangga. Examination of the content of copper (Cu) in water culture medium *Spirulina platensis* conducted in Research and Industry Standards (Baristand) Surabaya.

2.2. Tools and materials

The equipment used in this research is autoclave, filter bag, digital scale, measuring flask, measuring cup, syringe, 1L treatment glass bottle, volume pipette, 40 watt fluorescent lamp, microscope, drop pipette, sedgewick rafter, hand tally counter, thermometer, pH meters, DO meters, refractometers, and aeration equipment. The tool used to check the content of Copper (Cu) is the Simatsu AA 6200 Flame Atomic Absorption Spectrometry (ASS) with a Limit Of Quantification (LOQ) <0.0078.

The research materials used were sea water, chlorine, Na-Thiosulfate, liquid soap, aluminum foil, heavy metal Copper (Cu), aquades, pure culture *Spirulina platensis* obtained from the Central Office of Brackish Aquaculture Fisheries (BBPBAP) Jepara, and Walne media .

2.3. Work procedures

This research was conducted experimentally, the research design used was a Completely Randomized Design (CRD) consisting of four treatments with five replications, namely:

- A: *S. platensis* without the addition of Cu
- B: *S. platensis* with the addition of Cu 1 ppm
- C: *S. platensis* with the addition of Cu 3 ppm
- D: *S. platensis* with the addition of 5 ppm Cu

Provision of heavy metals Copper (Cu), amounting to 1.3, and 5 ppm based on the results of research Prambodo et al. [6] that *Spirulina platensis* was able to reduce the concentration of Copper (Cu) and grow in culture media that were given 1.3, and 5 ppm heavy metals.

2.4. Tools and media of sterilization of culture

Equipment is used before sterilization, all tools are first washed with liquid soap and rinsed thoroughly. Then the equipment was put into a 1 atm pressure autoclave, at 121°C for 15 minutes [7]. For 1 L treatment bottles and analytical sample bottles washed thoroughly with liquid soap then soaked with chlorine, rinsed and dried.

Further sterilization of sea water will be used as a culture medium *Spirulina platensis*, The sea water is filtered by the filter bag and then sterilized using 60 ppm chlorine solution for 24 hours and neutralized with a solution of 20 ppm Na-thiosulfate until no smell of chlorine [8].

2.5. Preparation of solutions stock Cd

Manufacture of heavy metal stock solutions Cu. 1 ppm Copper (Cu) solution made is a stock solution with a concentration of 10 ppm. Stock solution is made by weighing 5 mg of CuSO₄ then dissolving it in 500 ml of distilled water in a measuring flask. The volume of solution taken to obtain a concentration of 1 ppm in Copper (Cu) stock solution is 50 ml. For a concentration of 3 ppm weighing 1.66 mg of CuSO₄ then dissolving in 500 ml distilled water in a volumetric flask. The volume taken to obtain 3 ppm in Copper (Cu) stock solution is 16.6 ml. At 5 ppm Cu stock solution makes 1000 ppm

stock solution. Generate a calculation of 5 mg which is then dissolved in 500 ml of distilled water. The volume of the ocean taken to obtain Copper (Cu) concentration of 5 ppm is 0.5 ml.

Taking copper stock (Cu) which will be treated using the following formula [9].

$$V1 \times N1 = V2 \times N2$$

Information :

V1: volume of stock sought (mL)

N1: sought stock concentration (mg/L)

V2: known stock volume (mL)

N2: known stock concentration (mg/L)

2.6. *Phytoplankton nannochloropsis oculata and chlorella vulgaris cultures*

Culture media used in this study were 500 ml sterilized sea water and aerated. *Spirulina platensis* seedlings were inserted in bottles of each treatment with a density of 1×10^5 cells / ml based on Nisak [10]. Furthermore, in each culture medium each treatment was added with as much as 0.5 mL/L walne fertilizer. Culture is carried out for 7 days.

2.7. *Measurement of copper (Cu) on culture media Spirulina platensis*

Measurement Cudone before the start of culture on day 0 and after maintenance of *Spirulina platensis* culture on day 7. The content of Cu in sea water in a test media by Flame Atomic Absorption Spectrometry (ASS) Simatsu AA 6200 with Limit Of Quantification (LOQ) < 0.0078 in Research and Industry Standards (Baristand) Surabaya.

2.8. *Percentage calculation of absorption and density of phytoplankton*

Data retrieval absorption capability of Copper (Cu) is performed on day 0 and day 7. According Wiyarsi and Priyambodo [11], calculation of absorption efficiency using the following formula:

$$\text{Eff} = \frac{t0 - t7}{t0} \times 100\%$$

Information :

Eff: Absorption efficiency (mg /L)

t0 : Metal concentrations at baseline (mg / L)

t7 : Metal concentrations at the end of the study (mg / L)

Calculation of density performed daily for seven days to determine the growth of phytoplankton by using Sedgewick rafter.

$$\frac{nA + nB + nC + nD + nE}{5 \times 4 \times 10^5}$$

$$N = n \left(\frac{s}{Ip} \right) \times \left(\frac{p}{v} \right)$$

Information :

N = Density of *Spirulina platensis* (units / ml)

N = Number of plankton in the 10 field of view (Units)

S = Number of field perspective on Sedgewick Rafter

Ip = Amount used visual field

Subsample P = Volume (ml)

V = sample volume (ml)

2.9. Data analysis

Analysis of data using Analysis Of Variance (ANOVA) to determine the differences between treatments. If the treatment is given provide a significantly different effect will be continued with Duncan Multiple Range Test (*Duncan's Multiple Range Test*) To determine differences among treatments one with the other treatments [12].

3. Results and discussion

3.1. Results

3.1.1. Ability *nannochloropsis oculata* and *chlorella vulgaris* in absorbing heavy metal Cadmium

Results of analysis of the heavy metal content of copper (Cu) beginning and end of the culture medium *Spirulina platensis* for seven days showed a decrease in the concentration of heavy metals copper (Cu), The content and the percentage of water absorption of Cu in maintenance media can be seen in Table 1.

Table 1. The content and the percentage of water absorption of Cu in maintenance media.

Treatments	Percentage \pm SD
A	0 ^a \pm 0
B	87.72 \pm 2.01
C	97.88 \pm 0.60
D	95.87 \pm 0.54

Description: Description: A (*S. platensis* 0 ppm), B (*S. platensis* 1 ppm), C (*S. platensis* 3 ppm), and D (*S. platensis* 5 ppm). Different superscripts in the same column indicate significant differences ($p < 0.05$).

Statistical test results analysis of variants (ANOVA) interval of 95% on *Spirulina platensis* to heavy metals copper (Cu) showed results significantly different ($P < 0.05$). The highest percentage amount obtained in the treatment of heavy metals the addition of copper (Cu)) 3 ppm with an average percentage of 97.886%. Meanwhile, the lowest in treatment without the addition of the heavy metals copper (Cu) is 0%. While for the treatment of 1 ppm and 5 ppm respectively has a percentage reduction of heavy metals copper (Cu) 87.719% and 95.872%.

3.1.2. Growth of *Spirulina platensis*

Spirulina platensis growth is calculated every day until the seventh day. In this growth, we also calculated density of *Spirulina platensis*. All treatments are calculated density is well treated by the addition of heavy metal and without the addition of heavy metals, growth data retrieval aims to determine the absorption of heavy metals and heavy metal influence on *Spirulina platensis*. Average density data of *Spirulina platensis* are presented in Table 2.

Table 2. The average growth of *Spirulina platensis* for 7 days.

Treatments	Density of <i>S. platensis</i> (10^3 cell/m) in day to-						
	1	2	3	4	5	6	7
A	1	1.216	1.342	3.362	3.904	4.902	5.044
B	1	1.196	1.294	3.422	3.516	4.734	4.904
C	1	1.008	0.984	1.454	3.198	3.556	4.220
D	1	1.026	1.248	1.796	3.070	2.658	3.146

Note: A (*S. platensis* 0 ppm), B (*S. platensis* 1 ppm), C (*S. platensis* 3 ppm), and D (*S. platensis* 5 ppm)

3.1.3. Water quality

The results of the measurement range of the average water quality culture media *Spirulina platensis* during the study are presented Table 3.

Table 3. The average value of water quality culture media *Spirulina platensis*

Parameter	Range
Temperature	29-33
DO (mg/L)	5-6
pH	7
Salinity (ppt)	30

3.2. Discussion

The results of water measurements in *Spirulina plantesis* culture media containing heavy metals Copper (Cu) of 1, 3, and 5 ppm have decreased the concentration of heavy metals. In 1 ppm heavy metals, the reduction of heavy metals to 0.13 ppm, for 3 ppm the reduction of heavy metals to 0.05, while in the 5ppm treatment the reduction of heavy metals to 0.188. Based on the analysis of initial and final heavy metal content of Copper (Cu) on *Spirulina plantesis* culture media during the study showed a decrease in the content of heavy metals Copper (Cu). The decrease occurred because the heavy metal Copper (Cu) undergoes a binding process with a functional group by *Spirulina plantesis*. Based on the table above shows that the best percentage is the absorption of heavy metals with a concentration of 3 ppm. The difference in absorption was 2,650 with a percentage of 97,886%.

The process of reducing the concentration of Cu in water that occurs in the treatment of Cu 1 ppm, 3 ppm and 5 ppm shows that there is absorption of Cu in the water by *Spirulina plantesis* cells. Percentage reduction in Cu content of 87.719%, 97.886%, and 95.872%, this is supported by the statement of Soeprbowati and Hariyati [5] states that *Spirulina plantesis* which is cultured into heavy metals can reduce concentrations up to 88% in Pb, 85% in Pb, 85% in Cd, 89% in Cu, and 88% in Cr.

The growth of *Spirulina plantesis* was observed for 7 days by the growth of *Spirulina plantesis* experienced a final phase (stationary phase) within a period of 6 days. This study was conducted 7 days because it was to determine cell changes after *Spirulina platensis* experienced the final phase (stationary phase) and accumulated heavy metal Cu in the cells.

The relationship of the maximum growth rate of *Spirulina plantesis* with the treatment of different heavy metal concentrations of Cu shows that the treatment with the addition of 1 ppm heavy metal is needed for growth but the higher the concentration of heavy metal Cu given, the lower the density of *Spirulina plantesis*. Torres [13] said heavy metals Cu is an essential metal and micronutrients needed for growth and development.

At 5 ppm addition of heavy metal Cu growth was inhibited but *Spirulina plantesis* did not experience death. This occurs due to heavy metal Cu concentrates where heavy metals inhibit respiration for photosynthetic microalgae. In addition, the sensitivity of microalgae to different heavy metals of each species interferes with physiological processes and inhibits photosynthesis. Pollutants entering mesophyll cells will affect the molecular level causing changes in stomatal response, chloroplast structure, CO₂ fixation [14].

The peak of growth in each treatment also experienced differences. *Spirulina plantesis* without the addition of Cu (A) reached the peak of population on the 7th day with a density of 5.0×10^5 . *Spirulina plantesis* with the addition of Cu 1 ppm (B) reached the peak of the population that is on the 7th day with a density of 4.9×10^5 and the addition of 3 ppm 4.22×10^5 compared with the addition of Cu 5 ppm which is less that is 3.1×10^5 .

The results of water quality data during the study showed that the condition of water quality parameters of culture media such as temperature, DO, pH, salinity are still in optimal condition. The temperature during *Spirulina platensis* culture that lasted 7 days ranged from 29 to 33°C. DO is dissolved oxygen found in waters where dissolved oxygen is used for respiration. During the study dissolved oxygen (DO) was obtained in the range of 4-6 mg / l. This condition is still optimum for the growth of *Spirulina platensis*. The degree of acidity (pH) when culture is at 7-8. Culture salinity at 30 ppt.

4. Conclusion

Spirulina plantesis can absorb Heavy Metal Copper (Cu) in all treatments. The best absorption of treatment C is by giving 3 ppm heavy metals with a percentage reaching 97.886%. Heavy metal Copper (Cu) affects the growth of *Spirulina plantesis* in the treatment of 5 ppm Copper (Cu) because this concentration is toxic to the growth of *Spirulina plantesis*. The results of the study are expected to be used to reduce waste containing heavy metal Copper (Cu) in the waste management installation before being discharged free of charge so that the waters remain sustainable and can be utilized sustainably. And research needs to be done with other heavy metals or combine heavy metals to be absorbed.

5. References

- [1] Lina W 2014 *Source Water Pollution, Impact and Management* (Bogor: Institute Bogor Agriculture)
- [2] Makkasau A M, Sjahrul M N and Jalaluddin 2011 *Phyto-mediation Phytoplankton Technique An Alternative Recovery in Cd²⁺ and Cr⁶⁺ Metal Ion Polluted Marine Environments*. (Makassar: Universitas Hasanuddin)
- [3] Palar H 2004 *Pollution and Toxicology of Heavy Metals* (Jakarta: PT Rineka Cipta) p 44-49
- [4] Suhendrayatna 2001 *Bioremoval Heavy Metals by Using Microorganisms*. Seminar On-Air Biotechnology for Indonesia 21. Sinergy Forum – PPI Tokyo Institute of Technology
- [5] Soeprbowati T R and R Hariyati 2013 *Potential of Microalgae as a Bioremediation Agent and Its Application in the Reduction of Heavy Metal Concentration in Industrial Wastewater Treatment Plants* (Semarang: Universitas Diponegoro)
- [6] Prambodo M S, Haryati R and Soeprbowati T R 2016 *Spirulina platensis Geitler as Pb Laboratory Scale Phytoremediator for Heavy Metal* (Semarang: Universitas Diponegoro)
- [7] Satyanitini W H, Masithah E D, Alamsjah M A, and Andriyono S 2012 *Guide to Natural Feed Cultivation Practicum* (Surabaya: Universitas Airlangga)
- [8] Isnansetyo A and Kusniastuty 1995 *Culture technique of Phytoplanton and Zooplankton* (Yogyakarta: Penerbit Kanisius) p 40-85
- [9] Gunawati W D 2011 *Bio removal by Spirulina plantensis*. (Universitas Airlangga Surabaya: Faculty of Science and Technology) p 103
- [10] Nisak K 2013 *Comparative Study of the Ability of Nannochloropsis sp. and Chlorella sp. As a Bioremediation Agent for Lead Weight Metal (Pb)* (Surabaya: Universitas Airlangga)
- [11] Wiyarsi A and E Priyambodo 2013 *Effect of Chitosan Concentration from Shrimp Shells on Efficiency of Heavy Metal Absorption*. (Yogyakarta: FMIPA)
- [12] Kusriningrum 2008 *Experimental Design*. (Surabaya: Universitas Airlangga) p 21
- [13] Torres F J, M P Barros, S C G Campos, E Pinto, S Rajamani, and P Colepicol 2008 *Ecotoxicol. Environ. Saf.* **71**, 1–15
- [14] Pranajaya R H, A Djunaedi and B Yulianto 2014 *Effect of Copper on Pigment Content and Growth of Porphyridium cruentum Red Microalgae* (Semarang: Universitas Diponegoro)