

Table of contents

Volume 236

2019

◀ Previous issue Next issue ▶

The 1st International Conference on Fisheries and Marine Science 6 October 2018, East Java, Indonesia

Accepted papers received: 16 January 2019

Published online: 01 March 2019

Open all abstracts

Preface

OPEN ACCESS 011001

The 1st International Conference on Fisheries and Marine Science

+ Open abstract  View article  PDF

OPEN ACCESS 011002

Organizing Committee

+ Open abstract  View article  PDF

OPEN ACCESS 011003

Conference Photos

+ Open abstract  View article  PDF

OPEN ACCESS 011004

Peer review statement

+ Open abstract  View article  PDF

Papers

OPEN ACCESS 012001

The Increase in β -carotene Content in *Dunaliella salina* from the Application of Different Light Intensities

N Sugiati, E D Masithah, W Tjahjaningsih and A A Abdillah

+ Open abstract  View article  PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

OPEN ACCESS and Cookies policy.

012002 

Ammonia-eliminating potential of *Gracilaria* sp. And zeolite: a preliminary study of the efficient ammonia eliminator in aquatic environment

M R Royan, M H Solim and M B Santanumurti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012003

Identification of extracellular enzyme-producing bacteria (proteolytic, cellulolytic, and amylolytic) in the sediment of extensive ponds in Tanggulangrejo, Gresik

OA Artha, Sudarno, H Pramono and LA Sari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012004

Addition of water from the treatment pond of pangasius fillet waste (*Pangasius* sp.) with different concentrations in the cultivation medium due to the population growth of *Daphnia* sp.

H P Alvian, E D Masithah and M H Azhar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012005

The growth and survival rate in lettuce aquaponic systems (*Latuca sativa*) of eels in various stocking densities of eel (*Monopterus albus*)

N K Portalia, L Sulmartiwi and B S Rahardja

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

The prevalence of benedeniasis in humpback grouper (*Cromileptes altivelis*) in floating net cages in Situbondo Regency, East Java, Indonesia

S O Wijaya, S Subekti and Kismiyati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

The prevalence of fungi on groupers (*Epinephelus* sp.) in cage mariculture systems of the northern coast of Surabaya, East Java

E Yuliasuti, R Kusdawarti and Sudarno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012008

The spectrum of light and nutrients required to increase the production of phycocyanin *Spirulina platensis*

H A Wicaksono, W H Satyantini and E D Masithah

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

012009 

The growth and survival rate of the larvae of the sunu grouper (*Plectropomus leopardus*) in different temperatures

L Lutfiyah, D S Budi and M F Ulkhaq

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

Preservation of common carp (*Cyprinus carpio*) sperm using 0.9% NaCl and ringer's lactate solution

D S Budi, L A Adawiyah and L Lutfiyah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Comparison of the efficiency (flash point, freezing point, and viscosity test) of biodiesels from *Sargassum* sp.

M B Santanumurti, M R Royan, S H Samara, S Sigit and M A Alamsjah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

Study of patterns in the relationship of ecdysis with the age of freshwater crayfish *Cherax quadricarinatus* aged 76 Days

A H Fasya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012013

Maximum density in the *Moina macrocopa* culture able to produce parthenogenesis in female offspring

A S Mubarak, D Jusadi, M Z Junior and M A Suprayudi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012014

The oxygen content and dissolved oxygen consumption level of white shrimp *Litopenaeus vannamei* in the nanobubble cultivation system

D P Galang, A K Ashari, L Sulmatiwi, G Mahasri, Prayogo and LA Sari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012015

The effect of the epiphytes of *Chaetomorpha crassa* on the total chlorophyll-a and growth of *Gracilaria verrucosa*

A L L Handayani, R J Triastuti and L Sulmartiwi

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

012016

Growth monitoring of koi fish (*Cyprinus carpio*) in natural hatchery techniques in Umbulan, Pasuruan, East Java

F P Putri and N N Dewi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012017

Dynamic Ratio Correlation of N:P in relation to the Diatom Abundance in the Intensive System of the Vannamei (*Litopenaeus vannamei*) Shrimp Pond

E D Masithah, D D Nindarwi, T Rahma and dan R R Satrya P I

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012018

Dynamic ratio correlation of N:P on the abundance of Bluegreen algae in an intensive system in a white shrimp (*Litopenaeous vannamei*) pond

E D Masithah, D D Nindarwi, A L A Suyoso and D Husin

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012019

Dynamic ratio correlation of N:P toward phytoplankton explosions in intensive systems of white shrimp pond

E D Masithah, D D Nindarwi, D Husin and T Rahma

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012020

Development of water and nutrient management models to improve multitrophic seafarming productivity

J A Surbakti, I A L Dewi, M A Alamsjah and M Lamid

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012021

Pond soil characteristic in reclaimed tidal lowlands and its correlation with the water quality for aquaculture

M Fitriani, I Wudtisin, M Kaewnern and R H Susanto

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012022

The dynamics of total organic matter (tom) on sangkuriang catfish (*clarias gariepinus*) farming at upt ptpbp2kp and the effectiveness of freshwater bivalve (*anodonta woodiana*) in reducing the total organic matter with varying density

D Arfiati, C D G Putra, A H Tullah, S W A Permanasari and A W Puspitasari

[+](#) [Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



OPEN ACCESS 012023

Growth and morphological changes in relation to the maturation of male Japanese eel, *Anguilla japonica* injected with human chorionic gonadotrophin (HCG) in the different interval in the tropical region

Y T Hee, F F Ching and S Senoo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012024

Genetic diversity of the endangered species *Sphyrna lewini* (Griffith and Smith 1834) in Lombok based on mitochondrial DNA

S Hadi, N P Anggraini, E Muttaqin, B M Simeon, B Subhan and H Madduppa

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012025

Sex ratio and size at first maturity of razor clam *Solen* sp. in Pamekasan and Surabaya coastal area, East Java, Indonesia

N Trisyani, N I Wijaya and I Yuniar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012026

Improving productivity and water quality of catfish, *Clarias* sp. cultured in an aquaponic ebb-tide system using different filtration

E Setiadi, I Taufik, Y R Widyastuti, I Ardi and D Puspaningsih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012027

Different substrate of trickling filter on growth, survival rate, and water quality of common carp (*Cyprinus carpio*) cultivation by using an intensive recirculation system

E Setiadi, I Taufik, Y R Widyastuti, I Ardi and A Saputra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012028

Water quality dynamic, production and profitability of catfish, *Clarias* sp. cultured at different design construction of aquaponic

Y R Widyastuti, E Setiadi, I Taufik and L Setijaningsih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012029


Effect of C:N ratio on the spore production of *Bacillus* sp. indigenous shrimp pond

A Yuniarti, N B Arifin, M Fakhri and A M Hariati

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



-
- OPEN ACCESS** 012030
Comparative Test on Bacteria in the Digestive Tract of Vannamei Shrimp (*Litopenaeus vannamei*) at Intensive and Extensive Ponds in Ujungpangkah, Gresik
D Ningrum, M Arief and dan K T Pursetyo
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012031
Growth Performance of Laboratory-Scale *Chaetoceros calcitrans* in Different Containers
M Jannah, M F Ulkhaq, M H Azhar, Suciyono and dan W Soemarjati
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012032
Study of the Dynamic Density and Diversity of Plankton at Different Brackishwater Pond Managements in Gresik, East Java
O Tilahwatih, E D Masithah and dan B S Rahardja
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012033
The Effect of Demineralization Stage of Agar's Solid Waste on the Characterization of Activated Carbon
R Febrianto, Sudarno and R Kusdarwati
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012034
The Dynamic of Density and Diversity of Cyanophyta in Different Pond Bases in Educational Pond of Faculty of Fisheries and Marine Universitas Airlangga
S Z Cahyani, E D Masithah and Prayogo
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012035
Effect of Different Salinity Level within Water Against Growth Rate, Survival Rate (FCR) of Catfish (*Clarias* sp.)
D Prananingtyas, Prayogo and S Rahardja
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012036
Molecular identification and phylogenetic reconstruction of two fiddler crabs (*Uca forcipata* and *Uca triangularis*)
S Andriyono, H Pramono and H W Kim
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012037
See our Privacy and Cookies policy. 

The molecular identification and phylogenetic reconstruction of Palaemonid and Penaeid shrimp from the southern part of Bangladesh

M J Alam, S Andriyono, A T M Eunos and H W Kim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012038

Morphometric characteristics of Fur Cockles (*Anadara spp.*) in Wonokromo and Juanda Estuary, Surabaya

P B Pamungkas, K T Pursetyo, J Triastuti and N N Dewi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012039

Stock status of ark clams (*Anadara spp.*) based on dredge fishing of the east coast of Surabaya, Indonesia

N N Dewi, K T Pursetyo, O P Darmono, F R Fachri, F S Puspitasari and A Damora

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012040

The distribution patterns and biomass of bivalves in Segoro Tambak estuary, Sedati, Sidoarjo, East Java

S H Liyana, L A Sari, N N Dewi, E D Masithah, A M Sahidu and K T Pursetyo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012041

Inventorization of reef fish on Tabuhan Island, Banyuwangi, East Java, Indonesia

Suciyono, M A Azhar, M F Ulkhaq and H Kenconoajati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012042

Dynamic study on the effect of calcium hydroxide and sodium bicarbonate treatment on the N/P ratio and plankton abundance

M R N Tsany, E D Masithah, B S Rahardjo and D D Nindarwi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012043

Distribution patterns and the biomass of bivalves at Segoro Tambak estuary, Sedati, Sidoarjo, East Java

S H Liyana, L A Sari, N N Dewi, E D Masithah, A M Sahidu and K T Pursetyo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012044

Optimization of diatom *Hantzschia ostrearia* cultivation in different mediums and nutrients

Seputri Pratiwi and Coomes Poles



S Arsad, C Stavrakakis, V Turpin, P Rossa, Y Risjani, L A Sari, F S Prasetya and J-L Mouget

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012045

Coastal ecosystem model based on environmental suitability and carrying capacity of the fishpond in Banyuwangi Region, East Java, Indonesia

E W Setyaningrum, Maghdalena, A T K Dewi, M. Yuniartik and E D Masithah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012046

Development and succession of sessile macrofouling organisms on the artificial structure in the Shallow Coastal Waters of Sabah, Malaysia

M A M Affandy, J Madin, K P Jakobsen and M Auluck

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012047

Fish species difference around the light of metal halide lamps and LED lamps with mini purse seine operation

M A Sofijanto, D Arfiati, T D Lelono and A Muntaha

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012048

Status of coral diseases and compromised health syndromes on Pemuteran shallow reefs, North Bali island

W Karim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012049

Management options for restoring artificial coral reefs in Indonesia: strengthening in institutional approach

Rudianto and Ahmad Zainul

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012050

Growth of salt-secretor and non-salt secretor mangrove seedlings with varying salinity and their relations to habitat zonation

M Basyuni, Ramayani, A Hayullah, Prayunita, M Hamka, L A Putri and S Baba

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012051

Distribution of *Ctenactis Echinata* and *Fungia Consinna* coral on Mamburit island,

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Sawiya, D Arfiati, Guntur and U Zakiyah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012052

Diversity species and condition of seagrass ecosystem in Teluk Awur and Prawean Jepara

I Riniatsih, A Ambariyanto, E Yudiati, R Hartati, W Widianingsih and R T Mahendrajaya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012053

Copper (Cu) and Cadmium (Cd) toxicity on growth, chlorophyll-a and carotenoid content of phytoplankton *Nitzschia* sp

D Hindarti and A.W. Larasati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012054

Vegetation Characteristic and Micro Environment of Mangrove Rehabilitation Forest at Coastal Areas of East Sinjai, South Sulawesi

H Setiawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012055

The Use of Water Lettuce (*Pistia stratiotes*) as Phytoremediator for Concentration and Deposits of Heavy Metal Lead (Pb) Tilapia (*Oreochromis niloticus*) Gills

A A D Amalia, B S Rahardja and Rr J Triastuti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012056

The Effectiveness of Heavy Metals Pb, Cd and Zn Reduction in NPK Fertilizer Waste Combined with Biofilters of Seaweed (*Gracillaria* sp.), Blood Clam (*Anadara* sp.), and Zeolite

A R K Sari, R K Harryes, F A Anggraini, M A Alamsyah and dan A Ahadi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012057

The Effectiveness of Combining *Gracilaria* Sp. Seaweed Biofilter and *Anadara granosa* Shell with Zeolite in the Decrease in the Level of Mercury (Hg) Heavy Metal

J A Spespatri, B S Rahardja and A A Abdillah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012058

The Effectiveness of Combination of Seaweed (*Gracillaria* sp.), Blood Clam (*Anadara granosa*), and Zeolite as Biofilter in the Reduction of Heavy Metal Copper (Cu)

A A D Amalia, B S Rahardja and Rr J Triastuti

[+ Open abstract](#) [View article](#) [PDF](#)



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012059

Bioaccumulation of Cadmium (Cd) Heavy Metal on Seaweed (*Gracilaria* sp.) in Traditional Fishpond of Jabon Subdistrict, Sidoarjo District

O Ardiyansyah, Sudarno and Rosmanida

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012060

Identification of Proteolytic Bacterial Isolates in Sediment Ecosystem of Gunung Anyar Mangrove Forest, Surabaya

P B Utomo, Sudarno and B S Rahardja

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012061

The Analysis of Cockle (*Anadara inaequalvis*) Gonad Maturity Level in the Estuary of Banjar Kemuning River, Sedati, Sidoarjo

R F Saputra, E D Masithah and P D Wulansari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012062

Spatial and Temporal Variation of Biomass Blood Cockle (*Anadara* sp.) in Estuaries Dadapan, Sedati Sub-District, Sidoarjo, East Java

M R Ramadhan, K T Pursetyo, Prayogo and N N Dewi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012063

Distribution Patterns and Biomass of Bivalve in Juanda and Segoro Tambak Estuary in Sedati, Sidoarjo, East Java

S H Liyana, E D Masithah and A M Sahidu

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012064

Analysis of Cadmium (Cd) Heavy Metal on Sediment and Mangrove Leaves *Avicennia marina* at Mangrove Ecotourism Wonorejo, Surabaya

W C Dermawan, Prayogo and B S Rahardja

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012065

Analysis of Lead (Pb) Value Comparison on Seaweed (*Euचेuma cottonii*) in Bluto and Saronggi Sumenep Marine, Madura, East Java

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy](#) and [Cookies](#) policy.



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012066

The potential addition of lemuru oil to commercial feed to increase the content of EPA and DHA in eels (*Monopterus albus*)

A Imanisa, M B Santanumurti, M Lamid and Agustono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012067

Effect of lysine in addition to commercial feed on crude protein and the energy digestibility of gourami (*Osphronemus gouramy*)

D Setiyawan, S H Samara, Agustono and M A A Arif

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012068

Addition of the papain enzyme to commercial feed against protein retention and feed efficiency in eels (*Anguilla bicolor*)

DA Liono, M Arief, Prayogo and W Isoni

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012069

Combination of papain enzyme and phytase enzyme in commercial feed and the protein and energy retention of tilapia *Oreochromis niloticus*

A Saifulloh, M B Santanumurti, M Lamid and W P Lokapirnasari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012070

The effect of giving cake artificial feed on the survival rate, and growth of Common carp (*Cyprinus carpio*) larva in an Installation of Freshwater Culture (IBAT) in Punten, Batu.

I P Zainiyah, Rozi, W H Satyantini and A M Sahidu

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012071

The Utilization of Phytase Enzymes and SEM Analysis in order to increase the Quality of Rice Bran as a Layer and Fish Feed

M Lamid, Anam Al-Arif and S H Warsito

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012072

The dynamic relationship of phytoplankton abundance and diversity in relation to white shrimp (*Litopenaeus vannamei*) feed consumption in intensive ponds

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012073

Effect of partial replacement of fish meal with *Spirulina platensis* meal in practical diets and culture location on growth, survival, and color enhancement of percula clownfish *Amphiprion percula*

S Hudaidah, B Putri, S H Samara and Y T Adiputra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012074

The Effect of Different level of Probiotic Addition on Commercial Feed against Digestibility and Efficiency of Nile Tilapia Feed (*Oreochromis Niloticus*)

D Taufik, M Arief and H Kenconoati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012075

The Effect of Adding Synbiotics Into Commercial Feed Towards Protein Retention and Fat Retention of Dumbo Catfish (*Clarias sp.*)

H Syevidiana, M Arief and I S Hamid

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012076

The Effect of Adding Lysine in Commercial Feed on Growth Rate, Feed Efficiency, and Feed Conversion Ratio to Tambaqui (*Colossoma Macropomum*)

L V D Putra, U Agustono and S H Kenconoati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012077

The Effect of Coconut Shell Liquid Smoke in Commercial Feed on Total Bacteria of *Pseudomonas Aeruginosa* in the Tilapia's Kidney (*Oreochromis niloticus*)

M Rahmawati, Sudarno and S Subekti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012078

The Effect of Coconut Shell Liquid Smoke in Commercial Feed Towards Total *Pseudomonasaeruginosa* Bacteria on Gastrointestinal Tract Tilapia (*Oreochromis Niloticus*)

S Rahmadini, Sudarno and S Subekti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012079

Antibacterial activity of honey in preserving high-pressure cooked milkfish stored at room temperature

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



D A Hakim, W Tjahjaningsih and Sudarno

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012080

Bacterial composition in the gastrointestinal tract of *Uca* spp crabs fed on *Avicennia marina* leaf litter

M A B Kareho, E D Masithah and W Tjahjaningsih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012081

The correlation between ectoparasite infestation and the total plate count of *Vibrio* sp. in pacific white shrimp (*Litopenaeus vannamei*) in ponds

G Mahasri, Rozi, A T Mukti, W H Satyantini and N M Usuman

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012082

In vitro study of an ethanolic extract of coffea leaves to inhibit freshwater pathogenic bacteria

H Kenconoajati, MF Ulkhaq, DS Budi and MH Azhar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012083

The effect of noni fruits (*Morinda citrifolia*) with different ripeness stages against the total erythrocytes and leukocytes of comet goldfish (*Carassius auratus*) infested by *Argulus*

E Setyaningsih, Kismiyati and S Subekti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012084

The protection capacity of the crude and whole protein spores of *Myxobolus koi* as an immunostimulant material development in goldfish (*Cyprinus carpio*) for preventing Myxobolus

G Mahasri, M Yusuf, R Woro and M B Santanumurti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012085

Identification of white spot syndrome virus (WSSV) in pacific white shrimps (*Litopenaeus vannamei*) from ponds postexposure to immunogenic membrane proteins (*Zoothamnium penaei*)

P A Wiradana, G Mahasri, R E R Sari, U C Marwiyah and R Prihadhana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012086

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Gills and swimming leg histopathologies in pacific white shrimp (*Litopenaeus vannamei*) from ponds exposed to the immunogenic membrane proteins of *Zoothamnium penaei*

R E R Sari, G Mahasri, P A Wiradana and U C Marwiyah

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012087

Total plate count and identification of vibrio in pacific white shrimp (*Litopenaeus vannamei*) from ponds and in those exposed to immunogenic protein membrane *Zoothamnium penaei*

U C Marwiyah, G Mahasri, R E Ratnasari and P A Wiradana

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012088

Effectiveness of *Nitrobacter* on the specific growth rate, survival rate and feed conversion ratio of dumbo catfish *Clarias* sp. with density differences in the aquaponic system

A S Taragusti, M B Santanumurti, B S Rahardja and Prayogo

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012089

The erythrocyte and leucocyte profile of saline tilapia (*Oreochromis Niloticus*) in a cultivation system with nanobubbles

M Gunanti, P D Wulansari and K Kinzella

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012090

The prevalence and intensity of ectoparasites infecting vanname shrimp (*Litopenaeus vannamei*) reared in different ponds

N Nurlatiffah, Kismiyati and MF Ulkhaq

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012091

Protozoan parasites of Vannamei Shrimp (*Litopenaeus vannamei*) in farmed fish from Pasuruan, Indonesia

U Hafidloh and P D W Sari

[+](#) [Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012092


Growth of *Bacillus* sp. and *Flavobacterium* sp. in culture media with the addition of liquid whey tofu waste

W H Satyantini, R M Pratiwi, A M Sahidu and D D Nindarwi

[+](#) [Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



-
- OPEN ACCESS** 012093
The effect of noni *Morinda citrifolia* L. fruit extracts on the gill histopathological changes of Nile tilapia *Oreochromis niloticus*
A T Mukti, E Dewi, W H Satyantini, L Sulmartiwi, Sudarno and M Hassan
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012094
Prevalence and intensity of ectoparasites in Pacific white shrimp (*Litopenaeus vannamei*) seeds from a pond and hatchery
G Mahasri, T Hidayat and Sudarno
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012095
Prevalence and intensity of ectoparasites in gabus fish (*Channa striata*) at Cangkringan Fishery Cultivation Technology Development Center, Sleman, Yogyakarta
E N Fitriani, Rozi, M Arief and H Suprpto
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012096
Antibacterial activity of bitter melon (*Momordica charantia* L.) leaf extract against *Aeromonas hydrophila*
D A Masithoh, R Kusdarwati and D Handijatno
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012097
Determination of the *aerolysin* gene in *Aeromonas hydrophila* using the polymerase chain reaction (pcr) technique
G Christy, R Kusdawarti and D Handijatno
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012098
Bioaccumulation and histopathological effect on the gills and liver of silver barb (*Barbonymus gonionotus*) exposed to the heavy metal nickel
I Purwanti, W Arroisi, B S Rahardja and L Sulmartiwi
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012099
Identification and prevalence of the ectoparasite *Octolasmis* in sand lobster (*Panulirus homarus*) and bamboo lobster (*Panulirus versicolor*) in Floating Net Cages in Sape, Bima Regency, West Nusa Tenggara Province, Indonesia
L. Yusgita, Kismiyati, S. Subekti, P D Wulansari and M K Amiin
[+ Open abstract](#) [View article](#) [PDF](#)
-
- This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. 

OPEN ACCESS

012100

Treatment of *Chlorella sp.* extract on heat shock cluster (HSC) response from the tissue and bloodcells proliferation of *Epinephelus fuscoguttatus-lanceolatus* infected by *Viral Nervous Necrosis*

U Yanuhar, I Al-Hamidy and N R Caesar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012101

Superoxide dismutase (SOD) and metallothionein (MT) *Tubifex tubifex* at the acute mercury exposure

I M Widiastuti, A M S Hertika, M Musa and D Arfiati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012102

Antifungal activity of marine sponges (Class Demospongiae) collected from Biak, Indonesia

R D Kasitowati, K Wittriansyah, A Trianto, D C Pratiwi and M A P Panjaitan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012103

Antibacterial activities of *Physalis angulata* herb extract on white feces diseases (WFD) in *Litopenaeus shrimp vannamei*

E Saraswati and AS Wijaya

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012104

The Effects of Mercury Chloride (Hgcl₂) on the Changes in Hematology and Blood Sugar Level in Carps (*Cyprinus carpio*)

I Setiyowati, H Suprpto and G Mahasri

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012105

Change in Two-Spot Catfish Histopathological Liver (*Mystus nigriceps*) Accumulated with Heavy Metal Cadmium (Cd) in Ketingan Estuary, Sidoarjo - East Java, Indonesia

L Anggitasari, H Suprpto and dan D D Nindarwi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012106

Effectiveness of Pepaya Leaf Extract (*Carica Papaya* L.) to Control Ectoparasite *Argulus* on Common Carp (*Cyprinus Carpio*)

L S Azizah, Kismiyati and A H Fasya

[+ Open abstract](#) [View article](#) [PDF](#)
This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



-
- OPEN ACCESS** 012107
Bacterial Identification from Marine Ornamental Fish in Fish Quarantine, Quality Control and Fishery Products Safety Class I Denpasar, Bali
N R Rukmana, G Mahasri, S N Hidayah, M F Ulkhaq and H Kenconoajati
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012108
Prevalence and Intensity of Ectoparasites of Tilapia (*Oreochromis niloticus*) in Ponds with Low, Medium and High Stocking Density
M Indahsari, Kismiyati and M F Ulkhaq
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012109
Texture profile of the bread produced from composite flour *Bruguiera gymnorrhiza* flour (BGF) and wheat flour
M N G Amin, M N Hasan, Zakariya, S A Pralebda, H Pramono, E Saputra, S Subekti and M A Alamsjah
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012110
The potential of seaweed waste (*gracilaria* sp. and *eucheuma cottonii*) as a medium density fiberboard (mdf)-based pot material for better water use efficiency in tomato plants
H Kurnia, R R Rifadi, Agustono, M N G Amin, S A Sudjarwo and M A Alamsjah
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012111
Characterization of edible coating based on surimi fillet catfish as biodegradable packaging
E Saputra
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012112
Characteristics of the fish protein isolate recovered from Sardine by-products using the Isoelectric Solubilization- Precipitation method
H. Pramono, N T Irawan and M R A Firdaus
[+ Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012113
The potential of peptides derived from the chymotrypsin hydrolysate of soft shelled turtle yolk against the Angiotensin I Converting Enzyme
D Y Pujiastuti and J L Hsu
[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS

012114

Kappa and iota carrageenan combination of *Kappaphycus alvarezii* and *Eucheuma spinosum* as a gelatin substitute in ice cream raw material product

I Suryani, D I Permata Sari, D M Astutik and A Abdillah

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012115

Detection of antibiotic-resistant *Salmonella* sp. in the seafood products of Surabaya local market

H Pramono, A Kurniawan, N Andika, T F Putra, M A R Hazwin, S Utari, A P Kurniawan, E D Masithah and A M Sahidu

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012116

The effect of kappa-carrageenan fortification on the physicochemical and organoleptic properties of milkfish galantin

D Darmawan, L Sulmartiwi and A A Abdillah

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012117

The application of a high voltage electric field (HVEF) to reduce *Escherichia coli* and *Salmonella thyphimurium* bacteria in red snapper (*Lutjanus* sp.) fillets

D J Subakti, H Pramono and J Triastuti

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012118

Isolation and identification of fish import consumption bacteria in a fish quarantine center, focusing on the quality control and safety of fishery products at Tanjung Priok, Jakarta

H S Farizky and W H Satyantini

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS

012119

Replacement of gum arabic by dry *Spirullina* sp. biomass as a food emulsifier in bread making

D Wulandari, M N G Amin, E D Masithah, M Lamid and M A Alamsjah

[+ Open abstract](#)[View article](#)[PDF](#)

OPEN ACCESS


012120

Nutrient improvement of *Bruguiera gymnorrhiza* peel fruit through fermentation using commercial tempeh (Indonesian fermented soybean) mold

M N G Amin, R A Prastiya, M N Hasan, Zakariya and M A Alamsjah

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

[+ Open abstract](#)[View article](#)[PDF](#)

-
- OPEN ACCESS** 012121
DPPH scavenging property of bioactives from soft corals origin palu bay, Central Sulawesi, Indonesia
W A Tanod, U Yanuhar, Maftuch, D Wahyudi and Y Risjani
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012122
Extraction of bioactive compounds fruit from *Rhizophora mucronata* using sonication method
Ernawati, E Suprayitno, Hardoko and U Yanuhar
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012123
Harvesting *Chaetoceros gracilis* by flocculation using Chitosan
W AA Yamin, S R M Shaleh, F F Ching, R Othman, M Manjaji-Matsumoto, S Mustafa, S Shigeharu and G Kandasamy
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012124
The Use of Rajungan (*Portunus Pelagicus*) Shells as Flour in Wet Noodles Ingredient
A Rahma, A A Abdillah and E Saputra
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012125
The Potential of Lindur Fruit Flour (*Bruguiera Gymnorhiza*) in Reducing Oil Absorption of Milkfish Nugget during the Deep Frying Process
A Widyastuti, AA Abdillah and Laksmi Sulmartiwi
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012126
Chemical and Sensory Characteristics of Flakes Made from Seaweed (*Eucheuma cottonii*) and Soybean (*Glycine max* (L.) Merrill)
I R Firdarini, Kismiyati and A Manan
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- OPEN ACCESS** 012127
The Effect of Maltodextrin Concentration on the Characteristics of Snappers' (*Lutjanus* sp.) Peptone
R Ningsih, Sudarno and Agustono
[+](#) [Open abstract](#) [View article](#) [PDF](#)
-
- This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,
[open our Privacy and Cookies policy.](#) 
-
- OPEN ACCESS** 012128

Physics and Chemical Characteristics of Sargassum Sp. Seaweed with Addition of Sodium Alginate Stabilizer to Different Concentrations

M Via, A A Abdillah and M A Alamsjah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012129

The Effect of Sorbitol Addition on the Characteristic of Carrageenan Edible Film

M Rahmawati, M Arief and W H Satyantini

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012130

The Utilization of Flower Crab (*Portunus Pelagicus*) Shell as Pasta Flavor

R Rahmawati, E Saputra and A A Abdillah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012131

Income analysis of catching fish using dogol (demersal danish seine) in the sub-district of Brondong, Lamongan

A Aulia, A M Sahidu and Agustono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012132

Area development based on conservation and ecotourism on the Cemara Beach (Pine Trees Beach), Pakis, Banyuwangi, East Java Province, Indonesia

E W Setyaningrum, A T K Dewi, K P Prapti, Z Erwanto and H D Susanti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012133

Socioeconomic and institutional factors affecting the sustainable development for fisheries in Bontang City, Indonesia

B I Gunawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012134

Factors influencing the market requirements fulfillment in small medium enterprise fish processors in East Java

W Sulistyowati, Soemarno, A Efani and M Primyastanto

[+ Open abstract](#) [View article](#) [PDF](#)

JOURNAL LINKS

[Journal home](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

[see our Privacy and Cookies policy.](#)



Information for organizers

Information for authors

Contact us

Reprint services from Curran Associates

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



PAPER • OPEN ACCESS

Detection of antibiotic-resistant *Salmonella* sp. in the seafood products of Surabaya local market

To cite this article: H Pramono *et al* 2019 *IOP Conf. Ser.: Earth Environ. Sci.* **236** 012115

View the [article online](#) for updates and enhancements.

You may also like

- [Boat to bowl: resilience through network rewiring of a community-supported fishery amid the COVID-19 pandemic](#)
Andrew K Carlson, Talia Young, Miguel A Centeno et al.
- [Structure and evolution of the global seafood trade network](#)
Jessica A Gephart and Michael L Pace
- [Application of an *in vitro* digestion model for \$^{210}\text{Po}\$ bioaccessibility assessment in seafood](#)
Carla Roselli, Donatella Desideri, Laura Feduzi et al.



244th Electrochemical Society Meeting

October 8 – 12, 2023 • Gothenburg, Sweden

50 symposia in electrochemistry & solid state science

Abstract submission deadline:
April 7, 2023

Read the call for papers &
submit your abstract!

Detection of antibiotic-resistant *Salmonella* sp. in the seafood products of Surabaya local market

H Pramono^{1*}, A Kurniawan², N Andika², T F Putra², M A R Hazwin², S Utari²,
A P Kurniawan², E D Masithah¹ and A M Sahidu¹

¹ Department of Marine, Faculty of Fisheries and Marine, Universitas Airlangga, Campus C UNAIR, Jl Mulyorejo, Surabaya, Indonesia 60115

² Aquaculture Study Program, Faculty of Fisheries and Marine, Universitas Airlangga Campus C UNAIR, Jl Mulyorejo, Surabaya, Indonesia 60115

*Corresponding author: heru.pramono@fpm.unair.ac.id

Abstract. The consumption of seafood and seafood products contaminated with *Salmonella* sp. can lead to illness, thus this has become a worldwide public health concern. The aim of this research was to detect *Salmonella* sp. in various seafood and seafood products from Surabaya traditional market. The study was conducted through a sample collection, followed by the pre-enrichment, enrichment, isolation, and the identification of *Salmonella*. A total of twenty-nine samples (fish, crustacean, bivalve, and seafood products) from five local markets in Surabaya were collected and analyzed. Twenty-seven (93.10%) samples were positive for *Salmonella* sp. All of the isolates were tested for an antibiotic-resistant profile by employing disc diffusion targeting seven antibiotics. A high prevalence of *Salmonella* sp. in the seafood in the traditional markets was apparent in this study. Among all of the isolates, there were eight strains resistant to at least one antibiotic that was tested. This study can be a basis for further research into managing antibiotic-resistant *Salmonella* sp. infection as an important food-borne illness of developing countries.

1. Introduction

Salmonella sp. is normally found in humans and animal digestive tracts. However, it is also widespread in the environment, can be consumed by humans and can cause illness [1]. The bacterium can reach the human gastrointestinal tract through the consumption of contaminated foods such as eggs, milk, poultry, meat, aquaculture products and seafood [2]. *Salmonella* naturally cannot be found in seafood. However, the contamination of it during handling and processing can be a serious problem for public health [3].

In recent years, many articles have reported the occurrence of *Salmonella* in fish products. Raufu et al. [2] said that 23 (11.5%) out of 200 fish samples were *Salmonella* positive in sub-Saharan Africa. In another study, Zhang et al. [3] reported that 217 (29.7%) out of 730 fishery products were *Salmonella* positive. On the other hand, many reports were focused on the occurrence of *Salmonella* in terrestrial animal products, such as raw eggs, raw meat, mayonnaise, turkey meat, broiler chicken and sausage [1]. Therefore, the occurrence of *Salmonella* in seafood and seafood products is a recent advance in detection as part of an overall mitigation strategy.

Human health surveillance programs are lacking in coastal communities due to their limited access to transport-wise and poor personal hygiene. On the other hand, many coastal areas of Indonesia are



becoming centers of human activity, such as Jakarta and Surabaya. Surabaya, the second biggest city in Indonesia, is located in the East Java Province. A common part of the daily consumption of food by Surabaya's people is the seafood that can be obtained from fishermen, traditional markets or supermarkets. Thus, the data on food-borne pathogens related to seafood and seafood products have become important as part of a wider mitigation strategy. However, up until now, the data on the occurrence of *Salmonella* in seafood and seafood products is still limited.

Focusing on food-borne pathogens, particularly antibiotic-resistant bacteria, it is a major worldwide concern. Infected patients will need special treatment to be cured. Food-borne illnesses consist of *Salmonella*, *Campylobacter*, *Escherichia coli*, and *Listeria monocytogenes* [4]. Therefore, this study focused on the antibiotic-resistant profile of *Salmonella* is important.

The occurrence of *Salmonella* in fresh shrimp in five traditional markets in Surabaya reported a rate of occurrence of 36%. On the other hand, the data for *Salmonella* in other seafood (fish, cephalopods, shellfish, and seafood products) has not yet been reported. Therefore, the objective of this study was to determine the occurrence of antibiotic-resistant *Salmonella* in seafood and seafood products in Surabaya, East Java, Indonesia.

2. Materials and methods

2.1. The study area

The study area, Surabaya, located in East Java, is the second biggest city in Indonesia and is populated by 2,000,000 people. The sampling locations chosen consisted of traditional west, north, east, south and central Surabaya local markets selling seafood and seafood products.

2.2. Sample collection

A total of 29 samples (17 fish, 4 crustacea, 5 mollusks, and 3 fermented fish products) were collected from five traditional fish markets in Surabaya and analyzed for the presence of *Salmonella*. All of the samples were collected using a standard aseptic protocol and transported to the Education Laboratory of Faculty of Fisheries and Marine, Universitas Airlangga. The samples were analyzed directly upon arrival at the laboratory.

2.3. *Salmonella* isolation

For the isolation, 25 g of seafood sample was homogenized with 225 ml of peptone water and then pre-enriched at 37°C for 18 h. The culture was taken from the pre-enrichment broth (1 ml) and then sub-cultivated in two selective enrichment broths; a Selenite Cystine Broth (Merck) and a Rappaport-Vassiliadis Broth (Oxoid). The broths were incubated for 24 h at 41°C. A loopful sample from the enrichment broths was streaked on the selective plating media *Salmonella* Shigella Agar (Merck) and Xylose Lysine Deoxycholate (Merck) and incubated at 37°C for 24 h. The *Salmonella* presumptive colonies that showed a clear black-centered colony were taken for further purification steps. The next purification step was done by streaking the *Salmonella* presumptive colonies onto tryptic soy agar (Merck) incubated at 37°C for 24 h. A single colony with demonstrated growth was then taken for Gram staining and biochemical testing for confirmation.

2.4. Profiling of the Antibiotic-Resistant *Salmonella*

An antibiotic-resistant test was conducted by Kirby-Bauer disc diffusion assay against seven antibiotics: chloramphenicol (30 µg), lincomycin (10 µg), azithromycin (15 µg), cefixime (5 µg), amoxicillin, trimethoprim/sulfamethoxazole (1.25/23.75 µg), erythromycin (15 µg), ciprofloxacin (5 µg), tetracycline (30 µg) and ampicillin (10 µg). Briefly, one loopful of purified *Salmonella* was cultured in tryptic soy broth (TSB) overnight, and the cell was separated from the broth through a centrifuge (Hettich Centrifuge, Germany) at 5,000 rpm for 5 minutes and then washed with normal saline twice. The cell was adjusted to McFarland standard number 1 and then streaked on Mueller Hinton Agar (Merck) with a sterile cotton butt. Antibiotic discs were placed on the lawn and incubated

at 4°C for 1 h prior to incubation at 37°C for 24 h. The clear zone was measured and the resistance strain was decided by CLSI [5].

3. Results and discussion

3.1. Samples profile

A total of 29 samples were obtained from 5 traditional markets in Surabaya, consisting of fish, crab, shrimp, shrimp products and cuttlefish. Details of the traditional markets as a source of the samples have been shown in Table 1.

Table 1. Details of the seafood and seafood product samples.

Traditional Market	Fish and fish products	Crab	Shrimp and shrimp products	Cuttlefish	Shellfish
Babatan/Wiyung	10	-	2	1	1
Sutorejo	5	-	2	-	1
Kenjeran	1	-	-	-	1
Mulyorejo	-	-	1	-	-
Waru	1	1	1	-	1

3.2. Occurrence of *Salmonella*

Traditional markets or retail markets have become one site of *Salmonella* contamination that can affect public health concerns [6]. A total of 27 isolates out of 29 seafood and seafood product samples were found to be *Salmonella* positive based on a culture analysis. This represents a prevalence of 93%. The details of the data have been shown in Table 2.

Table 2. *Salmonella* prevalence in various seafood and seafood products in Surabaya.

Products	Number of positive samples/total number of samples	Percentage (%)
Fish	16/17	94,11
Crab	1/1	100
Shrimp and shrimp product	6/6	100
Cuttlefish	1/1	100
Shellfish	3/4	75

In our study, the high prevalence of *Salmonella* in the fish samples (94%) was in agreement with [7], which reported that the prevalence of *Salmonella* in the fish samples was 90%. However, relatively lower results were reported by [3], [8] and [6] at rates of 29.7%, 43.8%, and 5% respectively. The high prevalence of shrimp in this study (100%) and shrimp products (100%) was also with an agreement with [9], at a rate of 58%. However, Yang et al. [10] reported a relatively low rate of *Salmonella* in the shrimp products (13.0%). The high prevalence of *Salmonella* in the shrimp products may occur due to *Salmonella* being a part of the cultural environment and natural flora [11]. On the other hand, the high rate of *Salmonella* in cuttlefish is on the contrary to previous reports. Laksmanan et al. [12] reported a rate of *Salmonella* in cephalopod products from India as 3.2%. The difference in the results may be caused by several factors, including sanitation, the isolation procedure and the sampling season [13].

Our finding in this study was that there is a high prevalence of *Salmonella* in the seafood and seafood products in Surabaya's traditional markets. Gastroenteritis caused by *Salmonella* sp. is considered to be a worldwide public health problem and the first step to overcoming the problem is understanding the *Salmonella* prevalence, cross-contamination process and personal hygiene. Moreover, antibiotic resistance to *Salmonella* has also become a worldwide concern [2,3,6].

Therefore, further research related to antibiotic resistance profiling on *Salmonella* isolated from Surabaya's traditional markets is needed.

3.3. Antibiotic-resistant profile

Among the 33 isolates tested, there were eight isolates resistant to antibiotics (Table 3).

Table 3. Resistance profile of *Salmonella* strains isolated from the seafood of Surabaya Local Market.

No	Code	Products	Antibiotics									
			1	2	3	4	5	6	7	8	9	10
1	SBI04	<i>Pindang</i>	S	R	S	S	S	S	R	S	R	S
2	SBI07	<i>IkanCukul</i>	S	R	R	S	S	S	R	S	S	S
3	SBK01	<i>Anadara</i>	R	R	S	S	S	S	R	S	S	S
4	SBI01	<i>Belanak</i>	S	R	S	S	S	S	R	S	R	S
5	SSI01	<i>Banyar</i>	S	R	S	S	S	S	R	S	R	S
6	SSP01	<i>Kepiting</i>	S	R	S	S	S	S	R	S	S	S
7	STI02	<i>Jambal</i>	S	R	R	S	S	S	R	S	R	S
8	STI04	<i>Ikanlaut</i>	R	R	R	S	S	S	R	S	S	S

Note: R (Resistant), S (Susceptible), 1. Chloramphenicol (30 µg); 2. lincomycin (10 µg); 3. azithromycin (15 µg); 4. Cefixime (5 µg); 5. Amoxicillin; 6. Trimethoprim/sulfamethoxazole (1.25/23.75 µg); 7. Erythromycin (15 µg); 8. Ciproflaxin (5 µg); 9. Tetracyclin (30 µg) and 10. Ampicillin (10 µg)

The resistance test results showed that 12.12% of the isolates were resistant to tetracycline and that 100% were resistant to erythromycin. These results are in contrast to the studies conducted by Nguyen et al. [14] that obtained the result that 53.3% were resistant to tetracycline, 43.8% resistant to ampicillin, chloramphenicol 37.5%, and 31.3% for trimethoprim/sulfamethoxazole. The testing of the antibiotic resistance of the *Salmonella* isolates also showed that there were traditional markets with samples that were resistant to antibiotics. Resistance to antibiotics is one of the world's focuses on attention because if the antibiotic-resistant pathogen infects someone, then the treatment is much more difficult and/or longer. The resistance test results showed that the majority of the isolates were sensitive to the antibiotics used; however, there were 8 isolates that were resistant to at least one antibiotic, and even resistant to more than two antibiotics (multidrug resistant).

4. References

- [1] Kramarenko T, Nurmoja I, Kärssin A, Meremäe K, Hörman A and Roasto M 2014 *Food Control* **1** 43-47
- [2] Raufu I A, Lawan F A, Bello H S, Musa A S, Ameh J A and Ambali A G 2014 *The Egypt. J. Aquat. Res* **40** 59-63
- [3] Zhang J, Yang X, Kuang D, Shi X, Xiao W, Zhang J, Gu Z, Xu X and Meng J 2015 *Int. J. Food Microbiol.* **210** 47-52
- [4] Newell D G, Koopmans M, Verhoef L, Duizer E, Aidara-Kane A, Sprong H, Opsteegh M, Langelaar M, Threfall J, and Scheutz F 2010 *Inter. J. Food Microbiol.* **30**, 3-15
- [5] Cockerill F R, Wikler M A, Bush K, Dudley M N, Eliopoulos G M, Hardy D J, Hecht D W, Hindler J A, Patel J B, Powell M et al. 2010 *Performance Standards for Antimicrobial Susceptibility Testing* (USA: Clinical and Laboratory Standards Institute) p 172
- [6] Onmaz N E, Abay S, Karadal F, Hizlisoy H, Telli N and Al S 2015 *Mar. Pollut. Bull.* **15** 242-246
- [7] Jegadeeshkumar D, Saritha V, Moorthy K and Suresh K B T 2010 *Int. J. Biol. Tech.* **1** 50-5
- [8] Budiati T, Rusul G, Wan-Abdullah W N, Arip Y M, Ahmad R and Thong K L 2013 *Aquaculture* **24** 127-132
- [9] Allshouse J E, Buzby J, Harvey D and Zorn D 2004 *Seafood Safety and Trade* (USA: Department of Agriculture, Economic Research Service)

- [10] Yang X, Wu Q, Zhang J, Huang J, Chen L, Liu S, Yu S and Cai S 2015 *Food Control* **57** 308-413
- [11] Bhaskar N, Setty T R, Reddy G V, Manoj Y B, Anantha C S, Raghunath B S and Antony J M. 1995 *Aquaculture*, **138** 257-66
- [12] Lakshmanan P T, Varma P R and Iyer T S 1993 *Food Control* **4** 159-64
- [13] Boonmar S, Morita Y, Pulsrikarn C, Chaichana P, Pornruagwong S, Chaunchom S, Sychanh T, Khounsy T, Sisavath D, Yamamoto S et al 2013 *J. Global Antimicrob. Resist* **1** 157-61
- [14] Nguyen D T, Kanki M, Do Nguyen P, Le H T, Ngo P T, Tran D N, Le NH, Van Dang C, Kawai T, Kawahara R et al. 2016 *Int. J. Food Microbiol.* **236** 115-122

Acknowledgments

This study was funded by the Junior Research of Faculty of Fisheries and Marine Grant, Universitas Airlangga, 2016.