

## Ecology, Environment and Conservation Journal Papers

Issue: Vol 26, Nov Suppl. Issue, 2020

[Back](#)



[Contents](#)

[Search Articles](#)

### [PRELIMINARY STUDY OF DENGUE VIRUS SEROTYPE ON AEADES MOSQUITOES IN ENDEMIC AREA, SURABAYA, INDONESIA, JANUARY 2020](#)

Aulia Azzahra, Lucky Vera Oktavia, Muhammad Fariz Naviyanto, Shifa Fauziyah, Teguh Hari Sucipto, Dwi Winarni, Sri Puji Astutik Wahyuningsih, Siti Churrotin, Ilham Harlan Amarullah and Soegeng Soegijanto

[Get Abstract](#)

[Get Paper](#)

### [REMOTE SENSING AND GIS BASED ASSESSMENT OF GROUNDWATER POTENTIAL ZONES IN AMU CAMPUS USING AHP APPROACH](#)

S. Said and M. Anees

[Get Abstract](#)

[Get Paper](#)

### [POPULATION-LEVEL OF NANNOCHLOROPSIS SP. AS AN ENRICHMENT DIET FOR MARINE ROTIFER BRACHIONUS ROTUNDFORMIS IN MASS CULTURE TANKS](#)

Putu Angga Wiradana, Mayadita Dwi Sani, Raden Joko Kuncoroningrat Susilo, Arif Nur Muhammad Ansori, Ni Nyoman Sri Septiani, Deny Suhermawan Yusup and Agoes Soegianto

[Get Abstract](#)

[Get Paper](#)

### [EXPERIMENTAL STUDY ON BEHAVIOUR OF FIBER REINFORCED CONCRETE AND FLY ASH FOR RIGID PAVEMENTS](#)

Jayant Virat and Humaib Nasir

[Get Abstract](#)

[Get Paper](#)

### [AVAILABILITY OF ECOLOGICAL RESOURCES IN POWER PLANT TANJUNG TIRAM VILLAGE, SOUTH KONAWA, INDONESIA](#)

Ferasari Ferasari, La Sara, La Rianda and La Onu La Ola

[Get Abstract](#)

[Get Paper](#)

### [FAUNAL DIVERSITY OF KITCHEN GARDENS OF SIKKIM](#)

Aranya Jha, Sangeeta Jha and Ajeya Jha

[Get Abstract](#)

[Get Paper](#)

**OREOCHROMIS MOSSAMBICUS ACCUMULATES LEAD WITHOUT SHOWING GROWTH INHIBITION**

Sumah Yulaipi, Aunurohim, Arif Luqman, Dewi Hidayati and Agoes Soegianto

[Get Abstract](#)

[Get Paper](#)

**HEAVY METAL CONCENTRATION OF CHANDIGARH URBAN SOILS DUE TO URBANIZATION IN A CHANGING ENVIRONMENT: AN ECOLOGICAL ASSESSMENT**

Viney Kumar, Rupinder Kaur and A. N. Singh

[Get Abstract](#)

[Get Paper](#)

**EFFECT OF ADDITION OF ONION (ALLIUM CEPA L.) EXTRACT IN RINGER'S DILUENT ON SPERMATOCYTES QUALITY OF GALLUS DOMESTICUS AT ROOM TEMPERATURE**

Sakinato Mazidda, Suyadi and Dyah Hikmawati

[Get Abstract](#)

[Get Paper](#)

**FISH DIVERSITY OF RIVER BHAGIRATHI UPSTREAM TO TEHRI DAM RESERVOIR, UTTARAKHAND (INDIA)**

M.S. Rawat, Dhyal Singh and O.P. Gusain

[Get Abstract](#)

[Get Paper](#)

**SIZE STRUCTURE AND GONAD MATURITY OF RED SNAPPER LUTJANUS MALABARICUS IN PINRANG WATERS, MAKASSAR STRAIT, SOUTH SULAWESI, INDONESIA**

Nuraeni L Rapi, Mesalina Tri Hidayani, Murwantoko, Djumanto and Agoes Soegianto

[Get Abstract](#)

[Get Paper](#)

**A REVIEW ANALYSIS ON ENVIRONMENTAL FACTORS INFLUENCING MORPHOLOGY AND BEHAVIOUR OF ESTUARINE MOLLUSC**

Arundhati Ganguly, Banani Mandal, Arunava Mukherjee and Susanta Kumar Chakraborty

[Get Abstract](#)

[Get Paper](#)

**THE INFLUENCE OF OZONE EXPOSURE ON ORGANOLEPTIC AND CHLOROPHYLL LEVELS OF CURLY LETTUCE (LACTUCA SATIVA L.)**

Suryani Dyah Astuti, Hery Purnobasuki, Miratul Khasanah, Siti Khoiriyatul, Nurul Fitriyah, Deny Arifianto and Fadli Ama

[Get Abstract](#)

[Get Paper](#)

**GROWTH AND NUTRIENT UPTAKE OF INDIAN MUSTARD [BRASSICA JUNCEA (L.) CZERN AND COSS.] GENOTYPES AS INFLUENCED BY NITROGEN AND SULPHUR FERTILIZATION UNDER IRRIGATED CONDITION**

Harsita Nayak, J. S. Bohra and Shiv Poojan Yadav

[Get Abstract](#)

[Get Paper](#)

**BIOFOULING COLONIZATION ON CUBIC ARTIFICIAL REEFS IN PANTAI DAMAS, TRENGGALEK, INDONESIA**

Andik Isdianto, Oktiyas Muzaky Luthfi, Shafa Thasya Thaeraniza and Agoes Soegianto

[Get Abstract](#)

[Get Paper](#)

**A STUDY ON WEB ASYMMETRY AND PREY CAPTURE IN ARGIOPE PULCHELLA THORELL, 1881 (ARANEAE: ARANEIDAE)**

Sangeeta Das, Jatin Kalita and Nilutpal Mahanta

[Get Abstract](#)

[Get Paper](#)

**THE EFFECTIVENESS OF SOLENOID MAGNETIC FIELDS TO REDUCE PRECIPITATION LEVELS OF CaCO<sub>3</sub> IN HARD WATER**

Fadli Ama, Suryani D. Astuti, Tri A. Prijo, Qod'nu Rahmawati, Yunus Susilo and Rahma A. Puspitasari

[Get Abstract](#)

[Get Paper](#)

**NUTRITION-BASED BENEFITS OF KITCHEN GARDENS: AN INVESTIGATION OF GENDER DIFFERENCES**

Aranya Jha, Sangeeta Jha, Shenga Sherap, Rajlakshmi Mallik<sup>3</sup> and Ajeya Jha

[Get Abstract](#)

[Get Paper](#)

**POTENCY OF PHOSPHATE SOLUBILIZING MOLD FROM RHIZOSPHERE SOIL IN MANGROVE CENTER TUBAN, INDONESIA**

Tini Surtiningsih, Arina Putri Ramadhani, Dinda Rahmi Anindi, Ni'matuzahroh, Tri Nurhariyati and Fatimah

[Get Abstract](#)

[Get Paper](#)

**INVESTIGATING LOCAL COMMUNITY'S PERCEPTION ON TOURISM DEVELOPMENT IN PROTECTED AREAS: A STUDY ON SUNDERBANS TIGER RESERVE, INDIA**

Ananya Ghosh, Pankaj Kumar Tyagi and Pawan Gupta

[Get Abstract](#)

[Get Paper](#)

**PHYTOCHEMICAL IN THE METHANOL EXTRACT OF PIPER SARMENTOSUM**

Junairiah, Tri Nurhariyati and Nabilah Istighfari Zuraidassanaaz

[Get Abstract](#)

[Get Paper](#)

**ANALYSIS OF WATER QUALITY STATUS IN BORDOIBAM BILMUKH WETLAND ECOSYSTEM OF ASSAM, INDIA**

Jayanta Sonowal, Kaustubh Rakshit and Debojit Baruah

[Get Abstract](#)

[Get Paper](#)

**UTILIZATION OF BAGASSE AND SAWDUST AS BIO-BASED INSULATION ON THE WALLS OF THE SHIP'S ACCOMMODATION CEILING**

Triandiinda Permata, D. Hikmawati, Aurista Miftahatul Ilmah and Jailani

[Get Abstract](#)

[Get Paper](#)

**PREDICTION OF TEMPERATURE DATA FOR GHATAPRABHA SUBBASIN USING CHANGE FACTOR METHOD**

Bharath A., Preethi S., Manjunatha M., Ranjitha B. Tangadagi and Shankara

[Get Abstract](#)

[Get Paper](#)

**MAPPING OF LAND POTENTIALLY FOR MAIZE PLANT IN MADURA ISLAND-INDONESIA USING REMOTE SENSING DATA AND GEOGRAPHIC INFORMATION SYSTEMS (GIS)**

Suhartono, Agoes Soegianto and Achmad Amzeri

[Get Abstract](#)

[Get Paper](#)

**BIOTOXICITY ANALYSIS OF DIFFERENT DOSES OF BEAVERIA BASSIANA (BALSAMO) VUILLEMIN AGAINST NYMPH OF ODONTOTERMES OBESUS (R.)**

Anjana Intodia, Arti Prasad and Bharati Veerwal

[Get Abstract](#)

[Get Paper](#)

**THE EFFECT OF COOKING METHODS TO THE EXISTENCE OF BACILLUS SP. SPORES IN BEEF**

Adityas Putri Pamartha, Mochammad Lazuardi, Nenny Harijani, Agnes Theresia Soelih Estoepongastie, Didik Handijatno, Martia Rani Tacharina and Dadik Raharjo

[Get Abstract](#)

[Get Paper](#)

**EFFECTIVENESS OF PLANNED TEACHING PROGRAMME ABOUT 'E-WASTE MANAGEMENT' AMONG JR. COLLEGE GOING STUDENTS**

Rutuja M. Ghorpade, Nandkumar R. Kakade, Tukaram B. Zagade, Anagha V. Katti and Sneha S. Mahindrakar

[Get Abstract](#)

[Get Paper](#)

**ISOLATION AND IDENTIFICATION OF FUNGAL INFECTIONS CAUSING DEATH IN LEOPARD GECKO'S (EUBLEPHARIS MACULARIUS) EGGS**

Erwin Nugroho Indhi, Koesnoto Supranianondo, Sri Chusniati, Djoko Legowo, Suryanie Sarudji, Martia Rani Tacharina and Didik Handijatno

[Get Abstract](#)

[Get Paper](#)

**ASSESSMENT OF ELEMENTAL CARBON, NITROGEN, HYDROGEN AND SULPHUR IN ALLUVIAL SEDIMENTS OF RIVER YAMUNA IN DELHI REGION**

Vivek Chopra and Jai Gopal Sharma

[Get Abstract](#)

[Get Paper](#)

**ANTIFUGAL POTENCY AGAINST CANDIDA ALBICANS (ATCC 10231) AND ITS ACTIVITY AS BIOSURFACTANT OF WNA 4.1.13 FERMENTED GROWTH OF SEDIMENT FROM MANGROVE WONOREJO SURABAYA INDONESIA**

C. Rahayuningsih, S. Chusniati, D. Handijatno, L. Maslachah, S. Sarudji and Rahmi Sugihartuti

[Get Abstract](#)

[Get Paper](#)

**A REVIEW ON IMPACT OF COAL MINING ON SOIL PROPERTIES AND RECLAMATION BY ORGANIC AMENDMENTS**

Poonam Poonia, Ram Prasad Choudhary and Sangeeta Parihar

[Get Abstract](#)

[Get Paper](#)

**CHARACTERIZATION OF AEROMONAS HYDROPHILA BACTERIA ON DUMBO CATFISH (CLARIAS GARIEPINUS) FROM BUNGO JAMBI PROVINCE, INDONESIA**

A. Indrawati, T. Wulandari, F.H. Pasaribu and A.B. Rifai

[Get Abstract](#)[Get Paper](#)

**MORINGA OLEIFERA : A POTENT IMMUNE BOOSTER IN THE CATASTROPHE OF COVID -19**

Madhumita Bhattacharjee

[Get Abstract](#)[Get Paper](#)

**IDENTIFICATION OF WORMS IN THE DIGESTIVE TRACT OF WATER MONITOR LIZARDS THROUGH GASTROINTESTINAL SURGERY**

A.N. Faradis, Mufasirin, S. Mulyati, Kusnoto, I.S. Yudaniayanti and E. Suprihati

[Get Abstract](#)[Get Paper](#)

**GCMS ANALYSIS OF PHYTO COMPONENTS OF THE MUSKY SMELLING DENDROBIUM – DENDROBIUM MOSCHATUM**

Dipika Rajput and L.R. Saikia

[Get Abstract](#)[Get Paper](#)

**CORRELATION BETWEEN MUARA GROUPER FISH WEIGHT (EPINEPHELUS COIODES) WITH ANISAKIS WORM INFECTION LEVEL IN MAYANGAN INDONESIA**

T.D. Setyaningrum, S. Koesdarto, T. R. Yustinasari, Kusnoto, M. Yunus and E. B. Aksono

[Get Abstract](#)[Get Paper](#)

**EFFECT OF NITROGEN AND ZINC LEVELS ON GROWTH AND YIELD OF BASMATI RICE**

Nirmal Joshi, Shiv Prakash Singh, Tikendra Kumar Yadav and Uppu Sai Sravan

[Get Abstract](#)[Get Paper](#)

**ISOLATION OF ACTINOMYCETES FROM MANGROVE SEDIMENTS AT UJUNG PANGKAH, GRESIK, INDONESIA**

A.R. Hidayatullah, R. Sugihartuti, D. Handijatno, S. Chusniati, L. Maslachah and S. Sarudji

[Get Abstract](#)[Get Paper](#)

**DEVELOPMENT, ENVIRONMENTAL IMPACT AND GREEN GROWTH: INDIA**

Dheeraj Verma, Vartika Singh, Prodyut Bhattacharya and Jagdish Kishwan

[Get Abstract](#)[Get Paper](#)

**DESCRIPTION OF BREEDING MANAGEMENT TIMOR DEER (CERVUS TIMORENSIS) IN MERAUKE, PAPUA PROVINCE, INDONESIA**

K.R. Ismail, Ismudiono, I.N. Triana, P. Srianto, M. Hariadi and S. Utama

[Get Abstract](#)[Get Paper](#)

**MICROGREENS: EXCITING NEW FOOD FOR 21ST CENTURY**

Shashank Sharma, Priyanka Dhingra and Sameer Koranne

[Get Abstract](#)[Get Paper](#)

**ACANTHOCEPHALA WORM DETECTION IN CAVITY BODY OF FROG (FEJERVARVA CANCRIVORA) IN SURABAYA, INDONESIA**

[Get Abstract](#)

[Get Paper](#)

**ASSESSMENT OF SPATIO- TEMPORAL CHANGES IN CURRENT JHUM CULTIVATION OF THYSANOLAENA MAXIMA IN MAWTHEI VILLAGE OF UMSNING TEHSIL IN MEGHALAYA**

Raymond Wahlangi and S.S. Chaturvedi

[Get Abstract](#)

[Get Paper](#)

**ANTIBIOTIC RESISTANCE PROFILE OF ESCHERICHIA COLI ISOLATES COLLECTED FROM CLOACA SWABS ON LAYING HENS IN UDANAWU SUB-DISTRICT, BLITAR DISTRICT, INDONESIA**

Freshinta Jellia Wibisono, Bambang Sumiarto, Tri Untari<sup>1</sup>, Mustofa Helmi Effendi, Dian Ayu Permatasari and Adiana Mutamsari Witaningrum

[Get Abstract](#)

[Get Paper](#)

**DETERMINATION OF OIL AND GREASE PRESENT IN THE HUSSAIN SAGAR LAKE, HYDERABAD, TELANGANA, INDIA**

Anitha and S. Kedarini

[Get Abstract](#)

[Get Paper](#)

**ISOLATION AND IDENTIFICATION OF LACTOBACILLUS SP. BACTERIA IN ASIAN PALM CIVET (PARADOXURUS HERMAPHRODITUS) FECES**

Dinda Jelita Jauharah, Sri Chusniati, Mohammad Anam Al Arif, Wiwiek Tyasningsih, Suryanie Sarudji, Agnes Theresia and Soelih Estoepangestie

[Get Abstract](#)

[Get Paper](#)

**ASSESSMENT OF WATER QUALITY INDEX FOR SHIVNATH RIVER IN DURG, CHHATTISGARH STATE, INDIA**

Sukhpreet Kaur Bhatia, and Sumita Nair

[Get Abstract](#)

[Get Paper](#)

**THE EFFECTIVENESS OF ANTIBACTERIAL ESSENTIAL OIL OF CINNAMON (CINNAMOMUM BURMANNII) ON STAPHYLOCOCCUS AUREUS**

M.L. Hakim, S. Susilowati, M. H. Effendi, W. Tyasningsih, R. Sugihartuti, S. Chusniati and A. M. Witaningrum

[Get Abstract](#)

[Get Paper](#)

**THE IMPACT OF CONSUMER'S ENGAGEMENT IN PRO ENVIRONMENT ACTIVITIES ON THE PREFERENCE FOR GREEN FOOD PRODUCTS**

Deepika Jindoliya and Gagandeep Nagra

[Get Abstract](#)

[Get Paper](#)

**CONE MATURATION TIMING AND SEED GERMINATION IN PINUS ROXBURGHII (SERG.) IN THE CENTRAL HIMALAYAN REGION OF UTTARAKHAND, INDIA**

Amit Mittal, Nandan Singh, Ashish Tewari and Shruti Shah

[Get Abstract](#)

[Get Paper](#)

**TOTAL PLATE COUNT OF BEEF MEAT AT TRADITIONAL MARKETS IN SOUTH OF SURABAYA, INDONESIA**

Z. Aminullah, W.P. Lokapirnasari, N. Harijani, M.H. Effendi, Budiarto and W. Tyasningsih

[Get Abstract](#)

[Get Paper](#)

**BEHAVIOUR OF CONCRETE BRICK AND FLYASH BRICK ON INFILLED FRAME UNDER CYCLIC LOADING**

K. Senthil, S. Rupali, Ajay Pratap, A. Thakur and A. P. Singh

[Get Abstract](#)

[Get Paper](#)

**SERO-PREVALENCE AND HEMATOLOGICAL INVESTIGATION OF BOVINE BRUCELLOSIS UNDER EXTREME ECOLOGICAL CONDITIONS**

Aamir Shehzad, Awais Masud, Tabassam Fatima, S. Bibi and Fedik Abdul Rantam

[Get Abstract](#)

[Get Paper](#)

**LIFE FORMS CLASSIFICATION AND BIOLOGICAL SPECTRUM IN NATURAL AND HUMAN IMPACTED ECOSYSTEMS OF SENAPATI DISTRICT, MANIPUR, INDIA**

Ng Niirou and Asha Gupta

[Get Abstract](#)

[Get Paper](#)

**DISTRIBUTION OF GASTROINTESTINAL PARASITE IN BEEF CATTLE THROUGH FECES EXAMINATION AT GUNUNG TABUR SUB-DISTRICT, BERAU REGENCY, INDONESIA**

Rosyida Dwi Rahmawati, Nunuk Dyah Retno Lastuti, Mustofa Helmi Effendi, Setiawan Koesdarto, Soeharsono and Muhammad Yunus

[Get Abstract](#)

[Get Paper](#)

**DECOLORISATION OF TEXTILE DYES USING IMMOBILISED PPO FROM TOMATO PEEL AND PULP**

Sr. Sandra Horta, Agnel Arul John and S. Parijatham Kanchana

[Get Abstract](#)

[Get Paper](#)

**THE BIOSURFACTANT ACTIVITY OF SUPERNATANT FERMENTATION BROTH ISOLATES BACTERIAL ORIGIN OF SURABAYA'S WONOREJO MANGROVE SEDIMENT AND ITS POTENTIAL AS AN ANTIFUNGAL AGAINST CANDIDA ALBICANS ATCC 10231**

Bima Widya Pramudianto, Suryanie Sarudji, Rahmi Sugihartuti, Didik Handijanto, Wiwiek Tyasningsih and Eduardus Bimo Aksono

[Get Abstract](#)

[Get Paper](#)

**ZOOPLANKTON DIVERSITY IN AMARAVATHI DAM TIRUPURDISTRICT, TAMILNADU, INDIA**

A. Krishnamoorthi and K. Moorthikumar

[Get Abstract](#)

[Get Paper](#)

**IMPLEMENTATION OF FOTOGARAMETRY TECHNIQUES AS BODY MASS ESTIMATION OF INDO-PACIFIC BOTTLE NOSE DOLPHIN (TURSIOPS ADUNCUS) IN BALI DOLPHIN LODGE**

Muhammad Adifian Latif, Amar Ma'ruf, Erma Safitri, Yeni Dhamayanti, Soeharsono and Boedi Setiawan

[Get Abstract](#)[Get Paper](#)

**IRON REMOVAL OF WATER BY USING DIFFERENT PARTS OF MUSA PARADISIACA**

K. S. Beenakumari

[Get Abstract](#)[Get Paper](#)

**TRACE ELEMENT CONTAMINATION IN FRUITS AND VEGETABLES GROWN IN LOW NUTRIENT AVAILABILITY SOIL ENVIRONMENT BY USING INDUCTIVELY COUPLED PLASMA MASS SPECTROMETRY**

N. Swathi, P. Padmavathi and N.V.S. Venugopal

[Get Abstract](#)[Get Paper](#)

**BIOPIGMENTS AND RUBISCO EXPRESSION UNDER HEAVY METAL STRESS IN SPIRULINA PLATENSIS**

Ameesh Dev Singh and Gajendra Pal Singh

[Get Abstract](#)[Get Paper](#)

**SYSTEMATIC SURVEY ON POPULATION OF GYPS HIMALAYENSIS IN HIRPORA WILDLIFE SANCTUARY, JAMMU AND KASHMIR, INDIA**

Hameem Mushtaq Wani, Mustahson F. Fazili, Samina A. Charoo and Riyaz Ahmad

[Get Abstract](#)[Get Paper](#)

**EXPERIMENTAL STUDY OF BIOMEDICAL WASTE INCINERATOR USING INPUT-OUTPUT METHOD: A CASE STUDY OF BIOMEDICAL WASTE INCINERATOR AT ETMADPUR, AGRA, INDIA**

Sandeep Kumar Verma, N.B. Singh, C.N. Tripathi and P.K. Sharma

[Get Abstract](#)[Get Paper](#)

**QUANTIFYING AND MAPPING SEDIMENT RETENTION ECOSYSTEM SERVICES IN A MOUNTAIN LANDSCAPE OF SOUTHERN WESTERN GHATS, INDIA**

Shiju Chacko, C. Ravichandran, Jikku Kurian and S.M. Vairavel

[Get Abstract](#)[Get Paper](#)

**WASTEWATER CHARACTERIZATION OF GROSSLY POLLUTED TEXTILE INDUSTRIES LOCATED AT MAIN STEM OF RIVER GANGA IN UTTAR PRADESH, INDIA**

Ajit Kumar Vidyarthi, Pankaj Kumar, Surindra Negi and Vipin Kumar

[Get Abstract](#)[Get Paper](#)

**PERFORMANCE ANALYSIS OF EXISTING SEWAGE TREATMENT PLANTS IN PRAYAGRAJ, UTTAR PRADESH**

Ajit Kumar Vidyarthi and Raj Kishore Singh

[Get Abstract](#)[Get Paper](#)

**FLORISTIC CORTEGE OF THE GENRE LAVATERA A MALVACEAE FOR THE TWO SPECIES: LAVATERA MARITIMA AND L. FLAVA IN THE REGION OF SABRA (TLEMCEEN, WESTERN OF ALGERIA).**



Ghalem Sarra, Hassani Faiçal, Bensouna Amel, Khatir Hadj and Aouadj Sid Ahmed

[Get Abstract](#)

[Get Paper](#)

**SURFACE WATER QUALITY AND POLLUTION LOAD IN RIVER KALIEAST: A TRIBUTARY OF RIVER GANGA, INDIA**

Ajit Kumar Vidyarthi, Vivek Rana, Garima Dublish, Prabhat Ranjan and Mrinal Kanti Biswas

[Get Abstract](#)

[Get Paper](#)

**ASSESSMENT OF WATER QUALITY OF CHOYYIA NADI (RIVER) CATCHMENT AREA IN BIJNOR DISTRICT, UTTAR PRADESH, INDIA**

Matta Gagan, Rajput Ayush, Rajput Akshay, Kumar, Pawan, Kumar, Avinash, Nayak, Anjali, Kumar Ajendra, Dhingra, Gulshan K., Chauhan Avnish, Chadha, Sanjeev Kumar and Wats, Meenu

[Get Abstract](#)

[Get Paper](#)

**FLOWERING PATTERN AND FLORAL ARCHITECTURE OF WILD AND CULTIVATED VARIETIES OF JAMUN (SYZGIUM CUMINI L.) FOR POLLINATION AND PRODUCTIVITY**

Eswarappa, G. and Somashekar, R.K.

[Get Abstract](#)

[Get Paper](#)

**THE RATE OF ABSORPTION OF CARBON DIOXIDE AND MOISTURE CONTENT IN LINGGUA (PTEROCARPUS INDICUS WILLD.) FOR CLIMATE CHANGE MANAGEMENT**

Gun Mardiatmoko, Jacob Kailola, Radios Simanjuntak and Agustinus Kastanya

[Get Abstract](#)

[Get Paper](#)

**ECOLOGICAL SIGNIFICANCE OF PLANT LIFE FORMS OF AN URBAN GREEN SPACE OF PURULIA REGION, WEST BENGAL, INDIA**

Rimi Roy, Manideepa Bhattacharya, Barsha Baral and Deblina Das Modak

[Get Abstract](#)

[Get Paper](#)

**A STUDY OF THE RISK OF GROUND WATER POLLUTION BY SHALLOW SEPTIC TANK SYSTEM IN ALIGARH, INDIA**

Sohail Ayub, Md. Meraj Faisal and Pushpendra Kumar Sharma

[Get Abstract](#)

[Get Paper](#)

**PRELIMINARY ANALYSIS OF FUNGAL MACROFLORA IN MADRAS CHRISTIAN COLLEGE VEGETATION AND ECOLOGICAL ASPECTS**

Mirfath Jahan, Jeya Rathi J., Kumar M. and Santhosh S.

[Get Abstract](#)

[Get Paper](#)

**BIODECOLORIZATION OF REACTIVE RED HE7B AND REACTIVE ORANGE 3R THROUGH INDIGENOUS BACTERIAL ISOLATE MICROBACTERIUM ORYZAE STRAIN JC8 ISOLATED FROM TEXTILE EFFLUENT**

Ravi Kant Rahi and Varsha Gupta

[Get Abstract](#)

[Get Paper](#)

## Ecology, Environment and Conservation Editorial Advisory Board

### Chief Editor

**Prof.(Dr.) R.K.Trivedy, Pune, India**

#### EDITORIAL ADVISORY BOARD

- |  |  |
|--|--|
| 1. Dr. Teresa Ferreira, Portugal             | 19. Dr. A. Olawale, Nigeria                          |
| 2. Dr. Michael Ukwuru, Nigeria               | 20. Dr. Ing. Agr. Mario Ridardo Sabbatini, Argentina |
| 3. Dr. Moses Inbaraj, Chennai                | 21. Dr. Philip C. Reid, U.K.                         |
| 4. Dr. D.J. Lee, Taiwan                      | 22. Dr. Mohd. Yusuf, Malaysia                        |
| 5. Dr. Christial Paul P.delacruz, Phillipnes | 23. Dr. Oswaldo A. Feernandez, Argentina             |
| 6. Dr. T. Bahorun, Mauritius                 | 24. Dr. Ms. Mirela Tulik, Warsaw, Poland             |
| 7. Dr. Linda Blackwell, Australia            | 25. Dr. L.L. Chukwu, Nigeria                         |
| 8. Dr. G. Zellner, Netherlands               | 26. Dr. Azni Idris, UPM, Malaysia                    |
| 9. Dr. Wilson S. Tisera, Kupang, Indonesia   | 27. Dr. Vikas Sharma, J&K, India                     |
| 10. Dr. M.F. Hamoda, Kuwait                  | 28. Dr. Amresh Chandra Pandey, Jharkhand, India      |
| 11. Dr. H.A.Abrahamse, South Africa          | 29. Prof.(Dr.) Agoes Soegianto, Indonesia            |
| 12. Dr. Arulmozhiyal R., Salem               | 30. Dr. A.K. Panigrahi, Berhampur, India             |
| 13. Dr. Hassan Ibrahim Ali, Sudan            | 31. Dr. Ahmed El Mahmoudi, Saudi Arabia              |
| 14. Dr. A.R.Ghosh, Burdwan, India            | 32. Dr. Seyed Mohammad Tajbakhsh, Iran               |
| 15. Prof. M. Zaman, Bangladesh               | 33. Dr. Amin L. Setyo, Indonesia                     |
| 16. Dr. Marcantonio Bragdin, Venice, Italy   | 34. Dr. Francis Gbogbo, Ghana                        |
| 17. Dr. Z. Fuat Topark, Turkey               | 35. Dr. S. Shabanlou, Iran                           |
| 18. Dr. Z. Li. Bonn, Germany                 |  |

[Back to EEC Journal Details](#)

# Potency of phosphate solubilizing mold from rhizosphere soil in Mangrove Center Tuban, Indonesia

Tini Surtiningsih<sup>1,2</sup>, Arina Putri Ramadhani<sup>1</sup>, Dinda Rahmi Anindi<sup>1</sup>, Ni'matuzahroh<sup>1,2</sup>,  
Tri Nurhariyati<sup>1,2</sup> and Fatimah\*

<sup>1</sup>Biology Department, Faculty of Science and Technology, Airlangga University, Surabaya, Indonesia

<sup>2</sup>Research Center for Bio-Molecule Engineering, Airlangga University, Surabaya, Indonesia

(Received 24 February, 2020; Accepted 18 June, 2020)

## ABSTRACT

This research aims to isolate phosphate solubilizing mold from the rhizosphere soil of Mangrove Center Tuban, East Java, Indonesia which can be used in biofertilizer. All isolates were described based on macroscopic and microscopic morphological characteristics. The phosphate solubilizing activity was measured by growing the isolates on Pikovskaya medium and measuring the phosphate solubilization index after 3-7 days incubation. The results show that from 60 obtained isolates, 33 mold isolates showed phosphate solubilizing activity. Mold isolates which showed the highest phosphate solubilizing activity index are isolates K.32, K.43, and K.58 with phosphate solubilization index 1.58, 1.66, and 1.23, respectively. mold isolates of K.32 and K.58 belong to genera of *Aspergillus*, while K.43 belongs to the *Penicillium* genera.

*Key words* : Phosphate solubilizing mold, Phosphate solubilization index, Mangrove Center Tuban

## Introduction

Indonesia is an archipelagic country that has an abundance of biodiversity and vast areas of mangrove forests. One of the coastal cities in the East Coast region of East Java, often called as East Java Pantura (Pantai Utara: North Coast) area, is Tuban Regency which has ± 65 km long beach (Ika, 2016). Mangrove Center Tuban (MCT) is one of the less explored area, especially for microbiology-related study. Microbes are microscopic microorganisms including bacteria, fungi, and *actinomycetes*, that contribute to the process of nutrient cycling in the productivity of mangrove ecosystems (Turjaman, 2017).

One of the critical main habitat of microbes is soil (Rodesia *et al.*, 2013). One critical element in the soil for plant growth is phosphate which available in

both, organic and anorganic forms (Putri, 2014). The availability of phosphate in the soil is abundant, but most of them (95-99%) cannot be utilized by plants, due to their insolubility. Phosphate solubilizer microorganisms are able to release phosphate through the secretion organic acids (Nasution, 2014). Some fungi are used as phosphorus solubilizing agents, especially from the genera of *Aspergillus*, *Penicillium*, *Mucor*, *Fusarium*, and *Candida* (Rai, 2006). This research aims to isolate molds with Phosphate solubilizing potential from the rhizosphere of Mangrove Center Tuban for biofertilizer candidate.

## Materials and Methods

The soil sampling was carried out at 2 locations. 10 sampling points. Location 1 8 sampling points is a former pond location with 10 points, and location 2

8 sampling point is nearby the river mouth with 8 points. Soil sampling was taken out around the rhizosphere of Mangrove Center Tuban soil using purposive sampling method with the soil samples were taken up with the depth of 0-15 cm (Martina *et al.*, 2013) using soil borer (Wahab *et al.*, 2015). Soil sample were taken as much as  $\pm 250$  g at each point and homogenized into sterile plastic bag. Then, it was stored to ice boxes, after that brought to the Laboratory, and stored at 4°C. Ten grams of the soil sample was suspended with 90 mL physiological saline solution (0.85% NaCl) in Erlenmeyer and homogenized (Martina *et al.*, 2013) using vortex for  $\pm 15$  minutes. Furthermore, the suspension was allowed to stand for  $\pm 10$  minutes, so that 1 mL could be taken from it. Next, a gradual dilution was carried out from  $10^1$ - $10^3$  dilution, which was taken by 1 mL, and put into a Petri dish to be grown by pour plate method on Potato Dextrose Agar (PDA) medium (Rosita *et al.*, 2014). The culture was incubated at room temperature 25-27°C for 3-7 days.

Each different colony that grew was purified and grown on new PDA medium. The isolates was incubated at room temperature (25-27 °C) for 3-7 days. Pure isolates were stored at 4 °C until they were used. Identification of mold was done by 2 observations, macroscopic and microscopic characters. Macroscopic observations were done according to Ilyas (2007). Microscopic observation was using slide culture method (Hastuti, 2014). Molds Identification based on Molds identification book (Gandjar *et al.*, 1999; Landecker, 1996). Pure isolates were grown on Pikovskaya medium using spotted method (Zulaika *et al.*, 2015) at room temperature for 3-7 days. The clear zone formed around the colony is an indicator of the mold's ability to dissolve phosphate. The ratio of clear zone diameter to colony diameter was used to see and know the qualitative ability of isolates to dissolve phosphate (Martina *et al.*, 2013).

## Results and Discussion

Based on environmental research data at the location of soil sampling, the soil conditions at Mangrove Center Tuban support the environmental conditions for mold to growth. In location 1 (former pond) there are many plant litters in the form of falling leaves, stems, or twigs with plant vegetation in the form of *Rhizopora apiculata* and has loose, textured soil. The soil pH 4-6.4, temperatures range 27-28 °C, soil moisture was 7-8%, 79-82% of air humid-

ity, and 2-15% of water salinity. While the location 2 (near the estuary) has a slightly muddy textured soil with a brownish color that is in direct contact with tides, plant vegetation in Location 2 is *Rhizopora apiculata*. The soil conditions have pH between 4.8-6.3, soil temperature 28-29 °C, 8% of soil moisture, 70-89% of air humidity, and 0‰ of water salinity. According to Waluyo (2007) molds are able to grow at the optimum temperature, which is around 25-30 °C with an optimum pH of 5-7 under acidic conditions. In addition, a low salinity level will provide a good growth response for the plant and microbes (Hutahaean *et al.*, 2008).

Isolation from rhizosphere soil of Mangrove Cen-

**Table 1.** Phosphate Solubilizing Molds from Rhizosphere of Mangrove Center Tuban

| No. | Isolate codes | Colony diameter (mm) | Clear zone diameter (mm) | Activity index |
|-----|---------------|----------------------|--------------------------|----------------|
| 1.  | K.3           | 20.75                | 29.75                    | 0.43           |
| 2   | K.4           | 7.80                 | 8.30                     | 0.06           |
| 3   | K.6           | 18.50                | 29.25                    | 0.58           |
| 4   | K.7           | 18.35                | 25.55                    | 0.39           |
| 5   | K.8           | 19.55                | 27.55                    | 0.41           |
| 6   | K.9           | 9.40                 | 17.40                    | 0.85           |
| 7   | K.10          | 14.65                | 15.40                    | 0.05           |
| 8   | K.11          | 22.40                | 31.85                    | 0.42           |
| 9   | K.12          | 80.60                | 81.85                    | 0.02           |
| 10  | K.13          | 22.35                | 33.20                    | 0.49           |
| 11  | K.14          | 20.25                | 29.10                    | 0.44           |
| 12  | K.15          | 20.05                | 23.55                    | 0.17           |
| 13  | K.16          | 29.60                | 35.70                    | 0.21           |
| 14  | K.17          | 21.40                | 27.30                    | 0.28           |
| 15  | K.18          | 18.85                | 26.85                    | 0.42           |
| 16  | K.19          | 27.90                | 31.15                    | 0.12           |
| 17  | K.20          | 11.10                | 12.90                    | 0.16           |
| 18  | K.22          | 6.60                 | 7.15                     | 0.08           |
| 19  | K.23          | 45.75                | 49.55                    | 0.08           |
| 20  | K.24          | 26.30                | 36.50                    | 0.39           |
| 21  | K.32          | 22.00                | 56.70                    | 1.58           |
| 22  | K.35          | 28.40                | 34.10                    | 0.20           |
| 23  | K.39          | 34.80                | 43.50                    | 0.25           |
| 24  | K.41          | 35.75                | 39.80                    | 0.11           |
| 25  | K.42          | 16.70                | 21.60                    | 0.29           |
| 26  | K.43          | 9.65                 | 25.65                    | 1.66           |
| 27  | K.44          | 39.50                | 63.6                     | 0.61           |
| 28  | K.46          | 11.10                | 21.70                    | 0.95           |
| 29  | K.52          | 81.10                | 81.50                    | 0.01           |
| 30  | K.54          | 82.30                | 82.80                    | 0.01           |
| 31  | K.55          | 24.35                | 35.40                    | 0.45           |
| 32  | K.58          | 19.65                | 43.75                    | 1.23           |
| 33  | K.59          | 18.65                | 34.70                    | 0.86           |

ter Tuban managed to get 60 isolates (Table 1) including 33 isolates which are capable to produce phosphatase enzymes by forming a clear zone around the colonies on Pikovskaya medium, while 18 isolates grow with the same clear zone diameter with mold colonies. 9 isolates did not experience growth in Pikovskaya medium. Mold isolates that able to produce clear zones are caused by the hydrolysis process by the phosphatase enzyme. Pikovskaya media is used as a selective medium for phosphate solubilizer. This is caused by the composition of selective media can help inhibit the growth of undesirable microbes in accordance with their main objectives so that certain microbial groups have the potential to grow (Murtius *et al.*, 2017).

From 33 isolates, Three isolates with highest phosphate solubilization index have been identified macros and microscopically. K.32 isolate had an phosphate solubilization index of 1.58. It was grown on PDA and it had macroscopic characteristics such as irregular colony, granular texture, having a radial furrow and zone growth. Furthermore, K.32 did not have zonation and exudate drops. The surface color of the colony was light brown with white edges, while the reverse side was creamy.

K.32 isolate has hyphae with septa, with the

structure of the cell wall, cell nucleus, and septum which can be observed. The conidial head is round and small, the conidiophores are smooth-walled, the vesicles are round, the phialides are formed in the metulae, and the conidia are round in size  $3.5 \mu\text{m}$  (Figure 1). K.43 isolate has a phosphate solubilization index of 1.66 with macroscopic characteristics irregular shape, radial furrow, zone growth and exudate drops. But, it does not have zonation. The surface color of the colony is bluish green and velvety textured, while the radial are white in the edge and the color of the reversed side is yellow. K.43 isolate have hyphae with septa, conidiophores with long and stingy conidias, conidial head resembling a fork and hyaline, metulae measuring  $8 \mu\text{m} \times 2 \mu\text{m}$  which is somewhat cylindrical and smooth-walled, round conidia with  $2.5 \mu\text{m}$  size (Figure 2).

K.58 isolate has a Isolate index of 1.23. K.58 isolate has macroscopic characteristics, rounded colony shape, granular colony texture, has radial furrow and zone growth but has no zonation and exudate drops. The surface side shows brownish with yellowish edges, while the color of the reverse side is creamy. Microscopic characteristics of K.58 were hyphae with septa, a small conidial head smooth-walled conidiophores, round vesicles, phialid




Fig. 1. Isolates K.32 macroscopically and microscopically (A: surface side of colony; B: reverse side of colony; C : conidiospores, D : conidiophore)




Fig. 2. Macroscopic and microscopic characters of K.43 isolate (A: surface side of colony; B: reverse side of colony; C: conidiospore)





Fig. 3. Macroscopic and microscopic isolates K.58 (A: surface side of colony; B: reverse side of colony; C: Conidiospore with sected hyphae)

formed on hyaline-colored metulae, and round-shaped conidia with 5  $\mu\text{m}$  in size (Figure 3).

Based on Gandjar (1999), isolates K.32 and K.58 were identified as genus *Aspergillus*, while isolate K.43 as genus *Penicillium*. This research obtained 60 isolates consist of the genera from *Aspergillus*, *Penicillium*, *Trichoderma*, and *Rhizopus*. According to Susanto *et al.*, (2013), mold is one of the microbial groups that has an important role in biofertilizer. Biofertilizer agents from mold such as *Penicillium*, *Fusarium*, and *Aspergillus* are able to dissolve phosphate bound to phosphate that can be utilized and available in the soil.

## Conclusion

This research is succeeded in obtaining 60 isolates including 33 isolates that have the potential to dissolve phosphate from the rhizosphere soil of Mangrove Center Tuban, East Java. Three isolates with the highest phosphate solubilization index are isolate K.32 and K.58 which were identified as *Aspergillus sp.*, while isolate K.43 as *Penicillium sp.*

## Acknowledgement

Authors would like to thank Direktorat Riset dan Pengabdian Masyarakat (DRPM) from Kementerian Riset and Teknologi Pendidikan Tinggi Indonesia for funding this research through the scheme PDUPT.

## References

Gandjar, I., Samson, R.A., Van Den Tweel-Vermeulen, K., Oetari, A. and Santoso, I. 1999. Introduction of General Tropical Molds. *Jakarta. Yayasan Obor Indonesia.*

- Hastuti, U.S. 2014. Guide to Mycology Practicum. Malang. UMM Press.
- Hutahaean, E., Kusmana, C., and Ratna, D. 2008. Study on Growth Capability of Mangrove Forest Seedling of *Rhizophora mucronata*, *Bruguiera gymnorrhiza* and *Avicennia marina* Species on Various Levels of Salinity. *Jurnal Manajemen Hutan Tropika.* 5(1): 77-85.
- Ika, M.J. 2016. Beach Classification In Coastal Tuban. East Java. *Seminar Nasional Perikanan dan Kelautan VI.* Brawijaya University. Malang.
- Ilyas, M. 2007. Isolation and identification mould micoflora inhabiting plant leaf litter from Mount Lawu. Surakarta. Central Java. *Biodiversity.* 8(2): 105-110.
- Landecker, E.M. 1996. *Fundamentals of Fungi*, Fourth Edition. New York : Prentice Hall.
- Martina, A., Bernadeta, L., Fibriarti, Rodesia, M., Delita, Z. and Eka, P.S. 2013. Isolation and selection of ligninolytic molds from peat soils in Rimbo Panjang Village. Kampar Regency. Riau Province. *Prosiding Semirata FMIPA.* Lampung University.
- Murtius, W.S., Purnama, D.H. and Risa, M.F. 2017. Isolation, Selection and Identification of Potential Microorganisms Producing Extracellular Enzymes (Lipases and Amylases) which Isolated from Galamai BS (Leftover Goods). *Teknologi Hasil Pertanian.* Andalas University. Padang.
- Nasution, R.M., Sabrina, T., Fauzi. 2014. Utilization of Phosphate Solubilizing Fungi and Mycorrhizae in Increasing P availability and P absorption by Maize on Alkaline Soil. *Jurnal Online Agroekoteknologi.* 2(3): 1003-1010.
- Putri, M.A. 2014. Analysis of Nitrogen Addition, Phosphate Solution, and Bellteria Degradation Bacteria In Craw Rawit (*Capsicum frutescens L.*) Plant Using Biofertilizer. *Tesis. Airlangga University.*
- Rai. 2006. Effect of Biofertilizer and Biofertilizer Fertilizers Different Plants in Media and Growth Productivity of Rawit Chili Plant (*Capsicum frutescens L.*) in Polybag. Skripsi. Airlangga University.
- Rosita, E., Linda, R. and Khotimah, S. 2014. Molds at Different Levels of Peat Maturity in the Mount

- Ambawang Protected Forest Area. *Kubu Raya Regency. Protobiont*. 3(3): 10 – 16.
- Rodesia M.R., Martina, A., Fibriarti, B.L., Zul, D. and Ramadhan, N. 2013. Isolation and Selection of Cellulolytic Fungi from Peat soils in Rimbo Panjang Village Rubber Plantation Kampar Riau Regency. *Prosiding Semirata FMIPA*. Lampung University.
- Susanto, H., Suhartono, and Sudiana, I.M. 2013. Molds Activity Test from Merapi Mountain Soil and Mangrove Suwung Forests Which Are Potential as Biofertilizer Agents in Various Salinity Levels. *JRSKT*. 3(1).
- Turjaman, M. 2017. Microbial Bioprospect in Mangrove Forests. Media Brief. Bogor.
- Wahab, A., Shumaila, Subhan, A.S., Ali, T.S. and Mujahid, Y.T. 2015. Isolation and Identification of *Actinomyces* Isolated From Karachi Soil and Screening of Antimicrobial Compounds. *International Journal of Current Research*. 7 : 12761-12762.
- Waluyo, L. 2007. *General Microbiology*. Malang. UMM Press.
- Zulaika, E., Shovitri, M. and Alami, N.H. 2015. Azotobacter Consortium As A Bioremediation Agent For Mercury Contaminated Land As Well As An Environmentally Friendly Biofertilizer Raw Material LPPM ITS. Surabaya.
- 
-



## IJENS Journals

IJENS publisher SCOPUS - indexed; Call For Papers

[ijens.org](http://ijens.org)

OPEN

# Ecology, Environment and Conservation

**Country** [India](#) - [SJR Ranking of India](#)

**Subject Area and Category** [Agricultural and Biological Sciences](#)  
[Ecology, Evolution, Behavior and Systematics](#)

[Environmental Science](#)  
[Ecology](#)  
[Nature and Landscape Conservation](#)

**Publisher** [EM International](#)

**Publication type** Journals

**ISSN** 0971765X

**Coverage** 1997-2019

**Scope** Published Quarterly Since 1995. Ecology, Environment and Conservation is published in March, June, September and December every year. ECOLOGY, ENVIRONMENT AND CONSERVATION is one of the leading International environmental journal. It is widely subscribed in India and abroad by Institutions and Individuals in education and research as well as by Industries, Govt. Departments and Research Institutes.

[Homepage](#)

[How to publish in this journal](#)

[Contact](#)

[Join the conversation about this journal](#)








# 12

H Index

Quartiles







**Ecology, Environment and Conservation**

Q4

Ecology

best quartile

**SJR 2019**

**0.14**

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagojr.com" style="color: #d62728; text-decoration: none;">https://www.scimagojr.com
```