This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

 \Box *NOTICE*: Ensuring subscriber access to content on IOPscience throughout the coronavirus outbreak - see our remote access guidelines.

Table of contents

Volume 1108 **2018**

Previous issue
 Next issue >

Mathematics, Informatics, Science and Education International Conference (MISEIC) 2018 21 July 2018, Surabaya, Indonesia

Accepted papers received: 10 October 2018 Published online: 04 December 2018

Open all abstracts

Preface			
OPEN ACCESS Mathematics, Inf 2018	formatics, Science an	nd Education International Conference (MISEIC)	011001
	View article	🔁 PDF	
OPEN ACCESS Peer review state	ment		011002
	Tiew article	🔁 PDF	
Papers			
OPEN ACCESS Cost-Efficient Or and Future Direc		ainers in Clouds: A Vision, Architectural Elements,	012001
R Buyya, M A Rod	riguez, A N Toosi and	J Park	
	Tiew article	🔁 PDF	

 $\mathbf{ }$

Prospective teachers' difficulties in second order linear differential equation: a case of constructing methods in solving a non-homogeneous problem

B P Prawoto, S Hartono and D K Fardah

+ Open abstract	View article	🔁 PDF
-----------------	--------------	-------

OPEN ACCESS			012003
-		Model Based on ANEKA-Tri Hita Karana in tudents of Information Technology in Bali	
D G H Divayana, I P	W Ariawan, A Adia	rta, D P Parmiti, D B Sanjaya, I W Kertih and S C Wibawa	
	View article	PDF	
OPEN ACCESS Performance Anal Using Electromyo	•	wing Technique on Elbow Joint Angle Estimation	012004
Triwiyanto, O Wahy	unggoro, H A Nugrol	no and Herianto	
	Tiew article	PDF	
OPEN ACCESS Development of It Ability of Physics	1 •	ocess Learning Model to Promote Critical Thinking	012005
Wahyudi, N N S P V	erawati, S Ayub and	S Prayogi	
	Tiew article	🔁 PDF	
(Eichhornia crass	ipes) and Corncob		012006
Isnawati, Ni'matuzah	_	_	
	View article	🔁 PDF	
OPEN ACCESS Utilising "Meriam Experiments Base	U	as Knowledge to Construct Alternative Physics	012007
A Pramuda, Mundila	rto, H Kuswanto and	S Hadiati	
	View article	PDF	
OPEN ACCESS The oral mathema mathematics provi		on profile of prospective mathematics teacher in	012008
K V Pantaleon, D Ju	niati and A Lukito		
	View article	🔁 PDF	

Characteristic Polynomial of Antiadjacency Matrix of Directed Cyclic Wheel Graph \overline{W}_n L Widiastuti, S Utama and S Aminah	
← Open abstract	
OPEN ACCESS An Inventory-Dependent Demand Model with Deterioration, All-Units Discount, and Return	012010
N Loedy, D Lesmono and T Limansyah	
+ Open abstract 🔄 View article 🏷 PDF	
OPEN ACCESS The Development Test of Practical Work Module of Animal Structure Using Modified Free Inquiry	012011
Nurhadi, M M Zural, Y Zubir and E Rosba	

🔁 PDF

OPEN ACCESS	012012
Support Vector Machine with Fisher Score Feature Selection to Predict Disease-Resistant Gene in Rice	
G S Saragih and Z Rustam	

Tiew article

OPEN ACCESS					
Contextual Learning On The Basis of Coastal Culture to Enhance Students' Competency in Mathematical Problems Solving					
M A Kleden, Y Sugi and U Gerardus					
+ Open abstract Image: Second s					
OPEN ACCESS Studente' activities for understanding function shifting by using GaoGabra	012014				
Students' activities for understanding function shifting by using GeoGebra					

Abadi and D K Fardah

+ Open abstract

 Open abstract 	View article	🔁 PDF

OPEN ACCESS				012015
Eigenvalues of A	ntiadjacency Matrix	c of Directed C	Cyclic Dumbbell Gray	
S Budiyanto, S Utar	na and S Aminah			
+ Open abstract	View article	🔁 PDF		

012016

OPEN ACCESS

Common False of Student's Scientific Reasoning in Physics Problems

N Erlina, E Susantini and Wasis

+ Open abstract	View article	🔁 PDF	
-----------------	--------------	-------	--

U	1	ard Open-Ended Problems Before and After the	012017
Transition to Juni	or High School		
I Sabilah, T Y E Sis	wono and Masriyah		
	View article	🔁 PDF	
OPEN ACCESS Analysis of Churr Support Vector M		y Factors in Telecommunication Industry Using	012018
S Arifin and F Same	opa		
	Tiew article	PDF	
_	istic Regression and hmah and S Abdullah	d Spline Regression for Credit Risk Modelling	012019
	View article	🔁 PDF	
Demographic Dat	ta	tality in Java: Spatial Modeling Application on	012020
C H P Tatipatta, Y V	Widyaningsih and S N	lurrohmah	
	View article	🔁 PDF	
Parkinson's Disea		tor Complications Frequency in People with Early od for Zero-inflated Poisson Pegression	012021
♣ Open abstract	View article	🔁 PDF	
OPEN ACCESS Analysis of Stude Kieren Theory	nt's Understanding	of Exponential Concept: A Perspective of Pirie-	012022
N Syafiqoh, S M Ar	nin and T Y E Siswor	10	
	View article	🔁 PDF	
OPEN ACCESS			012023
Peat Endogenous	Lignocellulolytic I	Bacteria for Humic Waste Decomposition	
F Solikhah, W Assa	valapsakul and E Zula	aika	

OPEN ACCESS			012024
-	t of students physic ning model assisted	s problem solving skills through the implementation PhET media	
A S D Sari, B K Pr	ahani, Munasir and B	Jatmiko	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012025
Mathematical pro using IDEAL pro	-	s analysis about word problems of linear program	
L D Permata, T A H	Kusmayadi and L Fitri	ana	
	View article	🔁 PDF	
Learning for STH	EM Education	vsics Problem Solving Skills through Inquiry-Based	012026
	A Hapsari, F Nurhida		
	View article	🔁 PDF	
personality types		of senior high school students based on their ana	012027
	View article	🔁 PDF	
(CaC) Method to	Improve 10 th Grad	e Education with Compare and Contrast Learning le Students' Literacy	012028
R A Putri, R Fida a	nd Wasis		
+ Open abstract	View article	🔁 PDF	
10	•	of Pop Up Mathematics Book' as a Supporting Tool ing Three-Dimensional Figures	012029
T Susilo, I Sujadi a	nd D Indriati		
	View article	🔁 PDF	
OPEN ACCESS Steady Infiltratio I Solekhudin	n in Heterogeneous	Soil	012030
+ Open abstract	View article	🔁 PDF	

A Comparative Study: Concept Number Skills of Children Aged 4-5 Years after Playing Two Different Games

E Oktavianingsih a	nd K Fahuzan		
+ Open abstract	View article	PDF	
OPEN ACCESS			012032
-	-	ent in Planning the Solution of Limit Problems	
Pathuddin, I K Bud			
	View article	🔁 PDF	
OPEN ACCESS			012033
The Way of Stud	ents' Reasoning of l	Elementary Students in Solving Integer Problem	
R Febriyanti, Y Fua	ad and Masriyah		
	View article	🔁 PDF	
OPEN ACCESS Validity of Teach of Vibration, Wa	-	l on Socio-Scientific Issues Approach on The Topic	012034
,	kiran and E Sudibyo		
✤ Open abstract	View article	PDF	
missile firing mis	ssion	edictive control for warship heading control in	012035
+ Open abstract	View article	PDF	
	n Plantae Material	Student Learning Result With Different Class	012036
 Open abstract 	View article	🔁 PDF	
Webs Based Lean		ng Skills through the Implementation of Question	012037
 Open abstract 	View article	PDF	
OPEN ACCESS			012038

Application of Support Vector Machines in Evaluating the Internationalization Success of Companies

Z Rustam, F Yaurita	a and M J Segovia-Ver	rgas	
	View article	🔁 PDF	
OPEN ACCESS			012039
Sequence Variation	on of Metallothione	ein (MT) Gene in Poaceae Family	
P Peresia and D S F	Rini		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012040
Valuation of Surv Mortality	vivorship Life Insur	ance with Stochastic Rates of Return and Dependent	
M Y Tobing, S Nur	rohmah and B D Hand	lari	
	View article	🔁 PDF	
OPEN ACCESS			012041
Formation Contro	ol of Multiple Dubi	ns Airplane System with Geometric Approach	
Asmianto, Hariyant	to and Miswanto		
+ Open abstract	View article	PDF	
OPEN ACCESS			012042
•	ondary Mathematic In Teaching Experie	s Teacher within Solve the 2-Dimentional Figure ences	
P Wijayanti			
	View article	🔁 PDF	
OPEN ACCESS			012043
The effect of virt school	ual lab and gender t	toward students' creativity of physics in senior high	
G Gunawan, N M Y	/ Suranti, N Nisrina, L	Herayanti and R Rahmatiah	
	View article	🔁 PDF	
OPEN ACCESS			012044
Classification of	Schizophrenia Data	Using Support Vector Machine (SVM)	
T V Rampisela and	Z Rustam		
	View article	PDF	
OPEN ACCESS			012045
	-	n on The Performance of Activated Carbon/rGO Coconut Shell (<i>Cocos nucifera</i>)	
S H Intifadhah, L R	ohmawati, W Setyarsi	ih and Tukiran	
+ Open abstract	View article	🔁 PDF	

OPEN ACCESS			012046
Isolation and cha (<i>Oryza sativa</i> L.)		cate-solubilizing bacteria from paddy rhizosphere	
A Sulizah, Y S Rał	nayu and S K Dewi		
	View article	🔁 PDF	
OPEN ACCESS			012047
Graceful Labellin	ng of Edge Amalgar	mation of Cycle Graph	
D E Nurvazly and	K A Sugeng		
	View article	🔁 PDF	
OPEN ACCESS			012048
A Responsive W	eb-Based QR Code	for Laboratory Clearance Form	
N Rochmawati, Y	Anistyasari, D F Suyat	no and I F Kurniawan	
	View article	PDF	
OPEN ACCESS			012049
Virtual Laborator	ry to Improve Stude	ents' Conceptual Understanding in Physics Learning	
G Gunawan, N Nis	rina, N M Y Suranti, I	- Herayanti and R Rahmatiah	
	View article	🔁 PDF	
OPEN ACCESS A mathematical population	model of TB contro	l with vaccination in an age-structured susceptible	012050
	Alya Sari Ryanto and	Alhadi Bustamam	
 Open abstract 	View article	🔁 PDF	
OPEN ACCESS			012051
-	Students' Creative lastic Waste Handlin	Thinking In Implementation Of Problem Based ng Context	
F Eny, R Momo an	d S Wahyu		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Fuzzy Support V Credit Risk Anal		ed on Adaptive Particle Swarm Optimization for	012052
M D Murjadi and Z	-		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012052

OPEN ACCESS

A Comparison of the Bayesian Method under Symmetric and Asymmetric Loss Functions to Estimate the Shape Parameter *K* of Burr Distribution

I Fithriani, A R Hal	cim and M Novita		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012054
Analysis of Hype	ertension Disease us	sing Logistic and Probit Regression	
D I Ruspriyanty and	d A Sofro		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012055
	e	Pair for Maximum Distance Separable (MDS) Non- ode and Almost Maximum Distance Separable (AMDS) of	code
M Ridha and K A S	bugeng		
+ Open abstract	View article	🔁 PDF	
0 0		service Science Teachers' Conceptions of A 'teacher' cher Training Program	012056
J Marlizayati and S	Hardimah		
	View article	🔁 PDF	
OPEN ACCESS A mathematical r transmission	nodel for chemothe	erapy paradoxical reaction in Tuberculosis	012057
Febriana Tri Rahma	awati, Alhadi Bustama	um and Dipo Aldila	
	View article	PDF	
OPEN ACCESS	ida Knowladgar Stu	donte Stratogy in Estimating Fractions	012058
-	-	idents Strategy in Estimating Fractions	
I K Amalina, Y Fua	_		
+ Open abstract	View article	PDF	
	structivist Teaching) 7E with Technology Based Constructivist Teaching g (CT) Approach as Efforts to Improve Student Cognitive	012059
O Miadi, I Kaniawa	ti and T R Ramalis		
	View article	🔁 PDF	
OPEN ACCESS			012060

Investigating the Development of Reasoning Abilities Among Bruneian Physics Students After 1 Year Exposure to Cambridge International Advanced Level Program

OPEN ACCESS Mathematical mo	odeling and numeric	cal simulation of tuberculosis spread with diabetes	012061
effect	C	-	
Maulana Malik, Mo	onica Larasati and Dip	o Aldila	
	View article	🔁 PDF	
OPEN ACCESS Classification of Machines	Osteoarthritis Disea	ase Severity Using Adaboost Support Vector	012062
T R Adyalam, Z Ru	stam and J Pandelaki		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Visualization Pro Viewed from Ger	-	School Students in Solving Geometry Problems	012063
M M L Puloo, D Ju	niati and P Wijayanti		
	View article	🔁 PDF	
		parkinson's disease subtypes using random forest	012064
E Latifah, S Abdull	ah and S M Soemarto	jo	
	View article	🔁 PDF	
OPEN ACCESS Analysis Dengue Autoregressive M A Sofro		Cases using Generalized Multivariate Conditional	012065
	View article	🔁 PDF	
OPEN ACCESS Predicting Final I	Result of Football M	Match Using Poisson Regression Model	012066
H R Azhari, Y Wid	yaningsih and D Lesta	ari	
	View article	🔁 PDF	
		e on Face Recognition for Gender Classification	012067
Z Rustam and A A	Ruvita		
	Tiew article	🔁 PDF	

Face recognition using fuzzy kernel learning vector quantization

-	u		
Z Rustam and Rika			
	View article	PDF	
OPEN ACCESS			012069
	cal Instruction Theo Babylonian Approac	bry for Learning the Concept of Solving Quadratic	
A D Fachrudin, R I	I Putri, A W Kohar an	nd S Widadah	
	Tiew article	PDF	
1	-	gime-Switching Hamilton-Jacobi-Bellman (HJB) sk (MVaR) Constraint	012070
F Setyani, M Novita	a and M Malik		
+ Open abstract	Tiew article	PDF	
OPEN ACCESS Face Recognition Z Rustam and R Far	•	like Faces using Support Vector Machine	012071
	View article	🔁 PDF	
1	O'Sullivan Penaliz hods to Predict Ozo	ed Spline and Penalized Spline Based Truncated one Concentrations	012072
R Fitri, Y Widyanin	gsih and D Lestari		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Team Assisted In Intelligences I I Siregar, Budiyon	X	I) in Mathematics Learning Viewed from Multiple	012073
 Open abstract 	View article	PDF	
-	ulties in mathemati HOTS algebra test	cs learning on students with deictic gesture type in	012074
H Zulfa, D R S Sap	utro and Riyadi		
+ Open abstract	Tiew article	🔁 PDF	
OPEN ACCESS			012075

OPEN ACCESS

The Role of Gesture to Mathematics' Fraction Base Concept Instruction

	View article	🔁 PDF	
N F Azzahra and K	A Sugeng		
OPEN ACCESS Verifiable Image S	Secret Sharing Usir	ng Matrix Projection	012082
✤ Open abstract	View article	PDF	
A Fitrilia, I Fithriani		ansarroadon asing the L-Dayesian method	
OPEN ACCESS Parameter estimat	ion for the Lomax	distribution using the E-Bayesian method	012081
	View article	🔁 PDF	
C A Dien and D U V	Vustqa		
OPEN ACCESS The Interpersonal Learning	Intelligence Profile	e of Seventh-Grade Students in Mathematics	012080
	View article	PDF	
I S Putra, Masriyah	_		
Based on Their Lo	earning Styles	nematical Representations (Symbolic and Visual)	012079
	View article	🔁 PDF	
O S Riza and H Tjar	_		
	0	ly Warning of Diabetic Retinopathy	
OPEN ACCESS			012078
+ Open abstract	View article	🔁 PDF	
D G Ramadhani, S I	B Utomo and N Y Ind	riyanti	
OPEN ACCESS Content analysis of chemistry textboo		support student teachers' PCK in the environmental	012077
	Tiew article	PDF	
I R Anisa, T Siswan	tining, T Kamelia and	l D Sarwinda	
		f Obstructive Sleep Apnea (OSA) Risk in Chronic ent. Case Study: Cipto Mangunkusumo Hospital	01207
ODEN ACCESS			
	View article	🔁 PDF	

Students' Mathematisation in Solving Mathematical Literacy Problems with Space and Shape Contents

Lestariningsih, S M Amin,	A Lukito and M Lutfianto
---------------------------	--------------------------

+ Open abstract	View article	🔁 PDF	
	like assessment test ic (3PL) of IRT–20	t measuring Scientific Literacy using Three- 18	012084
S Rohmah, I Kania	wati and T R Ramalis		
	View article	🔁 PDF	
-	-	ensional Subspace in a Normed Space	012085
Manuharawati, D N	Yunianti and M Jakfa		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Delay's propagati	ion of <i>citrus tristezc</i>	a virus on citrus plant	012086
D A Zulfiyana, Y F	uad and B P Prawoto		
+ Open abstract	View article	🔁 PDF	
	of Different Curing Geopolymer Incor	Models to the Strength Development of High porating Limestone	012087
OPEN ACCESS Revealing Studer	nt's Multiple-Miscor	nception on Electric Circuits	012088
W Widodo, L Rosd	iana, A M Fauziah and	d Suryanti	
+ Open abstract	View article	🔁 PDF	
reduce exhaust en	mission level in air	heat exchangers using finite element method to	012089
A Fatahillah, Dafik	, B P Prawoto and A F		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS The Effectivenes R Setiani	s of ARICESA-base	ed Learning Material on Students' Motivations	012090

🔁 PDF

OPEN ACCESS Critical Thinking Indonesia	g Disposition of Pro	spective Science Teachers at IKIP Mataram,	012091
H Fitriani, M Asy'a	ri, S Zubaidah and S N	Mahanal	
	View article	🔁 PDF	
OPEN ACCESS The Effect of Yac IFO 12529 on <i>Rc</i>		otics and Sinbiotics against Salmonella typhimurium	012092
L Yuanita, P R Wik	andari, Isnawati, W B	Sabtiawan and D A P Sari	
+ Open abstract	View article	PDF	
	The Usage of Sola Somplex in Gaza Stri	r Energy at Household By The Employees of Al- p	012093
H J El-Khozenadar	and F F El-batta		
+ Open abstract	View article	PDF	
1 1		learning and face-to-face learning courses	012094
S Bali and M C LiuOpen abstract	View article	🔁 PDF	
OPEN ACCESS Is f(x) unique? P integral problem A H Rosyidi and A	-	conceptual and procedural knowledge on a definite	012095
+ Open abstract	View article	PDF	
	g of Capsid Protein Vaccine through Co	L1 from Human Papillomavirus to Development omputational Study	012096
E R Purnama and V	D Kharisma		
	View article	🔁 PDF	
OPEN ACCESS Pre-service physi supermoon on Ja		tanding on total lunar eclipse: A response of	012097
N Suprapto, U A D	eta, N A Lestari, A Kł	noliq, A S Adam, H Mubarok and M N R Jauhariyah	
	Tiew article	🔁 PDF	

OPEN ACCESS			012098
	cetobacter Xylinum	in The Production of Nata De Legen From Palmyra	012090
M T Asri, N Ducha	, E Ratnasari and A B	ashri	
+ Open abstract	View article	PDF	
OPEN ACCESS			012099
1 0		of Temulawak Simplicia (Curcuma xanthorrhiza ntent and Functional Compound	
M A Anggarani, Ru	usijono and D A Maul	ana	
+ Open abstract	View article	PDF	
OPEN ACCESS			012100
Comparison of S Using Research I		at in Agricultural Biotechnology-STEM Integrated	
H Subekti, A R Pur	nomo, H Susilo, Ibroł	nim and H Suwono	
	View article	PDF	
OPEN ACCESS Improving Collal	borative Critical Th	inking Skills of Physics Education Students through	012101
1 0	of CinQASE Learni	· ·	
Hunaidah, E Susan	tini, Wasis, B K Praha	ni and M A Mahdiannur	
	View article	🔁 PDF	
OPEN ACCESS			012102
Effect of Earthqu	ake's Surface Wave	e on Ionosphere Layer	
A Santoso and B M	luslim		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012103
	-	ransforms on p –Integrable Function Spaces	
Y Fuad and M Jakf	ar		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS			012104
The Analysis of S Concept	Students' Mathemat	tical Thinking based on Their Mathematics Self-	
N Delima, M A Ral	hmah and A Akbar		
+ Open abstract	Tiew article	🔁 PDF	

Isolation and Characterization of Potassium-Solubilizing Bacteria from Paddy Rhizosphere (*Oryza sativa* L.)

R Fatharani and Y	S Rahayu		
+ Open abstract	View article	PDF	
OPEN ACCESS The Influence of Based on Gender	-	Iedia Animation on Students' Critical Thinking Skills	012106
R A Mashami and	G Gunawan		
✤ Open abstract	View article	🔁 PDF	
OPEN ACCESS Split and Conque Credit Scoring D		zed Logistic Regression with Lasso (Application on	012107
F Shofiyah and A S	Sofro		
+ Open abstract	Tiew article	PDF	
	-	n Fraction Compare Problem	012108
R W Ningrum, Y F			
	View article	🔁 PDF	
-		t Activity of Green Tea Extracts in the Framework of y in Cosmetic Formulation	012109
T Taufikurohmah, I	G M Sanjaya and S T	jahjani	
+ Open abstract	View article	PDF	
OPEN ACCESS Exudate Segmen Based on Region		ages of Diabetic Retinopathy Using Saliency Method	012110
N Nur and H Tjand	rasa		
	View article	PDF	
-	Animated Story as ect and Inverse Prop	Interactive Learning Media with Lectora Inspire and ortion Subject	012111
E Oktavianingtyas,	F S Salama, A Fatahil	lah, L A Monalisa and T B Setiawan	
+ Open abstract	Tiew article	PDF	

OPEN ACCESS

K Muhammad, K A	Sugeng and H Murfi		
✤ Open abstract	View article	PDF	
OPEN ACCESS The Potential of S Improve Immune	•	oduct: Corbula Sp. as Therapeutic Nutrition to	012113
E T Evanda, Isnawat	-		
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Marshall-Olkin Ez	xtended Inverse W	eibull Distribution and Its Application	012114
R M Pakungwati, Y	Widyaningsih and D	Lestari	
+ Open abstract	View article	🔁 PDF	
selection		predicting bank failures using chi-square feature	012115
Z Rustam, F Nadhifa	a and M Acar		
+ Open abstract	Tiew article	PDF	
on Emotional Inte	lligence	ers in Mathematical Patterns Problem Solving Based	012116
I Safitri, P Wijayanti	-		
+ Open abstract	Uiew article	🔁 PDF	
on Addition and S	Subtraction of Integ	Conceptual Change Effort to Fix the Misconception gers	012117
S Retnowati, S M A	_		
+ Open abstract	View article	🔁 PDF	
-	-	matic Interaction Detection (CHAID) Method to Tuberculosis Patient. A Case Study in Cipto Mangunk	012118 usumo
-	ghfiroh, T Kamelia ar	nd D Sarwinda	
+ Open abstract	View article	🔁 PDF	
OPEN ACCESS Implementation of Service Physics T		ve Learning to Improve Basic Teaching Skills of Pre-	012119

N A Lestari, N Sup	rapto, U A Deta and M	1 Yantidewi	
	View article	PDF	
OPEN ACCESS Self-Regulated L	earning Ability of I	Elementary School Students in Learning Mathematics	012120
A D Astuti and M N	N Wangid		
	View article	PDF	
-		red Shortest Geopath Routing Protocol Using Data work Environments	012121
Rozita, W Wibisono	o and R Anggoro		
	View article	🔁 PDF	
-	GI) to empower thin	nal materials based on Cooperative Group king skills	012122
	Tiew article	PDF	
OPEN ACCESS Mathematical Wi Social Arithmetic	0 0	h Social Arithmetic Ability Student in Solving	012123
M Yulianti, D Junia	ti and S Khabibah		
	Tiew article	🔁 PDF	
High School Firs		g Model and Critical Thinking to Science Literacy of	012124
 Open abstract 	View article	PDF	
Educational Obje	ectives to Join Elect	d Faculty Members Views on the Importance of rical Engineering	012125
I J El-Khozondar ar	nd H J El-Khozondar		
	View article	🔁 PDF	
OPEN ACCESS			012126

The Validity of Teaching Material Based on Ethnoscience Batik to Increase the Ability of Scientific Literacy for Junior High School

View article	🄁 PDF	

OPEN ACCESS			012127
The Argumentati Chemical Change		High School Students on Physical Changes and	
R N Astuti, S Suyor	no and M Nur		
	View article	🔁 PDF	
OPEN ACCESS			012128
The Application of Primary School		to Train Critical Thinking Skills on Light Material	
Suryanti, I S Z Arif	in and U Baginda		
	View article	🔁 PDF	
OPEN ACCESS The Use of Web Education: A Lite	•	actice Based Learning Model in Vocational	012129
Kustori, Rusijono a	nd A Mariono		
	View article	🔁 PDF	
JOURNAL LINK	XS		
Journal home			
Information for org	anizers		
Information for aut	hors		
Search for publishe	d proceedings		
Contact us			
Reprint services fro	om Curran Associates		






Scimago Journal & Country Rank Enter Journal Title, ISSN or Publisher Name

Home

Journal Rankings


Country Rankings Viz Tools

Help About Us



Journal of Physics: Conference Series 8

Country	United Kingdom - IIII SIR Ranking of United Kingdom	70
Subject Area and Category	Physics and Astronomy Physics and Astronomy (miscellaneous)	10
Publisher	IOP Publishing Ltd.	H Index
Publication type	Journals	
ISSN	17426588, 17426596	
Coverage	2005-2020	
Scope	The open access Journal of Physics: Conference Series (JPCS) provides a fast, versati proceedings publication service.	le and cost-effective
?	Homepage	
	How to publish in this journal	
	Contact	
	igsirphi Join the conversation about this journal	





PAPER • OPEN ACCESS

Indigenous Bacteria Community Fluctuation During Fermentation of Water Hyacinth (*Eichhornia crassipes*) and Corncob (*Zea mays*)

To cite this article: Isnawati et al 2018 J. Phys.: Conf. Ser. 1108 012006

View the article online for updates and enhancements.



IOP ebooks[™]

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection-download the first chapter of every title for free.

Indigenous Bacteria Community Fluctuation During Fermentation of Water Hyacinth (*Eichhornia crassipes*) and Corncob (*Zea mays*)

Isnawati¹, Ni'matuzahroh², and T Surtiningsih²

Abstract. Water hyacinth nowadays is a disturbing water-weeds. In fact, water hyacinth is potential for cattle feed if it is mixed with corncob, and thus increase the nutritional value. In cattle feed production, there are some indigenous fungi and bacteria to be used for fermentation. This research was aimed to know the fluctuation of bacteria and fungi community for 15 days of fermentation process. The bacteria and fungi were first inoculated and isolated in both NBA and PDA agar plate. Then, they were purified so as to make pure-culture that will be easily identified. Bacteria identification was conducted using Microbact Identification Kits (MicrobactTM GNB12A and 12B) and identification book Bergey's Manual of Determinative Bacteriology. Fungi identification were conducted based on macroscopic and microscopic characteristics. Ecological parameters such as diversity, evenness, and dominancy were analyzed on this research. There were eight bacteria species found, including Bacillus laterosporus, B. badius, B. pantothenticus, B. brevis, Staphylococcus sciuri, B. stearothermophilus, Burkholderia pseudomallei, and Enterococcus duran. The highest bacteria diversity were in the fourth day, the highest evenness occured at the first, tenth, twelveth, and fiftenth day. All of the bacteria species were dominant during fermentation, except Bacillus badius at the eleventh day that was a subdominant bacteria.

1. Introduction

Up to now, the feed stock especially the cheap and nutritious one has become a main problem in breeding. The cheap and nutritious feed can be produced through fermentation process by utilizing farm-waste and weeds materials. The efforts in producing cheap and nutritious fermented feed can be made of farm-waste, such as rice-straw, corn-straw (its leaves and stems), corncob, *Leguminoceae* waste, and other farm wastes. From all farm wastes, corncob has not been utilized optimally. Rice-straw is generally big-sized ruminants feed, such as cows so that in this research fermented feed is made from corncob as the main material.

Corncob is potential to be used as cattle feed because it contains 5,6% protein which is higher than the protein concentration in rice-straw (4,9%). The utilization of corncob is only for fuel (as substitutive component for wood), also for mushrooms growth media [1]. Some researchers had been utilized corncob as cattle feed, such as Sumaoang (corncob powder) [1]. Through fermentation process by utilizing microorganisms and molase addition, corncob not only becomes a nutritious feed but also becomes favourite food for pigs, goats, and poultries [1]. The corncob that has been blended also can be

¹ Faculty of Mathematics and Natural Science, State University of Surabaya, Jalan Ketintang, 60231, Surabaya, Indonesia

² Faculty of Science and Technology, Airlangga University, Jalan Mulyorejo, 60114, Surabaya, Indonesia

IOP Publishing

used to replace cassava slices as buffalo feeds [2]. Then, Rostika and Safitri [3] used corncob that has been blended and fermented with various mushrooms as fish feed. Lardy and Anderson [4] stated that corncob can be utilized as ruminant feed alternative.

However, there are some weaknesses in using corncob as feed materials that up to now can not be overcome. The weaknesses including of the high natural lignocellulose concentration (45-55% cellulose, 25-35% hemicellulose, 20-30% lignin) and also high fiber concentration (930 g netral detergent fibers/kg dry materials; 573 g acid detergent fibers/kg dry materials) that are difficult to digest in cattle [5]. The corncob processing before it is used in fermentation, such as rarefaction, fermentation itself and addition other materials will increase the overall nutrient value and the quality.

The nutrient enhancement of fermented feed can be conducted by adding other materials, so that the fermented feed does not contains a single material only. Water weeds, water hyacinth (*Eichhornia crassipes*) is a very suitable added material. It is because the water hyacinth can grow very fast [6], contains high protein around 11.87% and 14.28 % percentage and contains high calcium and phosphorous concentration, and therefore stimulate the milk production if it is combined with suitable concentration [7]. The nutrient concentration did not change because of its growth geographical difference [8]. However, the use of water hyacinth as cattle feed has some weaknesses. Water hyacinth contains a very high rough fiber concentration, so that the carbon source is less good. The other weakness is that the water concentration of water hyacinth is relatively very high, the texture is smooth, and the protein is difficult to digest [9]. Based on Umsakul, Dissara, and Srimuang [10] research the mixing process of water hyacinth in feed production can increase the nutrient value of the feed.

Saputro [9] had conducted fermentation process in water hyacinth by using *Aspergillus niger* obtained the duration of fermentation in 8 days to obtain fermented feed woth rough protein 18,84% percentage and 15,73% rough fiber. The other research related to the utilization of water hyacinth as fermented feed material has used tempe yeast as microorganism sources [11]. The feed produced can increase goat body weight. Research result conducted by Phioneer, Yurmiati, and Sinaga [12] on *New Zealand White* rabbit showed that the usage 20% water hyacinth provides body weight addition, but not influence the ratio usage efficiency.

There have been some efforts in increasing the feed quality by using fermentation technique. The fermented feed has some strengths such as high nutrient concentration, high digestibility, and high palatibility [13].

Fermentation process always involves microorganisms, including bacteria and fungi. The rate of fermentation process depends on some factors, mainly the compatibility of microbes related to fermentation process of materials and physical-chemical parameters. It means that fermentation process using certain materials will have specific and selected microorganisms [8]. This has relation with the enzymes of the microbes, whether it is suitable to degrade the chemical compounds in the materials that will be fermented or not. The diversity of indigenous microorganisms in every fermentation phase need to be known to give scientific reasons that are important to make a fit formula. The indigenous microorganisms diversity that have been known will give information about microorganisms population that have dominant role in fermentation, so that the suitable starter formulation will be easier.

The other factor determining the fermentation rate is physical condition and chemical condition that support fermentation process. Physical condition consists of temprature, pH, and humidity [14]. The chemical condition that influences fermentation process include of the presence of carbon and nitrogen sources, also respiratory gases (in aerobic and anaerobic condition) and suplement molecules to support microorganisms population growth. Research result of Belal [15] showed that different carbon sources will cause different fermentation result in rice-straw to produce bioethanol.

In the research that have been conducted, the nutrient value of water hyacinth and corncob mixture was high with fermentation duration for 5 days [16]. The goats that have been given fermented feed of water hyacinth and corncob mixture show higher biomass compared to the biomass when using conventional feed [16, 17]. The other strength of water hyacinth and corncob mixture fermented feed, based on Saputro [9], is that it can improve the goat carcass, signing by increasing protein concentration

and lowering fat content. Those studies focus mainly on the use of tempe-yeast for fermenting agent which fullfil the standard needed 5 days.

The research about bacteria and fungi species involved in fermentation process, especially with water hyacinth and corncob mixture as materials has not been conducted. Knowledge about bacteria and fungi species related in fermentation process of certain materials is very essential to increase fermentation result quality and the rate of fermentation itself. This research will investigate the fluctuation of bacteria and fungi species incolving in fermentation process from day to day during fermentation process, then the diversity, evenness, and dominancy of bacteria and fungi species will be analyzed.

2. Method

Basically in this research, there were some stages, each of stages will be detailed as follow:

2.1 Indigenous microbe sources preparation and isolation

Water hyacinth as microbes sources was taken from a river that the water had been ensured unpolluted by doing water quality test and heavy metal concentration test. The corncob was taken from the rice mill that had been ensured uncontaminated from dangerous substances. As initial indigenous microbes sources, firstly the production of fermented feed with water hyacinth and corncob mixture was conducted with ratio 1:1. This feed was made by some stages icluding materials cutting, materials drying, steaming, and materials incubation so that fermentation will occur naturally [17]. Everyday during fermentation process, the indigenous microbes isolation by taking materials randomly for 30 gr, then the materials suspensed in sterile aquades, filtered, and cultured by pour plate method. Bacteria media culture used NA (Nutrient Agar for Microbiology Merck). Culture then incubated in 37°C temprature for 24-72 hours.

2.2 Purification, characterization, and identification of indigenous bacteria and fungi

The culture mixture was then purified. Characterization of pure bacteria isolates was conducted by macroscopic and microscopic observation. Identification of pure bacteria isolates was conducted using *Microbact Identification Kits (MicrobactTMGNB12A and 12B)*.

2.3 Indigenous bacteria and fungi diversity observation during fermentation process

During fermentation process (for 15 days), observation and documentation including numbers and types of isolates that grow were conducted everyday. Then, counting of diversity parameter was conducted index of heterogeneity or index of diversity, index of evennes, and index of species richness. Index of diversity was counted using Shannon-Wiener formula as follow: $H' = -\sum$ (pi log pi) (H' is index of diversity, pi adalah ratio of individual number in a species and total individual numbers). Index of evenness is counted by using formula E = H'/ln (S) (E is index of evenness of a species , H' adalah Shannon-Wiener index of diversity, S is numbers of species found, ln is natural logaritm). Index of species richness is caunted using formula Di = ni/N (Di is species dominancy, ni adalah number of individuals in a species, N adalah number of individuals of all species).

3. Result and Discussions

The result obtained from daily observation from day to day in 15 observation days. The data obtained then was analyzed the community diversity, evenness, and daily species dominancy was conducted during fermentation process. The result obtained then presented in Table 1 as follow.

Day of	Total	Diversity	Evenness	Bacteria Dominancy
fermentation	Bacteria	Diversity	Livenness	Ducteria Dominiancy
1	Numbers	0.0001	0.4201	D :11 1 ((56 1204)
1	134,5	0,2981	0,4301	Bacillus laterosporus (56,13%)
-				Bacillus stearothermophilus (43,87%)
2	242	0,4708	0,4286	Bacillus laterosporus (39,67%)
				Bacillus stearothermophilus (26,03%)
				Enterococcus durans (34,30%)
3	304,5	0,5346	0,3856	Bacillus laterosporus (33,66%)
				Bacillus badius (5,42%)
				Bacillus stearothermophilus (23,15%)
				Enterococcus durans (37,77%)
4	308	0,7146	0,3988	Bacillus laterosporus (33,77%)
				Bacillus badius (7,63%)
				Bacillus pantothenticus (10,55%)
				Bacillus brevis (8,60%)
				Bacillus stearothermophilus (21,1%)
				Burkholderia pseudomallei (18, 34%)
5	307,5	0,6216	0,3862	Bacillus laterosporus (41,63%)
				Bacillus badius (18,21%)
				Bacillus pantothenticus (5,69%)
				Bacillus brevis (12,52%)
				Bacillus stearothermophilus (21,99%)
6	284	0,4591	0,4179	Bacillus laterosporus (45,78%)
-	-	- ,	- 7	Bacillus badius (22,36%)
				Bacillus stearothermophilus (31,87%)
7	280	0,4818	0,3475	Bacillus laterosporus (49,46%)
	200	0,1010	0,0170	Bacillus badius (8,39%)
				Bacillus pantothenticus (6,96%)
				Bacillus stearothermophilus (35,18%)
8	278	0,3872	0,3525	Bacillus laterosporus (52,16%)
0	270	0,5072	0,3525	Staphylococcus sciuri (7,01%)
				Bacillus stearothermophilus (40,83%)
9	298	0,4687	0,4268	Bacillus laterosporus (47,82%)
,	270	0,4007	0,4200	Bacillus badius (5,20%)
				Bacillus brevis (8,22%)
10	210	0,3004	0,4334	Bacillus stearothermophilus (38,76%)
10	210	0,3004	0,4334	Bacillus laterosporus (47,51%) Bacillus stearothermophilus (52,49%)
11	201	0 (525	0.4054	•
11	391	0,6525	0,4054	Bacillus laterosporus (24,78%)
				Bacillus badius (4,47%)
				Bacillus stearothermophilus (25,54%)
				Burkholderia pseudomallei (20,05%)
	• • •	0.17		Enterococcus durans (25,16%)
12	289	0,4764	0,4336	Bacillus laterosporus (30,62%)
				Bacillus stearothermophilus (34,08%)
				Enterococcus durans (35,29%)
13	342	0.7502	0,3855	Bacillus laterosporus (23,39%)

Table 1. Diversity, evenness, daily species dominancy during water hyacinth and corncob mixture fermentation process

Day of fermentation	Total Bacteria Numbers	Diversity	Evenness	Bacteria Dominancy
				Bacillus badius (6,58%) Bacillus pantothenticus (5,70%) Bacillus brevis (5,99%) Staphylococcus sciuri (6,43%) Bacillus stearothermophilus (25,59%) Enterococcus durans (26,32%)
14	298	0,7888	0,4054	Bacillus laterosporus (25,67%) Bacillus badius (10,91%) Bacillus pantothenticus (7,72%) Bacillus brevis (10,74%) Staphylococcus sciuri (8,56%) Bacillus stearothermophilus (26,85%) Burkholderia pseudomallei (9,56%)
15	306,5	0,6010	0,4335	Bacillus laterosporus (22,35%) Bacillus badius (25,78%) Bacillus pantothenticus (27,24%) Bacillus stearothermophilus (24,63%)

Based on Table 1, the diversity, evenness, and species dominancy were different in day-to-day observation. By using culture method in Nutrient Broth, eight bacteria species were successfully isolated, consisted of *Bacillus laterosporus*, *B. badius*, *B. pantothenticus*, *B. brevis*, *Staphylococcus sciuri*, *B. stearothermophilus*, *Burkholderia pseudomallei*, and *Enterococcus duran*. The highest bacteria diversity was in the fourth day, the highest evenness occured at the first, tenth, twelveth, and fiftenth day. All of the bacteria species were dominant during fermentation, except *Bacillus badius* at the eleventh day that was a subdominant bacteria.

Feed materials consisting of water hyacinth and corncob contain high cellulose. Because of that, the indigenous bacteria that previously have been isolated from the material are dominated by bacteria that have cellulolytic activity. From those, there are 2 bacteria that do not show cellulolytic activity, namely *Bacillus brevis* and *Burkholderia pseudomallei*. Even though the two bacteria cannot degrade cellulose, this two species can inhibit water hyacinth and corncob mixture because they can use cellulose degradation result by other bacteria as carbon and energy sources. Based on bacteria diversity data during fermentation process as in Table 1, the presence of *Bacillus brevis* and *Burkholderia pseudomallei* have been just detected in the fourth day of fermentation process. This gives signal that the two bacteria can utilize the cellulose degradation result by other bacteria to fulfill their needs. This is very different to *Bacillus laterosporus* which is present in the feed since the first day until fifteenth day, when the isolates taking stopped.

The indigenous bacteria diversity involved in fermentation process of water hyacinth and corncob mixture are different from day to day. The diversity of indigenous bacteria consisted of species variation and the numbers of bacteria that inhibit those materials. The overall bacteria diversity during fermentation process are classified low (Shannon-Wiener index of diversity value = 0,7065) ,which means that the diversity is low. This indicates that during fermentation process of water hyacinth and corncob mixture, there was not a big species diversity, only a few species involved in the fermentation process. In every species, individual numbers are not even with index of evenness 0,3398 which means that the evenness is low. This indicates that the species diversity are not distributed, only certain species involved in the fermentation process of water hyacinth and corncob mixture. The dominant species during fermentation process are *Bacillus laterosporus*, *B. badius*, and *Enterococcus durans*. Each

different fermentation (mesophylic, termophylic, cooling and maturing) has different microorganisms variation. Fermentation process of a material involve some kinds of bacteria and fungi [18].

4. Conclusion

In fermentation process, the mixture of water hyacinth and corncob involves eight bacteria species including *Bacillus laterosporus*, *B. badius*, *B. pantothenticus*, *B. brevis*, *Staphylococcus sciuri*, *B. stearothermophilus*, *Burkholderia pseudomallei*, and *Enterococcus duran*. The diversity, evenness, and dominancy of related bacteria in those fermentation materials from day to day are various. The highest diversity is at the fourth day, while the highest evenness occured at the first, tenth, twelveth, and fiftenth days. All of bacteria species are dominant during fermentation process, except *Bacillus badius* at the eleventh day that was a subdominant bacteria.

Based on the research result obtained, there are bacteria diversity, evenness, and dominancy fluctuation from day to day during fermentation. Therefore, in the utilization of fermented feed as indigenous bacteria consorcium starter, all the catched isolates have to be sponsored everyday.

5. References

- [1] Sarian Z B 2016(online) 'Corn Cobs Converted Into Nutritious Animal Feed' Version: 30 Oktober 2016 (http://www.zacsarian.com/category/agri-ideas)
- [2] Wanapat M, Pilajun R, Kang S, Setyaningsih K, and Setyawan A R 2012 Effect of Ground Corn Cob Replacement for Cassava Chip on Fermentation and Urinary Derivatives in Swamp Buffaloes Asian-Aust. J. Anim. Sci. 25(8) pp. 1124-1131
- [3] Rostika R and Safitri R 2012 Influence of Fish Feed Corn-Cob Was Fermented By *Trichoderma sp.*, Aspegillus *sp.*, *Rhizopus oligosporus* To The Rate of Growth of Java Barb (*Puntius Gonionitus*) *APCBEE Procedia* **2** pp. 148-152
- [4] Lardy G and Anderson V 2009 Alternative Feeds for Ruminant (NDSU: Dakota)
- [5] Kanengoni A T, Chimonyo M, Ndimba B K, and Dzama K 2015 Potential of Using Maize Cobs in Pig Diets — A Review Asian Australas. J. Anim. Sci. 28(12) pp. 1669-1679
- [6] Tham H T 2012 Water Hyacinth (Eichhornia crassipes)-Biomass Production, Ensilability and Feeding Value to Growing Cattle (Thailand: Disertasi Swedish University of Agricultural Sciences. Uppsala Thailand)
- [7] Kumar A, Sharma P C, Kumar A, and Negi V 2011 A Study on Phenotypic Traits of *Candida* Species Isolated from Blood Stream Infections and Their *In Vitro* Susceptibility to Fluconazole *Al Am een J Med Sci.* 7(1) pp. 83-91
- [8] Boboescu I Z, Ilie M, Gherman V D, Mirel I, Pap B, Negra A, Kondorosi E, Biro T, and Maroti G 2014 Revealing the Factors Influencing A Fermentative Biohydrogen Production Process Using Industrial Wastewater as Fermentation Substrate *Biotechnology for Biofuels*. 7 pp. 139-154
- [9] Saputro T 2016(online) Pakan untuk Ternak Domba. *Ilmu Ternak* (http://www.ilmuternak.com/2015/03/pakan-untuk-ternak-domba.html)
- [10] Umsakul K, Dissara Y, and Srimuang N 2010 Chemical, Physical and Microbiological Changed during Composting of the Water Hyacinth. Pakistan *Journal of Biological Sciences* 13(20) pp. 985-992
- [11] Fitrihidajati H, Isnawati, and Suparno G 2013 Pemanfaatan Eceng Gondok (*Eichornia crassipes*) untuk Pakan Ternak Ruminansia sebagai Salah Satu Cara Mengatasi Gulma Perairan (Surabaya: Laporan Penelitian Hibah Bersaing Universitas Negeri Surabaya)
- [12] Phioneer H R, Yurmiati H, and Sinaga S 2016(online) Tingkat Penggunaan Eceng Gondok (Eichhornia *crassipes*) dalam Silase Ransum Komplit terhadap Pertambahan Bobot Badan dan Efisiensi Ransum Kelinci Peranakan New Zealand White (http://download.portalgaruda.org/article.php)
- [13] Seo J, Jung J K, and Seo S 2015 Evaluation of Nutritional and Economic Feed Values of Spent

Coffee Grounds and Artemisia Princeps Residues as a Ruminant Feed Using in Vitro Ruminal Fermentation. *Peer J.* **3** e1343

- [14] Alrumman S A 2016 Enzymatic Saccharification and Fermentation of Cellulosic Date Palm Waste to Glukose and Lactic Acid *Brazilian Journal of Microbiology* 47 pp. 110-119
- [15] Belal E B 2014 Bioethanol Production from Rice Straw Residu <u>Biotechnol Biofuels</u> 7 pp. 139-142
- [16] Fitrihidajati H, Isnawati, and Suparno G 2014 Pemanfaatan Eceng Gondok (Eichornia crassipes) untuk Pakan Ternak Ruminansia sebagai Salah Satu Cara Mengatasi Gulma Perairan (Surabaya: Penelitian Hibah Bersaing. Universitas Negeri Surabaya)
- [17] Fitrihidajati H, *Ratnasari E, Isnawati*, and *Soeparno G 2015* Kualitas Hasil Fermentasi Pada Pembuatan Pakan Ternak Ruminansia Berbahan Baku Eceng Gondok (*Eichhornia crassipes*) *Journal of Biosaintifika* 7(1) pp. 62-67
- [18] Ramos C L, de Almeida E G, Freire A L, and Schwan R F 2011 Diversity of Bacteria and Yeast in The Naturally Fermented Cotton Seedand Rice Beverage Produced Food Microbiology 28(7) pp. 1380–1386