

# THE INFLUENCE OF PH VALUES ON THE CRYSTALLITE SIZE OF ZnO SOLVOTHERMAL SYNTHESIS

*by* Mochamad Zakki Fahmi

---

**Submission date:** 01-Sep-2021 08:14PM (UTC+0800)

**Submission ID:** 1639418059



**File name:** A9-The\_influence\_of\_pH\_values\_on\_the\_crystallite.pdf (3.73M)

**Word count:** 1704


**Character count:** 9061

# Jurnal KIMIA RISET

Volume 2 No. 2, Desember 2017; ISSN: 2528-0414; e-ISSN: 2528-0422



**Departemen Kimia  
Fakultas Sains dan Teknologi  
Universitas Airlangga  
<http://e-journal.unair.ac.id/index.php/JKR>**



Home > About the Journal > Editorial Team

## EDITORIAL TEAM

### EDITOR-IN-CHIEF

Dr. Purkan Purkan, Department of Chemistry, Faculty of Science and Technology, Airlangga University

### VICE EDITOR-IN-CHIEF

Dr. Abdulloh Abdulloh, Department of Chemistry, Faculty of Science and Technology, Airlangga University

### EDITORIAL BOARD

Prof. Ni Nyoman Tri Puspaningsih, Department of Chemistry, Faculty of Science and Technology, Airlangga University  
Prof. Chun-Hu Chen, Department of Chemistry, National Sun Yat-sen University, Kaohsiung, 80424, Taiwan  
Prof. Punnapayak Hunsa, Faculty of Science, Chulalongkorn University, Bangkok, 10330, Thailand  
Dr.rer.nat Ganden Supriyanto, Department of Chemistry, Faculty of Science and Technology, Airlangga University  
Dr. Hery Suwito, Department of Chemistry, Faculty of Science and Technology, Airlangga University

### MANAGING EDITOR

Dr. Imam Siswanto, Department of Chemistry, Faculty of Science and Technology, Airlangga University  
Rico Ramadhan, Ph.D, Department of Chemistry, Faculty of Science and Technology, Airlangga University  
Qurrota A'yuni, M.Si, Department of Chemistry, Faculty of Science and Technology, Airlangga University  
Fatiha Khairunnisa, M.Si, Department of Chemistry, Faculty of Science and Technology, Airlangga University

### ADMINISTRATION SUPPORT

Fendi Kristanto, Department of Chemistry Faculty of Science and Technology Universitas Airlangga  
Oktavia Wahyu Ningsih, Department of Chemistry Faculty of Science and Technology Universitas Airlangga



View JKR Stats  
00093642



### Instruction for Author

Guide for authors  
Online Submission  
Document Template

### Journal Policy

Focus and Scope  
Publication Ethics  
Article Processing Charge  
Peer Reviewers  
Editorial Team  
Open Access Statement  
Plagiarism  
Copyright  
Contact

### USER

Username   
Password   
 Remember me

### NOTIFICATIONS

View  
Subscribe

### JOURNAL CONTENT

Search   
Search Scope  
All

Browse  
By Issue  
By Author  
By Title  
Other Journals


### INFORMATION

For Readers  
For Authors  
For Librarians

### KEYWORDS

Alkaline protease, Chicken feces, Gallus gallus bankiva, Pseudomonas sp  
Alkaloid turunan furfuralidin  
skimmianin, Toddalia asiatica L.,  
antikanker Analytical Chemistry  
Antifungal preparations, Candida  
albicans, Betel leaf (SOS), Gellingang  
leaf extract (Cassia alata L.),  
Antioxidant: S. polycystum, T.  
decurvens, Dukungan Island DENV-2, 2-  
isopropanol, Methanol, Chloroform,  
Ethanol 96%, RNA Isolation Diocorea  
hispidia Dennis, Diocoreaceae,  
phenolic, 4-ethoxy-3-methoxyphenol,  
methyl-3,4-dihydroxybenzoic,  
antioxidant Ganoderma lucidum,  
senyawa fitokimia, GCMS Inorganic  
Chemistry, RNA, Precipitation Solvent,  
DMF, EDTA, Ultrapure H2O Salada  
merah (Lactuca scariola var. Crisp),  
pitotoksik, Artemia salina Lesch, TiO2  
ZSM-5, metakaolin, terdealumina,  
tanpa template, pengaturan suhu dan  
waktu antibakteri, Enterobacter  
aerogenes, Mangifera foetida L.,  
metanol asam amino, besi,  
nanomagnetik, dan mineral enzim,  
biodegradation, fungus enzyrna fenil  
propionid, skopolin, dan Ipomoea  
batatas L. fotolabialik methanol  
Phytochemical screening, Piper betle L.  
var Nigra, methyloleate, catalyat,  
Ni/HNZ hydrocracking remazol red 198





Home > Archives > Vol 2, No 2 (2017)

## VOL 2, NO 2 (2017)

DESEMBER

### TABLE OF CONTENTS

#### ARTICLES

- REPARASI DAN KARAKTERISASI ALFA-Fe<sub>2</sub>O<sub>3</sub> / ZEOLIT Y UNTUK REAKSI PERENKAHAN ASAM PALMITAT** 69-76  
doi: 10.20473/jkr.v2i2.6166  
Abstract views = 311 times | views = 642 times  
Abdulloh Abdulloh, Purkan Purkan, Nizar Hardiansyah
- Membran Blend Kitosan/Poli Vinil Alkohol (PVA): Pengaruh Komposisi material blend, pH, dan Konsentrasi bahan Pengikat Silang** 77-85  
doi: 10.20473/jkr.v2i2.6195  
Abstract views = 399 times | views = 3496 times  
Bambang Piliuharto, A Sjaifulah, I Rahmawati, Erix Nurharianto
- EFEKTIVITAS KOMBINASI EKSTRAK DAUN SIRIH MERAH (Piper Crocatum) DAN EKSTRAK BIJI ALPUKAT (Persea americana) DALAM MENGHAMBAT PERTUMBUHAN Candida albicans** 86-92  
doi: 10.20473/jkr.v2i2.6196  
Abstract views = 943 times | views = 2255 times  
Vini Angraini, Masfufatun Masfufatun
- Celery herb essential oil in the formulation of anti-dandruff hair tonic against Pityrosporum ovale** 93-97  
doi: 10.20473/jkr.v2i2.6197  
Abstract views = 471 times | views = 543 times  
Riska Surya Ningrum, Antonius Budi Prasetyo, Alinda Novi Kristanti
- OPTIMASI JENIS DAN KADAR SUMBER NITROGEN SERTA pH MEDIUM UNTUK PRODUKSI PROTEASE DARI ISOLAT HTGUM6.2.2 DARI TAUCO SURABAYA** 98-107  
doi: 10.20473/jkr.v2i2.6307  
Abstract views = 319 times | views = 765 times  
Monika Rahayu, Evi Susanti
- POTENSI EKSTRAK METANOL DAUN MANGGA BACANG (Mangifera foetida L.) SEBAGAI ANTIBAKTERI TERHADAP Enterobacter aerogenes DAN IDENTIFIKASI GOLONGAN SENYAWA AKTIFNYA** 108-117  
doi: 10.20473/jkr.v2i2.5753  
Abstract views = 972 times | views = 2497 times  
Ely Setiawan, Tien Setyaningtyas, Dwi Kartika, Dian Riana Ningsih
- The Influence of pH Values on the Crystallite Size of ZnO by Solvothermal Synthesis** 118-122  
doi: 10.20473/jkr.v2i2.6430  
Abstract views = 208 times | views = 203 times  
Ahmadi Jaya Permana, Dian Wulandari, Hartati Hartati, Harsasi Setyawati, Mochammad Zakki Fahmi
- Gambaran Histopatologi Hepar Tikus Putih (Rattus Novergicus) yang Diinduksi dengan Parasetamol dosis Toksik Pasca Pemberian Ekstrak Etanol Daun Kelor (Moringa Oleifera)** 123-130  
doi: 10.20473/jkr.v2i2.6700  
Abstract views = 473 times | views = 4096 times  
Noer Kumala I
- PENGEMBANGAN ELEKTRODA PASTA KARBON TERMODIFIKASI MIP DENGAN MONOMER ASAM METAKRILAT SEBAGAI SENSOR PADA ANALISIS KREATIN SECARA POTENSIMETRI** 131-139  
doi: 10.20473/jkr.v2i2.6699  
Abstract views = 583 times | views = 983 times  
Usreg Sri Handajani, Cahya Nurrahmi H Amilanti, Miratul Khasanah

#### Instruction for Author

- Guide for authors
- Online Submission
- Document Template

#### Journal Policy

- Focus and Scope
- Publication Ethics
- Article Processing Charge
- Peer Reviewers
- Editorial Team
- Open Access Statement
- Plagiarism
- Copyright
- Contact

#### USER

Username

Password

Remember me

#### NOTIFICATIONS

- View
- Subscribe

#### JOURNAL CONTENT

Search

Search Scope

- Browse
- By Issue
  - By Author
  - By Title
  - Other Journals

#### INFORMATION

- For Readers
- For Authors
- For Librarians

#### KEYWORDS

Alkaline protease, Chicken feces, Gallus gallus bankiva, Pseudomonas sp  
Alkaloid turunan furkokuindin skimmianin, Toddalia asiatica L., antikanfer Analytical Chemistry Antifungal preparations, Candida albicans, Betal leaf (SOS), Gellingang leaf extract (Cassia alata L.), Antioxidant: S. polycystum, T. decurans, Dukung Island DENV-2, 2-isopropanol, Methanol, Chloroform, Ethanol 96%, RNA Isolation Dioscorea hispida Dennst, Dioscoreaceae, phenolic, 4-ethoxy-3-methoxyphenol, methyl-3,4-dihydroxybenzoic, antioxidant: Ganoderma lucidum, senyawa fitokimia, GCMS Inorganic Chemistry, RNA, Precipitation Solvent, DMF, EDTA, Ultrapur H2O Sebagai mearah (Lactuca scariola var. Crisp), pitotoksik, Artemia salina Lesch, TiO2 ZSM-5, metakolin, terdealumina, tanpa templat, pengaturan suhu dan waktu antibakteri, Enterobacter aerogenes, Mangifera foetida L, metanol asam amino, besi, nanomagnetit, dan mineral enzim, biodegradation, fungus enzyme fanil propionid, siropletin, dan Sporema basatas L, fotolablik methanol, Phytochemical screening, Piper betle L, var Nigra, methyloleate, catalyat, Ni/HNZ hydrocracking remazol red 198

#### CURRENT ISSUE



Volume 2, No 2


 Pengaruh pH terhadap Degradasi Pewarna Direct Blue menggunakan Jamur Pelapuk Kayu *Pleurotus flabellatus*



140-  
146

 10.20473/jkr.v2i2.6546

 Abstract views = 334 times |  views = 940 times

 Niki Rachmanur Husna, Hasni Ummas, Sudding -

RST 2.0

RST 3.0



00039521



View JKR Stats



Pusat Pengembangan Jurnal dan Publikasi Ilmiah  
Universitas Airlangga  
copyright@2017 Template PPJPI

## Journal Profile

### Jurnal Kimia Riset

eISSN : 2528-0422 | pISSN : 2528-0414

[Science](#)

[Universitas Airlangga](#)



S3

Sinta Score



Indexed by GARUDA

3

H-Index

3

H5-Index

15

Citations

15

5 Year Citations

## THE INFLUENCE OF PH VALUES ON THE CRYSTALLITE SIZE OF ZnO SOLVOTHERMAL SYNTHESIS

Ahmadi Jaya Permana\*, Dian Wulandari, Hartati, Harsasi Setyawati,  
Mochamad Zakki Fahmi

Department of Chemistry Faculty of Science and Technology  
Universitas Airlangga

\*email: ahmadi-j-permana@fst.unair.ac.id

Received 11 Nopember 2017

Accepted 28 Nopember 2017

### Abstract

Zinc oxide (ZnO) is a semiconductor material that widely used in various applications due to its unique properties. Synthesis of ZnO by solvothermal method has been conducted with controlled pH values. The variations of pH value were 10, 11 and 12 by adjusting NaOH content. Crystall structure of the synthesis products after heat treatment at 110oC and 600oC has been characterised by X-ray Diffractometer (XRD). Crystallite size of ZnO was calculated by Scherrer equation. Crystall phase of ZnO has been observed on all pH value variations at 110 oC with 22,98-37,06 nm of crystallite size, whereas ZnO has been observed on all pH value variations at 600 oC with 41,39-71,77 nm of crystallite size.

**Keywords:** ZnO, pH values, crystallite size, solvothermal

### Introduction

Zinc oxide (ZnO) as semiconductor material has high stability in chemical, mechanical, photoradiation and thermal, board band gap energy and good in electrochemical and photochemical properties (Kołodziejczak-radzimska, 2014). As a semiconductor material, ZnO is widely used as promising materials for electronic and optoelectronic applications such as laser diodes, photoelectrodes, LEDs and gas sensors. Besides electronic application, ZnO is also catalyst that has lewis acid and basic for organic compounds synthesis (Kothandapani, 2016). In health and environmental application like medicine, biomedical diagnosis and therapy, water treatment, waste photodegradation, ZnO has antimicrobial (Król, 2017), antioxidant (Zare, 2017) and photocatalytic properties (Atchudan, 2017). According to versatile applications, ZnO is still attractive

materials to be investigated especially in synthesis development.

Synthesis of ZnO by solvothermal method is an alternative method to produce single-crystalline nanostructure, controlled size and shape (Rai, 2013). In addition, solvothermal synthesis is able to produce fine and uniform nanoparticle (Sari, 2015). This method performance is influenced by reaction environment such as precursor, solvent and additives (An, 2015). Precursor, solvent and additives affect microstructures, morphology and the properties of product (Zare, 2017). Synthesis of ZnO by solvothermal method basicly is conducted in base environment. As an important factor, the influence of pH on ZnO synthesis has been investigated in this work.

In this research, ZnO has been synthesized by facile solvothermal method in various pH then continued with heat treatment process at 110°C and 600°C. The influences of pH have been studied by X-

ray diffraction method to study the crystall structures and crystallite size. Crystallite size average was calculated using Scherrer method.

## Materials and Methods

### Materials

Zinc acetate dihydrate ( $\text{Zn}(\text{CH}_3\text{COO})_2 \cdot 2\text{H}_2\text{O}$ , 99%), sodium hydroxide ( $\text{NaOH}$ , 98%), ethanol absolute were purchased from Sigma-Aldrich, that used without further purification.

### Methods

#### Synthesis of ZnO

Synthesis of ZnO has started by dissolving of 2 gram  $\text{Zn}(\text{CH}_3\text{COO})_2 \cdot 2\text{H}_2\text{O}$  in 100 mL ethanol absolute until homogenous. The solution of  $\text{NaOH}$  2 M in ethanol was then added drop wise into  $\text{Zn}(\text{CH}_3\text{COO})_2$  to adjust pH values to 10, 11 and 12 while still stirred constantly and heated at 75 °C for 8 hours. The mixtures were then digest at room temperature for 24 hours. The precipitates were formed during this process then filtered and washed with demineralised water. After this, the precipitates were heated at 110°C and 600°C for 5 hours, respectively.

#### Characterisation of ZnO

Phase and crystal structure was analyzed on a X-ray diffractometer (XRD) X'PERT-PRO PA using  $\text{CuK}\alpha$  radiation ( $\lambda = 1,5418 \text{ \AA}$ ) for  $2\theta$  values for 20-80°. Crystallite size was measured by X-ray peak profile analysis and calculated by Debye-Scherrer equation (Thomas, 2014).

$$D = \frac{K \lambda}{\beta_{hkl} \cos \theta} \quad (1)$$



where D is crystallite size, K is Scherrer constant equal to 0,90,  $\lambda$  is X-ray wavelength for  $\text{CuK}\alpha$  radiation equal to 1,5418 Å,  $\beta_{hkl}$  is full width at half maximum (FWHM) of XRD peak and  $\theta$  is diffraction angle.


## Results and Discussion

Herein, white powders of ZnO were successfully synthesised by solvothermal method at all variations of pH value and at all temperature heat treatment. These results are following precipitation reaction of  $\text{Zn}(\text{OH})_2$  then transformed to ZnO by heating process (Kołodziejczak-radzińska, 2014)


Elimination of  $\text{Na}(\text{CH}_3\text{COO})$  and  $\text{H}_2\text{O}$  as side products was conducted by washing and heating process so that can produce single product of ZnO. Figure 1 shows the diffractogram of ZnO with similar XRD peaks pattern of all pH variation at 110°C. The XRD peaks pattern are indexed to JCPDS 36-1451 that confirm the hexagonal wurtzite phase of ZnO. There are no other crystalline phase detected that mean this synthesis method produce single crystalline phase of ZnO. Besides all pH variation show similar pattern, the XRD peak intensity ratio are quite similar at all pH variations

Single crystallinity of hexagonal wurtzite phase of ZnO showed on Figure 2. Peak intensity of XRD increased at all pH value along the increasing of temperature from 110°C to 600°C. Similar results with heat treatment at 110°C, XRD peak intensity ratio are quite similar at all pH value that indicates similar shape and morphology formation (Jaimeewong, 2016)





**Figure 1.** XRD diffractograms of ZnO products of different pH variation at 110°C



**Figure 2.** XRD diffractograms of ZnO products of different pH variation at 600°C

**Table 1.** Crystallite size average of ZnO

Temperature (°C)	Crystallite Size Average (nm)		
	pH =10	pH = 11	pH =12
110	22,98	37,06	26,12
600	71,77	54,23	41,39

The influence of pH value variations to crystallite size of ZnO can be observed on Table 1. At 110°C, there are no correlation results about the influence of pH value to ZnO crystallite size due to the difference of products transformation to ZnO. The product formation before heat treatment at pH 10 are dominantly Zn(OH)<sub>2</sub>, product at pH 11 are dominantly Zn(OH)<sub>2</sub> and Zn(OH)<sub>3</sub><sup>-</sup> and product at pH =12 are dominantly Zn(OH)<sub>3</sub><sup>-</sup> (Pandit, 2017). The increased of heat temperature increase the crystallite size of ZnO because the increased of aggregation process (Jaimeewong, 2016). The influence of pH value observed the decreased of the crystallite size from 10 to 12. The function of NaOH on solvothermal method as mineraliser and catalyst (An, 2015) can be

#### References

- An, A., Marin, M., Crnjak, Z., and Majda, Ž. (2015). Basic zinc carbonate as a precursor in the solvothermal synthesis of nano-zinc oxide, 86, 347–353. <http://doi.org/10.1016/j.matdes.2015.07.087>
- Atchudan, R., Nesakumar, T., Immanuel, J., Perumal, S., Shanmugam, M., and Rok, Y. (2017). Journal of Photochemistry and Photobiology A : Chemistry Direct solvothermal synthesis of zinc oxide nanoparticle decorated graphene oxide nanocomposite for efficient photodegradation of. "Journal of Photochemistry and Photobiology, A: Chemistry," 337, 100–111. <http://doi.org/10.1016/j.jphotochem.2017.01.021>

the reason about the decreased of the crystallite size.

#### Conclusions

To conclude, ZnO have successfully been synthesized by solvothermal method. ZnO were formed in all of pH values variation at both 110°C and 600°C temperature of heat treatment. Synthesis of ZnO at pH = 10 at 600°C resulted highest XRD peak intensity and greatest crystallite average size to 71,77 nm.

#### Acknowledgements

We thank to Faculty of Science and Technology for the financial support by Hibah Dosen Muda Dana RKAT Fakultas Sains dan Teknologi Universitas Airlangga Tahun 2017 Nomor SP POPA 628/UN3.6/KU/2016.

- Jaimeewong, P., Promsawat, M., Jiansirisomboon, S., and Watcharapasorn, A. (2016). Surface and Coatings Technology Influence of pH values on the surface and properties of BCZT nanopowders synthesized via sol-gel auto-combustion method. *Surface and Coatings Technology*, 306(3), 16–20. <http://doi.org/10.1016/j.surfcoat.2016.03.091>
- Kołodziejczak-radzimska, A., and Jesionowski, T. (2014). Zinc Oxide—From Synthesis to Application: A Review, 2833–2881. <http://doi.org/10.3390/ma7042833>

- Kothandapani, J., Ganesan, A., and Kumar, G. (2016). Zinc oxide surface : a versatile nanoplatform for solvent-free synthesis of diverse isatin derivatives. *Tetrahedron Letters*, 57(31), 3472–3475. <http://doi.org/10.1016/j.tetlet.2016.06.094>
- Król, A., Pomastowski, P., Ra, K., and Buszewski, B. (2017). Zinc oxide nanoparticles : Synthesis antiseptic activity and toxicity mechanism. <http://doi.org/10.1016/j.cis.2017.07.033>
- Pandit, A. B., and Badnore, A. (2017). Effect of pH on sonication assisted synthesis of ZnO nanostructures : Process details Corresponding author. *Chemical Engineering and Processing: Process Intensification*. <http://doi.org/10.1016/j.cep.2017.09.013>
- Rai, P., Kwak, W., and Yu, Y. (2013). Solvothermal Synthesis of ZnO Nanostructures and Their Morphology-Dependent Gas-Sensing Properties.
- Sari, A., Stefani, G., and Dra, G. (2015). Solvothermal synthesis of zinc oxide microspheres, 652, 91–99. <http://doi.org/10.1016/j.jallcom.2015.08.200>
- Thomas, P. B. S. (2014). Estimation of lattice strain in ZnO nanoparticles : X-ray peak profile analysis, 123–134. <http://doi.org/10.1007/s40094-014-0141-9>
- Zare, M., Namratha, K., Byrappa, K., Surendra, D. M., Yallappa, S., and Hungund, B. (2017). Surfactant assisted solvothermal synthesis of ZnO nanoparticles and study of their antimicrobial and antioxidant properties. *Journal of Materials Science and Technology*. <http://doi.org/10.1016/j.jmst.2017.09.014>

# THE INFLUENCE OF PH VALUES ON THE CRYSTALLITE SIZE OF ZnO SOLVOTHERMAL SYNTHESIS

## ORIGINALITY REPORT

8%

SIMILARITY INDEX

0%

INTERNET SOURCES

8%

PUBLICATIONS

0%

STUDENT PAPERS

## PRIMARY SOURCES

- 1** Julia Victoria Catherina ` R, Untung Sudharmono. "The Effectiveness of Cherry Leaves Decoction (Muntingia Calabura L) Towards SGOT SGPT Serum on Male Wistar Rats in Critical Hepatitis Model", Abstract Proceedings International Scholars Conference, 2019  
Publication 2%
- 2** Bindu, P., and Sabu Thomas. "Estimation of lattice strain in ZnO nanoparticles: X-ray peak profile analysis", Journal of Theoretical and Applied Physics, 2014.  
Publication 1%
- 3** Cheng, C.. "Plus green emission of ZnO nanorods induced by Ce<sup>3+</sup> doping and concentration", Journal of Photochemistry & Photobiology, A: Chemistry, 20080415  
Publication 1%
- 4** Gaoke Zhang, Xiong Shen, Yanqing Yang. "Facile Synthesis of Monodisperse Porous ZnO Spheres by a Soluble Starch-Assisted Method and Their Photocatalytic Activity", The Journal of Physical Chemistry C, 2011  
Publication 1%
- 5** Mansoor Ani Najeeb, Asma Alkareem, Muhammad Awais, Zubair Ahmad et al. "Effect of microwave sintering on the crystal domain and electrical properties of TiO<sub>2</sub>" 1%

# nanoparticles", Journal of Nanoparticle Research, 2017

Publication

6

Daniela Meroni, Cinzia Gasparini, Alessandro Di Michele, Silvia Ardizzone, Claudia L. Bianchi. "Ultrasound-assisted synthesis of ZnO photocatalysts for gas phase pollutant remediation: Role of the synthetic parameters and of promotion with WO<sub>3</sub>", Ultrasonics Sonochemistry, 2020

Publication

1 %

7

Febri Wahyudianto, Nur Oktavitri, Sucipto Hariyanto, Dhila Maulidia. "Application of Equisetum hyemale in Constructed Wetland: Influence of Wastewater Dilution and Contact Time", Journal of Ecological Engineering, 2019

Publication

1 %

8

R. Sankar Ganesh, Ganesh Kumar Mani, R. Elayaraja, E. Durgadevi et al. "Surfactant free controllable synthesis of 2D – 1D ZnO hierarchical nanostructure and its gas sensing properties", Applied Surface Science, 2018

Publication

1 %

Exclude quotes  On

Exclude matches  < 5 words

Exclude bibliography  On

# THE INFLUENCE OF PH VALUES ON THE CRYSTALLITE SIZE OF ZnO SOLVOTHERMAL SYNTHESIS

---

GRADEMARK REPORT

---

FINAL GRADE

**/0**

GENERAL COMMENTS

**Instructor**

---

PAGE 1

---

PAGE 2

---

PAGE 3

---

PAGE 4

---

PAGE 5

---

PAGE 6

---

PAGE 7

---

PAGE 8

---

PAGE 9

---

PAGE 10

---