

Journal of Physics

Conference Series

The 11th Biennial Conference on
Classical and Quantum Relativistic
Dynamics of Particles and Fields

1239

VOLUME 1239 – 2019

4–7 June 2019
Mérida, Yucatán, Mexico

EDITOR
Marta Lerd

The open access journal for conference proceedings
iopscience.org/jpc

PAPER • OPEN ACCESS

Folate receptor mediated in vivo targeted delivery of human serum albumin coated manganese ferrite magnetic nanoparticles to cancer cells

To cite this article: A Zaidan *et al* 2017 *J. Phys.: Conf. Ser.* **853** 012048

View the [article online](#) for updates and enhancements.

Related content

- [Raman spectroscopy in investigations of mechanism of binding of human serum albumin to molecular probe fluorescein](#)
I M Vlasova and A M Saletsky
- [Investigation of mechanism of binding of molecular probe eosin to human serum albumin by Raman spectroscopy method](#)
I M Vlasova, D V Polyansky and A M Saletsky
- [NIR-to-visible upconversion nanoparticles for fluorescent labeling and targeted delivery of siRNA](#)
Shan Jiang, Yong Zhang, Kian Meng Lim *et al.*



The banner features a decorative top border with a repeating pattern of red, white, and blue diagonal stripes. On the left, the ECS logo is displayed in green and blue, followed by the text 'The Electrochemical Society' and 'Advancing solid state & electrochemical science & technology'. In the center, the text '239th ECS Meeting with IMCS18' is written in a large, bold, dark blue font. Below this, 'DIGITAL MEETING • May 30-June 3, 2021' and 'Live events daily • Free to register' are listed in a smaller, dark blue font. On the right side, there is a graphic of a person's head with glowing blue neural connections and a laptop icon. A red button with white text 'Register now!' is positioned at the bottom right. A small logo with '18th' is also visible in the upper right area of the banner.

Folate receptor mediated in vivo targeted delivery of human serum albumin coated manganese ferrite magnetic nanoparticles to cancer cells

A Zaidan^{1,2,*}, F Ilhami¹, M Z Fahmi^{1,3}, B Purwanto^{1,4} and R Z Kharisma¹

¹Sekolah Pascasarjana Universitas Airlangga, Kampus B Universitas Airlangga, Jalan Airlangga 4-6, Surabaya, Indonesia.

²Department of Physics, Universitas Airlangga, Kampus C Universitas Airlangga, Mulyorejo, Surabaya, Indonesia.

³Department of Chemistry, Universitas Airlangga, Kampus C Universitas Airlangga, Mulyorejo, Surabaya, Indonesia.

⁴Faculty of Medicine, Universitas Airlangga, Kampus A Universitas Airlangga, Jalan Mayjen Prof. Dr. Moestopo 47, Surabaya, Indonesia.

*Corresponding email address: zaidan@fst.unair.ac.id

Abstract. Manganese ferrite nanoparticles (MnFe_2O_4) have received increasing attention due to their remarkable magnetic properties and have been used for various biomedical applications. They have potential applications in magnetic resonance imaging and hyperthermia for cancer. Both novel applications require a delivery system that will allow nanoparticle to move easily and localization of nanoparticle to the target tissue. In our work, we developed human serum albumin coated manganese ferrite magnetic nanoparticles (HSA-MF NPs). The nanoparticles were prepared using solvothermal method and modified with folic acid for targeted delivery. Structure and morphology of manganese ferrite nanoparticle were characterized by X-ray diffraction (XRD) pattern and transmission electron microscopy (TEM). The size of folic acid conjugated HSA-MF NPs (HSA-MF-FA NPs) were studied by dynamic light scattering (DLS). In the in vivo study, we used benzopyrene-induced cancer in mice. We successfully delivered HSA-MF-FA NPs through intravenous tail injection after induction of the tumour. We found that 54% of initial HSA-MF-FA NPs which previously injected localize in the target tissue. While obtained p-value from independent T-test is 0.013 which shows that there is a difference between the control group (HSA-MF NPs) and the treated group (HSA-MF-FA NPs)

1. Introduction

Cancer is one of the leading causes of mortality worldwide, it is also one of the most difficult puzzles to solve. Based on International Agency for Research on Cancer (IARC), there were more than 14 million new cases of cancer and 8 million cancer death worldwide in 2012 [1]. Traditional treatment method of cancer such as surgery, radiation therapy, and chemotherapy or a combination of these therapies. Over the years these methods have improved and managed to increase the number of patients healing. However, this method of treatment is still not perfect. The invasive nature of the surgery, providing a high degree of risk to patients both before and after the procedure. Radiation therapy have a short-term



side effects such as nausea, itchiness, dryness and long-term side effects such as vascular damage, atrophy, and fibrosis due to radiation [2]. While chemotherapy causes systemic side effects. Drugs used in anti-cancer chemotherapy destroys cells that divide rapidly, either cancerous or healthy cells. Therefore, technology that can direct anti-cancer drugs right to the location of the tumour is strongly needed, thus the risk of chemotherapy side effects can be made as low as possible.

The current technological developments allow us to develop targeted therapy that can be an option for cancer treatment. Many scientists have done research to develop a drug delivery system (DDS) that can deliver the drug to the right place, localize the drug and reduce the risk of drugs side effects. One of the strong candidate for DDS is Magnetic nanoparticle with modified surface.

This study develops manganese ferrite nanoparticles (MnFe_2O_4) encapsulated in Human Serum Albumin (HSA). HSA was used because it can make nanoparticle system stable, it also acts as a phase transfer agent. The encapsulated MnFe_2O_4 magnetic nanoparticles system is expected to have stable, water-soluble properties and can be used for DDS.

Some targeting agent such as polyethylene glycol (PEG), lactic-co-glycolic acid (PLGA), human epidermal growth factor receptor (EGFR), folic acid, silica, and somatostatin / growth hormone (GH) has been developed. For cancer therapy, folic acid is very suitable for cancer targeting agent due to its low level of toxicity and long biodegradable, folic acid also has a high specificity towards cancer cells [3]. For these reasons, in this study manganese ferrite nanoparticles will use folic acid as targeting agent for cancer.

2. Materials and Methods

2.1. Nanoparticles and surface preparation

All materials used in this experiment were purchased from Sigma-Aldrich and used as-received without further purification. Manganese ferrite nanoparticles (MF NPs) were synthesized chemically using solvothermal method. For this method, an aqueous solution was prepared by dissolving 2 mmol Iron (II) acetylacetonate and 1 mmol Mangan (III) acetylacetonate in 15ml benzyl ether ($\text{C}_{14}\text{H}_{14}\text{O}$) and 15ml oleylamine ($\text{C}_{18}\text{H}_{35}\text{NH}_2$). Then the solution mixture was heated to 110 °C for 1 hour following by heated to 300 °C also for 1 hour. After solution temperature back to room temperature, the solution was washed with ethanol and separated by means of centrifugation at 6000 rpm for 10 minutes. MF NPs obtained from this procedure is in black powder form.

The HSA transfer was done by dissolve MF NPs with 1 ml of hexene. In another container, HSA were dissolved in 10 ml of aqua bidestilation. Both nanoparticles and HSA then mixed together and undergone ultrasonication process at 20 kHz for 2 minutes. The mixture is then left for 24 hours. From this procedure, we get human serum albumin coated manganese ferrite magnetic nanoparticles (HSA-MF NPs). The procedure is then repeated for the attachment of folic acid to obtain folic acid conjugated HSA-MF NPs (HSA-MF-FA NPs).

2.2. Samples characterization

The X-ray diffraction (XRD) patterns of prepare manganese ferrite nanoparticles sample was characterized by PAN Analytical Philips X'Pert diffractometer with $\text{CuK}\alpha$ (0.154 nm) radiation to generate XRD patterns from samples at room temperature in a 2θ range of 10°-70°. The morphology of the prepared sample is observed by transmission electron microscopy and size distribution of nanoparticles was determined using dynamic light scattering (DLS) method.

2.3. Cancer Cells Induction and in vivo Procedure

Benzopyrene-induced cancer in wistar mice was done by injecting benzopyrene solution to breast area of mice. Benzopyrene solution was prepared by dissolve benzopyrene powder in olive oil at a ratio of 1:1. Cancer induction was done by injecting mice with benzopyrene solution of 0.3ml/kg two times a week subcutaneously in the breast area for 4 weeks.

In vivo procedure consists of two group, one group of mice administered injection of HSA-MF NPs (positive control group) and other group of mice administered injection of HSA-MF-FA NPs

(intervention group). Both of group administered injection of 1 cc solution intravenously from the tail. After 8 hours, cancer tissue of mice was taken for voltammetry characterization to determine the manganese metal content

3. Results and Discussion

3.1. X-ray diffraction, morphology, and size characterization

The XRD pattern of prepared MF NPs sample is shown in Fig. 1. The pattern of diffraction shows peaks which corresponds to Bragg reflections from (220), (311), (222), (400), (422), (333), (440) planes. Peaks of pattern in Fig. 1 is in good agreement with the standard XRD pattern of MnFe_2O_4 (JCPDS cards No. 74-2403, 10-0319) which indicate the samples had a face-centered cubic crystal structure.

From XRD data, average crystallite size of MF NPs sample was calculated using Scherrer's formula [4]. The result of calculation using full width at half maximum intensity for (311) plane shows that average crystallite size of sample is 4.6 nm.




Figure 1. XRD pattern of prepared MF NPs.

The size of prepared MF NPs was studied by TEM which is shown in Fig. 2. The TEM result reveals that nanoparticles have almost spherical shape and quite homogeneous with a size between 10-20 nm. This result indicating that the synthesis method adopted is successful in obtaining homogeneous MF NPs.

Size distribution characterization result of HSA-MF-FA NPs using DLS show that coated nanoparticles has average size of 227.3 ± 114.5 nm. Addition size of MF NPs is due to coating and agglomeration. The size of HSA-MF-FA NPs is determined by concentration ratio of HSA with the

nanoparticle. The greater the concentration of HSA used for coating procedure, the smaller size of HSA-MF-FA NPs [5].




Figure 2. TEM micrograph of MF NPs.

3.2 *In Vivo* and voltammetry analysis

Voltammetry Analysis was conducted to determine the concentration of HSA-MF-FA NPs in cancer tissue. Standard model was generated to determine the concentration of manganese (Mn) using multiple solutions with different concentrations (1, 2, 4, and 8 ppm). The result shows that for intervention group, there is 54% of HSA-MF-FA NPs injected intravenously in wistar mice reached the cancer cells.

Based on the test results of Shapiro-Wilk, it is known that p-value in the positive control group was 0.081 and in the intervention group was 0.166. It shows that the data are normally distributed due to the p-value $> \alpha$ (0.05). Analyse using independent t-test show that p-value of 0.203, this is suggesting that the variance of the data is homogeneous due to the p-value $> \alpha$ (0.05). The complete statistical result is shown in Table 1

Group	Mean	Median	SD±	P
Intervention group	0,0038	0,0038	0,0008	0,013
Positive control group	0,0024	0,0019	0,0011	

Based on the analysis results of independent t-test, p-value obtained was $0.013 < \alpha$ (0.05) this shows that there are differences between (HSA-MF-FA NPs) and (HSA-MF NPs) as a delivery system media against cancer cells in wistar mice.

In vivo results in wistar mice show that HSA-MF-FA NPs have potential to be used as a DDS. Voltammetry analysis show that there was a 54% concentration of HSA-MF-FA NPs distributed in cancer cell of mice 8 hours after injected with 1cc HSA-MF-FA NPs intravenously. It happens due to

the nano-size of HSA-MF-FA NPs making it possible to enter the cell through the leakage of blood vessels in the cancer cells. The nanoparticles also have a good ability to penetrate the interstitial part of blood vessel of the cancer cells with higher retention times than in healthy cells. Also, the uncontrollable cancer cells growth will always require faster vascularization and increases the permeability of that vascular so that it can easily be accessed by nanoparticles. This result is similar with study results by Hui S Huang in 2013 which revealed that the concentration of the nanoparticles identified in the tumour cells in the first 1 hour of 23%, 3 hours of 35%, 8 hours of 35%, 24 hours of 52%, and 96 hours of 20.58% [6].

In addition, HSA also play a role in the process of MF NPs entry into the cancer cells, it happens due to the differences in pH between healthy cells and cancer cells, where the high level of acidity in the environment of cancer cells will bring MF NPs move towards the cancer cells [7]. The change of pH in cancer cells will make the HSA structure opens and stimulates the release of folate from MF NPs so that MF NPs can enter cancer cells.

Delivery system media using HSA-MF-FA NPs are more effective accompanied by folic acid as a targeting agent that will move towards folate receptors on cancer cells. Some studies show promising results in accuracy and sensitivity detection of folate against cancer cells [3,8]. In our case folate receptor would normally distributed in the epithelium of healthy cells and increases in the epithelium of malignant cells. Folate receptor also activates the endocytosis progress so that HSA-MF-FA NPs can easily get into the cells' cytoplasm. This allows the use of targeted agents in the form of folic acid that have greater concentrations in cancer cells.

4. Conclusion

HSA-MF-FA NPs were successfully delivered through intravenous tail injection after induction of the cancer. It is found that 54% of initial HSA-MF-FA NPs which previously injected localize in the target tissue. Obtained p-value from independent T-test is 0.013 which shows that there is a difference between the control group (HSA-MF NPs) and the treated group (HSA-MF-FA NPs). It is indicating that HSA-MF NPs are less effective to be used as a delivery system media against cancer cells of wistar mice. From these results, it is concluded that the material of HSA-MF-FA NPs have potential to be used as a delivery system media against cancer cells in wistar mice.

Acknowledgments

This research was fully supported by Sekolah Pascasarjana Universitas Airlangga. We thank our colleagues from Department of Technobiomedics who provided insight and expertise that greatly assisted the research.

References

- [1] Ferlay J, Soerjomataram I, Ervik M, Dikshit R, Eser S, Mathers C, Rebelo M, Parkin D M, Forman D and Bray F 2013 IARC CancerBase No. 11 (Available from: <http://globocan.iarc.fr>, accessed on 12/08/2016).
- [2] Bentzen S M 2006 Nature Reviews Cancer 6 702-713.
- [3] Zwicke G L, Mansoori G A and Jeffery C J 2012 Nano Reviews 3 18496.
- [4] Langford J I and Wilson A J C, 1978 J. Appl. Cryst. 11 102-113.
- [5] Fahmi M Z, Ou K L, Chen J K, Ho M H, Tzing S H and Chang J Y 2014 RSC Adv., The Royal Society of Chemistry 4 32762-32772.
- [6] Huang H S and Hainfeld J F 2013 Int J Nanomedicine 8 2521-32.
- [7] Elzoghby AO, Samy WM and Elgindy NA 2012. J Control Release 157(2) 168-82.
- [8] Lu Y and Low P S 2002 Adv. Drug Deliv. Rev. 3;54(5) 675-93.

PAPER • OPEN ACCESS

Editorial Board

To cite this article: 2017 *J. Phys.: Conf. Ser.* **817** 011002

View the [article online](#) for updates and enhancements.

Related content

- [2nd International Symposium on Frontier of Applied Physics \(ISFAP 2016\)](#)
- [International Symposium on Banda Sea Ecosystem \(ISBSE\) 2017](#)
- [Editorial board](#)



IOP | ebooks™

Bringing together innovative digital publishing with leading authors from the global scientific community.

Start exploring the collection—download the first chapter of every title for free.

Editorial Board

Chief Editor

Febty Febriani (febty.febriani@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Keisuke Takahashi (Keisuke.takahashi@eng.hokudai.ac.jp)
Hokkaido University
Graduate School of Engineering
North 13, West 8
Sapporo, 060-8628
Japan

Peng Han (hanpeng407@gmail.com)
Institute of Statistical Mathematics
Risk Analysis Research Center (Statistical Seismological Research Project)
10-3 Midori-cho, Tachikawa
Tokyo 190-8562
Japan

Siwei Chen (chen-sw@criepi.denken.or.jp)
Central Research Institute of Electric Power Industry
Materials Science Research Laboratory
2-11-1 Iwadokita, Komae-shi
Tokyo 201-8511
Japan

Xinhong Qiu (qxinhong@gmail.com)
Wuhan Institute of Technology
School of chemistry environmental engineering
No.693, Xionghu Avenue, Hongshan District Wuhan, Hubei Province, P.R.
China

Mohsen Farahat (mohsen105@hotmail.com)
Central Metallurgical Research and Development Institute (CMRDI)
Mineral Processing and Agglomeration
P.O. Box 87 Helwan, Cairo
Egypt

Young-Ho Ko (yhko@etri.re.kr)
Electronic and Telecommunications Research Institute (ETRI)
Photonic/Wireless Convergence Components Research Department
218 Gajeong-ro, Yuseong-gu, Daejeon, 34129
Korea



Eni Sugiarti (eni.sugiarti@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Titi Anggono (titi.anggono@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Isnaeni (isnaeni@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Yuliati Herbani (yuliati.herbani@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Ferensa Oemry (ferensa.oemry@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Hubby Izzuddin (hubby.izzuddin@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Widi Astuti (widi.astuti@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research and Development Division for Mineral Technology
Jl. Ir Sutami Km.15 Tanjung Bintang, Lampung Selatan
Lampung. 35361
Indonesia

Wahyu Bambang Widayatno (wahyu.bambang.widayatno@lipi.go.id)
Indonesian Institute of Sciences (LIPI)

Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Deni Shidqi Khaerudini (deni.shidqi.khaerudini@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Kirana Yuniati Putri (kirana.yuniati.putri@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Fredina Destyorini (fredina.destyorini@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Nurfina Yudasari (nurfina.yudasari@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Qolby Sabrina (qolby.sabrina@lipi.go.id)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia

Risma Sundawa (risma.sundawa@gmail.com)
Indonesian Institute of Sciences (LIPI)
Research Center for Physics
Komplek PUSPIPTEK Serpong,
Tangerang Selatan 15314,
Indonesia



Journal of Physics: Conference Series

COUNTRY[United Kingdom](#)

Universities and research institutions in United Kingdom

SUBJECT AREA AND CATEGORY[Physics and Astronomy](#)
[Physics and Astronomy \(miscellaneous\)](#)**PUBLISHER**[IOP Publishing Ltd.](#)**H-INDEX****70**

Ads by Google

[Stop seeing this ad](#)[Why this ad?](#) **PUBLICATION TYPE**

Conferences and Proceedings

ISSN

17426588, 17426596




COVERAGE

2005-2020





INFORMATION[Homepage](#)[How to publish in this journal](#)jpcs@iopublishing.org**SCOPE**

The open access Journal of Physics: Conference Series (JPCS) provides a fast, versatile and cost-effective proceedings publication service.

[Join the conversation about this journal](#)



- Cites / Doc. (4 years)
- Cites / Doc. (3 years)
- Cites / Doc. (2 years)



Journal of Physics: Conference Series

Not yet assigned quartile

SJR 2019
0.23

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```

Table of contents

Volume 853

May 2017

[◀ Previous issue](#) [Next issue ▶](#)

International Conference on Physical Instrumentation and Advanced Materials 27 October 2016, Hotel Santika Premiere, Surabaya, Indonesia

Accepted papers received: 22 May 2017

Published online: 07 June 2017

[Open all abstracts](#)

Preface

OPEN ACCESS 011001

International Conference on Physical Instrumentation and Advanced Materials

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 011002

Peer review statement

[+ Open abstract](#) [View article](#) [PDF](#)

Instrumentation Physics

OPEN ACCESS 012001

Modeling of electrical impedance tomography to detect breast cancer by finite volume methods

K. Ain, R A Wibowo and S Soelistiono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012002

Dual frequency electrical impedance tomography to obtain functional image

Imam Sapuan, Khusnul Ain and Alif Suryanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012003

IoT real time data acquisition using MQTT protocol

R A Atmoko, R Riantini and M K Hasin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012004

Insulation of leakage by current measurement on electrical devices using high resolution configuration with different current flow



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012005

A simulation of surface plasmon resonance-based tapered fiber and sensing

Nina Siti Aminah, Siti Chalimah, Hendro, R Hidayat and M Djamal

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012006

Development of TGS2611 methane sensor and SHT11 humidity and temperature sensor for measuring greenhouse gas on peatlands in south kalimantan, indonesia

I Sugriwan and O Soesanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012007

Development of ozone sterilization system based microcontroller for *E. Coli* bacteria sterilization

Arfan Eko Fahrudin, Endarko, Amar Vijai Nasrulloh and Nurma Sari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012008

Cholesterol detection using optical fiber sensor based on intensity modulation

Moh Budiyanto, Suhariningsih and Moh Yasin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012009

IIR digital filter design for powerline noise cancellation of ECG signal using arduino platform

Akif Rahmatillah and Ataulkarim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012010

Development of wireless sensor network for landslide monitoring system

Suryadi, Prabowo Puranto, Hendra Adinanta, Adrin Tohari and Purnomo S Priambodo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Detection of acute lymphocyte leukemia using k-nearest neighbor algorithm based on shape and histogram features

Endah Purwanti and Evelyn Calista

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

Colour segmentation of multi variants tuberculosis sputum images using self organizing map

Riries Rulaningtyas, Andriyan B Suksmono, Tati L R Mengko and Putri Saptawati

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy

[+ Open abstract](#) [View article](#) [PDF](#)



Dose evaluation of organs at risk (OAR) cervical cancer using dose volume histogram (DVH) on brachytherapy

R Arif Wibowo, Bambang Haris and dan Inganatul Islamiyah

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012014

Effect of window length on performance of the elbow-joint angle prediction based on electromyography

Triwiyanto, Oyas Wahyunggoro, Hanung Adi Nugroho and Herianto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012015

Confocal microscope is able to detect calcium metabolic in neuronal infection by *toxoplasma gondii*

A D Sensusiaty, T K S Priya and Y P Dachlan

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012016

Performance weight sensor using graded index optical fiber on static test with UTM

R Khamimatul Ula and Dwi Hanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012017

Investigation of michelson interferometer for volatile organic compound sensor

Marzuarman, Muhammad Rivai, Tri Arief Sardjono and Djoko Purwanto

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012018

The transformation of equation of the characteristic curves to widen the working area of the hall effect sensor

D Darmawan, F Rahmawati, Suprayogi and A Suhendi

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012019

Design of vein finder with multi tuning wavelength using RGB LED

Franky Chandra, Aries Wahyudianto and M Yasin

[+](#) Open abstract [View article](#) [PDF](#)

OPEN ACCESS

012020

Optimization image of magnetic resonance imaging (MRI) T2 fast spin echo (FSE) with variation echo train length (ETL) on the rupture tendon achilles case

Akhmad Muzamil and Achmad Haries Firmansyah

[+](#) Open abstract [View article](#) [PDF](#)



Fabrication of prototype for measuring the exhaled breath temperature (EBT) to support detection of asthma 012021

A A Harnawan, Mariati, A Fahrudin and A Assegaf

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012022

Characterization of transimpedance amplifier as optical to electrical converter on designing optical instrumentation

D Hanto and R K Ula

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012023

Density characterization of radiochromic film through source axis distance (SAD) technique in linac with slab phantom for radiotherapy applications

Yousida Hariani and Bambang Haris

[+ Open abstract](#) [View article](#) [PDF](#)

Advanced Materials

OPEN ACCESS 012024

Permanent magnetic field, direct electric field, and infrared to reduce blood glucose level and hepatic function in *mus musculus* with diabetic mellitus

Suhariningsih, Hari Basuki Notobroto, Dwi Winarni, Saikhu Achmad Hussein and Tri Anggono Prijo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012025

Hydroxyapatite coating on cobalt alloys using electrophoretic deposition method for bone implant application

Aminatun, Shovita M, Chintya K I, Dyah H and Dwi W

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012026

The effectiveness of laser diode induction to *Carica Papaya L.* chlorophyll extract to be ROS generating in the photodynamic inactivation mechanisms for *C.albicans* biofilms

S Dewi Astuty and A Baktir

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012027

Preparation of creating active carbon from cigarette filter waste using microwave-induced KOH activation

Yanuar Hamzah and Lazuardi Umar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012028

Synthesis and characterization of breast-phantom-based gelatine-glutaraldehyde- TiO_2 as a test material for the application of breast cancer diagnosis



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012029

Collagen-chitosan-glycerol bio-composite as artificial tympanic membrane for ruptured inner ear organ

Prihartini Widiyanti, Rara Setya Angtika, Brillyana Githanadi, Ditya Hanif Kharisma, Tarikh Omar Asyraf and Adita Wardani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012030

Effects of hyperbaric oxygen therapy in enhancing expressions of e-NOS, TNF- α and VEGF in wound healing

Imam Susilo, Anita Devi, Azham Purwandhono and Sunaryo Hadi Warsito

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012031

The first-principle study on the stability of trans-HCOH in various solvents

Rizka Nur Fadilla, Nufida Dwi Aisyah, Hermawan K Dipojono and Febdian Rusydi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012032

Analysis of thin layer optical properties of A-Si:H P-Type doping CH₄ and P-Type without CH₄ is deposited PECVD systems

Soni Prayogi, Ayunis, Kresna, Yoyok Cahyono, Akidah and Darminto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012033

The detection of organic solvent vapor by using polymer coated chemocapacitor sensor

Apik Rusdiarna Indrapraja, Muhammad Rivai, Achmad Arifin and Djoko Purwanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012034

The dosage optimization of He-Ne laser energy as a candidate for photodynamic therapy of cancer cells with exogenous photosensitizer variations

R Apsari, I Maghfiroh, H Setyawati, Winarno, D Arifianto and A Zaidan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012035

The effect of TiO₂ thin film thickness on self-cleaning glass properties

Nandang Mufti, Ifa K R Laila, Hartatiek and Abdulloh Fuad

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012036

Hyaluronic Acid (HA)-Polyethylene glycol (PEG) as injectable hydrogel for intervertebral disc regeneration patients therapy

Hyaluronic Acid (HA)-Polyethylene glycol (PEG) as injectable hydrogel for intervertebral disc

regeneration patients therapy



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012037

Preparation of molecular sieve from natural pyrophyllite and characterization of its Al/Si ratio, crystal structure, and Porosity

Riris Idiawati, Abdulloh Fuad, Nandang Mufti, Hartatiek, Syamsul Bahtiar, Subakti and Ahmad Taufiq

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012038

An in vivo photodynamic therapy with diode laser to cell activation of kidney dysfunction

Suryani Dyah Astuti, Brahma Indra Prasaja and Tri Anggono Prijo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012039

Antimicrobial effect of *pleomeleangustifolia* pheophytin A activation with diode laser to *streptococcus mutans*

Sinari Alfat Sunarko, Wiwied Ekasari and Suryani Dyah Astuti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012040

Influences of the calcination temperature and polymethyl methacrylate templates to characteristic pore membrane of bioceramic titanium dioxide

Jan Ady, Eka Viandari and Dewi W Hasanah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012041

Fabrication and characterization of Zinc Oxide (ZnO) nanoparticle by sol-gel method

Siswanto, Nurul T. Rochman and Putri Riski Akwalia

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012042

The synthesis and characterization of hydrogel chitosan-alginate with the addition of plasticizer lauric acid for wound dressing application

Djony Izak Rudyardjo and Setiawan Wijayanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012043

Implementation of density functional theory method on object-oriented programming (C++) to calculate energy band structure using the projector augmented wave (PAW)

E Alfianto, F Rusydi, N D Aisyah, R N Fadilla, H K Dipojono and M A Martoprawiro

[+ Open abstract](#) [View article](#) [PDF](#)



[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012045

The effect of Cr₂O₃ doping on structures and dielectric constants of SiO₂-Bi₂O₃-B₂O₃-Na₂CO₃ glass based on silica gel of natural sand

M Diantoro, M B Zaini, Z Muniroh, Nasikhudin and A Hidayat

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012046

Effect of temperature on the corrosion inhibition of iron in liquid lead using oxygen inhibitor: studied by MD simulation

Artoto Arkundato, Fiber Monado and Zaki Su'ud

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012047

Microstructure and dielectric properties of cellulose acetate-ZnO/ITO composite films based on water hyacinth

M Diantoro, A A Mustikasari, N Wijayanti, C Yogihati and A Taufiq

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012048

Folate receptor mediated in vivo targeted delivery of human serum albumin coated manganese ferrite magnetic nanoparticles to cancer cells

A Zaidan, F Ilhami, M Z Fahmi, B Purwanto and R Z Kharisma

[+ Open abstract](#)

[View article](#)

[PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal Scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)



