

PAPER • OPEN ACCESS

Effect of foliar nutrients application to the growth and yield of *Physalis peruviana* and *Physalis alkekengi*

To cite this article: Diana Nurus Sholehah *et al* 2022 *IOP Conf. Ser.: Earth Environ. Sci.* **978** 012003

View the [article online](#) for updates and enhancements.

You may also like

- [The effect of filler addition and oven temperature to the antioxidant quality in the drying of *Physalis angulata* leaf extract obtained by subcritical water extraction](#)
R F Susanti and Desy Natalia
- [Diversity of bioactive secondary metabolites produced by medicinal plants of *Physalis angulata* L. \(Ciplukan\)](#)
R Mastuti and M Rosyidah
- [In Vitro Environmental Stresses for Enhancing Withanolides Production in *Physalis angulata* L.](#)
R Mastuti and M Rosyidah



The Electrochemical Society
Advancing solid state & electrochemical science & technology

242nd ECS Meeting

Oct 9 – 13, 2022 • Atlanta, GA, US

Abstract submission deadline: **April 8, 2022**

Connect. Engage. Champion. Empower. Accelerate.

MOVE SCIENCE FORWARD



Submit your abstract



Table of contents

Volume 978

2022

◀ Previous issue Next issue ▶

The 3rd International Conference on Agriculture and Rural Development 30/11/2021 - 30/11/2021 Serang

Accepted papers received: 20 January 2022

Published online: 21 February 2022

Open all abstracts

Preface

OPEN ACCESS

011001

Introduction of The 3rd International Conference on Agriculture and Rural Development (The 3rd ICARD)

+ Open abstract  View article  PDF

OPEN ACCESS

011002

Peer Review Statement

+ Open abstract  View article  PDF

Agricultural and Environmental Sciences

OPEN ACCESS

012001

The Role of Traditional Diets in Promoting Food Security for Indigenous Peoples in Low- and Middle-Income Countries: A Systematic Review

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



F F Sidiq, D Coles, C Hubbard, B Clark and L J Frewer

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012002

New possibilities of using vegetable raw materials in the technology of fermented milk products: review

D Khrundin, V Ponomarev and E Yunusov

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012003

Effect of foliar nutrients application to the growth and yield of *Physalis peruviana* and *Physalis alkekengi*

Diana Nurus Sholehah, Dini Ermavitalini, Miratul Khasanah, Edy Setiti Wida Utami and Hery Purnobasuki

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012004

Potential for development of local rice genetic resources into excellent varieties in Merangin regency, Jambi province

J Bobihoe, E Salvia, J Hendri, D Hernita and Endrizal

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012005

Farming Support Systems for Smallholders Rubber Production in Jambi, Indonesia

Yardha, L Izhar and Salwati

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012006

The study of household willingness to pay for solid waste management at Bekasi and Tangerang cities

Y Ismail, R Juwono and N Hadikusuma

[+ Open abstract](#)

[View article](#)

[PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



OPEN ACCESS

012007

Empowering farmer group to increase rice productivity for promoting food security: a case study of the implementation of jarwo super technology in Lebak District, Banten, Indonesia

S Kusumawati, S Kurniawati, A Saryoko and I Hidayah

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012008

The Genetic Diversity of Kemang (*Manifera kemaga* Blume) collection from Bogor in the Germplasm Garden

E S Mulyaningsih, Y G D Anggraheni, O Yurika, L S Santun and Y S Hidayat

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012009

Study of P Nutrient Soil Test Calibration in Determining P Fertilization Recommendations Shallots in Ultisol Soil

I P Lestari, A D Susila, A Sutandi and D Nursyamsi

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012010

Chemical properties of acid soil after amelioration of dolomite, coal, and microbes

D Firmia and I Rohmawati

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012011

Effect of an Organic and Inorganic Foliar Fertilizer, Time and Fertilization Frequencies on Dendrobium Growth

S Rianawati, I B Rahardjo and Musalamah

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012012

Cellulolytic fungi modify the nitrogen, phosphorus, and potassium contents of organic fertilizers

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



F Fikrinda, M Marlina and M Khalil

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012013

Effect of Biofertilizer Formulation with Addition of Consortium of Microbes and Biosurfactant DEA Palm Olein to Growth of Cacao (*Theobroma cacao*) Seedling

Nurmayulis, F R Eris, H Maida, D Hastuti and Y R Denny

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012014

Genetic variability and Heritability of Agronomic Traits of Selected Green Super Rice (GSR) Lines in Indonesia

Untung Susanto, Asep Ikhsan Gumelar and Jauhar Ali

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012015

Changes in functional properties during fermentation of *Amorphophallus paeoniifolius* (Dennst.) Nicolson yam using *Lactobacillus plantarum*

I T Syah, D Irundu, N A Bahmid, Indrastuti and I Karim

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012016

Allelopathic effect of parthenium weed (*Parthenium hysterophorus L.*) leaf litter on the seedling emergence and growth of wheat (*Triticum aestivum L.*)

Widia Eka Putri

[+ Open abstract](#)

[View article](#)

[PDF](#)

OPEN ACCESS

012017

Grain yield and yield component trait association and salinity tolerance of rice lines under mild saline stress condition.
This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Nafisah, T. Sitaresmi, C. Gunarsih and A. Hairmansis

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012018

Characterization of peatland indigenous bacteria and their potential as biological control agents of *Ganoderma* sp. the causes of oil palm stem rot disease

R Saputra, A Hamzah and L P Utami

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012019

Prospect of sorghum development as corn substitution in Indonesia

Y Pujiharti, E Paturohman and Ikhwani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012020

Drought tolerance screening of selected rice varieties by limited semi controlled field system

Untung Susanto, Wage Ratna Rohaeni and Samsul Arifin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012021

Protein structure determination as a powerful tool for the sustainable development of agriculture field (and its potential relevance in Indonesia)

A A Koesoema

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012022

Food waste management regulation in Indonesia to achieve sustainable development goals

F. A. Cahyani, P. Wulandari and N. A. Putri

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012023

Production technology of livestock and poultry products using environmentally safe feed additives

A N Volostnova, A V Yakimov, O A Yakimov, A Sh Salyakhov and G S Frolov

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012024

Study of salicylic acid concentration in suppressing the development of *Ganoderma* spp. causes of stem rot disease in vitro and its effect on oil palm seedling growth

R Saputra, A Hamzah, F Puspita, Irfandri, B Nasrul and T E Naibaho

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012025

Analysis of the diversity of local ginger (*Zingiber officinale* Rosc.) in Pandeglang Regency, Banten Province based on morphological characteristics

F D Prasetyo, N I Muztahidin, A A Fatmawaty, A Laila and M Nurfadilah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012026

The Response of AB Mix Utilization on Growth and Yield of Several Melon Varieties (*Cucumis melo* L.) in Hydroponic Drip Irrigation System

E Sugiartini, Rusmana, S Hilal, A Feronica C I and S E Wahyuni

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012027

Potential of Beef Cattle Breeding by Output Value-Based in Bayang Utara District, Pesisir Selatan Regency, West Sumatera

Adisti Rastosari, James Hellyward, Tinda Afriani, Rusdimansyah and Mylaufa Asyraf

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012028

Panicle blast severity identification in advance generation rice lines

Estria F Pramudyawardani, Santoso, T Sitaresmi, A Hairmansis, Nafisah and A Imamuddin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012029

Combination of dry-wet land Preparation to Increase Plant Population and Yield under Direct Seeding Rice

Z. Susanti, C. Sakai, P. Sasmita, Z.M. Hikmah, N. Budijaya, Y. Shin and S. Meiyanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012030

The expression of novel PII-like protein from *Lentilactobacillus hilgardii*

Z Iskhakova, D Zhuravleva, V Matigorova and A Kayumov

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012031

Resistance of several Banten local rice varieties (*Oryza sativa* L) towards brown planthopper (*Nilaparvata lugens* Stal.) attack as potential genetic resources

D Hastuti, R F Yenny, P N Susilawati and A P Welasih

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012032

The Effect of Bio-Fertilizer Applications *Bacillus cereus* and *Lysinibacillus* sp On Paprika Plants (*Capsicum annuum* L) On Plant Nutrient Content and Cultivation Media

Abdul Hasyim Sodiq, Mieke Rochimi Setiawati, Dwi Andreas Santosa and Dedi Widayat

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Agribusiness and Agricultural Resource Economics

OPEN ACCESS

012033

Competitiveness analysis of Indonesian processes and non-processed agricultural commodities in the ASEAN Region

E Tety, D Kurnia and Y Andriani

+ Open abstract

 View article

 PDF


OPEN ACCESS

012034

Potato (*Solanum tuberosum L.*) Varieties Improvement in Kerinci, Jambi

Lutfi Izhar and Syafridi

+ Open abstract

 View article

 PDF


OPEN ACCESS

012035

Internal factors and competency on the performance model of self-support agricultural extensional agents in Serang City

A Fauzan, Mirajiani and A Mulyaningsih

+ Open abstract

 View article

 PDF

OPEN ACCESS

012036

Utilization of *Ulva* spp. in Biscuit Formulation: Feasibility Studies at the Household Scale

R Kusumawati, E Sinurat, Sihono, D Fransiska, Subaryono, Nurhayati, A H Purnomo, B S B Utomo and J Basmal

+ Open abstract

 View article

 PDF

OPEN ACCESS

012037

Attitude of young farmers to on-farm business sustainability based on the behavior and success of seeking digital information related to agriculture (case of Lebak Regency, Banten Province-Indonesia)

Khaerunnisa, Nurmayulis and Y L A Salampeppy

+ Open abstract

 View article

 PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



OPEN ACCESS

012038

Farmers' perceptions towards local food in Pandeglang Regency

A Mulyaningsih, A Astuti and R M Sari

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012039

Farming analysis of intercropping of long bean on palm oil plantations (case study)

Adri and Yardha

[+ Open abstract](#)[View article](#)[PDF](#)

Fishery and Marine Sciences

OPEN ACCESS

012040

Nori solar dryer performance: in relation to the colour of the product

Bagus S B Utomo and Ellya Sinurat

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012041

Evaluation on some nitrogen degrading bacteria for culture of glass ell

Y R Widyastuti, A Saputra, Yosmaniar, T H Prihadi and M T D Sunarno

[+ Open abstract](#)[View article](#)[PDF](#)**OPEN ACCESS**

012042

Utilization of tofu waste from Indonesian small scale industry as fish feed through a fermentation process

Mulyasari, Subaryono and Yosmaniar

[+ Open abstract](#)[View article](#)[PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

OPEN ACCESS

012043

Thermal and pH Stability of the Red Seaweed (Rhodophyceae) Phycoerythrin Pigments from Kupang, Indonesia

Ifah Munifah, Siti Musfiroh, Aris Munandar and Dini Surilayani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012044

Growth and Feed Digestibility of Sangkuriang Catfish with Corn Gluten Meal-Based Feeding

Mustahal, D Hermawan, M B Syamsunarno, L A Agung, A S Nurhaliza, R F Rachmawati, D Anggraeni and A N Putra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012045

Effectiveness of Different Mesh Size To Release Small Blue Swimming Crab on Trap Fishing

H S Nurdin, A Susanto and D Y A Saputra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012046

Physical properties of bioplastic agar/chitosan blend

Agusman, D Fransiska, Murdinah, T Wahyuni, H E Irianto, P Priambudi, Fateha, A H D Abdullah, R D Nissa, B Firdiana *et al*

[+ Open abstract](#) [View article](#) [PDF](#)

Sustainable Food Systems

OPEN ACCESS

012047

Potential use of Lactiplantibacillus plantarum strains for fermentation of fat milk

E Nikitina

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012048

This site uses cookies. By continuing to use this site, you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

The effect of variation concentration white oyster mushroom flour for quality yogurt mushroom taro symbolic during storage



R H B Setiarto, N Widhyastuti and A R Risty

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012049

Utilization of Local Fruits as Food Source for the Dayak Jangkang Tribe, West Kalimantan

Benediktus Ege, Hendrikus Julung, Markus Iyus Supiandi, Susriyati Mahanal and Siti Zubaidah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012050

Comparasion of different of Difference Extraction Methods, Types of Materials and Plant Parts of Indonesian Local Lemongrass (*Cymbopogon citratus*) on Phytochemical Quality

G Priadi, Y G D Anggraheni, E S Mulyaningsih, N S Hartati, Y Hapsari, Bustanussalam and P Simanjuntak

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012051

Biotechnological transformation of raw materials with reduced technological properties by proteolytic preparations of various origins

V Ponomarev, E Yunusov and G Ezhkova

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012052

Research of fermentation processes of protein substrates by consortiums of lactic acid bacteria

S V Kitaevskaya, V Y Ponomarev and E Sh Yunusov

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012053

Mapping of sustainable warehouse process in the agro-hub Banten using business process modelling notation

F D Wahyuni, Z Najah and M I Santoso

[+ Open abstract](#) [View article](#) [PDF](#) This site uses cookies. By continuing to use this site, you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS

012054

Antioxidant activity of young leaves extracts of *Lygodium microphyllum* on boiling variation

Ari Widiyantoro, Sri Wahdaningsih and Sri Luliana

[+ Open abstract](#)[View article](#)[PDF](#)**JOURNAL LINKS**[Journal home](#)[Journal scope](#)[Information for organizers](#)[Information for authors](#)[Contact us](#)[Reprint services from Curran Associates](#)



Tools



Open in desktop app



Sign in

Welcome To Acrobat



Sign in to your Adobe account to use PDF tools online.

Files you work with online are saved to Adobe cloud storage for quick access from anywhere.

Login dengan Google

See more ways to [sign in](#), or [sign up for free](#)

CONVERT

- PDF to Word
- PDF to JPG
- PDF to Excel
- PDF to PPT
- Convert to PDF

EDIT

- Reorder pages
- Rotate pages
- Delete pages

-
-
-

IOP Conference Series: Earth and Environmental Science

PAPER • OPEN ACCESS

Peer Review Statement

To cite this article: 2022 *IOP Conf. Ser.: Earth Environ. Sci.* **978** 011002

View the [article online](#) for updates and enhancements.

You may also like

- [Peer review declaration](#)
- [Peer review declaration](#)
- [Peer Review Declaration Form Guidan](#)



1

2





Tools



Open in desktop app



Sign in

Welcome To Acrobat

Sign in to your Adobe account to use PDF tools online.

Files you work with online are saved to Adobe cloud storage for quick access from anywhere.

Login dengan Google

See more ways to [sign in](#), or [sign up for free](#)

CONVERT

PDF to Word

PDF to JPG

PDF to Excel

PDF to PPT


Convert to PDF

EDIT

Reorder pages

Rotate pages

Delete pages



Free the Science Week 2023 April 2-9

Accelerating discovery through **open access!**

www.ecsdl.org [Discover more!](#)

This content was downloaded from IP address 210.57.215.234 on 29/03/2023 at 04:17

The 3rd International Conference on Agriculture and Rural Development IOP Publishing
IOP Conf. Series: Earth and Environmental Science **978** (2022) 011001 doi:10.1088/1755-1315/978/1/011001

Introduction of The 3rd International Conference on Agriculture and Rural Development (The 3rd ICARD) 30 November 2021, Serang City, Indonesia

The Indonesian government focuses on agricultural development to build up a sustainable farming system and food sustainable system based on production capability, biodiversity resources, and diversity of local institutions. We could reach that point by improving the competitive advantages of local products based on competition and comparative advantage of nature and human resources



2

3



Effect of foliar nutrients application to the growth and yield of *Physalis peruviana* and *Physalis alkekengi*

Diana Nurus Sholehah^{1,4}, Dini Ermavitalini^{1,5}, Miratul Khasanah³, Edy Setiti Wida Utami², Hery Purnobasuki²

¹ Doctoral Study Program of Mathematics and Natural Science, Faculty of Science and Technology, Airlangga University Indonesia

² Departement of Biology, Faculty of Science and Technology, Airlangga University, Indonesia

³ Departement of Chemistry, Faculty of Science and Technology, Airlangga University, Indonesia

⁴ Study Program of Agroecotechnology, Faculty of Agriculture, University of Trunojoyo Madura, Indonesia

⁵ Departement of Biology, Faculty of Science and Data Analytics, Institut Teknologi Sepuluh Nopember, Indonesia

[Email: hery-p@fst.unair.ac.id](mailto:hery-p@fst.unair.ac.id)

Abstract. *Physalis* Sp. is a potential medicinal plant and functional food. The use of appropriate nutrients can gain optimal plant growth and productivity. This study aimed to determine the macro and micronutrients that can provide optimal growth and yield of *Physalis* sp. This research was conducted at a greenhouse in Bangkalan Madura. A factorial randomized block design with four replications was used in this study. The first factor was the species of *Physalis* Sp., namely *P. peruviana* and *P. alkekengi*. The second factor is nutrition at four levels: a spray of water only as control; foliar application of macronutrients at a dose of 2 g/L; foliar application of micronutrients at a dose of 0,125 g/L; foliar Application of a combination of macronutrients 1 g/L and micronutrients 0,0625 g/L. The data obtained were analyzed using analysis of variance (ANOVA) followed by Least Significant Difference (LSD) at the 5 % level. Nutrition significantly affected growth (plant height, stem diameter, and number of leaves) and yield (number of fruit). The interaction between treatments occurred in the number of fruits. Micronutrients gave the highest number of fruit, both species of *Physalis* sp.

1. Introduction

Crop production is being hampered by micronutrient shortages, affecting crop quality. Micronutrients serve as a stimulant for the absorption and use of specific macronutrients [1]. Human and animal health is being affected due to poor micronutrient feed and food products. Provisioning these micronutrients in a balanced diet for humans is receiving much attention worldwide [2]. This need can be fulfilled through fortification in food processing or crops during growth and development [3, 4].

Every plant has different nutritional needs. Despite adequate NPK fertilizer application, normal development of high-yielding cultivars was not possible due to insufficient or no micronutrient delivery. When trace elements are used with NPK fertilizers, high fertilizer-sensitive cultivars reach their maximum output potential. When sprayed alone or in combination, micronutrients improved crop production considerably over controls. There was a substantial beneficial relationship between fertilizer treatments and crop growth physiological phases. It is important to investigate the elements influencing fertilizer efficiency [1].

An integrated approach, including foliar micronutrient feeding, is common worldwide to provide high-quality crops with high yields and achieve balanced nutrition for humans [5]. This approach will



assure providing micronutrients to the populations suffering from malnutrition through the increased consumption of wheat (*Triticum aestivum* L.)-based dietary products [6].

Physalis Sp. is an annual or short-lived perennial plant in the family Solanaceae, with yellow to orange fruit, juicy flesh, and tiny seeds [7,8]. The most distinguishing characteristic is the fruiting calyx, which expands to cover the fruit as it develops and ripens, protecting it from insects, birds, pathogens, and unfavourable weather conditions. It dangles down like a light [8, 9]. *Physalis* is rich in health-promoting compounds. Several compounds contain ascorbic acid, carotene, lactone, and phenolic compounds with various pharmacological effects [10]. This study aimed to determine the impact of macro and micronutrients on the growth and yield of 2 *Physalis* species, namely *P. peruviana* and *P. alkekengi*.

2. Material and Methods

2.1 Field location and material

A field experiment was conducted in a greenhouse at Bangkalan District Madura Island, Indonesia. Cultivation is carried out at an altitude of 5 meters above sea level with a maximum average temperature of 35.8 °C and a minimum average temperature of 23.8 °C.

Healthy and uniform-sized 30 days old seedlings of *P. peruviana* and *P. alkekengi* were transplanted at 40 cm × 40 cm polybag and cultivated for 30 days. The planting medium consists of soil, manure, and husk charcoal (3:1:1). Each plant was fertilized with NPK fertilized compound (16:16:16) at a dose of 3 mg/plant at the time of transplanting, at 14 and 32 days after transplanting.

Table 1. Chemical properties of planting medium

pH	Organic carbon (%)	N total (%)	Organic matter (%)	P.Olsen (mg kg ⁻¹)	K (%)
7,30	2,40	0,31	4,20	102,47	0,51

2.2. Experimental design

A factorial randomized block design with four replications was used in this study. The first factor was the species of *Physalis* sp., namely *P. peruviana* and *P. alkekengi*. The second factor was nutrition at four levels, namely: a spray of water only as control (N0); foliar application of macronutrients at a dose of 2 g/L (N1); foliar application of micronutrients at a dose of 0,125 g/L (N2); foliar application of a combination of macronutrients 1 g/L and micronutrients 0,0625 g/L (N3). The macronutrients containing P₂O₅: 52% and K₂O: 34%. The micronutrient containing Zn (5 %), Fe (2,5 %), Cu (2 %), B (2%), Mo (0,1 %) and Mn (7%). Treatments were given every 14 days starting from 10 days after transplanting

The growth and yield parameters observations were recorded at 90 days after transplanting. The observed growth parameters consisted of plant height, stem diameter and the number of leaves, while the observed yield parameters were the number of fruits.

2.3 Data analysis

Data were analyzed with a two-factor ANOVA procedure for Randomized block Design. The mean was further analyzed using Least Significance Difference (LSD) at P<0.05.

3. Result and discussion

3.1 Growth parameter

There was no interaction effect between *Physalis* species and the type of nutrition used to the plant growth in this study. Table 2 showed that *P. peruviana* had height, stem diameter and the number of leaves, respectively, 229.21 cm, 12.36 mm and 339.59 higher than *P. alkekengi* with height, stem diameter and the number of leaves, respectively 89.02 cm, 4.29 mm and 169.31. The ability of a plant

to alter its architecture is influenced by both developmental genetic and environmental stimuli, and the resulting shape can affect plant growth and reproduction [11]. Species of *Physalis* Sp showed morphological variations seen from several parameters such as habitus and height. Habitus variations ranged from shrubs to arborescent perennial, while based on height, it shows variations ranging from a few centimetres to more than 2 m [12]. However, the height obtained was higher than previous studies of *P. alkekengi* of the Popa-Mitroi study (2012) [13] and *P. peruviana* of the Bertoncelli et al. (2017) study [14] and Pedo et al. (2019) [15]. The high organic matter content of the growing media, around 4.2%, supported better plant growth (table 1). Soil organic matter plays a vital role in carbon storage, aggregate formation, supply of plant nutrients, retention, and immobilization and mobilization of metals and increases soil water retention capacity [16].

Nutrients increased plant growth compared to controls, but the findings were not significantly different between the types of nutrients used (table 2). Plant growth and development are highly influenced by nutrient availability [17]. The kind, form, amount and frequency of nutrients used impact plant development [18, 19]. The macronutrients P and K are essential for plant growth, particularly in the early stages and increasing yield. It is also essential for plant health, tolerance to environmental stresses, and yield quality by increasing grain nutritional content and extending shelf life [20]. The micronutrients such as zinc and boron were considered in the auxin production. It has an essential role in the formation and differentiation of cells for plant roots and shoots, causing plant height to increase [21, 22]. Increased plant growth parameters may be attributed to nutrient participation in chlorophyll production, which may contribute to cell division, meristematic activity in apical tissue, cell expansion, and cell wall formation [23].

Table 2. Plant growth parameter as affected by foliar nutrients application

Treatments	Height (cm)	Stem diameter (mm)	Number of leaves
<i>P. peruviana</i>	229.21 a	12.36 a	339.59 a
<i>P. alkekengi</i>	89.02 b	4.29 b	169.31 b
LSD 5%	7.65	0.45	35.11
Control	135.14 b	7.68 b	156.06 b
Macronutrients	162.68 a	8.53 a	291.00 a
Micronutrients	168.51 a	8.73 a	287.88 a
Macronutrients + micronutrients	170.13 a	8.36 a	282.88 a
LSD 5%	10.82	0.64	49.65

Mean values in the same column followed by the same letters are not significantly different ($P < 0.05$).

Table 3. Number of fruit as affected foliar nutrients application

Nutrients	Number of fruit	
	<i>P. peruviana</i>	<i>P. alkekengi</i>
Control	8.37 c	2.00 b
Macronutrients	17.13 b	6.12 a
Micronutrients	33.63 a	7.75 a
Macronutrients + micronutrients	20.50 b	3.00 b
LSD 5 %	3.44	

Mean values in the same column followed by the same letters are not significantly different ($P < 0.05$).

P. peruviana and *P. alkekengi* have different responses to nutrition. The macronutrient application in *P. peruviana* statistically was not significantly different from the results obtained from combined

nutrients. The number of fruits in *P. alkekengi* with micronutrients was not significantly different from macronutrients. Plant responses to fertilizer administration appear to be highly impacted by the nutritional requirements of each species, the chemistry of the planting media, and the environmental circumstances of each growing season [24]. The results of soil analysis on the media show that the planting media has a high organic matter content and moderate NPK content.

Micronutrients have numerous roles in plant physiology that can affect fruit production. Several vital functions include increasing the activity of metabolic enzymes, playing a role in the reproduction and metabolism of auxin and nitrogen metabolism [25]. The auxin also has an essential role in plant reproduction, fruit set, and development [26, 27].

4. Conclusion

The application of foliar nutrients affected the growth and yield of *P. peruviana* and *P. alkekengi*. Macronutrients, micronutrients, and their combination resulted in height, stem diameter, and the number of leaves significantly different from the control, but the values were not significantly different from each other. Meanwhile, the highest number of fruits of both species was obtained from micronutrients application.

References

- [1] Sultana S, Naser H M, Akhter S and Begum R A 2016 *Bangladesh J. Agril. Res.* **41** 3
- [2] Cakmak I, Pfeiffer W H and McClafferty B 2010 *Cereal Chem.* **87** 1
- [3] Sperotto, R A, Vasconcelos M W, Grusak M A Fett J P 2012 *Rice* **5** 27
- [4] Yaseen M, Abbas T, Aziz M Z, Wakeel A, Yasmeen H, Ahmad W, Ullah A, Naveed M 2018 *Int. J. Agric. Biol.* **20** 353
- [5] Stewart Z P, Paparozzi E T, Wortmann C S, Jha P K and Shapiro C A 2021 *Plant* **10** 528
- [6] Aziz M Z, Yaseen M, Abbas T, Naveed M, Mustafa A, Hamid Y, Saeed Q, Ming-gang X U 2019 *J. Integr. Agric.* **18** 6
- [7] Olivares-Tenorio M. L, Dekker M, Verkerk R, van Boekel M 2017 *Food Sci. Technol.* **80** 523
- [8] Puente L A, Pinto-Muñoz C A, Castro E S, Cortés M 2011 *Food Res. Int.* **44** 1733
- [9] Ramadan M F 2011 *Food Res. Int.* **44** 1830
- [10] Shah P and Bora K S 2019 *Int J. Pharm. Biol. Sci.* **14** 4
- [11] Mauro-Herrera M and Doust A N 2016 *Plos One* **11** 3
- [12] Mazova N, Popova V and Stoyanova A 2020 *Food Sci. Biotechnol.* **3** 1
- [13] Popa-Mitro D, Popa-Mitroi G, Nicu C and Manda M South west *J. Hort. Biol. Environ.* **3** 2
- [14] Bertonecelli D C, Oliveira M C, Passos A I, Casagrande T H and Ariati A C 2017 *Comun. Sci.* **8** 2
- [15] Pedó T, Ivan R. Carvalho, Szarecki V J, Troyjack C, Pimentel J R, Escalera R A V, da Silva F L, Peter M, Aumonde T Z, Oliveira L C, Villela F A, Nora L and Mauch C R 2019 *J. Agric. Sci.* **11** 1
- [16] Murphy B 2015 IOP Conf. Ser.: Earth Environ. Sci. **25** 012008
- [17] Kumar S, Kumar S and Mohapatra T 2021 *Front. Plant Sci.* **12** 665583
- [18] Fahrurrozi, Mukhtar Z, Dwatmadji, Setyowati N, Sudjatmiko S and Chozin M 2016 *Int. J. Adv. Sci. Eng. Inf. Technol.* **6** 3
- [19] Razaq M, Zhang P, Shen H and Salahuddin 2017 *Plos One* **12** 2
- [20] Zewdie I and Reta Y 2021 *Direct Res. J. Agric. and Food Sci.* **9** 1
- [21] Begum M C, Islam M, Sarkara M R, Azad M A S, Hudac A K M N and Kabira A H 2016 *J. Plant Interact* **11** 1
- [22] Wasaya A, Shabir M S, Hussain M, Ansar M, Aziz A, Hassan W and Ahmad I 2017 *J. Soil Sci. Plant Nutr.* **17** 1
- [23] Samreen T, Humaira, Shah H U, Ullah S and Javid M 2017 *Arab. J. Chem.* **10** S1802
- [24] Stack S, Yarmuch M, and Landhäuser S M 2021 *Can. J. Soil Sci.* **101** 45

- [25] Sarker S H, Moslehuddin A Z, Jahiruddin M, Islam M R and Talukder R 2019 *J. Natn. Sci. Foundation Sri Lanka* **47** 2
- [26] Godoy F, Kühn N, Marchandon M G, Gouthu S, Deluc L, Delrot S, Lauvergeat V and ArceJohnson P 2021 *Hortic. Res.* **8** 140
- [27] Larsson E, Vivian-Smith A, Offringa R and Sundberg E 2017 *Front. Plant Sci.* **8** 1735

Acknowledgement

This research was financially supported by the Penelitian Unggulan Fakultas of Airlangga University under Grant No. 2719/UN3.1.8/PT/2021.

also developed by scimago:



SCIMAGO INSTITUTIONS RANKINGS

SJR

Scimago Journal & Country Rank

Enter Journal Title, ISSN or Publisher Name

[Home](#)

[Journal Rankings](#)

[Country Rankings](#)

[Viz Tools](#)

[Help](#)

[About Us](#)



IOP Conference Series: Earth and Environmental Science

COUNTRY

SUBJECT AREA AND CATEGORY

PUBLISHER

H-INDEX

[United Kingdom](#)

[IOP Publishing Ltd.](#)



Universities and research institutions in United Kingdom



Media Ranking in United Kingdom

Earth and Planetary Sciences
Earth and Planetary Sciences (miscellaneous)

Environmental Science
Environmental Science (miscellaneous)

Physics and Astronomy
Physics and Astronomy (miscellaneous)

34**PUBLICATION TYPE****ISSN****COVERAGE****INFORMATION**

Conferences and Proceedings





17551307, 17551315





2010-2021

[Homepage](#)[How to publish in this journal](#)ees@iopublishing.org**SCOPE**

The open access IOP Conference Series: Earth and Environmental Science (EES) provides a fast, versatile and cost-effective proceedings publication service.

Join the conversation about this journal






Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimagoj
```


50k



**IOP Conference Series:
Earth and Environmental...**

Not yet assigned
quartile


SJR 2021
0.2

powered by scimagojr.com



SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool.**



Metrics based on Scopus® data as of April 2022

A Abdel Muktader Abdel Aziz El-Sayed 5 months ago

Nahla A. El Sayed and El sayed Abdel Muktader A. 2021 IOP Conf. Ser.: Earth Environ. Sci. 906 012004

Is this scopus or not, and what is the impact factor of this magazine?